


RSV (BACKUP LOCALLY)



- ✓ **SLA** (Service level agreement)- Backup agreement between customer and Us.
- ✓ Within a day how many backups does customer want based on SLA.
- **SCHEDULE BACKUP** – It's an automated backup at scheduled time.
- **ON-DEMAND BACKUP** – It's a customer on-demand backup by doing manually or giving different times in one day based on requirement.
- ✓ **NOTE:** Normal servers we use normal backup like above and for other we use replica and failover method, where data fetch every second to backup region.

Home > CreateVm-MicrosoftWindowsServer.WindowsServer-202-20260227171019 | Overview

Ubackup-VM Virtual machine

Help me copy this VM in any region Manage this VM with Azure CLI

Search

Overview

- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Monitor
- Resource visualizer
- Connect
- Networking
 - Network settings
 - Load balancing
 - Application security groups

Ubackup-VM virtual machine agent status is not ready. Troubleshoot the issue →

Help me copy this VM in any region


Connect Start Restart Stop Hibernate Capture Delete Refresh Scale Open in mobile Feedback CLI / PS

Essentials

Resource group (move)	: Ubackup-rg	Operating system	: Windows
Status	: Running	Size	: Standard DC1ds v3 (1 vcpu, 8 GiB memory)
Location	: Central US	Primary NIC public IP	: 172.212.192.29 1 associated public IPs
Subscription (move)	: Azure subscription 1	Virtual network/subnet	: vnet-centralus/snet-centralus-1
Subscription ID	: 5d75b66d-66bf-44e0-8d7e-7e61e4b043d7	DNS name	: Not configured
		Health state	: -
		Time created	: 27/02/2026, 11:42 UTC

Tags (edit) : Add tags

JSON V



Home > Recovery Services vaults

Create Recovery Services vault

*** Basics** Redundancy Encryption Vault properties Networking Tags Review + create

Project Details

Select the subscription and the resource group in which you want to create the vault.

Subscription * ⓘ Azure subscription 1

Resource group * ⓘ Ubackup-rg
[Create new](#)

Instance Details

Vault name * ⓘ Ubackup-vault ✓

Region * ⓘ Central US



Help me create a vault

Copy an existing vault settings

Basics **Redundancy** Encryption Vault properties Networking Tags Review + create

Backup Storage Redundancy Locally-redundant

Create Recovery Services vault ...

* Basics Redundancy Encryption Vault properties Networking Tags Review + create

Summary

Basics

Subscription	Azure subscription 1
Resource group	Ubackup-rg
Vault name	Ubackup-vault
Region	Central US

Redundancy

Backup Storage Redundancy	Locally-redundant
---------------------------	-------------------

Vault properties

Immutability	Disabled
--------------	----------

Networking

Create Previous: Tags Feedback Download a template for automation

- ✓ After creating RSV → Getting started → **Backup**
- ✓ Below we can see Azure has these many Backups it can do.
- ✓ For now, we choose VM, Bcz we created VM in Azure portal.

Ubackup-vault | Backup ☆ ...

Recovery Services vault

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
- Getting started
- Backup**
- Site Recovery
- Protected items

 The storage replication is set to Locally Redundant. This option cannot be changed later. Before proceeding further

Where is your workload running?

Azure

What do you want to backup?

Virtual machine

Virtual machine

Azure file share

SQL Database in Azure VM

SAP ASE (Sybase) in Azure VM

SAP HANA in Azure VM

[Help improve this page](#)

✓ **We can also choose workload running below**

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
- Getting started
- Backup**
- Site Recovery

 The storage replication is set to Locally Redundant. This option cannot be changed later. Before proceeding further

Where is your workload running?

Azure

Azure

Azure Stack Hub

Azure Stack HCI

On-Premises

Backup

Give feedback
[Help improve this page](#)

✓ **Choosing Azure & VM**

Ubackup-vault | Backup

Recovery Services vault

Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
- Getting started
- Backup**
- Site Recovery

 The storage replication is set to Locally Redundant. This option cannot be changed later. Before proceeding

Where is your workload running?

Azure

What do you want to backup?

Virtual machine

Step: Configure Backup

Backup

Give feedback

 [Help improve this page](#)

✓ **Below choose standard policy & click create policy below.**

Configure backup

Ubackup-vault

Policy sub type *



Enhanced

- ✓ Multiple backups per day
- ✓ Up to 30 days operational tier retention
- ✓ Support for Trusted Launch Azure VM
- ✓ Support for VMs with Ultra Disks and Premium SSD v2



Standard

- ✓ Once-a-day backup
- ✓ Up to 5 days operational tier retention

Backup policy * 

DefaultPolicy

[Create a new policy](#)

 The list contains the policies pertaining to the selected policy sub type. [Learn more.](#)

Policy details

Full backup

Backup frequency

Daily at 9:30 PM UTC

Instant restore

Retain instant recovery snapshot(s) for 2 day(s)

Retention of daily backup point

Retain backup taken every day at 9:30 PM for 30 Day(s)

Consistency type 

Application or file-system consistent

Virtual machines

Name

Resource group

No virtual machines selected

Enable backup

[Download a template for automation](#)

Create policy

Azure Virtual Machine



Recovery points can be automatically moved to the vault-archive tier using backup policy. [Learn more](#)

Policy name 

DailyPolicy-mm4ururo

Backup schedule

Frequency *

Daily

Time *

08:00

Timezone *

(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi

Instant restore 

Retain instant recovery snapshot(s) for 1 Day(s) 

Retention range

☒ Retention of daily backup point

At

08:00

For

30

Day(s)

☐ Retention of weekly backup point

Not Configured

☐ Retention of monthly backup point

Not Configured

☐ Retention of yearly backup point

Not Configured

OK

✓ **Everyday its backups 8am check below.**

Policy details

Full backup

Backup frequency

Daily at 8:00 AM India Standard Time

Instant restore

Retain instant recovery snapshot(s) for 1 day(s)

Retention of daily backup point

Retain backup taken every day at 8:00 AM for 30 Day(s)

Consistency type ⓘ

Application or file-system consistent

✓ Click on Add below and add VM'S

Virtual machines

Name	Resource group
No virtual machines selected.	
Add	

✓ Below we chosen VM for backup.

Home > Microsoft.RecoveryServicesV2-1772193068904 | Overview > Ubackup-vault

Configure backup

Ubackup-vault
Full backup

backup frequency

Daily at 8:00 AM India Standard Time

Instant restore

Retain instant recovery snapshot(s) for 1 day(s)

Retention of daily backup point

Retain backup taken every day at 8:00 AM for 30 Day(s)

Consistency type ⓘ

Application or file-system consistent

Virtual machines

Name	Resource group
No virtual machines selected.	
Add	
Selective disk backup option allows you to include or exclude specific data disks based on their GUID. This feature is not supported. Know more about Selective Disk Backup feature, its limitation and pricing. Learn more Selective disk backup with Standard policy incurs Snapshot cost which is always calculated for included and excluded disks. This snapshot cost of excluded disks is not incurred if Enhanced protection is enabled.	
Enable backup Download a template for automation	

Select virtual machines

Filter items by name	
Virtual machine name	Resource Group
☒ Ubackup-VM	ubackup-rg
< Previous Page 1 of 1 Next > Items per page: 20	
OK Cancel	

✓ Below VM id added

- ✓ **Below if we Enable Include future disks then another drive will be created for now we no need that.**

Virtual machines

Name	Resource group	Disks	Include future disks
Ubackup-VM	ubackup-rg	Ubackup-VM_OsDisk_1_71e29055bf...	☐
Add			
Selective disk backup option allows you to include or exclude specific data disks based on their LUN numbers. OS Disk exclusion is not supported. Know more about Selective Disk Backup feature, its limitation and pricing.Learn more			
Selective disk backup with Standard policy incurs Snapshot cost which is always calculated for all the disks in the VM (both the included and excluded disks). This snapshot cost of excluded disks is not incurred if Enhanced policy is chosen.			
Enable backup Download a template for automation			

- ✓ After enable backup above
- ✓ If you go to backup items below there is 1 backup type VM, click on it

Home

 **Ubackup-vault | Backup items** ☆ ...

Recovery Services vault

 Search

<>

Refresh

Feedback

> Settings

> Getting started

 Backup

 Site Recovery

> Protected items

 **Backup items**

 Replicated items

> Manage

> Monitoring

Primary Region Secondary Region

BACKUP MANAGEMENT TYPE	BACKUP ITEM COUNT
Azure Virtual Machine	1
Azure Backup Agent	0
Azure Backup Server	0
DPM	0
Azure Storage (Azure Files)	0

- ✓ **Click on view details below**

Home

Backup Items (Azure Virtual Machine) ...

Ubackup-vault

Refresh

Add

Filter

Change policy

Feedback

Show me the virtual machines that can be protected in this vault

Filter items ...

	Name ↑↓	Resource Group ↑↓	Backup Pre-Check	Last Backup Status ↑↓	Source scan integra...	Source scan summary	Latest restore poi... ↑↓	Policy name ↑↓	Policy sub type ↑↓	Details
☐	Ubackup-VM	Ubackup-rg	✓ Passed	⚠ Warning (Initial backup pending)	⚠ Not configured	-		DailyPolicy-mm4ururo	Standard	View details

< Previous

Page 1 of 1

Next >

Ubackup-VM

Backup Item

[Backup now](#) [Restore VM](#) [File Recovery](#) [Stop backup](#) [Resume backup](#) [Delete backup data](#) [Restore to Secondary Region](#) [Undelete](#) [Feedback](#)

Essentials

Recovery services vault : [Ubackup-vault](#) Backup Pre-Check : ✔ Passed

Subscription ([move](#)) : [Azure subscription 1](#) Last backup status : ⚠ Warning (Initial backup pending)

Subscription ID : 5d75b66d-66bf-44e0-8d7e-7e61e4b043d7 Backup policy : [DailyPolicy-mm4ururo \(Standard\)](#)

Alerts (in last 24 hours) : [View alerts](#) Oldest restore point : -

Jobs (in last 24 hours) : [View jobs](#) Included disk(s) : [OS Disk](#)

Source scan integration : ⚠ Not configured Source scan summary : -

Recovery points

This list is filtered for last 30 days of recovery points. To recover from recovery point older than 30 days, as well as vault-archive, [click here](#).

Long term recovery points can be moved to vault-archive. To move all 'recommended recovery points' to vault-archive tier, [click here](#).

CRASH CONSISTENT 0 APPLICATION CONSISTENT 0 FILE-SYSTEM CONSISTENT 0

Creation time ↑↓

Consistency

Recovery type

Recent scan status

No restore points available.

✓ Click on backup above

Backup now

Ubackup-VM

Retain backup till * ⓘ

29/03/2026

✓ After completing process, Restore VM will be enable check below.

Recovery Servic...

Default Directory (reddyikp2004gmailonmicrosoft...)

+ Create ...

Name ↑

NTRNEEL

PBR-Vault

SERVAULT1

ssmb29

Ubackup-vault

Ubackup-vault | Backup Jobs

Recovery Services vault

Search

Choose columns Filter Export jobs Refresh Feedback

Analyze all job failures for this vault

Filtered by: Item Type - All, Operation - All, Status - All, Start Time - 26/02/2026, 18:31:25, End Time - 27/02/2026, 18:31:25

Configure alerts for backup and restore failures, degradations, and other health events to stay ahead of issues. [Learn more](#)

All data fetched from the service.

Filter items ...

Workload name ↑↓	Operation	Status	Type	Start time ↑↓	Total Duration ↑↓	Details
Ubackup-VM	Backup	In progress	Azure Virtual Machine	27/02/2026, 18:30:44	00:00:42	View details
Ubackup-VM	Configure backup	Completed	Azure Virtual Machine	27/02/2026, 18:05:36	00:01:00	View details

< Previous Page 1 of 1 Next >

✓ For storing data first create a Database.

Home > Storage center | Blob Storage

Create a storage account ...

Project details

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Subscription *	Azure subscription 1
Resource group *	Ubackup-Rg Create new

Instance details

Storage account name * ⓘ	ustorage216
Region * ⓘ	(US) Central US Deploy to an Azure Extended Zone
Preferred storage type	Choose preferred storage type This helps us provide relevant guidance. It doesn't restrict your storage to this resource type. Learn more
Performance * ⓘ	☒ Standard: Recommended for most scenarios (general-purpose v2 account) ☐ Premium: Recommended for scenarios that require low latency.
Redundancy * ⓘ	Locally-redundant storage (LRS)

[Previous](#) [Next](#) [Review + create](#)

✓ To restore we need new VM so select below and give details.

Restore Virtual Machine ...

Ubackup-VM

Restore point *	02/03/2026, 5:44:59 pm Select
-----------------	---

Data Store Snapshot
To get the list of disks backed up in this recovery point, [click here](#)

Restore configuration

Restore target	☒ Create new ☐ Replace existing
----------------	--

To create an alternate configuration when restoring your VM (from the following menus), use PowerShell cmdlets.

Restore Type * ⓘ	Create new virtual machine
Virtual machine name * ⓘ	UnewbackupVM
Resource group * ⓘ	Ubackup-Rg
Virtual network * ⓘ	vnet-centralus (Ubackup-Rg)
Subnet * ⓘ	snet-centralus-1
Staging Location * ⓘ	ustorage216 (StandardLRS) Can't find your storage account ?

Assign an MSI with the [right permissions](#), for automated cleanup on restore failure. Without an MSI, manual intervention is required.

[Restore](#)

✓ New VM will be created below for restore

Home

Compute infrastructure | Virtual machines

Search

Virtual machines Get started

Overview

All resources

Infrastructure

Virtual machines

Virtual Machine Scale Set (VMSS)

Compute Fleet

Disks + images

Capacity + placement

Related services

Monitoring+Policy

Create Reservations Manage view Refresh Export to CSV Open query Assign tags Start Restart Stop Delete Group by none

Filter for any field... Subscription equals all Type equals all Resource Group equals all Location equals all Add filter

Name ↑	Subscription	Resource Group	Location	Status	Operating syst...	Size	Public IP addre...	Disks	Update si
rep-vm01	Azure subscript...	repvm-rg	South Africa N...	Running	Windows	Standard_D2s_v3	20.87.37.244	1	Enable pe
Ubackup-VM	Azure subscript...	Ubackup-Rg	Central US	Running	Windows	Standard_D2s_v3	52.165.192.30	1	Enable pe
UnewbackupVM	Azure subscript...	UBACKUP-RG	Central US	Creating	Windows	Standard_D2s_v3	132.196.68.121	1	Enable pe
vm01siva	Azure subscript...	siva	East Asia	Running	Linux	Standard_D4s_v3	20.2.235.171	1	Enable pe
yash-vm	Azure subscript...	yash-rg	Canada Central	Stopped (deall...	Linux	Standard_E2s_v3	20.220.216.217	1	Enable pe

✓ Create NSG and Associate to new VM.

Home > Unsg-for-newbackupVM

Unsg-for-newbackupVM | Network interfaces

Network security group

Search

Associate Refresh Dissociate

Search network interfaces

Name ↑↓	Public IP address ↑↓	Private IP address
No results.		

Associate network interface

Unsg-for-newbackupVM

Network interface associations *

UnewbackupVM-nic-b43074cab10848fd9edf44f5ba3dff1c

✓ Now login to this NewBackup VM with Public IP and check whether the Data available in this VM or not.

