

Microsoft Azure

Upgrade

Search resources

Home > Network foundation | Virtual networks

Create virtual network

Validation passed

Basics

Security

IP addresses

Tags

Review + create

Basics

Subscription	Azure subscription 1
Resource Group	Urg01
Name	home-server
Region	Central US

Security

Azure Bastion	Disabled
Azure Firewall	Disabled
Azure DDoS Network Protection	Disabled

IP addresses

Address space	10.0.0.0/16 (65,536 addresses)
Subnet	appgway01 (10.0.0.0/24) (256 addresses)
Subnet	subnet01 (10.0.1.0/24) (256 addresses)

Previous

Next

Create

Download a template for automation


The screenshot shows the Microsoft Azure portal interface. At the top, there's a navigation bar with the Azure logo, search bar, and user profile. The main header reads 'Compute infrastructure | Virtual machines'. Below this, there's a sub-header 'Virtual machines' with a search bar and a 'Get started' link. The left sidebar contains navigation links: Overview, All resources, Infrastructure, Virtual machines (selected), Virtual Machine Scale Set (VMSS), Compute Fleet, Disks + images, Capacity + placement, Related services, Monitoring+Policy, and Help. The main content area displays a table of virtual machines. The table has columns: Name, Subscription, Resource Group, Location, Status, Operating system, Size, Public IP address, Disks, and Update status. There are four VMs listed: 'Home-Server' (Linux, Standard_DC1d...), 'homepool1' (Linux, Standard_D2s_v3), 'Personal-Server' (Linux, Standard_DC1d...), and 'personalpool' (Linux, Standard_D2s_v3). The 'Home-Server' and 'Personal-Server' VMs are selected with checkboxes. At the bottom, there's a 'Showing 1 - 4 of 4. Display count: auto' indicator and a 'Give feedback' link.

	Name	Subscription	Resource Group	Location	Status	Operating system	Size	Public IP address	Disks	Update status
☒	Home-Server	Azure subscrip...	URG01	Central US	Running	Linux	Standard_DC1d...	172.173.69.185	1	Enable per
☐	homepool1	Azure subscrip...	VREG1	France Central	Running	Linux	Standard_D2s_v3	51.103.74.0	1	Enable per
☒	Personal-Server	Azure subscrip...	URG01	Central US	Running	Linux	Standard_DC1d...	172.202.37.49	1	Enable per
☐	personalpool	Azure subscrip...	VREG1	France Central	Running	Linux	Standard_D2s_v3	51.103.84.183	1	Enable per

- ✓ Browse both servers on browser using Public-ip
- ✓ You will see below result of both servers



- ✓ Next Login to **personal-server** and create **personal folder** and move **index.** file to **personal directory.**
- ✓ Edit Content inside **index.** file and save it.



✓ We see **edit content** on browser and we can access by using **PublicIp/personal/**



Welcome to UdayworldsPersonalBanking!


If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org. Commercial support is available at nginx.com.

Thank you for using nginx.



➤ Know let's create **Application Gatew**



Load balancing and content delivery Application gateways					
Preview					
You are viewing a new version of Browse experience. Click here to access the old experience.					
Filter for any field... Subscription equals all Type equals all Resource Group equals all Location equals all Add filter					
Name	Type	Resource Group	Location	Subscription	
appG01	Application gateway	VREG1	France Central	Azure subscription 1	
appgway01U	Application gateway	Urg01	Central US	Azure subscription 1	



Microsoft Azure portal showing the 'appgway01U' Application gateway overview. The page displays various settings and a green checkmark indicating that the resource is following Light best practices.

Overview

- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
 - Configuration
 - Web application firewall
 - Backend pools
 - Backend settings
 - Frontend IP configurations
 - Private link
 - SSL settings
 - Listeners
 - Rules

Essentials

- Resource group (move): [Urg01](#)
- Location: Central US (Zone 1, 2, 3)
- Subscription (move): [Azure subscription 1](#)
- Subscription ID: 5d75b66d-66bf-44e0-8d7e-7e61e4b043d7
- Virtual network/subnet: [home-server/appgway01](#)
- Frontend public IP address: [20.221.46.126 \(applbip\)](#)
- Frontend private IP address: -
- Tier: Standard V2
- Availability zone: 1, 2, 3

Recommendations Metrics

Your resource is following Light best practices.

Azure Advisor provides personalized recommendations to reduce costs, increase security, optimize performance, and reliability, and achieve operational excellence.

➤ Backend pools(Home & personal)

Microsoft Azure portal showing the 'appgway01U' Backend pools configuration page. The page displays a table of backend pools with columns for Name, Rules associated, and Targets.

Backend pools

Name	Rules associated	Targets
ibackendpool	1	0
home-pool	1	1
personal-pool	1	1

portal.azure.com/?l=en-en-gb#view/Microsoft_Azure_HybridNetworking/ApplicationGatewayBackendPoolBladeV2/backendPoolId/%2Fsubscriptions/5d75b66d-66bf-44e0-8d7e-7e61e4b043d7/resourceGroups/rg-1/providers/Microsoft.Network/applicationGateways/appgway01U/BackendPools/home-pool

Microsoft Azure Upgrade Search resources, services, and docs (G+/) Copilot

Home > appgway01U | Backend pools

Edit backend pool

A backend pool is a collection of resources to which your application gateway can send traffic. A backend pool can contain virtual machines, virtual machines scale sets, IP addresses, domain names, or an App Service.

Name
home-pool

Add backend pool without targets
☐ Yes ☒ No

Backend targets
1 item

Target type	Target
Virtual machine	home-server840
IP address or FQDN	

Associated rule
[rule](#)

Save Cancel

00:02 03/02/2026

➤ Backend settings(homeSettings & PersonalSettings)

portal.azure.com/?l=en-en-gb#@reddyikp2004gmail.onmicrosoft.com/resource/subscriptions/5d75b66d-66bf-44e0-8d7e-7e61e4b043d7/resourceGroups/rg-1/providers/Microsoft.Network/applicationGateways/appgway01U/BackendSettings

Microsoft Azure Upgrade Search resources, services, and docs (G+/) Copilot

Home > appgway01U

appgway01U | Backend settings

Application gateway

Search Backend settings

Name	Port	Protocol	Cookie based affinity	Custom probe
ibacksettings	808	Http	Disabled	-
home-setting	80	Http	Disabled	homehealth
personal-setting	80	Http	Disabled	Personalhealth

00:03 03/02/2026

portal.azure.com/?l=en-gb#@reddytkp2004gmail.onmicrosoft.com/resource/subscriptions/5d75b66d-66bf-44e0-8d7e-7e61e4b043d7/resou...

Microsoft Azure Upgrade Search resources, services, and docs (G+/)

Home > appgway01U

appgway01U | Backend settings

Application gateway

Search

+ Add Backend health Feedback

Search Backend settings

Name	Port	Protocol
ibacksettings	808	Http
home-setting	80	Http
personal-setting	80	Http

Add Backend setting

Backend settings name
home-setting

Backend protocol
☒ HTTP ☐ HTTPS

Backend port *
80

Additional backend settings

Cookie-based affinity
☐ Enable ☒ Disable

Connection draining
☐ Enable ☒ Disable

Dedicated backend connection
☐ Enable ☒ Disable

Request time-out (seconds) *
20

Override backend path

Override hostname
By default, the Application Gateway sends the same HTTP host header to the backend as it receives from the client. If your backend application/service requires a specific host value, you can override it using this setting.

Override with new host name
☒ Yes ☐ No

Save Cancel

➤ Listeners

Microsoft Azure Upgrade Search resources, services, and docs (G+/)

Home > appgway01U | Listeners

ilistener

appgway01U

Listener name
ilistener

Frontend IP *
Public

Protocol
☒ HTTP ☐ HTTPS ☐ TCP ☐ TLS

Port *
808

Associated rule
irule

Listener type
☒ Basic ☐ Multi site

Custom error pages

Show customized error pages for different response codes generated by Application Gateway. This section lets you configure Listener-specific error pages. [Learn more](#)

Please verify that the url(s) being added here is reachable from your application gateway using the [connection troubleshoot](#) tool to prevent any deployment error.

Bad Gateway - 502
Enter Html file URL

Forbidden - 403
Enter Html file URL

[Show more status codes](#)

Save Cancel

appgway01U | Listeners ☆ ...

Application gateway

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Configuration

Web application firewall

Backend pools

Listeners

Listener TLS certificates

+ Add listener Refresh Feedback Troubleshoot

Application Gateway provides native support for WebSocket across all gateway sizes. There is no additional configuration required to enable or disable WebSocket support. If a WebSocket traffic is received on the Application Gateway, it is automatically directed to the WebSocket enabled backend server using the appropriate backend pool as specified in application gateway rules. [Learn more about listeners and WebSocket support.](#)

Search listeners

Name	Port	Protocol	Frontend IP	Associated rule	Host name
appgwaylistener	80	HTTP	Public IPv4	Rule	> -
ilistener	808	HTTP	Public IPv4	irule	> -

SSL Policy

The SSL policy defines the SSL protocol version and available ciphers. Choose from one of the predefined policies or create a custom security policy to match your organizational security requirements. These policies apply to all HTTPS listeners unless they are overridden by listener specific SSL Policy under SSL settings.

➤ Health Probe

homehealth

appgway01U

Name

homehealth

Protocol *

☒ HTTP ☐ HTTPS ☐ TCP ☐ TLS

Pick host name from backend settings

☐ Yes ☒ No

Host *

172.173.69.185

Pick port from backend settings

☒ Yes ☐ No

Path *

/

Interval (seconds) *

30

Timeout (seconds) *

30

Unhealthy threshold *

3

Use probe matching conditions

☐ Yes ☒ No

Backend settings

home-setting

☒ I want to test the backend health before adding the health probe

Test Discard

Personalhealth

appgway01U

Name

Personalhealth

Protocol *

☒ HTTP ☐ HTTPS ☐ TCP ☐ TLS

Pick host name from backend settings

☐ Yes ☒ No

Host *

172.202.37.49

Pick port from backend settings

☒ Yes ☐ No

Path *

/personal/

Interval (seconds) *

30

Timeout (seconds) *

30

Unhealthy threshold *

3

Use probe matching conditions

☐ Yes ☒ No

Backend settings

personal-setting

☒ I want to test the backend health before adding the health probe

Test Discard

Search + Add Refresh Delete Feedback

- Backend pools
- Backend settings
- Frontend IP configurations
- Private link
- SSL settings
- Listeners
- Rules
- Rewrites
- Health probes**
- Properties

Search probes						
Name	Protocol	BackendSettings	Host or SNI value	Path	Timeout (seconds)	
Personalhealth	Http	> 1	172.202.37.49	/personal/	30	...
homehealth	Http	> 1	172.173.69.185	/	30	...

➤ Know Configure Path Base Routing

➤ Rules

portal.azure.com/?l=en-en-gb#@reddylkp2004gmail.onmicrosoft.com/resource/subscriptions/5d75b66d-66bf-44e0-8d7e-7e61e4b043d7/resou...

Microsoft Azure Upgrade Search resources, services, and docs (G+/)

Home > appgway01U

apppgway01U | Rules ☆ ...

Search Routing rule Backend health Feedback

Search rules

Name

Rule

irule

Rule

apppgway01U

Configure a routing rule to send traffic from a given frontend IP address to one or more backend targets. A routing rule must contain a listener and at least one backend target.

Rule name Rule

Priority * 100

* Listener * Backend targets

A listener "listens" on a specified port and IP address for traffic that uses a specified protocol. If the listener criteria are met, the application gateway will apply this routing rule.

Listener * appgwaylistener

Save Cancel

Add or remove favorites by pressing Ctrl+Shift+F

03/02/2026 00:17

Microsoft Azure portal showing the configuration of a routing rule for an application gateway named **appgway01U**.

The left sidebar shows the navigation menu with the **Rules** section selected. The main pane displays the **Rule** configuration page for the rule named **Rule**.

Rule Configuration Details:

- Rule name:** Rule
- Priority:** 100
- Listener:** (Not specified)
- Backend targets:**
 - Target type:** ☒ Backend pool ☐ Redirection
 - Backend target:** home-pool
 - Backend settings:** home-setting
- Path-based routing:**
 - Path:** /personal/*
 - Target name:** personal
 - Backend setting name:** personal-setting
 - Backend pool:** personal-pool

The **Save** button is visible at the bottom of the configuration pane.

Microsoft Azure portal showing the configuration of a routing rule for an application gateway named **appgway01U**.

The left sidebar shows the navigation menu with the **Rules** section selected. The main pane displays the **Rule** configuration page for the rule named **Rule**.

Rule Configuration Details:

- Rule name:** Rule
- Priority:** 100
- Listener:** (Not specified)
- Backend targets:**
 - Target type:** ☒ Backend pool ☐ Redirection
 - Path:** /personal/*
 - Target name:** personal
 - Backend settings:** personal-setting
 - Backend target:** personal-pool

The **Save** button is visible at the bottom of the configuration pane.

Microsoft Azure portal showing the configuration of the **appgway01U** Application gateway. The **Rules** tab is selected, displaying a table of search rules.

Name	Type	Listener	Priority
Rule	Path-based	appgwaylistener	100
irule	Basic	ilistener	800

The left sidebar shows the navigation menu with options like Configuration, Web application firewall, Backend pools, Backend settings, Frontend IP configurations, Private link, SSL settings, Listeners, Rules, Rewrites, Health probes, Properties, Locks, Monitoring, and Automation.

✓ Frontend IP configurations(Copy Pip) and Browse


Microsoft Azure portal showing the configuration of the **appgway01U** Application gateway. The **Frontend IP configurations** tab is selected, displaying a table of frontend IP configurations.

Type	Status	Name	IP address	Associated listeners
Public	Configured	appGwPublicFrontendIpV4	20.221.46.126 (applbip)	ilistener, 1 more
Private	Not configured	-	-	-

The left sidebar shows the navigation menu with options like Configuration, Web application firewall, Backend pools, Backend settings, Frontend IP configurations, Private link, SSL settings, Listeners, Rules, Rewrites, Health probes, Properties, Locks, Monitoring, and Automation.

✓ **Result browse with this Application Gateway-Pip 20.221.46.126 (applbpip)**

● **20.221.46.126/**



Welcome to nginx!


If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.



● **20.221.46.126/personal/**



Welcome to UdayworldsPersonalBanking!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.

