# Offers Regression

## Execution Environment

| | |
|---|---|
| Host name | Dell - DESKTOP-A4R0EHC |
| OS | Windows 10 64bit |
| Katalon version | 7.0.4.1 |
| Browser | Chrome 79.0.3945.130 |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/Offers Regression | | |
| Description | | | |
| Total | 5 | | |
| Passed | 3 | Failed | 2 |
| Error | 0 | Incomplete | 0 |
| Start | 2020-02-03 15:35:23 | End | 2020-02-03 15:36:27 |
| Elapsed | 1m - 3.929s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/Test Scenarios/Modules/Login/GSM Login | | PASSED |
| 2 | Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Create Offer | | PASSED |
| 3 | Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Edit Offer | | FAILED |
| 4 | Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Delete Offer | | FAILED |
| 5 | Test Cases/Test Scenarios/Modules/Logout/GSM Logout | | PASSED |

# GSM Login

## Information

| | |
|---|---|
| ID | Test Cases/Test Scenarios/Modules/Login/GSM Login |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2020-02-03 15:35:24 | End | 2020-02-03 15:35:54 |
| Elapsed | 30.337s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") <br><br> Browser is opened with url: '' | 7.377s | PASSED |
| 2 | navigateToUrl(url) <br><br> Navigate to 'https://sandbox.gsm.auto/' successfully | 7.998s | PASSED |
| 3 | maximizeWindow() <br><br> Current window maximized | 4.192s | PASSED |
| 4 | setText(findTestObject("Object Repository/GSM Login/Page_GSM Login/input_Email Address_email"), username) <br><br> Text 'sankaran@totient.co.in' is set on object 'Object Repository/GSM Login/Page_GSM Login/input_Email Address_email' | 0.801s | PASSED |
| 5 | delay(2) <br><br> Delayed 2 second(s) | 2.046s | PASSED |
| 6 | setText(findTestObject("Object Repository/GSM Login/Page_GSM Login/input_Password_password"), password) <br><br> Text 'sandbox85!' is set on object 'Object Repository/GSM Login/Page_GSM Login/input_Password_password' | 0.548s | PASSED |

# GSM Login

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | click(findTestObject("Object Repository/GSM Login/Page_GSM Login/button_Log In")) | 0.626s | PASSED |
| | Object: 'Object Repository/GSM Login/Page_GSM Login/button_Log In' is clicked on | | |
| 8 | delay(5) | 5.007s | PASSED |
| | Delayed 5 second(s) | | |

# Create Offer

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Create Offer | | |
| Description | | | |
| Tag | | | |
| Start | 2020-02-03 15:35:54 | End | 2020-02-03 15:36:20 |
| Elapsed | 26.243s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | click(findTestObject("Object Repository/Create Offer/Page_Dashboard/div_Content")) <br><br> Object: 'Object Repository/Create Offer/Page_Dashboard/div_Content' is clicked on | 0.874s | PASSED |
| 2 | click(findTestObject("Object Repository/Create Offer/Page_Templates/a_Offers")) <br><br> Object: 'Object Repository/Create Offer/Page_Templates/a_Offers' is clicked on | 2.588s | PASSED |
| 3 | click(findTestObject("Object Repository/Create Offer/Page_Offers/a_New Offer")) <br><br> Object: 'Object Repository/Create Offer/Page_Offers/a_New Offer' is clicked on | 3.545s | PASSED |
| 4 | setText(findTestObject("Object Repository/Create Offer/Page_Offers/input_Offer Name_name"), OfferName) <br><br> Text 'Offer 1 03-02-2020 15:35:55' is set on object 'Object Repository/Create Offer/Page_Offers/input_Offer Name_name' | 2.519s | PASSED |
| 5 | click(findTestObject("Object Repository/Create Offer/Page_Offers/input_Marketing Category_marketingCategory")) <br><br> Object: 'Object Repository/Create Offer/Page_Offers/input_Marketing Category_marketingCategory' is clicked on | 0.723s | PASSED |
| 6 | setText(findTestObject("Object Repository/Create Offer/Page_Offers/textarea_Offer Description_description"), OfferDescription) <br><br> Text 'Offer Description - Offer 1' is set on object 'Object Repository/Create Offer/Page_Offers/textarea_Offer Description_description' | 1.313s | PASSED |

# Create Offer

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | setText(findTestObject("Object Repository/Create Offer/Page_Offers/input_Objects set to expire will be automatically archived_expiration"), Expiration)<br><br>Text '05/02/2020' is set on object 'Object Repository/Create Offer/Page_Offers/input_Objects set to expire will be automatically archived_expiration' | 0.902s | PASSED |
| 8 | click(findTestObject("Object Repository/Create Offer/Page_Offers/button_Select"))<br><br>Object: 'Object Repository/Create Offer/Page_Offers/button_Select' is clicked on | 0.622s | PASSED |
| 9 | click(findTestObject("Object Repository/Create Offer/Page_Offers/a_English (US)"))<br><br>Object: 'Object Repository/Create Offer/Page_Offers/a_English (US)' is clicked on | 0.650s | PASSED |
| 10 | click(findTestObject("Object Repository/Create Offer/Page_Offers/button_Next"))<br><br>Object: 'Object Repository/Create Offer/Page_Offers/button_Next' is clicked on | 0.713s | PASSED |
| 11 | setText(findTestObject("Object Repository/Create Offer/Page_Offers/textarea_Title_title"), Title)<br><br>Text 'Title - Offer 1' is set on object 'Object Repository/Create Offer/Page_Offers/textarea_Title_title' | 3.368s | PASSED |
| 12 | setText(findTestObject("Object Repository/Create Offer/Page_Offers/textarea_Subtitle_subtitle"), Subtitle)<br><br>Text 'Subtitle - Offer 1' is set on object 'Object Repository/Create Offer/Page_Offers/textarea_Subtitle_subtitle' | 1.149s | PASSED |
| 13 | setText(findTestObject("Object Repository/Create Offer/Page_Offers/textarea_Body_body"), Body)<br><br>Text 'Body - Offer 1' is set on object 'Object Repository/Create Offer/Page_Offers/textarea_Body_body' | 1.144s | PASSED |
| 14 | setText(findTestObject("Object Repository/Create Offer/Page_Offers/input_Offer_offer"), OfferValue)<br><br>Text 'Offer Value - Offer 1' is set on object 'Object Repository/Create Offer/Page_Offers/input_Offer_offer' | 1.640s | PASSED |

# Create Offer

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 15 | click(findTestObject("Object Repository/Create Offer/Page_Offers/button_Select_1")) | 0.753s | PASSED |
| | Object: 'Object Repository/Create Offer/Page_Offers/button_Select_1' is clicked on | | |
| 16 | click(findTestObject("Object Repository/Create Offer/Page_Offers/a_No Expiration Date")) | 0.722s | PASSED |
| | Object: 'Object Repository/Create Offer/Page_Offers/a_No Expiration Date' is clicked on | | |
| 17 | setText(findTestObject("Object Repository/Create Offer/Page_Offers/textarea_Terms Conditions_termsAndConditions"), TermsAndConditions) | 1.037s | PASSED |
| | Text 'No Conditions' is set on object 'Object Repository/Create Offer/Page_Offers/textarea_Terms  Conditions_termsAndConditions' | | |
| 18 | click(findTestObject("Object Repository/Create Offer/Page_Offers/button_Create")) | 0.710s | PASSED |
| | Object: 'Object Repository/Create Offer/Page_Offers/button_Create' is clicked on | | |

# Edit Offer

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Edit Offer | | |
| Description | | | |
| Tag | | | |
| Start | 2020-02-03 15:36:20 | End | 2020-02-03 15:36:21 |
| Elapsed | 0.674s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | click(findTestObject("Edit Offer/Page_Dashboard/div_Content")) | 0.003s | NOT_RUN |
| | NOT_RUN: click(findTestObject("Edit Offer/Page_Dashboard/div_Content")) | | |
| 2 | click(findTestObject("Create Offer/Page_Templates/a_Offers")) | 0.002s | NOT_RUN |
| | NOT_RUN: click(findTestObject("Create Offer/Page_Templates/a_Offers")) | | |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 3 | click(findTestObject("null")) | 0.412s | FAILED |

Unable to click on object (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to click on object
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call
(Unknown Source)
    at Edit Offer.run(Edit Offer:21)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:169)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:142)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
91)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
    at TempTestSuite1580724315230.run(TempTestSuite1580724315230.groovy:36)
Caused by: java.lang.IllegalArgumentException: Object is null
    at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter
(KeywordHelper.java:33)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:50)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call (Unknown Source)
        at Script1570793351791.run(Script1570793351791.groovy:21)
        ... 13 more
)

# Delete Offer

## Information

ID               Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Delete Offer

Description

Tag

Start            2020-02-03 15:36:21                End            2020-02-03 15:36:22

Elapsed          0.652s

Status           FAILED

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | click(findTestObject("Create Offer/Page_Dashboard/div_Content")) | 0.002s | NOT_RUN |
|   | NOT_RUN: click(findTestObject("Create Offer/Page_Dashboard/div_Content")) | | |
| 2 | click(findTestObject("Create Offer/Page_Templates/a_Offers")) | 0.001s | NOT_RUN |
|   | NOT_RUN: click(findTestObject("Create Offer/Page_Templates/a_Offers")) | | |

# Delete Offer

| # | Description | Elapsed | Status |
|---|---|---|---|
| 3 | click(findTestObject("null")) | 0.466s | FAILED |

Unable to click on object (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to click on object
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call
(Unknown Source)
        at Delete Offer.run(Delete Offer:23)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1580724315230.run(TempTestSuite1580724315230.groovy:36)
Caused by: java.lang.IllegalArgumentException: Object is null
        at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter
(KeywordHelper.java:33)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:50)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call (Unknown Source)
       at Script1570793351774.run(Script1570793351774.groovy:23)
       ... 13 more
)

# GSM Logout

## Information

ID          Test Cases/Test Scenarios/Modules/Logout/GSM Logout

Description

Tag

Start       2020-02-03 15:36:22          End          2020-02-03 15:36:27

Elapsed     5.564s

Status      PASSED

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | click(findTestObject("GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4")) | 4.573s | PASSED |
| | Object: 'Object Repository/GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4' is clicked on | | |
| 2 | click(findTestObject("GSM Logout/Page_Templates/a_Log Out")) | 0.786s | PASSED |
| | Object: 'Object Repository/GSM Logout/Page_Templates/a_Log Out' is clicked on | | |