Offers Regression

Execution Environment

Host name Dell - DESKTOP-A4R0EHC

OS Windows 10 64bit

Katalon version 6.3.3.11

Browser

Summary

ID Test Suites/Offers Regression

Description

Total 5

Passed 0 Failed 5
Error 0 Incomplete 0

Start 2019-10-14 14:02:31 End 2019-10-14 14:03:03

Elapsed 32.859s

#	ID	Description	Status
1	Test Cases/Test Scenarios/Modules/Login/GSM Login		FAILED
2	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Create Offer		FAILED
3	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Edit Offer		FAILED
4	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Delete Offer		FAILED
5	Test Cases/Test Scenarios/Modules/Logout/GSM Logout		FAILED

Information

ID Test Cases/Test Scenarios/Modules/Login/GSM Login

Description

Tag

Start 2019-10-14 14:02:31 End 2019-10-14 14:02:50

Elapsed 18.444s
Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Statu
openBrowser("")	17.870s	FAILE
Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to open browser with url: "		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUlKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
openBrowser(OpenBrowserKeyword.groovy:81)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
(OpenBrowserKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:56)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(WebUiBuiltInKeywords.groovy:60)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.cal	I	
(Unknown Source)		
at GSM Login.run(GSM Login:17)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java		
91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35)		
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created		
from chrome not reachable		
(Session info: chrome=77.0.3865.90)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os.		
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: CChromeDriver		
remote stacktrace: Backtrace:		
Ordinal0 [0x00767C93+1473683]		
Ordinal0 [0x006EADB1+961969]		
Ordinal0 [0x0067418C+475532]		
Ordinal0 [0x0066DB1A+449306] Ordinal0 [0x0066E1B8+451000]		
Ordinalo (0x0066E188+451000) Ordinalo (0x0066E2C5+455365)		

Ordinal0 [0x0066F2C5+455365] Ordinal0 [0x0066B4C5+439493]

Status

```
Description
                                                                                         Elapsed
         Ordinal0 [0x00674F40+479040]
         Ordinal0 [0x006298FE+170238]
         Ordinal0 [0x00628D1D+167197]
         Ordinal0 [0x0062742B+160811]
         Ordinal0 [0x00610AE6+68326]
         Ordinal0 [0x00611BF0+72688]
         Ordinal0 [0x00611B89+72585]
         Ordinal0 [0x00704B77+1067895]
         GetHandleVerifier [0x00806875+506677]
         GetHandleVerifier [0x00806610+506064]
         GetHandleVerifier [0x0080D1B8+533624]
         GetHandleVerifier [0x0080704A+508682]
         Ordinal0 [0x006FC266+1032806]
         Ordinal0 [0x006FC0DF+1032415]
         Ordinal0 [0x00706A8B+1075851]
         Ordinal0 [0x00706BF3+1076211]
         Ordinal0 [0x00705BA5+1072037]
         BaseThreadInitThunk [0x76CF6359+25]
         RtlGetAppContainerNamedObjectPath [0x76F97B74+228]
         RtlGetAppContainerNamedObjectPath [0x76F97B44+180]
         at org.openga.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.iava:62)
         at org.openga.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:323)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:285)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:199)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
```

OpenBrowserKeyword\$ openBrowser closure1.call(OpenBrowserKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

at Script1570789542407.run(Script1570789542407.groovy:17)

(Unknown Source)

)

... 13 more

Description

(WebUlKeywordMain.groovy:20)
 at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
 openBrowser(OpenBrowserKeyword.groovy:81)
 at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:56)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call

Create Offer

Information

ID Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Create Offer

Description

Tag

Start 2019-10-14 14:02:50 End 2019-10-14 14:02:50

Elapsed 0.559s Status FAILED

Details

Description Elapsed Status

Create Offer

Descrip	ption	Elapsed	Status
click(fir	dTestObject("Object Repository/Create Offer/Page_Dashboard/div_Content"))	0.238s	FAILED
Unable	to click on object 'Object Repository/Create Offer/Page_Dashboard/div_Content'		
	ause: com.kms.katalon.core.exception.StepFailedException: Unable to click on		
	Object Repository/Create Offer/Page_Dashboard/div_Content'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(Wehl I	IKeywordMain.groovy:64)		
(11000	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(Wehl I	IKeywordMain.groovy:26)		
(11000	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy			
9.001)	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickK	eyword.groovy:67)		
(Onorar	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	eKeywordForPlatform(KeywordExecutor.groovy:56)		
Oxocati	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebI I	BuiltInKeywords.groovy:616)		
(11000	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call		
(Unkno	wn Source)		
(0	at Create Offer.run(Create Offer:17)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:11			
•	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:33			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:32	8)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	aseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	aseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:23	3)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSi	uiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSi	uiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source			
0	at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35)		
	by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is not o			
	fo: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os.		
	md64', os.version: '10.0', java.version: '1.8.0_181' nfo: driver.version: unknown		
וועפווע			
(Driver)	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(Duver	actory.java:714)		
(Driver-	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
וואerוע)	Factory.java:699)		
iovo:60	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		
java:68	5) at com kms katalon core webui common Webl liCommonHelner findWebElements		

 $at\ com. kms. katalon. core. we bui. common. WebUiCommon Helper. find WebElements$

(WebUiCommonHelper.java:712)

Create Offer

Description Elapsed Status $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1093) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call (Unknown Source) at Script1570794544984.run(Script1570794544984.groovy:17) ... 13 more

Edit Offer

Information

ID Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Edit Offer

Description

Tag

Start 2019-10-14 14:02:50 End 2019-10-14 14:02:56

Elapsed 5.546s Status FAILED

Details

#	Description	Elapsed	Status
1	delay(5)	5.041s	PASSED

Delayed 5 second(s)

Edit Offer

Descript	ion	Elapsed	Status
click(find	TestObject("Object Repository/Edit Offer/Page_Templates/a_Offers"))	0.132s	FAILED
Linable t	o click on object 'Object Repository/Edit Offer/Page_Templates/a_Offers' (Root		
	om.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	epository/Edit Offer/Page_Templates/a_Offers'		
Objectiv	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(Webl IIk	eywordMain.groovy:64)		
(WCDCIII	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUlk	eywordMain.groovy:26)		
(1100011	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:8			
3 - 7 -	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKe	/word.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	(eywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiE	uiltlnKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call		
(Unknow	n Source)		
	at Edit Offer.run(Edit Offer:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328			
(T + 0	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	eExecutor.java:307)		
(T 10	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:299)		
:	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TootSui	eExecutor.java:169)		
(Testour	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(ToetQui	eExecutor.java:142)		
(Testoui	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)	at com.kms.katalom.core.maim.restouteExecutor.execute(restouteExecutor.java.		
31)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)	at communication.com ann. restoucowam.cutrrestoute(restoucomam.java.		
101)	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35)		
Caused	by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is not op			
	v: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	nfo: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os.		
arch: 'an	d64', os.version: '10.0', java.version: '1.8.0_181'		
	o: driver.version: unknown		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(DriverFa	actory.java:714)		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
(DriverFa	actory.java:699)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		
java:685			
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements		
(Webl liC	ommonHelper.java:712)		

Edit Offer

Description Elapsed Status $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1093) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call (Unknown Source) at Script1570793351791.run(Script1570793351791.groovy:19) ... 13 more

Delete Offer

Information

ID Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Delete Offer

Description

Tag

Start 2019-10-14 14:02:56 End 2019-10-14 14:03:03

Elapsed 7.410s Status FAILED

Details

#	Description	Elapsed	Status
1	delay(5)	5.007s	PASSED
	Delayed 5 second(s)		
2	delay(2)	2.008s	PASSED
	Delayed 2 second(s)		

Delete Offer

click(findTestObject("Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox")) Unable to click on object 'Object Repository/Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox" (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to click on object 'Object Repository/Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64)		
Uploads_library-table-checkbox no-label checkbox' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to click on object 'Object Repository/Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64)	0.110s	FAILED
Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:26)		
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call (Unknown Source) at Delete Offer.run(Delete Offer:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScript(TestCaseExecutor.java:319) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteFocall(Unknown Source) at TempTestSuite1571041840699.run(TempTest		
(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click (WebUiBuiltlnKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords\$click\$0.call (Unknown Source) at Delete Offer.run(Delete Offer:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMainStartTestSuiteSo.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14708:25:53'		
groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call (Unknown Source) at Delete Offer.run(Delete Offer:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 157) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 157) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainstartTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainstartTestSuiteFocali(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exeeption.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14708:25:53'		
(ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call (Unknown Source) at Delete Offer.run(Delete Offer:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)		
executeKeywordForPlatform(KeywordExecutor.groovy:56)		
(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call (Unknown Source) at Delete Offer.run(Delete Offer:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(
(Unknown Source) at Delete Offer.run(Delete Offer:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(PestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(PestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(PestCaseM		
at Delete Offer.run(Delete Offer:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMainstartTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(DriverFactory.java:714) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
(DriverFactory.java:699) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		

java:685)

Delete Offer

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:712)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1093)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at\ com.kms. katalon.core.webui.keyword.builtin. Click Keyword \$\_click\_closure 1.
doCall(ClickKeyword.groovy:77)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:86)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call
(Unknown Source)
         at Script1570793351774.run(Script1570793351774.groovy:21)
         ... 13 more
```

GSM Logout

Information

ID Test Cases/Test Scenarios/Modules/Logout/GSM Logout

Description

Tag

Start 2019-10-14 14:03:03 End 2019-10-14 14:03:03

Elapsed 0.300s Status FAILED

Details

Description Elapsed Status

GSM Logout

Г	escription	Elapsed	Status
	lick(findTestObject("GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4"))	0.087s	FAILED
	ilick(iiild restObject(GSivi Logodi/Fage_remplates/a_rielp_dser-pariel-dropdown-4))	0.0075	FAILED
	Inable to click on object 'Object Repository/GSM Logout/Page_Templates/a_Help_user-		
	anel-dropdown-4' (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	Inable to click on object 'Object Repository/GSM Logout/Page_Templates/a_Help_user-		
ŗ	anel-dropdown-4'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
9	roovy:86)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
e	xecuteKeywordForPlatform(KeywordExecutor.groovy:56)		
,	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:616)		
,	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call		
(Unknown Source)		
	at GSM Logout.run(GSM Logout:17)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
i	ava:119)		
J	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
i	ava:337)		
J	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
i	ava:328)		
J	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
j	ava:233)		
ĺ	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
9	1)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
1	57)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
5	Source)		
	at TempTestSuite1571041840699.run(TempTestSuite1571041840699.groovy:35)		
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
	s not opened		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os.		
	rch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Oriver info: driver.version: unknown		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(DriverFactory.java:714)		
,	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
(DriverFactory.java:699)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		
- 6	ava:685)		

 $at\ com. kms. katalon. core. we bui. common. WebUiCommon Helper. find WebElements$

java:685)

GSM Logout

```
Description
                                                                                          Elapsed
                                                                                                            Status
(WebUiCommonHelper.java:712)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1093)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:77)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call
(Unknown Source)
         at Script1570789542427.run(Script1570789542427.groovy:17)
```

... 13 more