

Offers Regression

Execution Environment

Host name	Dell - DESKTOP-A4R0EHC
OS	Windows 10 64bit
Katalon version	7.0.4.1
Browser	Chrome 79.0.3945.130

Summary

ID	Test Suites/Offers Regression		
Description			
Total	5		
Passed	2	Failed	3
Error	0	Incomplete	0
Start	2020-02-03 15:00:02	End	2020-02-03 15:03:08
Elapsed	3m - 6.043s		

#	ID	Description	Status
1	Test Cases/Test Scenarios/Modules/Login/GSM Login		PASSED
2	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Create Offer		PASSED
3	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Edit Offer		FAILED
4	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Delete Offer		FAILED
5	Test Cases/Test Scenarios/Modules/Logout/GSM Logout		FAILED

GSM Login

Information

ID	Test Cases/Test Scenarios/Modules/Login/GSM Login		
Description			
Tag			
Start	2020-02-03 15:00:02	End	2020-02-03 15:00:31
Elapsed	29.122s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	7.234s	PASSED
2	navigateToUrl(url) Navigate to 'https://sandbox.gsm.auto/' successfully	7.015s	PASSED
3	maximizeWindow() Current window maximized	4.219s	PASSED
4	click(findTestObject("Object Repository/GSM Login/Page_GSM Portal/button_Log in")) NOT_RUN: click(findTestObject("Object Repository/GSM Login/Page_GSM Portal/button_Log in"))	0.006s	NOT_RUN
5	delay(3) NOT_RUN: delay(3)	0.002s	NOT_RUN
6	setText(findTestObject("Object Repository/GSM Login/Page_GSM Login/input_Email Address_email"), username) Text 'sankaran@totient.co.in' is set on object 'Object Repository/GSM Login/Page_GSM Login/input_Email Address_email'	0.764s	PASSED

GSM Login

#	Description	Elapsed	Status
7	delay(2) Delayed 2 second(s)	2.045s	PASSED
8	setText(findTestObject("Object Repository/GSM Login/Page_GSM Login/input_Password_password"), password) Text 'sandbox85!' is set on object 'Object Repository/GSM Login/Page_GSM Login/input_Password_password'	0.573s	PASSED
9	click(findTestObject("Object Repository/GSM Login/Page_GSM Login/button_Log In")) Object: 'Object Repository/GSM Login/Page_GSM Login/button_Log In' is clicked on	0.604s	PASSED
10	delay(5) Delayed 5 second(s)	5.007s	PASSED
11	verifyElementText(findTestObject("GSM Login/div_Welcome Sankaran"), "Welcome, Sankaran") NOT_RUN: verifyElementText(findTestObject("GSM Login/div_Welcome Sankaran"), "Welcome, Sankaran")	0.004s	NOT_RUN

Create Offer

Information

ID	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Create Offer		
Description			
Tag			
Start	2020-02-03 15:00:31	End	2020-02-03 15:00:59
Elapsed	27.138s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("Object Repository/Create Offer/Page_Dashboard/div_Content")) Object: 'Object Repository/Create Offer/Page_Dashboard/div_Content' is clicked on	1.235s	PASSED
2	click(findTestObject("Object Repository/Create Offer/Page_Templates/a_Offers")) Object: 'Object Repository/Create Offer/Page_Templates/a_Offers' is clicked on	2.386s	PASSED
3	click(findTestObject("Object Repository/Create Offer/Page_Offers/a_New Offer")) Object: 'Object Repository/Create Offer/Page_Offers/a_New Offer' is clicked on	3.457s	PASSED
4	setText(findTestObject("Object Repository/Create Offer/Page_Offers/input_Offer Name_name"), OfferName) Text 'Offer 1 03-02-2020 15:00:32' is set on object 'Object Repository/Create Offer/Page_Offers/input_Offer Name_name'	2.624s	PASSED
5	click(findTestObject("Object Repository/Create Offer/Page_Offers/input_Marketing Category_marketingCategory")) Object: 'Object Repository/Create Offer/Page_Offers/input_Marketing Category_marketingCategory' is clicked on	0.764s	PASSED
6	setText(findTestObject("Object Repository/Create Offer/Page_Offers/textarea_Offer Description_description"), OfferDescription) Text 'Offer Description - Offer 1' is set on object 'Object Repository/Create Offer/Page_Offers/textarea_Offer Description_description'	1.330s	PASSED

Create Offer

#	Description	Elapsed	Status
7	setText(findTestObject("Object Repository/Create Offer/Page_Offers/input_Objects set to expire will be automatically archived_expiration"), Expiration) Text '5/2/20' is set on object 'Object Repository/Create Offer/Page_Offers/input_Objects set to expire will be automatically archived_expiration'	0.851s	PASSED
8	click(findTestObject("Object Repository/Create Offer/Page_Offers/button_Select")) Object: 'Object Repository/Create Offer/Page_Offers/button_Select' is clicked on	0.526s	PASSED
9	click(findTestObject("Object Repository/Create Offer/Page_Offers/a_English (US)")) Object: 'Object Repository/Create Offer/Page_Offers/a_English (US)' is clicked on	0.681s	PASSED
10	click(findTestObject("Object Repository/Create Offer/Page_Offers/button_Next")) Object: 'Object Repository/Create Offer/Page_Offers/button_Next' is clicked on	0.744s	PASSED
11	setText(findTestObject("Object Repository/Create Offer/Page_Offers/textarea_Title_title"), Title) Text 'Title - Offer 1' is set on object 'Object Repository/Create Offer/Page_Offers/textarea_Title_title'	4.070s	PASSED
12	setText(findTestObject("Object Repository/Create Offer/Page_Offers/textarea_Subtitle_subtitle"), Subtitle) Text 'Subtitle - Offer 1' is set on object 'Object Repository/Create Offer/Page_Offers/textarea_Subtitle_subtitle'	1.197s	PASSED
13	setText(findTestObject("Object Repository/Create Offer/Page_Offers/textarea_Body_body"), Body) Text 'Body - Offer 1' is set on object 'Object Repository/Create Offer/Page_Offers/textarea_Body_body'	1.187s	PASSED
14	setText(findTestObject("Object Repository/Create Offer/Page_Offers/input_Offer_offer"), OfferValue) Text 'Offer Value - Offer 1' is set on object 'Object Repository/Create Offer/Page_Offers/input_Offer_offer'	1.682s	PASSED

Create Offer

#	Description	Elapsed	Status
15	click(findTestObject("Object Repository/Create Offer/Page_Offers/button_Select_1")) Object: 'Object Repository/Create Offer/Page_Offers/button_Select_1' is clicked on	0.712s	PASSED
16	click(findTestObject("Object Repository/Create Offer/Page_Offers/a_No Expiration Date")) Object: 'Object Repository/Create Offer/Page_Offers/a_No Expiration Date' is clicked on	0.781s	PASSED
17	setText(findTestObject("Object Repository/Create Offer/Page_Offers/textarea_Terms Conditions_termsAndConditions"), TermsAndConditions) Text 'No Conditions' is set on object 'Object Repository/Create Offer/Page_Offers/textarea_Terms Conditions_termsAndConditions'	0.959s	PASSED
18	click(findTestObject("Object Repository/Create Offer/Page_Offers/button_Create")) Object: 'Object Repository/Create Offer/Page_Offers/button_Create' is clicked on	0.825s	PASSED

Edit Offer

Information

ID	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Edit Offer		
Description			
Tag			
Start	2020-02-03 15:00:59	End	2020-02-03 15:01:46
Elapsed	47.547s		
Status	FAILED		


Details

#	Description	Elapsed	Status
1	click(findTestObject("Edit Offer/Page_Dashboard/div_Content"))	4.108s	PASSED
Object: 'Object Repository/Edit Offer/Page_Dashboard/div_Content' is clicked on			

Edit Offer

#	Description	Elapsed	Status
2	<p>click(findTestObject("Object Repository/Edit Offer/Page_Templates/a_Offers"))</p> <p>Unable to click on object 'Object Repository/Edit Offer/Page_Templates/a_Offers' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Edit Offer/Page_Templates/a_Offers'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:60)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source)</p> <p>at Edit Offer.run(Edit Offer:19)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1580722193633.run(TempTestSuite1580722193633.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Edit Offer/Page_Templates/a_Offers' located by 'By.xpath: //div[@id='app']/main/div/div/div[2]/ul/li[2]/a' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1113)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:52)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	43.111s	FAILED

Edit Offer

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call(Unknown Source) at Script1570793351791.run(Script1570793351791.groovy:19) ... 13 more)</pre> 		

Delete Offer

Information

ID	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Delete Offer		
Description			
Tag			
Start	2020-02-03 15:01:46	End	2020-02-03 15:02:40
Elapsed	54.025s		
Status	FAILED		

Details


#	Description	Elapsed	Status
1	click(findTestObject("Create Offer/Page_Dashboard/div_Content")) Object: 'Object Repository/Create Offer/Page_Dashboard/div_Content' is clicked on	0.500s	PASSED
2	click(findTestObject("Create Offer/Page_Templates/a_Offers")) Object: 'Object Repository/Create Offer/Page_Templates/a_Offers' is clicked on	0.733s	PASSED
3	click(findTestObject("hamburger")) Object: 'Object Repository/hamburger' is clicked on	3.335s	PASSED
4	click(findTestObject("Delete Offer/delete")) Object: 'Object Repository/Delete Offer/delete' is clicked on	0.826s	PASSED

Delete Offer

#	Description	Elapsed	Status
5	<p>click(findTestObject("Object Repository/Delete Offer/Page_Offers/button_Yes"))</p> <p>Unable to click on object 'Object Repository/Delete Offer/Page_Offers/button_Yes' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Delete Offer/Page_Offers/button_Yes'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:60)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source)</p> <p>at Delete Offer.run(Delete Offer:27)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1580722193633.run(TempTestSuite1580722193633.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Delete Offer/Page_Offers/button_Yes' located by 'By.xpath: (//button[@type='button'])[21]' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1113)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:52)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	48.375s	FAILED

Delete Offer

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call(Unknown Source) at Script1570793351774.run(Script1570793351774.groovy:27) ... 13 more)		



GSM Logout

Information

ID	Test Cases/Test Scenarios/Modules/Logout/GSM Logout		
Description			
Tag			
Start	2020-02-03 15:02:40	End	2020-02-03 15:03:08
Elapsed	27.759s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4"))	0.596s	PASSED
	Object: 'Object Repository/GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4' is clicked on		

GSM Logout

#	Description	Elapsed	Status
2	<p>click(findTestObject("GSM Logout/Page_Templates/a_Log Out"))</p> <p>Unable to click on object 'Object Repository/GSM Logout/Page_Templates/a_Log Out' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/GSM Logout/Page_Templates/a_Log Out'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:60)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source)</p> <p>at GSM Logout.run(GSM Logout:19)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1580722193633.run(TempTestSuite1580722193633.groovy:36)</p> <p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed</p> <p>from unknown error: web view not found</p> <p>(Session info: chrome=79.0.3945.130)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 79.0.3945.130, chrome: {chromedriverVersion: 78.0.3904.105 (60e2d8774a81..., userDataDir: C:\Users\Dell\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:51666}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000,</p>	26.818s	FAILED

GSM Logout

#	Description	Elapsed	Status
	<pre>script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: b0df7e91b881804756525f93239abb79 *** Element info: {Using=xpath, value=//div[@id='app']/main/div/div/nav/div/div[4]/ul/li[2] /ul/li/a} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy9.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:762) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1109) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:52) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Script1570789542427.run(Script1570789542427.groovy:19) ... 13 more)</pre>		

GSM Logout

#	Description	Elapsed	Status