Offers Regression

Execution Environment

Host name	Dell - DESKTOP-A4R0EHC
OS	Windows 10 64bit
Katalon version	6.3.3.11
Browser	Chrome 77.0.3865.90

Summary

ID	Test Suites/Offers Regression		
Description			
Total	5		
Passed	0	Failed	5
Error	0	Incomplete	0
Start	2019-10-11 18:45:44	End	2019-10-11 18:48:40
Elapsed	2m - 56.032s		

#	ID	Description	Status
1	Test Cases/Test Scenarios/Modules/Login/GSM Login		FAILED
2	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Create Offer		FAILED
3	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Edit Offer		FAILED
4	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Delete Offer		FAILED
5	Test Cases/Test Scenarios/Modules/Logout/GSM Logout		FAILED

GSM Login

Information

ID	Test Cases/Test Scenarios/Modules/Login/GSM Login		
Description			
Tag			
Start	2019-10-11 18:45:44	End	2019-10-11 18:46:16
Elapsed	32.249s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	11.678s	PASSED

Browser is opened with url: ''

GSM Login

#	Description	Elapsed	Status
2	navigateToUrl(url)	20.161s	FAILED

Unable to navigate to 'https://sandbox.gsm.auto/logout' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to navigate to 'https://sandbox.gsm.auto/logout'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:183)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$navigateToUrl$0. call(Unknown Source)
        at GSM Login.run(GSM Login:19)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1570799628372.run(TempTestSuite1570799628372.groovy:35)
Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status
from disconnected: received Inspector.detached event
  (Session info: chrome=77.0.3865.90)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '172.20.10.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 77.0.3865.90, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce..., userDataDir: C:\Users\Dell\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:53309}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}

#	Description	Elapsed	Status

	Session ID: dc2fc3fa97414680e9dea6f33bdc162a
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
	(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
	(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
	(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute
	(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
	(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
	java:552)
	    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
	20)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:
	277)
	    at org.openqa.selenium.remote.RemoteWebDriver$RemoteNavigation.to
	(RemoteWebDriver.java:857)
	    at com.kms.katalon.core.webui.keyword.builtin.
	NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:81)
	    at com.kms.katalon.core.webui.keyword.builtin.
	NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
	(WebUIKeywordMain.groovy:20)
	    at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
	navigateToUrl(NavigateToUrlKeyword.groovy:83)
	    at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute
	(NavigateToUrlKeyword.groovy:67)
	    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
	executeKeywordForPlatform(KeywordExecutor.groovy:56)
	    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl
	(WebUiBuiltInKeywords.groovy:183)
	    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$navigateToUrl$0.
	call(Unknown Source)
	    at Script1570789542407.run(Script1570789542407.groovy:19)
	    ... 13 more
	)		

Create Offer

Information

ID	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Create Offer
Description	
Tag	

Start	2019-10-11 18:46:16	End	2019-10-11 18:46:49
Elapsed	32.581s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Create Offer

#	Description	Elapsed	Status
1	click(findTestObject("Object Repository/Create Offer/Page_Dashboard/div_Content"))	32.314s	FAILED

Unable to click on object 'Object Repository/Create Offer/Page_Dashboard/div_Content' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Create Offer/Page_Dashboard/div_Content'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
        at Create Offer.run(Create Offer:17)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1570799628372.run(TempTestSuite1570799628372.groovy:35)
Caused by: org.openqa.selenium.WebDriverException: chrome not reachable
  (Session info: chrome=77.0.3865.90)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '172.20.10.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 77.0.3865.90, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce..., userDataDir: C:\Users\Dell\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:53309}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: dc2fc3fa97414680e9dea6f33bdc162a

#	Description	Elapsed	Status

*** Element info: {Using=xpath, value=//a[@id='app-panel-dropdown-0']/div}
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:20)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:761)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:77)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
        at Script1570794544984.run(Script1570794544984.groovy:17)
        ... 13 more
)

Edit Offer

Information

ID	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Edit Offer		
Description			
Tag			
Start	2019-10-11 18:46:49	End	2019-10-11 18:47:27
Elapsed	38.035s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	delay(5)	5.058s	PASSED

Delayed 5 second(s)

Edit Offer

#	Description	Elapsed	Status
2	click(findTestObject("Object Repository/Edit Offer/Page_Templates/a_Offers"))	32.509s	FAILED

Unable to click on object 'Object Repository/Edit Offer/Page_Templates/a_Offers' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Edit Offer/Page_Templates/a_Offers'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
      at Edit Offer.run(Edit Offer:19)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
      at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
      at TempTestSuite1570799628372.run(TempTestSuite1570799628372.groovy:35)
Caused by: org.openqa.selenium.WebDriverException: chrome not reachable
  (Session info: chrome=77.0.3865.90)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '172.20.10.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 77.0.3865.90, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce..., userDataDir: C:\Users\Dell\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:53309}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: dc2fc3fa97414680e9dea6f33bdc162a

Edit Offer

#	Description	Elapsed	Status

	*** Element info: {Using=xpath, value=//div[@id='app']/main/div/div/div[2]/ul/li[2]/a}
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:20)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)
	    at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:761)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)
	    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.doCall(ClickKeyword.groovy:77)
	    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
	    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)
	    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
	    at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56)
	    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
	    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
	    at Script1570793351791.run(Script1570793351791.groovy:19)
	    ... 13 more
	)		

Delete Offer

Information

ID	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Delete Offer
Description	
Tag	

Start	2019-10-11 18:47:27	End	2019-10-11 18:48:06
Elapsed	39.551s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	delay(5)	5.005s	PASSED
	Delayed 5 second(s)		
2	delay(2)	2.012s	PASSED
	Delayed 2 second(s)		

Delete Offer

#	Description	Elapsed	Status
3	click(findTestObject("Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox"))	32.297s	FAILED

Unable to click on object 'Object Repository/Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to click on object 'Object Repository/Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox'
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
          at Delete Offer.run(Delete Offer:21)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
          at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
          at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
          at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
          at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
          at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
          at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
          at TempTestSuite1570799628372.run(TempTestSuite1570799628372.groovy:35)
Caused by: org.openqa.selenium.WebDriverException: chrome not reachable
  (Session info: chrome=77.0.3865.90)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '172.20.10.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 77.0.3865.90, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce..., userDataDir: C:\Users\Dell\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:53309}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000,

#	Description	Elapsed	Status

script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: dc2fc3fa97414680e9dea6f33bdc162a
*** Element info: {Using=xpath, value=//div[@id='app']/main/div/div[2]/div[2]/div[3]/div/table/tbody/tr/td/div}
      at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
      at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
      at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
      at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)
      at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
      at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:20)
      at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)
      at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)
      at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
      at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:761)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093)
      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)
      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.doCall(ClickKeyword.groovy:77)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
      at Script1570793351774.run(Script1570793351774.groovy:21)
      ... 13 more
)

GSM Logout

Information

ID	Test Cases/Test Scenarios/Modules/Logout/GSM Logout
Description	
Tag	

Start	2019-10-11 18:48:06	End	2019-10-11 18:48:40
Elapsed	33.044s		
Status	FAILED		

Details

#	Description	Elapsed	Status

GSM Logout

#	Description	Elapsed	Status
1	click(findTestObject("GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4"))	32.293s	FAILED

Unable to click on object 'Object Repository/GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
        at GSM Logout.run(GSM Logout:17)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1570799628372.run(TempTestSuite1570799628372.groovy:35)
Caused by: org.openqa.selenium.WebDriverException: chrome not reachable
  (Session info: chrome=77.0.3865.90)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '172.20.10.2', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 77.0.3865.90, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce..., userDataDir: C:\Users\Dell\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:53309}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}

#	Description	Elapsed	Status

Session ID: dc2fc3fa97414680e9dea6f33bdc162a
*** Element info: {Using=xpath, value=//a[@id='user-panel-dropdown-4']}
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
    at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
    at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
    at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
    at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:761)
    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1093)
    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:77)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:86)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
    at Script1570789542427.run(Script1570789542427.groovy:17)
    ... 13 more
)