# Offers Regression

## Execution Environment

| | |
|---|---|
| Host name | Dell - DESKTOP-A4R0EHC |
| OS | Windows 10 64bit |
| Katalon version | 6.3.3.11 |
| Browser | |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/Offers Regression | | |
| Description | | | |
| Total | 5 | | |
| Passed | 0 | Failed | 5 |
| Error | 0 | Incomplete | 0 |
| Start | 2019-10-11 16:02:28 | End | 2019-10-11 16:02:44 |
| Elapsed | 16.243s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/Test Scenarios/Modules/Login/GSM Login | | FAILED |
| 2 | Test Cases/Test Scenarios/Modules/Content Management/UI/Create Offer | | FAILED |
| 3 | Test Cases/Test Scenarios/Modules/Content Management/UI/Edit Offer | | FAILED |
| 4 | Test Cases/Test Scenarios/Modules/Content Management/UI/Delete Offer | | FAILED |
| 5 | Test Cases/Test Scenarios/Modules/Logout/GSM Logout | | FAILED |

# GSM Login

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/Test Scenarios/Modules/Login/GSM Login | | |
| Description | | | |
| Tag | | | |
| Start | 2019-10-11 16:02:28 | End | 2019-10-11 16:02:30 |
| Elapsed | 1.628s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# GSM Login

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") | 1.010s | FAILED |

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
  at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
  at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
  at GSM Login.run(GSM Login:17)
  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:169)
  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:142)
  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
91)
  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
  at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
  at TempTestSuite1570789780810.run(TempTestSuite1570789780810.groovy:35)
Caused by: org.openqa.selenium.WebDriverException: Cannot find firefox binary in PATH.
Make sure firefox is installed. OS appears to be: WIN10
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CGeckoDriver
  at org.openqa.selenium.firefox.FirefoxBinary.<init>(FirefoxBinary.java:100)
  at org.openqa.selenium.firefox.FirefoxOptions.getBinary(FirefoxOptions.java:216)
  at org.openqa.selenium.firefox.FirefoxDriver.toExecutor(FirefoxDriver.java:187)
  at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:147)
  at com.kms.katalon.selenium.driver.CFirefoxDriver.<init>(CFirefoxDriver.java:21)
  at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver.<init>(CGeckoDriver.
java:12)
  at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver.from(CGeckoDriver.
java:17)

| # | Description | Elapsed | Status |
|---|---|---|---|

at com.kms.katalon.core.webui.driver.DriverFactory.createNewFirefoxDriver
(DriverFactory.java:515)
       at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:276)
       at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:199)
       at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
       at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
       at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
       at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
       at Script1570789542407.run(Script1570789542407.groovy:17)
       ... 13 more
)

# Create Offer

## Information

| | |
|---|---|
| ID | Test Cases/Test Scenarios/Modules/Content Management/UI/Create Offer |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-10-11 16:02:30 | End | 2019-10-11 16:02:30 |
| Elapsed | 0.627s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# Create Offer

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | click(findTestObject("Object Repository/Create Offer/Page_Dashboard/div_Content")) | 0.251s | FAILED |

Unable to click on object 'Object Repository/Create Offer/Page_Dashboard/div_Content' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Create Offer/Page_Dashboard/div_Content'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call (Unknown Source)
      at Create Offer.run(Create Offer:17)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
      at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
      at TempTestSuite1570789780810.run(TempTestSuite1570789780810.groovy:35)
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: unknown
      at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:714)
      at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:699)
      at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:685)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:712)

| # | Description | Elapsed | Status |
|---|---|---|---|
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:77) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call (Unknown Source) | | |
| | at Script1570789542355.run(Script1570789542355.groovy:17) | | |
| | ... 13 more | | |
| | ) | | |

# Edit Offer

## Information

ID      Test Cases/Test Scenarios/Modules/Content Management/UI/Edit Offer

Description

Tag

Start      2019-10-11 16:02:30      End      2019-10-11 16:02:36

Elapsed      5.557s

Status      FAILED

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | delay(5) | 5.033s | PASSED |
| | Delayed 5 second(s) | | |

# Edit Offer

| # | Description | Elapsed | Status |
|---|---|---|---|
| 2 | click(findTestObject("Object Repository/Edit Offer/Page_Templates/a_Offers")) | 0.130s | FAILED |

Unable to click on object 'Object Repository/Edit Offer/Page_Templates/a_Offers' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Edit Offer/Page_Templates/a_Offers'
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call (Unknown Source)
       at Edit Offer.run(Edit Offer:19)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
       at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
       at TempTestSuite1570789780810.run(TempTestSuite1570789780810.groovy:35)
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: unknown
       at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:714)
       at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:699)
       at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:685)
       at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:712)

# Edit Offer

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call (Unknown Source) at Script1570789542396.run(Script1570789542396.groovy:19) ... 13 more ) | | |

# Delete Offer

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/Test Scenarios/Modules/Content Management/UI/Delete Offer | | |
| Description | | | |
| Tag | | | |
| Start | 2019-10-11 16:02:36 | End | 2019-10-11 16:02:43 |
| Elapsed | 7.553s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | delay(5) | 5.004s | PASSED |
| | Delayed 5 second(s) | | |
| 2 | delay(2) | 2.004s | PASSED |
| | Delayed 2 second(s) | | |

# Delete Offer

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 3 | click(findTestObject("Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox")) | 0.116s | FAILED |

Unable to click on object 'Object Repository/Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to click on object 'Object Repository/Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call (Unknown Source)
        at Delete Offer.run(Delete Offer:21)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1570789780810.run(TempTestSuite1570789780810.groovy:35)
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: unknown
        at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:714)
        at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:699)
        at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:685)

| # | Description | Elapsed | Status |
|---|---|---|---|
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:712) | | |
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:77) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call (Unknown Source) | | |
| | at Script1570789542367.run(Script1570789542367.groovy:21) | | |
| | ... 13 more | | |
| | ) | | |

# GSM Logout

## Information

| | |
|---|---|
| ID | Test Cases/Test Scenarios/Modules/Logout/GSM Logout |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-10-11 16:02:43 | End | 2019-10-11 16:02:44 |
| Elapsed | 0.452s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# GSM Logout

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | click(findTestObject("GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4")) | 0.145s | FAILED |

Unable to click on object 'Object Repository/GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call (Unknown Source)
        at GSM Logout.run(GSM Logout:17)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1570789780810.run(TempTestSuite1570789780810.groovy:35)
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: unknown
        at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:714)
        at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:699)
        at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:685)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements

| # | Description | Elapsed | Status |
|---|---|---|---|
| | (WebUiCommonHelper.java:712) | | |

(WebUiCommonHelper.java:712)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1093)
      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:77)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:86)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call
(Unknown Source)
      at Script1570789542427.run(Script1570789542427.groovy:17)
      ... 13 more
)