

Offers Regression

Execution Environment

Host name	Dell - DESKTOP-A4R0EHC
OS	Windows 10 64bit
Katalon version	6.3.3.11
Browser	Firefox 69.0

Summary

ID	Test Suites/Offers Regression		
Description			
Total	5		
Passed	0	Failed	5
Error	0	Incomplete	0
Start	2019-10-14 11:24:48	End	2019-10-14 11:26:08
Elapsed	1m - 20.490s		

#	ID	Description	Status
1	Test Cases/Test Scenarios/Modules/Login/GSM Login		FAILED
2	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Create Offer		FAILED
3	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Edit Offer		FAILED
4	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Delete Offer		FAILED
5	Test Cases/Test Scenarios/Modules/Logout/GSM Logout		FAILED

GSM Login

Information

ID	Test Cases/Test Scenarios/Modules/Login/GSM Login		
Description			
Tag			
Start	2019-10-14 11:24:48	End	2019-10-14 11:25:39
Elapsed	50.280s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	15.163s	PASSED
2	navigateToUrl(url) Navigate to 'https://sandbox.gsm.auto/logout' successfully	7.551s	PASSED
3	click(findTestObject("Object Repository/GSM Login/Page_GSM Portal/button_Log in")) Object: 'Object Repository/GSM Login/Page_GSM Portal/button_Log in' is clicked on	7.707s	PASSED
4	delay(3) Delayed 3 second(s)	3.049s	PASSED
5	setText(findTestObject("Object Repository/GSM Login/Page_GSM Login/input_Email Address_email"), username) Text 'sankaran@totient.co.in' is set on object 'Object Repository/GSM Login/Page_GSM Login/input_Email Address_email'	6.423s	PASSED
6	delay(2) Delayed 2 second(s)	2.007s	PASSED

GSM Login

#	Description	Elapsed	Status
7	<p>setText(findTestObject("Object Repository/GSM Login/Page_GSM Login/input_Password_password"), password)</p> <p>Unable to set text 'sandbox85!' of object 'Object Repository/GSM Login/Page_GSM Login/input_Password_password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'sandbox85!' of object 'Object Repository/GSM Login/Page_GSM Login/input_Password_password' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call (Unknown Source) at GSM Login.run(GSM Login:29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571032387518.run(TempTestSuite1571032387518.groovy:35)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 69.0.3, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20191009172106, moz:geckodriverVersion: 0.24.0, moz:headless: false, moz:processID: 7456, moz:profile: C:\Users\Dell\AppData\Local..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy:</p>	7.830s	FAILED

GSM Login

#	Description	Elapsed	Status
	<pre>Proxy(direct), rotatable: false, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7590878c-0cd2-42fe-bbea-6a47bb07cb07 *** Element info: {Using=xpath, value=//input[@name='password']} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:761) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call (Unknown Source) at Script1570789542407.run(Script1570789542407.groovy:29) ... 13 more)</pre>		

Create Offer

Information

ID	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Create Offer		
Description			
Tag			
Start	2019-10-14 11:25:39	End	2019-10-14 11:25:43
Elapsed	4.378s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Create Offer

#	Description	Elapsed	Status
1	<p>click(findTestObject("Object Repository/Create Offer/Page_Dashboard/div_Content"))</p> <p>Unable to click on object 'Object Repository/Create Offer/Page_Dashboard/div_Content' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Create Offer/Page_Dashboard/div_Content' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Create Offer.run(Create Offer:17) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571032387518.run(TempTestSuite1571032387518.groovy:35) Caused by: org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 69.0.3, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20191009172106, moz:geckodriverVersion: 0.24.0, moz:headless: false, moz:processID: 7456, moz:profile: C:\Users\Dell\AppData\Local..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(direct), rotatable: false, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and</p>	4.117s	FAILED

Create Offer

#	Description	Elapsed	Status
	<pre>notify} Session ID: 7590878c-0cd2-42fe-bbea-6a47bb07cb07 *** Element info: {Using=xpath, value=//a[@id='app-panel-dropdown-0']/div} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:761) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1570794544984.run(Script1570794544984.groovy:17) ... 13 more)</pre>		

Edit Offer

Information

ID	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Edit Offer		
Description			
Tag			
Start	2019-10-14 11:25:43	End	2019-10-14 11:25:52
Elapsed	9.403s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	delay(5) Delayed 5 second(s)	5.005s	PASSED

Edit Offer

#	Description	Elapsed	Status
2	<p>click(findTestObject("Object Repository/Edit Offer/Page_Templates/a_Offers"))</p> <p>Unable to click on object 'Object Repository/Edit Offer/Page_Templates/a_Offers' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Edit Offer/Page_Templates/a_Offers'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)</p> <p>at Edit Offer.run(Edit Offer:19)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1571032387518.run(TempTestSuite1571032387518.groovy:35)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'</p> <p>Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver</p> <p>Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 69.0.3, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20191009172106, moz:geckodriverVersion: 0.24.0, moz:headless: false, moz:processID: 7456, moz:profile: C:\Users\Dell\AppData\Local..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(direct), rotatable: false, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and</p>	4.131s	FAILED

Edit Offer

#	Description	Elapsed	Status
	<pre>notify} Session ID: 7590878c-0cd2-42fe-bbea-6a47bb07cb07 *** Element info: {Using=xpath, value=//div[@id='app']/main/div/div/div[2]/ul/li[2]/a} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:761) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1570793351791.run(Script1570793351791.groovy:19) ... 13 more)</pre>		

Delete Offer

Information

ID	Test Cases/Test Scenarios/Modules/Content Management/OFFERS/Delete Offer		
Description			
Tag			
Start	2019-10-14 11:25:52	End	2019-10-14 11:26:04
Elapsed	11.344s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	delay(5) Delayed 5 second(s)	5.005s	PASSED
2	delay(2) Delayed 2 second(s)	2.011s	PASSED

Delete Offer

#	Description	Elapsed	Status
3	<p>click(findTestObject("Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox"))</p> <p>Unable to click on object 'Object Repository/Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Delete Offer/Page_Offers/div_Most Recent Uploads_library-table-checkbox no-label checkbox' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Delete Offer.run (Delete Offer:21) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1571032387518.run (TempTestSuite1571032387518.groovy:35) Caused by: org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 69.0.3, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20191009172106, moz:geckodriverVersion: 0.24.0, moz:headless: false, moz:processID: 7456, moz:profile: C:\Users\Dell\AppData\Local..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy:</p>	4.129s	FAILED

Delete Offer

#	Description	Elapsed	Status
	<pre>Proxy(direct), rotatable: false, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7590878c-0cd2-42fe-bbea-6a47bb07cb07 *** Element info: {Using=xpath, value=//div[@id='app']/main/div/div[2]/div[2]/div[3] /div/table/tbody/tr/td/div} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:761) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1570793351774.run(Script1570793351774.groovy:21) ... 13 more)</pre>		

GSM Logout

Information

ID	Test Cases/Test Scenarios/Modules/Logout/GSM Logout		
Description			
Tag			
Start	2019-10-14 11:26:04	End	2019-10-14 11:26:08
Elapsed	4.278s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

GSM Logout

#	Description	Elapsed	Status
1	<p>click(findTestObject("GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4"))</p> <p>Unable to click on object 'Object Repository/GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/GSM Logout/Page_Templates/a_Help_user-panel-dropdown-4')</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:86)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:56)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)</p> <p>at GSM Logout.run (GSM Logout:17)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1571032387518.run (TempTestSuite1571032387518.groovy:35)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'</p> <p>Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver</p> <p>Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 69.0.3, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20191009172106, moz:geckodriverVersion: 0.24.0, moz:headless: false, moz:processID: 7456, moz:profile: C:\Users\Dell\AppData\Local..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(direct), rotatable: false, setWindowRect: true, strictFileInteractability: false, timeouts:</p>	4.094s	FAILED

GSM Logout

#	Description	Elapsed	Status
	<pre>{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7590878c-0cd2-42fe-bbea-6a47bb07cb07 *** Element info: {Using=xpath, value=//a[@id='user-panel-dropdown-4']} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:761) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1570789542427.run(Script1570789542427.groovy:17) ... 13 more)</pre>		