

Para

Execution Environment

| | |
|-----------------|------------------------|
| Host name | Dell - DESKTOP-A4R0EHC |
| OS | Windows 10 64bit |
| Katalon version | 6.3.3.11 |
| Browser | Chrome 77.0.3865.120 |

Summary

| | | | |
|-------------|---------------------|------------|---------------------|
| ID | Test Suites/Para | | |
| Description | | | |
| Total | 3 | | |
| Passed | 0 | Failed | 0 |
| Error | 3 | Incomplete | 0 |
| Start | 2019-10-21 11:14:59 | End | 2019-10-21 11:20:01 |
| Elapsed | 5m - 2.102s | | |

| # | ID | Description | Status |
|---|-----------------|-------------|--------|
| 1 | Test Cases/Para | | ERROR |
| 2 | Test Cases/Para | | ERROR |
| 3 | Test Cases/Para | | ERROR |

Para

Information

| | | | |
|-------------|---------------------|-----|---------------------|
| ID | Test Cases/Para | | |
| Description | | | |
| Tag | | | |
| Start | 2019-10-21 11:14:59 | End | 2019-10-21 11:16:38 |
| Elapsed | 1m - 38.172s | | |
| Status | ERROR | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 11.260s | PASSED |
| 2 | navigateToUrl(url) Navigate to 'https://sandbox.gsm.auto/logout' successfully | 5.678s | PASSED |
| 3 | click(findTestObject("Object Repository/Para/Page_GSM Portal/button_Log in")) Object: 'Object Repository/Para/Page_GSM Portal/button_Log in' is clicked on | 8.151s | PASSED |
| 4 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Email Address_email"), un) Text 'sankaran@totient.co.in' is set on object 'Object Repository/Para/Page_GSM Login/input_Email Address_email' | 6.511s | PASSED |
| 5 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Password_password"), pw) Text 'sandbox85!' is set on object 'Object Repository/Para/Page_GSM Login/input_Password_password' | 6.340s | PASSED |
| 6 | click(findTestObject("Object Repository/Para/Page_GSM Login/button_Log In")) Object: 'Object Repository/Para/Page_GSM Login/button_Log In' is clicked on | 4.257s | PASSED |

Para

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | click(findTestObject("Object Repository/Para/Page_Dashboard/div_Content")) Object: 'Object Repository/Para/Page_Dashboard/div_Content' is clicked on | 10.280s | PASSED |
| 8 | click(findTestObject("Object Repository/Para/Page_Templates/a_Offers")) Object: 'Object Repository/Para/Page_Templates/a_Offers' is clicked on | 4.282s | PASSED |
| 9 | click(findTestObject("Object Repository/Para/Page_Offers/a_New Offer")) Object: 'Object Repository/Para/Page_Offers/a_New Offer' is clicked on | 4.257s | PASSED |
| 10 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Offer Name_name"), OfferName) Text 'abc1' is set on object 'Object Repository/Para/Page_Offers/input_Offer Name_name' | 6.368s | PASSED |
| 11 | click(findTestObject("Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory")) Object: 'Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory' is clicked on | 4.263s | PASSED |
| 12 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Offer Description_description"), OfferDescription) Text 'abc' is set on object 'Object Repository/Para/Page_Offers/textarea_Offer Description_description' | 6.311s | PASSED |
| 13 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration"), "10/25/2019") Text '10/25/2019' is set on object 'Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration' | 6.509s | PASSED |
| 14 | click(findTestObject("Object Repository/Para/Page_Offers/button_Select")) Object: 'Object Repository/Para/Page_Offers/button_Select' is clicked on | 4.231s | PASSED |
| 15 | click(findTestObject("Object Repository/Para/Page_Offers/a_English (US)")) Object: 'Object Repository/Para/Page_Offers/a_English (US)' is clicked on | 4.271s | PASSED |

Para

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 16 | click(findTestObject("Object Repository/Para/Page_Offers/button_Next")) Object: 'Object Repository/Para/Page_Offers/button_Next' is clicked on | 4.285s | PASSED |
| 17 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Title_title"), Title) | 0.085s | PASSED |

Para

Information

| | | | |
|-------------|---------------------|-----|---------------------|
| ID | Test Cases/Para | | |
| Description | | | |
| Tag | | | |
| Start | 2019-10-21 11:16:38 | End | 2019-10-21 11:18:21 |
| Elapsed | 1m - 43.682s | | |
| Status | ERROR | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 12.278s | PASSED |
| 2 | navigateToUrl(url) Navigate to 'https://sandbox.gsm.auto/logout' successfully | 8.857s | PASSED |
| 3 | click(findTestObject("Object Repository/Para/Page_GSM Portal/button_Log in")) Object: 'Object Repository/Para/Page_GSM Portal/button_Log in' is clicked on | 7.653s | PASSED |
| 4 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Email Address_email"), un) Text 'sankaran@totient.co.in' is set on object 'Object Repository/Para/Page_GSM Login/input_Email Address_email' | 6.522s | PASSED |
| 5 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Password_password"), pw) Text 'sandbox85!' is set on object 'Object Repository/Para/Page_GSM Login/input_Password_password' | 6.343s | PASSED |
| 6 | click(findTestObject("Object Repository/Para/Page_GSM Login/button_Log In")) Object: 'Object Repository/Para/Page_GSM Login/button_Log In' is clicked on | 4.212s | PASSED |

Para

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | click(findTestObject("Object Repository/Para/Page_Dashboard/div_Content")) Object: 'Object Repository/Para/Page_Dashboard/div_Content' is clicked on | 10.581s | PASSED |
| 8 | click(findTestObject("Object Repository/Para/Page_Templates/a_Offers")) Object: 'Object Repository/Para/Page_Templates/a_Offers' is clicked on | 4.321s | PASSED |
| 9 | click(findTestObject("Object Repository/Para/Page_Offers/a_New Offer")) Object: 'Object Repository/Para/Page_Offers/a_New Offer' is clicked on | 4.248s | PASSED |
| 10 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Offer Name_name"), OfferName) Text 'abc2' is set on object 'Object Repository/Para/Page_Offers/input_Offer Name_name' | 8.848s | PASSED |
| 11 | click(findTestObject("Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory")) Object: 'Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory' is clicked on | 4.243s | PASSED |
| 12 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Offer Description_description"), OfferDescription) Text 'abc' is set on object 'Object Repository/Para/Page_Offers/textarea_Offer Description_description' | 6.302s | PASSED |
| 13 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration"), "10/25/2019") Text '10/25/2019' is set on object 'Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration' | 6.508s | PASSED |
| 14 | click(findTestObject("Object Repository/Para/Page_Offers/button_Select")) Object: 'Object Repository/Para/Page_Offers/button_Select' is clicked on | 4.228s | PASSED |
| 15 | click(findTestObject("Object Repository/Para/Page_Offers/a_English (US)")) Object: 'Object Repository/Para/Page_Offers/a_English (US)' is clicked on | 4.223s | PASSED |

Para

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 16 | click(findTestObject("Object Repository/Para/Page_Offers/button_Next")) Object: 'Object Repository/Para/Page_Offers/button_Next' is clicked on | 4.229s | PASSED |
| 17 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Title_title"), Title) | 0.062s | PASSED |

Para

Information

| | | | |
|-------------|---------------------|-----|---------------------|
| ID | Test Cases/Para | | |
| Description | | | |
| Tag | | | |
| Start | 2019-10-21 11:18:22 | End | 2019-10-21 11:20:01 |
| Elapsed | 1m - 39.425s | | |
| Status | ERROR | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 12.156s | PASSED |
| 2 | navigateToUrl(url) Navigate to 'https://sandbox.gsm.auto/logout' successfully | 5.747s | PASSED |
| 3 | click(findTestObject("Object Repository/Para/Page_GSM Portal/button_Log in")) Object: 'Object Repository/Para/Page_GSM Portal/button_Log in' is clicked on | 9.616s | PASSED |
| 4 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Email Address_email"), un) Text 'sankaran@totient.co.in' is set on object 'Object Repository/Para/Page_GSM Login/input_Email Address_email' | 6.504s | PASSED |
| 5 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Password_password"), pw) Text 'sandbox85!' is set on object 'Object Repository/Para/Page_GSM Login/input_Password_password' | 6.345s | PASSED |
| 6 | click(findTestObject("Object Repository/Para/Page_GSM Login/button_Log In")) Object: 'Object Repository/Para/Page_GSM Login/button_Log In' is clicked on | 4.223s | PASSED |

Para

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | click(findTestObject("Object Repository/Para/Page_Dashboard/div_Content")) Object: 'Object Repository/Para/Page_Dashboard/div_Content' is clicked on | 10.160s | PASSED |
| 8 | click(findTestObject("Object Repository/Para/Page_Templates/a_Offers")) Object: 'Object Repository/Para/Page_Templates/a_Offers' is clicked on | 4.228s | PASSED |
| 9 | click(findTestObject("Object Repository/Para/Page_Offers/a_New Offer")) Object: 'Object Repository/Para/Page_Offers/a_New Offer' is clicked on | 4.266s | PASSED |
| 10 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Offer Name_name"), OfferName) Text 'abc3' is set on object 'Object Repository/Para/Page_Offers/input_Offer Name_name' | 6.334s | PASSED |
| 11 | click(findTestObject("Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory")) Object: 'Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory' is clicked on | 4.255s | PASSED |
| 12 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Offer Description_description"), OfferDescription) Text 'abc' is set on object 'Object Repository/Para/Page_Offers/textarea_Offer Description_description' | 6.297s | PASSED |
| 13 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration"), "10/25/2019") Text '10/25/2019' is set on object 'Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration' | 6.477s | PASSED |
| 14 | click(findTestObject("Object Repository/Para/Page_Offers/button_Select")) Object: 'Object Repository/Para/Page_Offers/button_Select' is clicked on | 4.221s | PASSED |
| 15 | click(findTestObject("Object Repository/Para/Page_Offers/a_English (US)")) Object: 'Object Repository/Para/Page_Offers/a_English (US)' is clicked on | 4.245s | PASSED |

Para

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 16 | click(findTestObject("Object Repository/Para/Page_Offers/button_Next")) Object: 'Object Repository/Para/Page_Offers/button_Next' is clicked on | 4.262s | PASSED |
| 17 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Title_title"), Title) | 0.062s | PASSED |