# Para

## Execution Environment

| | |
|---|---|
| Host name | Dell - DESKTOP-A4R0EHC |
| OS | Windows 10 64bit |
| Katalon version | 6.3.3.11 |
| Browser | Chrome 77.0.3865.120 |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/Para | | |
| Description | | | |
| Total | 3 | | |
| Passed | 0 | Failed | 0 |
| Error | 3 | Incomplete | 0 |
| Start | 2019-10-21 10:59:47 | End | 2019-10-21 11:05:09 |
| Elapsed | 5m - 21.721s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/Para | | ERROR |
| 2 | Test Cases/Para | | ERROR |
| 3 | Test Cases/Para | | ERROR |

# Para

## Information

| | |
|---|---|
| ID | Test Cases/Para |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-10-21 10:59:48 | End | 2019-10-21 11:01:38 |
| Elapsed | 1m - 50.341s | | |
| Status | ERROR | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") <br><br> Browser is opened with url: '' | 11.129s | PASSED |
| 2 | navigateToUrl(url) <br><br> Navigate to 'https://sandbox.gsm.auto/logout' successfully | 6.609s | PASSED |
| 3 | click(findTestObject("Object Repository/Para/Page_GSM Portal/button_Log in")) <br><br> Object: 'Object Repository/Para/Page_GSM Portal/button_Log in' is clicked on | 8.225s | PASSED |
| 4 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Email Address_email"), un) <br><br> Text 'sankaran@totient.co.in' is set on object 'Object Repository/Para/Page_GSM Login/input_Email Address_email' | 6.562s | PASSED |
| 5 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Password_password"), pw) <br><br> Text 'sandbox85!' is set on object 'Object Repository/Para/Page_GSM Login/input_Password_password' | 6.406s | PASSED |
| 6 | click(findTestObject("Object Repository/Para/Page_GSM Login/button_Log In")) <br><br> Object: 'Object Repository/Para/Page_GSM Login/button_Log In' is clicked on | 4.250s | PASSED |

# Para

| # | Description | Elapsed | Status |
|---|---|---|---|
| 7 | click(findTestObject("Object Repository/Para/Page_Dashboard/div_Content")) | 13.869s | PASSED |
| | Object: 'Object Repository/Para/Page_Dashboard/div_Content' is clicked on | | |
| 8 | click(findTestObject("Object Repository/Para/Page_Templates/a_Offers")) | 4.287s | PASSED |
| | Object: 'Object Repository/Para/Page_Templates/a_Offers' is clicked on | | |
| 9 | click(findTestObject("Object Repository/Para/Page_Offers/a_New Offer")) | 6.762s | PASSED |
| | Object: 'Object Repository/Para/Page_Offers/a_New Offer' is clicked on | | |
| 10 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Offer Name_name"), OfferName) | 11.399s | PASSED |
| | Text 'abc1' is set on object 'Object Repository/Para/Page_Offers/input_Offer Name_name' | | |
| 11 | click(findTestObject("Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory")) | 4.260s | PASSED |
| | Object: 'Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory' is clicked on | | |
| 12 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Offer Description_description"), OfferDescription) | 6.319s | PASSED |
| | Text 'abc' is set on object 'Object Repository/Para/Page_Offers/textarea_Offer Description_description' | | |
| 13 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration"), "10/25/2019") | 6.561s | PASSED |
| | Text '10/25/2019' is set on object 'Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration' | | |
| 14 | click(findTestObject("Object Repository/Para/Page_Offers/button_Select")) | 4.248s | PASSED |
| | Object: 'Object Repository/Para/Page_Offers/button_Select' is clicked on | | |
| 15 | click(findTestObject("Object Repository/Para/Page_Offers/a_English (US)")) | 4.222s | PASSED |
| | Object: 'Object Repository/Para/Page_Offers/a_English (US)' is clicked on | | |

# Para

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 16 | click(findTestObject("Object Repository/Para/Page_Offers/button_Next")) | 4.238s | PASSED |
| | Object: 'Object Repository/Para/Page_Offers/button_Next' is clicked on | | |
| 17 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Title_title"), Title) | 0.103s | PASSED |

# Para

## Information

| | |
|---|---|
| ID | Test Cases/Para |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-10-21 11:01:38 | End | 2019-10-21 11:03:32 |
| Elapsed | 1m - 53.003s | | |
| Status | ERROR | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") | 12.124s | PASSED |
| | Browser is opened with url: '' | | |
| 2 | navigateToUrl(url) | 8.358s | PASSED |
| | Navigate to 'https://sandbox.gsm.auto/logout' successfully | | |
| 3 | click(findTestObject("Object Repository/Para/Page_GSM Portal/button_Log in")) | 14.103s | PASSED |
| | Object: 'Object Repository/Para/Page_GSM Portal/button_Log in' is clicked on | | |
| 4 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Email Address_email"), un) | 6.543s | PASSED |
| | Text 'sankaran@totient.co.in' is set on object 'Object Repository/Para/Page_GSM Login/input_Email Address_email' | | |
| 5 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Password_password"), pw) | 6.348s | PASSED |
| | Text 'sandbox85!' is set on object 'Object Repository/Para/Page_GSM Login/input_Password_password' | | |
| 6 | click(findTestObject("Object Repository/Para/Page_GSM Login/button_Log In")) | 4.229s | PASSED |
| | Object: 'Object Repository/Para/Page_GSM Login/button_Log In' is clicked on | | |

# Para

| #  | Description | Elapsed | Status |
|----|-------------|---------|--------|
| 7  | click(findTestObject("Object Repository/Para/Page_Dashboard/div_Content"))<br><br>Object: 'Object Repository/Para/Page_Dashboard/div_Content' is clicked on | 13.991s | PASSED |
| 8  | click(findTestObject("Object Repository/Para/Page_Templates/a_Offers"))<br><br>Object: 'Object Repository/Para/Page_Templates/a_Offers' is clicked on | 4.264s | PASSED |
| 9  | click(findTestObject("Object Repository/Para/Page_Offers/a_New Offer"))<br><br>Object: 'Object Repository/Para/Page_Offers/a_New Offer' is clicked on | 4.350s | PASSED |
| 10 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Offer Name_name"), OfferName)<br><br>Text 'abc2' is set on object 'Object Repository/Para/Page_Offers/input_Offer Name_name' | 8.813s | PASSED |
| 11 | click(findTestObject("Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory"))<br><br>Object: 'Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory' is clicked on | 4.272s | PASSED |
| 12 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Offer Description_description"), OfferDescription)<br><br>Text 'abc' is set on object 'Object Repository/Para/Page_Offers/textarea_Offer Description_description' | 6.310s | PASSED |
| 13 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration"), "10/25/2019")<br><br>Text '10/25/2019' is set on object 'Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration' | 6.447s | PASSED |
| 14 | click(findTestObject("Object Repository/Para/Page_Offers/button_Select"))<br><br>Object: 'Object Repository/Para/Page_Offers/button_Select' is clicked on | 4.240s | PASSED |
| 15 | click(findTestObject("Object Repository/Para/Page_Offers/a_English (US)"))<br><br>Object: 'Object Repository/Para/Page_Offers/a_English (US)' is clicked on | 4.255s | PASSED |

# Para

| # | Description | Elapsed | Status |
|---|---|---|---|
| 16 | click(findTestObject("Object Repository/Para/Page_Offers/button_Next")) | 4.263s | PASSED |
| | Object: 'Object Repository/Para/Page_Offers/button_Next' is clicked on | | |
| 17 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Title_title"), Title) | 0.066s | PASSED |

# Para

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/Para | | |
| Description | | | |
| Tag | | | |
| Start | 2019-10-21 11:03:32 | End | 2019-10-21 11:05:09 |
| Elapsed | 1m - 37.531s | | |
| Status | ERROR | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") | 11.959s | PASSED |
| | Browser is opened with url: '' | | |
| 2 | navigateToUrl(url) | 6.027s | PASSED |
| | Navigate to 'https://sandbox.gsm.auto/logout' successfully | | |
| 3 | click(findTestObject("Object Repository/Para/Page_GSM Portal/button_Log in")) | 7.520s | PASSED |
| | Object: 'Object Repository/Para/Page_GSM Portal/button_Log in' is clicked on | | |
| 4 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Email Address_email"), un) | 6.510s | PASSED |
| | Text 'sankaran@totient.co.in' is set on object 'Object Repository/Para/Page_GSM Login/input_Email Address_email' | | |
| 5 | setText(findTestObject("Object Repository/Para/Page_GSM Login/input_Password_password"), pw) | 6.381s | PASSED |
| | Text 'sandbox85!' is set on object 'Object Repository/Para/Page_GSM Login/input_Password_password' | | |
| 6 | click(findTestObject("Object Repository/Para/Page_GSM Login/button_Log In")) | 4.209s | PASSED |
| | Object: 'Object Repository/Para/Page_GSM Login/button_Log In' is clicked on | | |

# Para

| # | Description | Elapsed | Status |
|---|---|---|---|
| 7 | click(findTestObject("Object Repository/Para/Page_Dashboard/div_Content"))<br><br>Object: 'Object Repository/Para/Page_Dashboard/div_Content' is clicked on | 10.234s | PASSED |
| 8 | click(findTestObject("Object Repository/Para/Page_Templates/a_Offers"))<br><br>Object: 'Object Repository/Para/Page_Templates/a_Offers' is clicked on | 4.293s | PASSED |
| 9 | click(findTestObject("Object Repository/Para/Page_Offers/a_New Offer"))<br><br>Object: 'Object Repository/Para/Page_Offers/a_New Offer' is clicked on | 4.229s | PASSED |
| 10 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Offer Name_name"), OfferName)<br><br>Text 'abc3' is set on object 'Object Repository/Para/Page_Offers/input_Offer Name_name' | 6.345s | PASSED |
| 11 | click(findTestObject("Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory"))<br><br>Object: 'Object Repository/Para/Page_Offers/input_Marketing Category_marketingCategory' is clicked on | 4.266s | PASSED |
| 12 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Offer Description_description"), OfferDescription)<br><br>Text 'abc' is set on object 'Object Repository/Para/Page_Offers/textarea_Offer Description_description' | 6.280s | PASSED |
| 13 | setText(findTestObject("Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration"), "10/25/2019")<br><br>Text '10/25/2019' is set on object 'Object Repository/Para/Page_Offers/input_Objects set to expire will be automatically archived_expiration' | 6.446s | PASSED |
| 14 | click(findTestObject("Object Repository/Para/Page_Offers/button_Select"))<br><br>Object: 'Object Repository/Para/Page_Offers/button_Select' is clicked on | 4.249s | PASSED |
| 15 | click(findTestObject("Object Repository/Para/Page_Offers/a_English (US)"))<br><br>Object: 'Object Repository/Para/Page_Offers/a_English (US)' is clicked on | 4.255s | PASSED |

# Para

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 16 | click(findTestObject("Object Repository/Para/Page_Offers/button_Next")) | 4.251s | PASSED |
|  | Object: 'Object Repository/Para/Page_Offers/button_Next' is clicked on |  |  |
| 17 | setText(findTestObject("Object Repository/Para/Page_Offers/textarea_Title_title"), Title) | 0.065s | PASSED |