# R12

## Execution Environment

| | |
|---|---|
| Host name | Dell - DESKTOP-A4R0EHC |
| OS | Windows 10 64bit |
| Katalon version | 7.0.4.1 |
| Browser | Chrome 77.0.3865.120 |

## Summary

| | |
|---|---|
| ID | Test Suites/R12 |
| Description | |

| | | | |
|---|---|---|---|
| Total | 5 | | |
| Passed | 4 | Failed | 1 |
| Error | 0 | Incomplete | 0 |
| Start | 2019-10-30 10:22:15 | End | 2019-10-30 10:25:07 |
| Elapsed | 2m - 52.538s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/TestRail/Create Offer | | FAILED |
| 2 | Test Cases/TestRail/Delete Offer | | PASSED |
| 3 | Test Cases/TestRail/Edit Offer | | PASSED |
| 4 | Test Cases/TestRail/Logout | | PASSED |
| 5 | Test Cases/TestRail/Valid Login | | PASSED |

# Create Offer

## Information

| | | | | |
|---|---|---|---|---|
| ID | Test Cases/TestRail/Create Offer | | | |
| Description | | | | |
| Tag | | | | |
| Start | 2019-10-30 10:22:15 | End | 2019-10-30 10:23:05 | |
| Elapsed | 49.676s | | | |
| Status | FAILED | | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") | 9.503s | PASSED |
| | Browser is opened with url: '' | | |
| 2 | navigateToUrl("https://sandbox.gsm.auto/logout") | 6.285s | PASSED |
| | Navigate to 'https://sandbox.gsm.auto/logout' successfully | | |

# Create Offer

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 3 | click(findTestObject("Object Repository/TestRail/Page_GSM Portal/button_Log in")) | 33.113s | FAILED |

Unable to click on object 'Object Repository/TestRail/Page_GSM Portal/button_Log in' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TestRail/Page_GSM Portal/button_Log in'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
      at Create Offer.run(Create Offer:23)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
      at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
      at TempTestSuite1572411127184.run(TempTestSuite1572411127184.groovy:36)
Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: [[CChromeDriver: chrome on XP (6ae440cd864f885db1a4e436f3051c9e)] -> xpath: //button[@type='button']] (tried for 30 second(s) with 500 milliseconds interval)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-A4R0EHC', ip: '192.168.0.110', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.core.webui.driver.SmartWaitWebDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 77.0.3865.120, chrome: {chromedriverVersion: 77.0.3865.40 (f484704e052e0..., userDataDir: C:\Users\Dell\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:59466}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000,

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: 6ae440cd864f885db1a4e436f3051c9e
      at org.openqa.selenium.support.ui.WebDriverWait.timeoutException
(WebDriverWait.java:95)
      at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:56)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
      at Script1572408951732.run(Script1572408951732.groovy:23)
      ... 13 more
)

# Delete Offer

## Information

| | |
|---|---|
| ID | Test Cases/TestRail/Delete Offer |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-10-30 10:23:05 | End | 2019-10-30 10:23:37 |
| Elapsed | 32.281s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") <br><br> Browser is opened with url: '' | 6.381s | PASSED |
| 2 | navigateToUrl("https://sandbox.gsm.auto/logout") <br><br> Navigate to 'https://sandbox.gsm.auto/logout' successfully | 5.228s | PASSED |
| 3 | click(findTestObject("Object Repository/TestRail/Page_GSM Portal/button_Log in")) <br><br> Object: 'Object Repository/TestRail/Page_GSM Portal/button_Log in' is clicked on | 7.641s | PASSED |
| 4 | setText(findTestObject("Object Repository/TestRail/Page_GSM Login/input_Email Address_email"), "sankaran@totient.co.in") <br><br> Text 'sankaran@totient.co.in' is set on object 'Object Repository/TestRail/Page_GSM Login/input_Email Address_email' | 4.746s | PASSED |
| 5 | setEncryptedText(findTestObject("Object Repository/TestRail/Page_GSM Login/input_Password_password"), "4bOuNFpH31s4Qkh1shYRow==") <br><br> Text ****** has been set on object 'Object Repository/TestRail/Page_GSM Login/input_Password_password' | 4.690s | PASSED |
| 6 | click(findTestObject("Object Repository/TestRail/Page_GSM Login/button_Log In")) <br><br> Object: 'Object Repository/TestRail/Page_GSM Login/button_Log In' is clicked on | 2.453s | PASSED |

# Delete Offer

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | closeBrowser() | 0.785s | PASSED |

Browser is closed

# Edit Offer

## Information

ID      Test Cases/TestRail/Edit Offer

Description

Tag

| | | | |
|---|---|---|---|
| Start | 2019-10-30 10:23:37 | End | 2019-10-30 10:24:07 |
| Elapsed | 29.642s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") | 5.632s | PASSED |
| | Browser is opened with url: '' | | |
| 2 | navigateToUrl("https://sandbox.gsm.auto/logout") | 5.158s | PASSED |
| | Navigate to 'https://sandbox.gsm.auto/logout' successfully | | |
| 3 | click(findTestObject("Object Repository/TestRail/Page_GSM Portal/button_Log in")) | 5.645s | PASSED |
| | Object: 'Object Repository/TestRail/Page_GSM Portal/button_Log in' is clicked on | | |
| 4 | setText(findTestObject("Object Repository/TestRail/Page_GSM Login/input_Email Address_email"), "sankaran@totient.co.in") | 4.843s | PASSED |
| | Text 'sankaran@totient.co.in' is set on object 'Object Repository/TestRail/Page_GSM Login/input_Email Address_email' | | |
| 5 | setEncryptedText(findTestObject("Object Repository/TestRail/Page_GSM Login/input_Password_password"), "4bOuNFpH31s4Qkh1shYRow==") | 4.563s | PASSED |
| | Text ****** has been set on object 'Object Repository/TestRail/Page_GSM Login/input_Password_password' | | |
| 6 | click(findTestObject("Object Repository/TestRail/Page_GSM Login/button_Log In")) | 2.487s | PASSED |
| | Object: 'Object Repository/TestRail/Page_GSM Login/button_Log In' is clicked on | | |

# Edit Offer

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | closeBrowser() | 0.858s | PASSED |

Browser is closed

# Logout

## Information

| | |
|---|---|
| ID | Test Cases/TestRail/Logout |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-10-30 10:24:07 | End | 2019-10-30 10:24:37 |
| Elapsed | 30.407s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") <br><br> Browser is opened with url: '' | 5.483s | PASSED |
| 2 | navigateToUrl("https://sandbox.gsm.auto/logout") <br><br> Navigate to 'https://sandbox.gsm.auto/logout' successfully | 5.298s | PASSED |
| 3 | click(findTestObject("Object Repository/TestRail/Page_GSM Portal/button_Log in")) <br><br> Object: 'Object Repository/TestRail/Page_GSM Portal/button_Log in' is clicked on | 5.519s | PASSED |
| 4 | setText(findTestObject("Object Repository/TestRail/Page_GSM Login/input_Email Address_email"), "sankaran@totient.co.in") <br><br> Text 'sankaran@totient.co.in' is set on object 'Object Repository/TestRail/Page_GSM Login/input_Email Address_email' | 5.744s | PASSED |
| 5 | setEncryptedText(findTestObject("Object Repository/TestRail/Page_GSM Login/input_Password_password"), "4bOuNFpH31s4Qkh1shYRow==") <br><br> Text ****** has been set on object 'Object Repository/TestRail/Page_GSM Login/input_Password_password' | 4.633s | PASSED |
| 6 | click(findTestObject("Object Repository/TestRail/Page_GSM Login/button_Log In")) <br><br> Object: 'Object Repository/TestRail/Page_GSM Login/button_Log In' is clicked on | 2.456s | PASSED |

# Logout

| # | Description | Elapsed | Status |
|---|---|---|---|
| 7 | closeBrowser() | 0.891s | PASSED |

Browser is closed

# Valid Login

## Information

| | |
|---|---|
| ID | Test Cases/TestRail/Valid Login |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-10-30 10:24:37 | End | 2019-10-30 10:25:07 |
| Elapsed | 29.871s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") <br><br> Browser is opened with url: '' | 5.524s | PASSED |
| 2 | navigateToUrl("https://sandbox.gsm.auto/logout") <br><br> Navigate to 'https://sandbox.gsm.auto/logout' successfully | 5.258s | PASSED |
| 3 | click(findTestObject("Object Repository/TestRail/Page_GSM Portal/button_Log in")) <br><br> Object: 'Object Repository/TestRail/Page_GSM Portal/button_Log in' is clicked on | 5.669s | PASSED |
| 4 | setText(findTestObject("Object Repository/TestRail/Page_GSM Login/input_Email Address_email"), "sankaran@totient.co.in") <br><br> Text 'sankaran@totient.co.in' is set on object 'Object Repository/TestRail/Page_GSM Login/input_Email Address_email' | 5.103s | PASSED |
| 5 | setEncryptedText(findTestObject("Object Repository/TestRail/Page_GSM Login/input_Password_password"), "4bOuNFpH31s4Qkh1shYRow==") <br><br> Text ****** has been set on object 'Object Repository/TestRail/Page_GSM Login/input_Password_password' | 4.560s | PASSED |
| 6 | click(findTestObject("Object Repository/TestRail/Page_GSM Login/button_Log In")) <br><br> Object: 'Object Repository/TestRail/Page_GSM Login/button_Log In' is clicked on | 2.442s | PASSED |

# Valid Login

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | closeBrowser() | 0.810s | PASSED |

Browser is closed