

Supplementary Figures

All ten figures at publication resolution. Vector originals (PDF, SVG) and 600 dpi raster versions are in figures/. Every figure is generated from computed data by plotting.py; none contains illustrative or invented values. The palette is Okabe-Ito and every series carries a redundant marker or line style, so no information is conveyed by color alone.




Figure S1. Recovered baseline sequence, its 11-coefficient and DC-only reconstructions, and the magnitude spectrum.




Figure S2. Experiment A: measured DC energy share against the analytical prediction, and the divergence of retention from fidelity as the offset grows.





Figure S3. The redundancy result: all retention curves lie exactly on the identity, and the two error



measures differ by a fixed factor.

basis retention against reconstruction error across the corpus.

Figure S4. AC-




Figure S5. Coefficient count against reconstruction error for all strategy and basis combinations.

mean-removed signals; both transforms orthonormal




Figure S6. DFT against orthonormal DCT-II compaction, mean-removed.




Figure S7. Spectral leakage for bin-centered and off-bin sinusoids.




Figure S8. Window frequency responses and their effect at a fixed coefficient budget.





Figure S9. Retention and fidelity against input



SNR, with 95% confidence intervals for the mean.

Figure S10. Parseval discrepancy against transform length and floating-point precision.