TalentMine / TalentHunt

Local Setup & Execution Guide — Candidate Intelligence Platform

DEVELOPMENT DOCS

> **ARCHITECTURE SUMMARY**
>
> TalentMine is structured as a decoupled application: a high-performance **Modular Frontend** (HTML5, Vanilla CSS, and JavaScript) paired with a **PHP REST API Backend** with JSON data stores for candidate mining, validation, and dataset exports.

1. System Prerequisites

To run the platform locally, ensure you have the following installed on your machine:

1. PHP (Version 8.0 or Higher)

Required to serve the backend REST endpoints and execute local web servers. Verify in terminal via: `php -v`.

2. Modern Web Browser

Google Chrome, Microsoft Edge, Firefox, or Brave with JavaScript and Canvas support enabled.

2. Method 1: Using the Built-in PHP Server (Recommended & Fastest)

PHP comes with a built-in development web server that does not require installing or configuring heavy third-party software.

1 Open Terminal / PowerShell in Project Directory

Navigate to the project directory where the codebase is located:

```
cd C:\Users\ibrah\code\etc\TalentMine
```

2 Start the PHP Development Server

Run the following command to bind the web server to port `8000`:

```
php -S 127.0.0.1:8000
```

Note: Keep this terminal window open while using the application. To stop the server at any time, press `Ctrl + C`.

3 Navigate to the Application in Chrome

Open Google Chrome and enter the following URL in the address bar:

```
http://127.0.0.1:8000
```

The root URL automatically routes to the modular workspace at `http://127.0.0.1:8000/frontend/index.html`, connecting automatically to the live PHP API backend.

TalentMine Setup Guide (Continued)

PAGE 2

3. Method 2: Running with XAMPP (Apache + PHP)

If you prefer a full graphical stack with Apache, you can run TalentMine through XAMPP.

1 Install and Open XAMPP

Download and install XAMPP from apachefriends.org if not already installed. Launch the **XAMPP Control Panel**.

2 Place Project in the `htdocs` Directory

Copy or move the entire project folder into your XAMPP web root directory:

```
C:\xampp\htdocs\TalentMine
```

3 Start the Apache Service

In the XAMPP Control Panel, find the **Apache** module and click the **Start** button. The status will turn green indicating it is running on ports 80 and 443.

4 Navigate in Your Web Browser

Open Google Chrome and visit:

```
http://localhost/TalentMine
```

Or navigate directly to `http://localhost/TalentMine/frontend/index.html`.

4. Verifying Local Application Functionality

Feature	Verification Action	Expected Behavior
Live Network Hero	View the top section of the landing page	Interactive 3D particle canvas renders with live node count telemetry.
Backend API Link	Check the status badge in Mining Setup	Displays `PHP BACKEND CONNECTED` when running via PHP server.

Feature	Verification Action	Expected Behavior
Data Mining Flow	Select Country, City, Type & click *Generate*	Multi-stage progress animation validates links and populates the spreadsheet.
Candidate Profile Modal	Click any candidate's name in results	Detailed modal opens with validated skills, email, phone, and shortlist button.
Data Export	In Export tab, click *Download CSV*	Browser instantly downloads a structured spreadsheet of mined candidate records.

5. Troubleshooting Common Issues

Port 8000 is already in use

If port 8000 is occupied by another process, start on another port like 8080: `php -S 127.0.0.1:8080`, then visit `http://127.0.0.1:8080`.

'php' is not recognized as an internal or external command

Add the path to your PHP executable (e.g., `C:\xampp\php` or `C:\php`) to your Windows Environment Variables under **System PATH**.