S.B. JAIN INSTITUTE OF TECHNOLOGY MANAGEMENT & RESEARCH, NAGPUR

Practical 02

Aim: To understand and demonstrate the use of basic commands in different operating systems (Windows, Linux, and UNIX) for managing files, directories, permissions, and user interactions through a terminal or command-line interface.

Name: Saumya Udgirkar

USN: CD24046

Semester / Year: 4thSem / 2nd Year

Academic Session: 2026-27

Date of Performance:

Date of Submission:

❖ **Aim:** To understand and demonstrate the use of basic commands in different operating systems (Windows, Linux, and UNIX) for managing files, directories, permissions, and user interactions through a terminal or command-line interface.

❖ **Objectives:**

1. To learn and practice fundamental command-line operations for file and directory management.
2. To explore and utilize user and permission management commands effectively.
3. To enhance system administration skills by working with commands across different operating systems.

❖ **Requirements:**

Hardware Requirements:

- **Processor**: Multi-core CPU, Intel Core i3 (3.0 GHz) or higher
- **RAM**: Minimum 4 GB (8 GB recommended for optimal performance)
- **Storage**: 100 GB HDD or SSD (Solid State Drive) for faster access
- **Network Interface**: Ethernet or Wi-Fi adapter for connectivity

Software Requirements:

- **Operating System**: Windows 10/11, Linux (Ubuntu 20.04/CentOS 8), UNIX-based OS
- **Command-line Interface**: PowerShell or Command Prompt (Windows), Terminal (Linux/UNIX)
- **Text Editor**: Nano, Vim, or Visual Studio Code for file editing
- **Administrative Privileges**: Superuser (Linux/UNIX) or Administrator (Windows) access

❖ **Theory:**

In system administration, command-line interfaces (CLI) are essential tools for managing and interacting with operating systems like Windows, Linux, and UNIX. Commands allow users to perform various tasks such as navigating directories, managing files, controlling permissions, and monitoring system performance. Each operating system provides a set of built-in commands, such as 'man', 'ls', 'cd', 'mkdir', and 'chmod', to facilitate efficient system management. Understanding these commands and their syntax is crucial for automating tasks, enhancing security, and ensuring optimal system functionality. This practical aims to develop foundational skills in executing and applying basic commands across different platforms.

Department of Emerging Technologies, SBJITMR, Nagpur.

❖ **Commands:**

1. **Display User Manual of a Command**
   - Functionality: Shows the manual page with details about a command's usage, options, and arguments.
   - Syntax: man <command>
   - Example: man ls

2. **Change Current Working Directory**.
   - Functionality: Changes the terminal's current working directory.
   - Syntax: cd <directory-path>
   - Example: cd /home/user/Documents.

3. **List Contents of the Current Directory.**
   - Functionality: Lists all files and directories in the current location.
   - Syntax: ls
   - Example: ls

4. **Read/Modify/Concatenate Text Files.**
   - Functionality: Displays or manipulates file content.
   - Syntax:
     - Read: cat <filename>
     - Modify: 'nano <filename>
     - Concatenate: cat <file1> <file2> > <outputfile>

5. **Create a New Directory**.
   - Functionality: Creates a new directory at the specified path.
   - Syntax: mkdir <directory-name
   - Example: mkdir newdir

6. **Display Current Working Directory.**
   - Functionality: Prints the current directory path.
   - Syntax: pwd
   - Example: pwd

7. **Write Arguments to Standard Output.**
   - Functionality: Prints the provided string or variables.
   - Syntax: echo <arguments>
   - Example: echo Hello World

8. **Remove a File**.
   - Functionality: Deletes a specified file.
   - Syntax: rm <filename>
   - Example: rm file.txt

9. **Delete a Directory.**
   - Functionality: Removes an empty directory.
   - Syntax: rmdir <directory-name>
   - Example: rmdir olddir

10. **Copy a File or Directory.**
    - Functionality: Copies a file or directory to a destination.
    - Syntax: cp <source> <destination>
    - Example: cp file.txt backup/

11. **Switch to Root User.**
    - Functionality: Gains root privileges temporarily.
    - Syntax: sudo su
    - Example: sudo s

12. **Move Files or Directories.**
    - Functionality: Moves or renames files and directories.
    -Syntax: mv <source> <destination>
    - Example: mv file.txt newdir/

13. **Search for a String in a File.**
    - Functionality: Searches for a specific word or pattern in a file.
    - Syntax: grep "<string>" <file>
    - Example: grep "error" log.txt

14. **Print Top N Lines of a File.**
    - Functionality: Displays the first N lines of a file.
    - Syntax: head -n <N> <file>
    - Example: 'head -n 10 file.txt'

15. **Print Last N Lines of a File.**
    - Functionality: Displays the last N lines of a file.
    - Syntax: tail -n <N> <file>
    - Example: 'tail -n 10 file.txt

16. **Remove Read Permission from Owner.**
   - Functionality: Revokes the owner's read permission for a file.
   - Syntax: chmod u-r <filename>
   - Example: chmod u-r file.txt

17. **Change Specific Permissions.**
   - Functionality: Sets or removes specific file permissions.
   -Syntax: chmod u+r,w-x,g+w <filename>
   - Example: chmod u+r,w-x,g+w file.txt

18. **Add Write Permission to Owner, None to Others**.
   -Functionality: Allows write access for the owner only.
   - Syntax: chmod u+w,o-rwx <filename>
   - Example: chmod u+w,o-rwx file.txt

19. **Assign Permissions to Users.**
   - Functionality: Modifies file access for users, groups, and others.
   - Syntax: chmod u+rwx,g+rx,o+r <filename>
   - Example: 'chmod u+rwx,g+rx,o+r file.txt

20. **Assign R/W/X to Others.**
   - Functionality: Gives read, write, and execute permissions to others.
   - Syntax: chmod o+rwx <filename>
   - Example: chmod o+rwx file.txt

21. **Remove All Permissions from All Users.**
   - Functionality: Clears all permissions on a file.
   - Syntax: 'chmod a-rwx <filename>
   - Example: 'chmod a-rwx file.txt

22. **Remove Read Permission Using Absolute Mode.**
   - Functionality: Uses numeric mode to restrict read access.
   - Syntax: chmod 700 <filename>
   - Example: chmod 700 file.txt

23. **Set R/W for Owner, None for Group/Other.**
   - Functionality: Assigns permissions in numeric mode.
   - Syntax: chmod 600 <filename>
   - Example: chmod 600 file.txt'

24. **Add Execute for Owner, Read for Group/Others.**
   - Functionality: Adds execution and read access.
   - Syntax: chmod u+x,g+r,o+r <filename>

- Example: chmod u+x,g+r,o+r file.txt

25. **Add Execute Permission to All Users.**
    - Functionality: Enables execution by everyone.
    - Syntax: chmod a+x <filename>
    - Example: chmod a+x script.sh

❖ **Conclusion:** In conclusion, understanding and using essential operating system commands like **'ls', 'cd', 'cp', 'mv', and 'chmod'** enables efficient file management, navigation, and permission control. Tools like **'grep', 'head', and 'tail'** enhance data processing. Mastery of these commands improves system administration, task automation, and overall system security and performance.

❖ **Discussion Questions:**

1. **What is the significance of the pwd command in a Linux environment?**
   Answer: The pwd (print working directory) command displays the absolute path of the current working directory. It helps verify the user's present location in the file system. Syntax: pwd.

2. **Explain the function of the cp command and its common options.**
   Answer: The cp command copies files or directories. Syntax: cp <source> <destination>. Options like -r copy directories recursively, and -i prompts before overwriting.

3. **How does chmod 700 affect file permissions, and what does each digit represent?**
   Answer: chmod 700 grants full permissions (read, write, execute) to the owner and no permissions to others. The digits represent permissions for the owner, group, and others, respectively.

4. **Describe the difference between head and tail commands in Linux.**
   Answer: The head command displays the first N lines of a file, while tail shows the last N lines. Both accept the -n option to specify the number of lines.

5. **What is the purpose of the grep command, and how is it used with regular expressions?**
   Answer: The grep command searches for patterns within files using regular expressions. Syntax: grep <pattern> <file>. It supports options like -i for case-insensitive search and -v to invert the match.

```
[saumyaudgirkar@Mac ~ % cd /Users/saumyaudgirkar/Desktop/OS_CD24046
[saumyaudgirkar@Mac OS_CD24046 %  ls
 Test.txt
[saumyaudgirkar@Mac OS_CD24046 % echo "# OS_CD24046" >> README.md
[saumyaudgirkar@Mac OS_CD24046 % ls
 README.md       Test.txt
[saumyaudgirkar@Mac OS_CD24046 % cat README.md
 # OS_CD24046
[saumyaudgirkar@Mac OS_CD24046 % git init
 hint: Using 'master' as the name for the initial branch. This default branch name
 hint: will change to "main" in Git 3.0. To configure the initial branch name
 hint: to use in all of your new repositories, which will suppress this warning,
 hint: call:
 hint:
 hint:   git config --global init.defaultBranch <name>
 hint:
 hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
 hint: 'development'. The just-created branch can be renamed via this command:
 hint:
 hint:   git branch -m <name>
 hint:
 hint: Disable this message with "git config set advice.defaultBranchName false"
 Initialized empty Git repository in /Users/saumyaudgirkar/Desktop/OS_CD24046/.git/
[saumyaudgirkar@Mac OS_CD24046 % git config set advice.defaultBranchName false
[saumyaudgirkar@Mac OS_CD24046 % git init
 Reinitialized existing Git repository in /Users/saumyaudgirkar/Desktop/OS_CD24046/.git/
[saumyaudgirkar@Mac OS_CD24046 % ls
 README.md       Test.txt
[saumyaudgirkar@Mac OS_CD24046 % ls -al
 total 8
 drwxr-xr-x  5 saumyaudgirkar  staff   160 19 Jan 19:13 .
 drwx------@ 9 saumyaudgirkar  staff   288 19 Jan 19:13 ..
 drwxr-xr-x  9 saumyaudgirkar  staff   288 19 Jan 19:13 .git
 -rw-r--r--  1 saumyaudgirkar  staff    13 19 Jan 19:12 README.md
 -rw-r--r--@ 1 saumyaudgirkar  staff     0 17 Jan 13:10 Test.txt
[saumyaudgirkar@Mac OS_CD24046 % git status
 On branch master

 No commits yet

 Untracked files:
   (use "git add <file>..." to include in what will be committed)
        README.md
        Test.txt

 nothing added to commit but untracked files present (use "git add" to track)
[saumyaudgirkar@Mac OS_CD24046 % git add README.md Test.txt
[saumyaudgirkar@Mac OS_CD24046 % git status
 On branch master

 No commits yet

 Changes to be committed:
```

```
● ● ●  📁 OS_CD24046 — -zsh — 102×54

drwx------@ 9 saumyaudgirkar  staff   288 19 Jan 19:13 ..
drwxr-xr-x  9 saumyaudgirkar  staff   288 19 Jan 19:13 .git
-rw-r--r--  1 saumyaudgirkar  staff    13 19 Jan 19:12 README.md
-rw-r--r--@ 1 saumyaudgirkar  staff     0 17 Jan 13:10 Test.txt
[saumyaudgirkar@Mac OS_CD24046 % git status                                                          ]
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        README.md
        Test.txt

nothing added to commit but untracked files present (use "git add" to track)
[saumyaudgirkar@Mac OS_CD24046 % git add README.md Test.txt                                          ]
[saumyaudgirkar@Mac OS_CD24046 % git status                                                          ]
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md
        new file:   Test.txt

[saumyaudgirkar@Mac OS_CD24046 % git commit -m "first commit"                                        ]
[master (root-commit) 38405c6] first commit
 2 files changed, 1 insertion(+)
 create mode 100644 README.md
 create mode 100644 Test.txt
[saumyaudgirkar@Mac OS_CD24046 % git branch -M main                                                  ]
[saumyaudgirkar@Mac OS_CD24046 % git branch                                                          ]
* main
[saumyaudgirkar@Mac OS_CD24046 % git config user.name "udgirkarsaumya1706"                           ]
[saumyaudgirkar@Mac OS_CD24046 % git config --global user.name "udgirkarsaumya1706"                  ]
[saumyaudgirkar@Mac OS_CD24046 % git config --global use.email "udgirkarsaumya1706@gmail.com"        ]
[saumyaudgirkar@Mac OS_CD24046 % git config --system --list                                          ]
credential.helper=osxkeychain
[saumyaudgirkar@Mac OS_CD24046 % git config --list                                                   ]
credential.helper=osxkeychain
user.name=udgirkarsaumya1706
user.email=udgirkarsaumya1706@gmail.com
use.email=udgirkarsaumya1706@gmail.com
core.repositoryformatversion=0
core.filemode=true
core.bare=false
core.logallrefupdates=true
core.ignorecase=true
core.precomposeunicode=true
advice.defaultbranchname=false
user.name=udgirkarsaumya1706
saumyaudgirkar@Mac OS_CD24046 % git remote add origin https://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
@github.com/udgirkarsaumya1706/OS_CD24046.git
```

```
● ● ●   📁 OS_CD24046 — -zsh — 102×54

nothing added to commit but untracked files present (use "git add" to track)
saumyaudgirkar@Mac OS_CD24046 % git add README.md Test.txt                    ]
saumyaudgirkar@Mac OS_CD24046 % git status                                    ]
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md
        new file:   Test.txt

saumyaudgirkar@Mac OS_CD24046 % git commit -m "first commit"                  ]
[master (root-commit) 38405c6] first commit
 2 files changed, 1 insertion(+)
 create mode 100644 README.md
 create mode 100644 Test.txt
saumyaudgirkar@Mac OS_CD24046 % git branch -M main                            ]
saumyaudgirkar@Mac OS_CD24046 % git branch                                    ]
* main
saumyaudgirkar@Mac OS_CD24046 % git config user.name "udgirkarsaumya1706"     ]
saumyaudgirkar@Mac OS_CD24046 % git config --global user.name "udgirkarsaumya1706"  ]
saumyaudgirkar@Mac OS_CD24046 % git config --global use.email "udgirkarsaumya1706@gmail.com"  ]
saumyaudgirkar@Mac OS_CD24046 % git config --system --list                    ]
credential.helper=osxkeychain
saumyaudgirkar@Mac OS_CD24046 % git config --list                             ]
credential.helper=osxkeychain
user.name=udgirkarsaumya1706
user.email=udgirkarsaumya1706@gmail.com
use.email=udgirkarsaumya1706@gmail.com
core.repositoryformatversion=0
core.filemode=true
core.bare=false
core.logallrefupdates=true
core.ignorecase=true
core.precomposeunicode=true
advice.defaultbranchname=false
user.name=udgirkarsaumya1706
saumyaudgirkar@Mac OS_CD24046 % git remote add origin https://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
@github.com/udgirkarsaumya1706/OS_CD24046.git

saumyaudgirkar@Mac OS_CD24046 % git push -u origin main                       ]
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 10 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 270 bytes | 270.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/udgirkarsaumya1706/OS_CD24046.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
saumyaudgirkar@Mac OS_CD24046 % ls                                            ]
README.md       Test.txt
saumyaudgirkar@Mac OS_CD24046 %
```

❖ **References**:

https://ubuntu.com/tutorials/command-line-for-beginners#1-overview
https://www.geeksforgeeks.org/25-basic-ubuntu-commands/

Date: /   /2026

Signature
Course Coordinator
B.Tech CSE(DS)
Sem: 4 / 2025-26