1. Design the following static web pages required for an online book store web site.

1) HOME PAGE:


The static home page must contain three frames.

Top frame: Logo and the college name and links to Home page, Login page, Registration page, Cataloguepage and Cart page (the description of these pages will be given below).

Left frame : At least four links for navigation, which will display the catalogue of respective links.

For e.g.: When you click the link “MCA” the catalogue for MCA Books should be displayed in the Rightframe.

Right frame: The pages to the links in the left frame must be loaded here. Initially this page containsdescription of the web site.



head.html

```
<html>
<head>
<title>Head Page</title>
</head>
<body>
<font face="Arial Black" size="3">
<table border="1" cellspacing="2" cellpadding="5" width="100%">
<tr>



</tr>
<tr>


<td align="center"><img src="6.jpg" width="20" height="20"/></td>
<td colspan="4" align="center">Web Site Name</td>


<td align="center"><a href="description.html" target="des_page">HOME</a></td>
<td align="center"><a href="login.html" target="des_page">LOGIN</a></td>
<td align="center"><a href="registration.html"
target="des_page">REGISTRATION</a></td>
<td align="center"><a href="catalogue.html"
target="des_page">CATALOGUE</a></td>
<td align="center"><a href="cart.html" target="des_page">CART</a></td>

</tr>
</table>
</font>
</body>
```

```
</html>
```

OUTPUT:



dept.html

```
<html>
<head>

</head>
<body>


<title>Departments Page</title>

<font face="Arial Black" size="4">
<table align="center" height="100%">
<tr>


</tr>
<tr>

</tr>
<tr>



<td><a href="cat_mca.html" target="des_page">MCA</a></td>
```

```
        <td><a href="cat_mba.html" target="des_page">MBA</a></td>


        <td><a href="cat_bca.html" target="des_page">BCA</a></td>


        </tr>
        </table>
        </font>
        </body>
</html>
```


OUTPUT:



desc.html

```
<html>
<head>
<title> Description page</title>
</head>
<body>
<br><br><br><br><br><br><br><br><br><br>
<font face="TIMES NEW ROMAN" size="5">
<center>
Description of the Website
</center>
</font>
</body>
</html>
```

OUTPUT:



home.html

```
<html>
<head>
<title>Home page</title>
</head>
<frameset rows="20,80">
<frame src="head.html" name="head_page">
<frameset cols="15,85">
<frame src="dept.html" name="dept_page">
<frame src="desc.html" name="des_page">
</frameset>
</frameset>
</html>
```


OUTPUT:



2.
LOGIN PAGE: Login page must contain Login field, Password field, Submit and reset buttons.
login.html

```
<html>
<head>
<title>Login page</title>
</head>
<body>
<center>
<font face="Arial Black" size="4"><u><b>LOGIN FORM</b></u></font>
<br><br>
<form name="f1" action="" method="post">
<table frame="box" cellspacing="10">
<tr>
<td>Login</td>
<td><input type="text" size="25"></td>
</tr>
<tr>
<td>Password</td>
<td><input type="password" size="25"></td>
</tr>
<tr>
<td colspan="2" align="center"><input type="submit"
value="SUBMIT">     
<input type="reset" value="RESET"></td>
</tr>
</table>
</form>
</center>
</body>
</html>
```

OUTPUT:



.REGISTRATION PAGE:

Create a "registration form "with the following fields

1)Name (Text field)

2)Password (password field)

3)E-mail id (text field)

4)Phone number (text field)

5)Sex (radio button)

6)Date of birth (3 select boxes)

7)Languages known (check boxes – English, Telugu, Hindi, Tamil)

8)Address (text area)

registration.html

```
<html>
<head>
<title>Registration Page</title>
</head>
<body>
<center>
<h3 align="center"><u>REGISTRATION PAGE</u></h3>
<table border="3">
<tr><td>
<form name="f1" action="" method="post" onsubmit="">
<table cellspacing="10" cellpadding="5">
<tr><td>NAME</td><td><input type="text" size="30"
name="uname"/></td></tr>
<tr><td>PASSWORD</td><td><input type="password" size="30"
name="pass"/></td></tr>
<tr><td>E-MAIL ID</td><td><input type="text" size="30"
name="email"/></td></tr>
```

```
<tr><td> PHONE NUMBER</td><td><input type="text" size="15"
name="phone"/></td></tr>
<tr><td>GENDER</td><td><input type="radio" name="gen" value="m" />MALE
<input type="radio" name="gen" value="f" />FEMALE </td></tr>
<tr><td>DATE OF BIRTH</td>
<td><select name="day">
<option value="day">DAY</option>
<option value="1">1</option>
<option value="2">2</option>
<option value="3">3</option>
<option value="4">4</option>
<option value="5">5</option>
<option value="6">6</option>
<option value="7">7</option>
<option value="8">8</option>
<option value="9">9</option>
<option value="10">10</option>
<option value="11">11</option>
<option value="12">12</option>
<option value="13">13</option>
<option value="14">14</option>
<option value="15">15</option>
<option value="16">16</option>
<option value="17">17</option>
<option value="18">18</option>
<option value="19">19</option>
<option value="20">20</option>
<option value="21">21</option>
<option value="22">22</option>
<option value="23">23</option>
<option value="24">24</option>
<option value="25">25</option>
<option value="26">26</option>
<option value="27">27</option>
<option value="28">28</option>
<option value="29">29</option>
<option value="30">30</option>
<option value="31">31</option>
</select>
<select name="month">
<option value="month">MONTH</option>
<option value="jan">JANUARY</option>
<option value="feb">FEBRUARY</option>
<option value="mar">MARCH</option>
```

```
<option value="apr">APRIL</option>
<option value="may">MAY</option>
<option value="jun">JUNE</option>
<option value="jul">JULY</option>
<option value="aug">AUGUST</option>
<option value="sep">SEPTEMBER</option>
<option value="oct">OCTOBER</option>
<option value="nov">NOVEMBER</option>
<option value="dec">DECEMBER</option>
</select>
<select name="year">
<option value="year">YEAR</option>
<option value="1986">1986</option>
<option value="1987">1987</option>
<option value="1988">1988</option>
<option value="1989">1989</option>
<option value="1990">1990</option>
<option value="1991">1991</option>
<option value="1992">1992</option>
<option value="1993">1993</option>
<option value="1994">1994</option>
<option value="1995">1995</option>
<option value="1996">1996</option>
<option value="1997">1997</option>
<option value="1998">1998</option>
<option value="1999">1999</option>
<option value="2000">2000</option>
<option value="2001">2001</option>
<option value="2002">2002</option>
<option value="2003">2003</option>
<option value="2004">2004</option>
<option value="2005">2005</option>
<option value="2006">2006</option>
<option value="2007">2007</option>
<option value="2008">2008</option>
<option value="2009">2009</option>
<option value="2010">2010</option>
<option value="2011">1980</option>
<option value="2012">1981</option>
<option value="2013">1982</option>
<option value="2014">1983</option>
</select></td></tr>
<tr><td>LANGUAGES KNOWN</td>
<td>
<input type="checkbox" value="eng" name="lang" />ENGLISH
```

```
        <input type="checkbox" value="tel" name="lang" />TELUGU
        <input type="checkbox" value="hin" name="lang" />HINDI
        <input type="checkbox" value="tam" name="lang" />TAMIL
        </td></tr>
        <tr>
        <td>ADDRESS</td>
        <td><textarea name="addr" cols="25" rows="5"></textarea></td></tr>
        <tr><td colspan="2" align="center"><input type="submit"
        value="SUBMIT"/>      <input type="reset"
        value="RESET" /></td>
        </tr>
        </table>
        </form>
        </td></tr></table>
        </center>
        </body>
</html>
```

OUTPUT:


F:\WT_R13\registration.html
Registration Page
REGISTRATION PAGE
NAME
PASSWORD
E-MAIL ID
PHONE NUMBER
GENDER
MALE
FEMALE
DATE OF BIRTH
DAY
MONTH
YEAR
LANGUAGES KNOWN
ENGLISH
TELUGU
HINDI
TAMIL
ADDRESS
SUBMIT
RESET
100%

4.Design a web page using CSS (Cascading Style Sheets) which includes the following:
A.Use different font, styles: In the style definition you define how each selector should work (font, color etc.). Then, in the body of your pages, you refer to these selectors to activate the styles.


styles.css

```
h1
{
color:red;
font-family:caStellar; font-size:22pt;
text-decoration:underline;
}
h2
{
color:blue;
font-family:Chiller; font-size:18pt;
text-decoration:overline;
}
p
{
color:magenta;
font-family:Trebuchet MS; font-size:14pt;
font-style:italic;
}
```

fontstyles.html

```
<html>
<head>
<title>Usage of different font,styles and colors </title>
<link rel="stylesheet" type="text/css" href="styles.css"/>
<h1>This header is in red</h1>
</head>
<body>
<h2>This header is in blue</h2>
<p>This is normal text</p>
</body>
</html>
```

OUTPUT:




B.Set a background image for both the page and single elements on the page. bg_image.html

```
<html>
<head>
<title>Setting background image</title>
<style type="text/css"> body
{
background-image:url("img11.jpg");

}
</style>
</head>
<body text="#ee78a2">
<h1>Life is beautiful!!!</h1>
</body>
</html>
```

OUTPUT:



C.Control the repetition of the image with the background-repeat property.

bg_repeat.html

```
<html>
<head>
<title>Controlling background image</title>
<style type="text/css"> body
{
background-image:url("img11.jpg");
background-repeat:no-repeat
}
</style>
</head>

<body text="#fe78a2">
<h1>Life is beautiful!!!</h1>
</body>
</html>
```

OUTPUT:

