

Trendstore

GitHub Link : <https://github.com/Vennilavan12/Trend.git>

Overview

React application deployment to a production-ready state.

Brief description of the application, its purpose, and key features.

Example:

This project showcases deploying a React application from code to a production-ready, containerized application on Kubernetes (Amazon EKS) using a CI/CD pipeline with AWS CodeBuild, CodePipeline.

Architecture Overview

- Application: React
- Containerization: Docker
- Orchestration: Kubernetes (Amazon EKS)
- CI/CD Pipeline: Jenkins
- Cloud Provider: AWS
- Monitoring & Observability: Prometheus and Grafana dashboards

Setup Instructions

Prerequisites

- Docker
- kubectl
- AWS CLI
- eksctl
- kubectl



CI/CD Pipeline Explanation

Pipeline Stages

1. Pipeline Stages
2. Code Checkout
3. Push Docker Image to Docker Hub
4. Deploy to Kubernetes

Pipeline Flow

- On code push to the Git repository, Jenkins automatically triggers the build via webhooks.
- The Docker image is built and pushed to Docker Hub.
- Kubernetes manifests are automatically applied to deploy the application.

Project Screenshots and Proof of Implementation

This section includes screenshots that provide visual proof of the successful implementation and execution of the project. The screenshots demonstrate key stages and components of the deployment, including:

- ❖ Source code repositories and project structure
- ❖ Successful Docker image build and push to Docker Hub
- ❖ Jenkins CI/CD pipeline execution (checkout, build, push, and deploy stages)
- ❖ Amazon EKS cluster creation and running status
- ❖ Kubernetes deployments and services running successfully
- ❖ Application accessibility via the exposed application URL

- ❖ Prometheus metrics collection and Grafana dashboards displaying real-time cluster and application health

These screenshots collectively validate the end-to-end workflow, from source code to a production-ready, containerized application deployed on Kubernetes.

GIT URL : Project files

The full project setup and configuration artifacts are version-controlled and available in the Git repository.

URL :

https://github.com/udhayakumarethiraj1/enterprise/tree/a03c4c416ccb50ea36980bd640562255cff3e0fc/Project_2_Trend_store

Trendstore.git (Private): Contains all supporting configuration and infrastructure files, including the Dockerfile, Jenkinsfile, Kubernetes manifests (deployment.yaml, service.yaml, node-exporter-lb.yaml, kube-state-metrics-lb.yaml), .gitignore, and Terraform files.

URL : <https://github.com/udhayakumarethiraj-git/Trendstore.git>


Stage : Application

Git Repo Cloned to my repo (Trend)

https://github.com/udhayakumarethiraj-git/project_2_trend_store.git

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ git clone https://github.com/Vennilavan12/Trend.git
Cloning into 'Trend'...
remote: Enumerating objects: 77, done.
remote: Counting objects: 100% (2/2), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 77 (delta 0), reused 0 (delta 0), pack-reused 75 (from 1)
Receiving objects: 100% (77/77), 8.58 MiB | 14.95 MiB/s, done.
Resolving deltas: 100% (1/1), done.
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ ll
total 12
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 20 05:54 ../
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 20 05:54 ../
drwxrwxr-x 4 ubuntu ubuntu 4096 Jan 20 05:54 Trend/
```

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ git remote set-url origin git@github.com:udhayakumarethiraj-git/Trendstore.git
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ git push origin main
Enumerating objects: 77, done.
Counting objects: 100% (77/77), done.
Delta compression using up to 2 threads
Compressing objects: 100% (76/76), done.
Writing objects: 100% (77/77), 8.58 MiB | 2.33 MiB/s, done.
Total 77 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), done.
To github.com:udhayakumarethiraj-git/Trendstore.git
 * [new branch]      main -> main
```



Stage : Docker

Containerize the application by creating a Dockerfile, building the image, and testing the output.

Dockerfile

```
FROM nginx:alpine

# Remove default nginx static files
RUN rm -rf /usr/share/nginx/html/*

# Copy Vite build output to nginx
COPY dist /usr/share/nginx/html

# Expose port 80
EXPOSE 80

CMD ["nginx", "-g", "daemon off;"]
```

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ more Dockerfile
FROM nginx:alpine

# Remove default nginx static files
RUN rm -rf /usr/share/nginx/html/*

# Copy Vite build output to nginx
COPY dist /usr/share/nginx/html

# Expose port 80
EXPOSE 80

CMD ["nginx", "-g", "daemon off;"]
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$
```


```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ vi Dockerfile
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ docker build -t trendstore:latest .
[+] Building 2.9s (8/8) FINISHED
--> [internal] load build definition from Dockerfile
--> > transferring dockerfile: 260B
--> [internal] load metadata for docker.io/library/nginx:alpine
--> [internal] load .dockerignore
--> >> transferring context: 2B
--> [1/3] FROM docker.io/library/nginx:alpine@sha256:b0f7830b6bfaa1250f45d94c240ab668ced1b3651c8a222aefe6683447c7bf55
--> >> resolve docker.io/library/nginx:alpine@sha256:b0f7830b6bfaa1250f45d94c240ab668ced1b3651c8a222aefe6683447c7bf55
--> [internal] load build context
--> >> transferring context: 9.24MB
--> CACHED [2/3] RUN rm -rf /usr/share/nginx/html/*
--> [3/3] COPY dist /usr/share/nginx/html
--> exporting to image
--> >> exporting layers
--> >> exporting manifest sha256:3903c98e8483d64f6ff186eba40d68333737a1392d2a83a8949da80fe12bb2b6
--> >> exporting config sha256:0cfceeb60cedaf899115369c9eaaffbbc0f61d17f7dd640ea65486708e014d1a0
--> >> exporting attestation manifest sha256:f6b0959dd0b966b42c028d72dea9435015b013124a2b0d576f78a0f0855f7d565
--> >> exporting manifest list sha256:bhb94072bab1136beh17f31ce308b910652626e0448a840949fb1fc5e67eb2e
--> >> naming to docker.io/library/trendstore:latest
--> >> unpacking to docker.io/library/trendstore:latest
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ docker images


| IMAGE                                                                   | ID           | DISK USAGE | CONTENT SIZE | EXTRA | I Info → | U In Use |
|-------------------------------------------------------------------------|--------------|------------|--------------|-------|----------|----------|
| 758234806674.dkr.ecr.ap-south-1.amazonaws.com/brain_task_project:latest | 6fc15216dbed | 92.7MB     | 26MB         | U     |          |          |
| brain-task:latest                                                       | a4e360937599 | 92.7MB     | 26MB         |       |          |          |
| trendstore:latest                                                       | bbb94072eab1 | 111MB      | 34.9MB       |       |          |          |


ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ docker run -d -p 3000:80 trendstore:latest
cd33d7889d44432c60bee67847b54b08981cdba7553d38784c4fee300b53df53
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ more Dockerfile
```

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ docker ps
CONTAINER ID        IMAGE               COMMAND             CREATED            STATUS              PORTS
AMES                trendstore:latest   "/docker-entrypoint...."   4 minutes ago    Up 4 minutes      0.0.0.0:3000->80/tcp, [::]:3000->80/tcp
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$
```

Output Test result



Stage : DockerHUB

Docker Hub repo created

hub.docker.com/repository/docker/udhayakumarethiraj/trendstore/general

New Docker Hardened Images are now FREE for every developer. Watch on-demand webinar. →

My Hub

Repositories / [trendstore](#) / [General](#)

udhayakumarethiraj/trendstore 🔒

Created 5 minutes ago • ⭐0 • ⌂0

Add a description Add a category

General Tags Image Management Collaborators Webhooks Settings

Using 1 of 1 private repository

Docker commands

To push a new tag to this repository:

```
docker push udayakumarethiraj/trendstore:tagname
```

```

ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ docker login -u udhayakumarethiraj
[Info] Info → A Personal Access Token (PAT) can be used instead.  
To create a PAT, visit https://app.docker.com/settings

Password:

WARNING! Your credentials are stored unencrypted in '/home/ubuntu/.docker/config.json'.  
Configure a credential helper to remove this warning. See  
https://docs.docker.com/go/credential-store/

Login Succeeded
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ 
```

```

ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ docker tag trendstore:latest udhayakumarethiraj/trendstore:latest
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ docker push udhayakumarethiraj/trendstore:latest
The push refers to repository [docker.io/udhayakumarethiraj/trendstore]
da7c973d8bb92: Pushed
33f95a0f3229: Pushed
085c5e5aaa8e: Pushed
f5aa8e0adca0: Pushed
567fb84da6fbd: Pushed
0abf9e567266: Pushed
25f453064fd3: Pushed
d1081cf8f0ea: Pushed
1074353eec0d: Pushed
e096540205d5: Pushed
f56ea78a1abf: Pushed
latest: digest: sha256:b8b94072eab1136beb17f31ce308b910652626e0448a840949fb81fc5e67eb2e size: 856
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ docker images



| IMAGE                                                                   | ID           | DISK USAGE | CONTENT SIZE | EXTRA                                                           |
|-------------------------------------------------------------------------|--------------|------------|--------------|-----------------------------------------------------------------|
| 758234806674.dkr.ecr.ap-south-1.amazonaws.com/brain_task_project:latest | 6fc15216dbed | 92.7MB     | 2.6MB        | <span style="background-color: #00A0A0; color: white;">U</span> |
| brain-task:latest                                                       | a4e360937599 | 92.7MB     | 2.6MB        | <span style="background-color: #00A0A0; color: white;">U</span> |
| trendstore:latest                                                       | bbb94072eab1 | 111MB      | 34.9MB       | <span style="background-color: #00A0A0; color: white;">U</span> |
| udhayakumarethiraj/trendstore:latest                                    | bbb94072eab1 | 111MB      | 34.9MB       | <span style="background-color: #00A0A0; color: white;">U</span> |


ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ 
```

Docker image pushed to Docker hub

hub.docker.com/repository/docker/udhayakumarethiraj/trendstore/general

* New Docker Hardened Images are now FREE for every developer. Watch out!

hub Explore My Hub Search Docker Hub

udhayakumarethiraj Docker Personal

Repositories / trendstore / General

udhayakumarethiraj/trendstore

Last pushed 1 minute ago • Repository size: 33.3 MB • ⭐0 • ⌂0

Add a description Add a category

General Tags Image Management Collaborators Webhooks Settings

Tags DOCKER SCOUT INACTIVE [Activate](#)

This repository contains 0 tag(s).

Tag	OS	Type	Pulled	Pushed
latest		Image	less than 1 day	1 minute

[See all](#)

Stage : Terraform

Using Terraform VPC, IAM, EC2 created with Jenkins and EKS deployed

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo/Terraform$ ll
total 28
drwxrwxr-x 2 ubuntu ubuntu 4096 Jan 27 08:23 .
drwxrwxr-x 5 ubuntu ubuntu 4096 Jan 27 07:04 ..
-rw-rw-r-- 1 ubuntu ubuntu 1429 Jan 27 08:22 ec2.tf
-rw-rw-r-- 1 ubuntu ubuntu 996 Jan 27 08:22 eks.tf
-rw-rw-r-- 1 ubuntu ubuntu 1036 Jan 27 08:22 iam_user.tf
-rw-rw-r-- 1 ubuntu ubuntu 1843 Jan 27 08:22 user_data.sh
-rw-rw-r-- 1 ubuntu ubuntu 1564 Jan 27 08:22 vpc.tf
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo/Terraform$ 
```

VPC

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo/Terraform/envs/trendstore
+ from_port           = 22
+ ipv6_cidr_blocks   = []
+ prefix_list_ids    = []
+ protocol            = "tcp"
+ security_groups     = []
+ self                = false
+ to_port              = 22
  # (1 unchanged attribute hidden)
},
]
+ name                  = "trendstore-trendstore-ec2-sg"
+ name_prefix           = (known after apply)
+ owner_id               = (known after apply)
+ region                = "ap-south-1"
+ revoke_rules_on_delete = false
+ tags
  + "Environment" = "trendstore"
  + "Name"        = "trendstore-trendstore-ec2-sg"
  + "Project"     = "trendstore"
}
+ tags_all             = {
  + "Environment" = "trendstore"
  + "Name"        = "trendstore-trendstore-ec2-sg"
  + "Project"     = "trendstore"
}
+ vpc_id                = "vpc-0366bf05cb6382061"

Plan: 2 to add, 0 to change, 0 to destroy.
module.ec2.aws_security_group.ec2_sg: Creating...
module.ec2.aws_security_group.ec2_sg: Creation complete after 2s [id=sg-0e5905d82ab83aef3]
module.ec2.aws_instance.this: Creating...
module.ec2.aws_instance.this: Still creating... [00m10s elapsed]
module.ec2.aws_instance.this: Creation complete after 12s [id=i-0be80b957a19a3e4e]

Apply complete! Resources: 2 added, 0 changed, 0 destroyed.
```

VPC dashboard

vpc-0366bf05cb6382061 / trendstore-trendstore-vpc

Details		Info	
VPC ID	vpc-0366bf05cb6382061	State	Available
DNS resolution	Enabled	Tenancy	default
Main network ACL	acl-081f4a34834da5e9b / trendstore-trendstore-vpc-default	Default VPC	No
IPv6 CIDR (Network border group)	-	Network Address Usage metrics	Disabled
Encryption control ID	-	Encryption control mode	-
		Block Public Access	Off
		DHCP option set	dopt-0beef96a379412ee8
		IPv4 CIDR	10.0.0.0/16
		Route 53 Resolver DNS Firewall rule groups	-
		Main route table	rtb-0cebfa44cb929d795b
		IPv6 pool	-
		Owner ID	758234806674
		DNS hostnames	Enabled

IAM

Identity and Access Management (IAM)

user_trendstore

Summary		Permissions	
ARN	arn:aws:iam::758234806674:user/user_trendstore	Console access	Disabled
Created	January 20, 2026, 15:35 (UTC+05:30)	Last console sign-in	-
		Access key 1 Create access key	

Permissions

Permissions policies (3)

Permissions are defined by policies attached to the user directly or through groups.

Filter by Type		
Policy name	Type	Attached via
AdministratorAccess	AWS managed - job function	Directly
Billing	AWS managed - job function	Directly
IAMFullAccess	AWS managed	Directly

EC2 Instance

The screenshot shows the AWS EC2 Instances summary page for an instance named 'i-0be80b957a19a3e4e'. The instance is running and has a public IPv4 address of 3.6.91.230. It is associated with a VPC ID of vpc-0366bf05cb6382061. The instance type is t3.small. The instance was updated less than a minute ago.

Instance ID	Public IPv4 address	Private IPv4 addresses
i-0be80b957a19a3e4e	3.6.91.230 open address ↗	10.0.101.40
IPv6 address	Instance state	Public DNS
-	Running	ec2-3-6-91-230.ap-south-1.compute.amazonaws.com open address ↗
Hostname type	Private IP DNS name (IPv4 only)	Elastic IP addresses
IP name: ip-10-0-101-40.ap-south-1.compute.internal	ip-10-0-101-40.ap-south-1.compute.internal	-
Answer private resource DNS name	Instance type	AWS Compute Optimizer finding
-	t3.small	Opt-in to AWS Compute Optimizer for recommendations.
Auto-assigned IP address	VPC ID	I learn more ↗
3.6.91.230 [Public IP]	vpc-0366bf05cb6382061 (trendstore-trendstore-vpc) ↗	

Installed packages

```
ubuntu@ip-10-0-101-40:~$ docker --version
Docker version 29.1.5, build 0e6fee6
ubuntu@ip-10-0-101-40:~$ git --version
git version 2.34.1
ubuntu@ip-10-0-101-40:~$ aws --version
aws-cli/2.33.2 Python/3.13.11 Linux/6.8.0-1044-aws exe/x86_64.ubuntu.22
ubuntu@ip-10-0-101-40:~$ eksctl version
0.221.0
ubuntu@ip-10-0-101-40:~$ jenkins --version
2.528.3
ubuntu@ip-10-0-101-40:~$ kubectl version
Client Version: v1.35.0
Kustomize Version: v5.7.1
Error from server (Forbidden): <html><head><meta http-equiv='refresh' content='1;url=/login?from=%2Fversion%3Ftimeout%3Fta-redirect-url='/login?from=%2Fversion%3Ftimeout%3D32s' src='/static/9194c520/scripts/redirect.js'></script></head><body>
Authentication required
<!--
-->
</body></html>
ubuntu@ip-10-0-101-40:~$ 
```

Jenkins installed

The screenshot shows a web browser window with the URL `3.6.91.230:8080/login?from=%2F`. The page title is "Getting Started". The main heading is "Unlock Jenkins". A text block states: "To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:" followed by the path `/var/lib/jenkins/secrets/initialAdminPassword`. Below this, a placeholder text "Administrator password" is followed by a redacted password field containing ".....". At the bottom right is a blue "Continue" button.

The screenshot shows a web browser window with the URL `3.6.91.230:8080`. The page title is "Getting Started". It contains fields for "Password" (redacted), "Confirm password" (redacted), "Full name" (value "jenkins"), and "E-mail address" (value "udhayakumarethiraj@gmail.com"). The "E-mail address" field is highlighted with a blue border. At the bottom left is the text "Jenkins 2.528.3". At the bottom right are two buttons: "Skip and continue as admin" and "Save and Continue".

The screenshot shows the Jenkins 'Instance Configuration' page. At the top, it says 'Getting Started'. Below that is a large heading 'Instance Configuration'. A 'Jenkins URL:' field contains the value 'http://3.691.230:8080/'. A note below the field states: 'The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the BUILD_URL environment variable provided to build steps.' Another note below it says: 'The proposed default value shown is not saved yet and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.' At the bottom right are 'Not now' and 'Save and Finish' buttons.

The screenshot shows the Jenkins dashboard. On the left, there's a sidebar with 'Jenkins' logo, 'New Item', 'Build History', 'Build Queue' (which says 'No builds in the queue.'), and 'Build Executor Status' (which says '0/2'). On the right, the main area has a heading 'Welcome to Jenkins!'. It says: 'This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.' Below that is a button 'Start building your software project'. There's also a 'Create a job' button with a '+' icon. Under 'Set up a distributed build', there are three items: 'Set up an agent' (with a monitor icon), 'Configure a cloud' (with a cloud icon), and 'Learn more about distributed builds' (with a question mark icon).

Stage : Kubernetes

EKS Kubernetes cluster created using Terraform

```

ubuntu@ip-172-31-28-193:~/projects/eks_test
module.eks.aws.eks.addon.before_compute["vpc-cni"]: Creation complete after 14s [id=my-cluster:vpc-cni]
module.eks.time.sleep.this[0]: Still creating... [20s elapsed]
module.eks.aws.eks.addon.before_compute["eks-pod-identity-agent"]: Still creating... [20s elapsed]
module.eks.aws.eks.addon.before_compute["eks-pod-identity-agent"]: Creation complete after 24s [id=my-cluster:eks-pod-identity-agent]
module.eks.time.sleep.this[0]: Still creating... [30s elapsed]
module.eks.time.sleep.this[0]: Creation complete after 30s [id=2026-01-23T06:41:07Z]
module.eks.module.eks.managed_node_group["default"].module.user_data.null_resource.validate_cluster_service_cidr: Creating...
module.eks.module.eks.managed_node_group["default"].module.user_data.null_resource.validate_cluster_service_cidr: Creation complete after 0s [id=818369290281045381]
module.eks.module.eks.managed_node_group["default"].aws.launch_template.this[0]: Creating...
module.eks.module.eks.managed_node_group["default"].aws.launch_template.this[0]: Creation complete after 6s [id=lt-097e77f2b21f536e]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: Creating...
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: Still creating... [10s elapsed]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: Still creating... [20s elapsed]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: still creating... [30s elapsed]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: Still creating... [40s elapsed]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: Still creating... [50s elapsed]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: Still creating... [1m0s elapsed]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: Still creating... [1m10s elapsed]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: still creating... [1m20s elapsed]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: Still creating... [1m30s elapsed]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: Still creating... [1m40s elapsed]
module.eks.module.eks.managed_node_group["default"].aws.eks_node_group.this[0]: Creation complete after 1m48s [id=my-cluster:default026012306411275010000000d]
module.eks.aws.eks.addon.this["coredns"]: Creating...
module.eks.aws.eks.addon.this["kube-proxy"]: Creating...
module.eks.aws.eks.addon.this["coredns"]: Still creating... [10s elapsed]
module.eks.aws.eks.addon.this["kube-proxy"]: Still creating... [10s elapsed]
module.eks.aws.eks.addon.this["coredns"]: Creation complete after 14s [id=my-cluster:coredns]
module.eks.aws.eks.addon.this["kube-proxy"]: Still creating... [20s elapsed]
module.eks.aws.eks.addon.this["kube-proxy"]: Creation complete after 24s [id=my-cluster:kube-proxy]

Apply complete! Resources: 59 added, 0 changed, 0 destroyed.
ubuntu@ip-172-31-28-193:~/projects/eks_test$ eksctl get cluster
NAME      REGION      EKSCTL CREATED
my-cluster    ap-south-1    False

```

Kubernets Cluster details

Kubernets Node details

Kubernets Pod details

```

ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ eksctl get cluster
NAME      REGION      EKSCTL CREATED
my-cluster    ap-south-1    False
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ kubectl get nodes
NAME           STATUS   ROLES      AGE      VERSION
ip-10-0-0-71.ap-south-1.compute.internal  Ready    <none>    34m    v1.32.9-eks-ecaa3a6
ip-10-0-2-35.ap-south-1.compute.internal  Ready    <none>    34m    v1.32.9-eks-ecaa3a6
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ kubectl get pods
NAME          READY   STATUS    RESTARTS   AGE
trendstore-6dcf4bb887-fzcpt   1/1     Running   0          5m31s
trendstore-6dcf4bb887-jdjgm   1/1     Running   0          5m31s
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ kubectl get pods -A
NAMESPACE     NAME          READY   STATUS    RESTARTS   AGE
default       trendstore-6dcf4bb887-fzcpt   1/1     Running   0          5m36s
default       trendstore-6dcf4bb887-jdjgm   1/1     Running   0          5m36s
kube-system   aws-node-86m91      2/2     Running   0          34m
kube-system   aws-node-sbjv9      2/2     Running   0          34m
kube-system   coredns-6f9885fdb6-6sc4q   1/1     Running   0          33m
kube-system   coredns-6f9885fdb6-bztf5   1/1     Running   0          33m
kube-system   eks-pod-identity-agent-5z6xh  1/1     Running   0          34m
kube-system   eks-pod-identity-agent-9ddpl  1/1     Running   0          34m
kube-system   kube-proxy-stx2p      1/1     Running   0          33m
kube-system   kube-proxy-z9w9c      1/1     Running   0          33m

```

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ ll
total 36
drwxrwxr-x 5 ubuntu ubuntu 4096 Jan 23 07:10 .
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 21 08:51 ..
drwxrwxr-x 8 ubuntu ubuntu 4096 Jan 20 16:13 .git/
-rw-rw-r-- 1 ubuntu ubuntu 216 Jan 20 10:43 .gitignore
-rw-rw-r-- 1 ubuntu ubuntu 221 Jan 20 06:23 Dockerfile
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 23 07:14 Terraform/
-rw-rw-r-- 1 ubuntu ubuntu 481 Jan 23 07:07 deployment.yaml
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 20 05:54 dist/
-rw-rw-r-- 1 ubuntu ubuntu 417 Jan 23 07:10 service.yaml
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$
```

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ ll
total 36
drwxrwxr-x 5 ubuntu ubuntu 4096 Jan 23 07:10 .
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 21 08:51 ..
drwxrwxr-x 8 ubuntu ubuntu 4096 Jan 20 16:13 .git/
-rw-rw-r-- 1 ubuntu ubuntu 216 Jan 20 10:43 .gitignore
-rw-rw-r-- 1 ubuntu ubuntu 221 Jan 20 06:23 Dockerfile
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 23 07:14 Terraform/
-rw-rw-r-- 1 ubuntu ubuntu 481 Jan 23 07:07 deployment.yaml
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 20 05:54 dist/
-rw-rw-r-- 1 ubuntu ubuntu 417 Jan 23 07:10 service.yaml
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ kubectl get svc
NAME          TYPE      CLUSTER-IP   EXTERNAL-IP   PORT(S)
AGE
kubernetes    ClusterIP  172.20.0.1   <none>        443/TCP
38m
trendstore    LoadBalancer 172.20.128.99  a8392e2ba0a6844878839c8fa2307040-b2ec893399960f82.elb.ap-south-1.amazonaws.com  3000:3115
2/TCP
4ml9s
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$
```

Kubernets deployment

Kubernets deployment and service created

Secrets added for Docker hub private image pull request

```
kubectl create secret generic dockerhub-secret
--from-file=.dockerconfigjson=$HOME/.docker/config.json
--type=kubernetes.io/dockerconfigjson
```

```
ubuntu@ip-172-31-28-193:~/projects/eks_test$ kubectl create secret generic dockerhub-secret --from-file=.dockerconfigjson=$HOME/.docker/config.json --type=kubernetes.io/dockerconfigjson
secret/dockerhub-secret created
ubuntu@ip-172-31-28-193:~/projects/eks_test$ kubectl get secrets
NAME          TYPE      DATA   AGE
dockerhub-secret  kubernetes.io/dockerconfigjson  1      3mls
ubuntu@ip-172-31-28-193:~/projects/eks_test$
```

Application deployed using Deployment.yaml & Service.yaml

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ more deployment.yaml
apiVersion: apps/v1
kind: Deployment
metadata:
  name: trendstore
  labels:
    app: trendstore
spec:
  replicas: 2
  selector:
    matchLabels:
      app: trendstore
  template:
    metadata:
      labels:
        app: trendstore
    spec:
      imagePullSecrets:
        - name: dockerhub-secret
      containers:
        - name: trendstore
          image: udhayakumarethiraj/trendstore:latest
          imagePullPolicy: Always
          ports:
            - containerPort: 3000
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ █
```

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ more service.yaml
apiVersion: v1
kind: Service
metadata:
  name: trendstore
  annotations:
    service.beta.kubernetes.io/aws-load-balancer-type: "classic"
    service.beta.kubernetes.io/aws-load-balancer-scheme: "internet-facing"
spec:
  type: LoadBalancer
  selector:
    app: trendstore
  ports:
    - port: 3000          # external port (what clients use)
      targetPort: 3000    # container port inside the pod (updated)
      protocol: TCP
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ █
```

Stage : Jenkins

Jenkins setup

A Jenkinsfile created to define the CI/CD pipeline stages, including checkout, build, push, and deployment.

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ ll
total 40
drwxrwxr-x 5 ubuntu ubuntu 4096 Jan 23 10:00 .
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 23 07:28 ..
drwxrwxr-x 8 ubuntu ubuntu 4096 Jan 23 10:01 .git/
-rw-rw-r-- 1 ubuntu ubuntu 216 Jan 20 10:43 .gitignore
-rw-rw-r-- 1 ubuntu ubuntu 221 Jan 20 06:23 Dockerfile
-rw-rw-r-- 1 ubuntu ubuntu 2184 Jan 23 10:00 Jenkinsfile
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 23 07:14 Terraform/
-rw-rw-r-- 1 ubuntu ubuntu 481 Jan 23 07:07 deployment.yaml
drwxrwxr-x 3 ubuntu ubuntu 4096 Jan 20 05:54 dist/
-rw-rw-r-- 1 ubuntu ubuntu 417 Jan 23 07:10 service.yaml
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ 
```

Jenkins CICD Pipeline

Trendstore pipeline project created

The screenshot shows the Jenkins interface for the 'trendstore-project'. The left sidebar contains links for Status, Changes, Build Now, Configure, Delete Pipeline, Stages, Rename, and Pipeline Syntax. The main content area displays the project name 'trendstore-project' with a green checkmark icon, indicating it is a Trendstore Project. Below this, there is a 'Permalinks' section listing recent builds:

- Last build (#13), 2 min 35 sec ago
- Last stable build (#13), 2 min 35 sec ago
- Last successful build (#13), 2 min 35 sec ago
- Last failed build (#7), 1 hr 27 min ago
- Last unsuccessful build (#7), 1 hr 27 min ago
- Last completed build (#13), 2 min 35 sec ago

At the bottom of the page, there is a 'Builds' section with a 'Filter' input field and a list of builds from today: #13 10:02 am, #12 10:00 am, and #11 9:47 am.

Jenkins Console Output : [URL](#)

Jenkins Build verification

Implemented a CI/CD pipeline using Jenkins to build Docker images, push them to Docker Hub, and deploy them to Kubernetes. The Docker Image ID was validated to ensure the same image was consistently used across the Jenkins build, Docker Hub registry, and Kubernetes deployment stages.


Jenkins build Docker Image pushed details from Jenkins log

Docker image Console output log



```
085c5e5aaa8e: Waiting
0abf9e567266: Waiting
5719bc0b7dd5: Waiting
6348786ad0cb: Layer already exists
085c5e5aaa8e: Layer already exists
0abf9e567266: Layer already exists
e096540205d5: Layer already exists
da7c973d8b92: Layer already exists
5719bc0b7dd5: Pushed
latest: digest: sha256:35f19a33211d60148cf51ad25bd5e765431d81e362384f34e7a1a77b6a7f2073 size: 856
+ docker logout
Removing login credentials for https://index.docker.io/v1/
[Pipeline]
[Pipeline] // withCredentials
[Pipeline]
```

Pushed Image details in Docker Hub



The same Image deployed in Kubernets

pod image details

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ kubectl get pods -A
NAMESPACE     NAME          READY   STATUS    RESTARTS   AGE
default       trendstore-868b788886-fh5jf   1/1     Running   0          31s
default       trendstore-868b788886-q1fvh   1/1     Running   0          38s
kube-system   aws-node-86m91      2/2     Running   0          3h20m
kube-system   aws-node-sbjv9      2/2     Running   0          3h20m
kube-system   coredns-6f9885fdb6-6sc4q    1/1     Running   0          3h20m
kube-system   coredns-6f9885fdb6-bztf5    1/1     Running   0          3h20m
kube-system   eks-pod-identity-agent-5z6xh  1/1     Running   0          3h20m
kube-system   eks-pod-identity-agent-9ddpl  1/1     Running   0          3h20m
kube-system   kube-proxy-stx2p      1/1     Running   0          3h20m
kube-system   kube-proxy-z9w9c      1/1     Running   0          3h20m
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ kubectl describe pod trendstore-868b788886-fh5jf | grep -E "Image|Image ID"
  Image:          udhayakumarethiraj/trendstore:latest
  Image ID:      docker.io/udhayakumarethiraj/trendstore@sha256:35f19a33211d60148cf51ad25bd5e765431d81e362384f34e7ala77b6a7f2073
Normal  Pulled  50s   kubelet        Successfully pulled image "udhayakumarethiraj/trendstore:latest" in 8.317s (8.317s including waiting). Image size: 34919963 bytes.
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ ls
```

Application output :


<http://a8392e2ba0a6844878839c8fa2307040-b2ec893399960f82.elb.ap-south-1.amazonaws.com:3000/>

Load balancer ARN

arn:aws:elasticloadbalancing:ap-south-1:758234806674:loadbalancer/net/a8392e2ba0a6844878839c8fa2307040/b2ec893399960f82

Load balancer DNS

a8392e2ba0a6844878839c8fa2307040-b2ec893399960f82.elb.ap-south-1.amazonaws.com



GitHub and Jenkins Integration

Integrated GitHub with Jenkins using webhooks to automatically trigger builds on every commit, enabling continuous integration and eliminating manual build execution.

Webhook added for build auto trigger

A screenshot of the GitHub settings page for a repository named 'Trendstore'. The URL is github.com/udhayakumarethiraj-git/Trendstore/settings/hooks. The page shows a success message: 'Okay, that hook was successfully created. We sent a ping payload to test it out! Read more about it at https://docs.github.com/webhooks/ping-event.' On the left, there's a sidebar with options like General, Access, Collaborators, Code and automation, Branches, Tags, and Rules. The main area is titled 'Webhooks' and contains a table with one entry: 'http://43.204.139.10:8080/github-... (push)'. It says 'This hook has never been triggered.' and includes 'Edit' and 'Delete' buttons.

Github webhook Auto Triggered

The screenshot shows the GitHub settings page for a repository named 'Trendstore'. The 'Webhooks / Manage webhook' section is active. On the left, a sidebar lists various repository settings like General, Access, Collaborators, Code and automation, Branches, Tags, Rules, Actions, Models, and Webhooks (which is currently selected). A preview window on the right displays a recent webhook delivery from '953eb384-fb42-11f0-9a4c-0d07306300a5' at 'push' event on '2026-01-27 11:09:44'. The request status is '200' and it completed in 0.42 seconds. The Headers section shows the following details:

```
Request URL: http://43.204.139.10:8080/github-webhook/
Request method: POST
Accept: */*
Content-Type: application/json
User-Agent: GitHub-Hookshot/9b5ad09
X-GitHub-Delivery: 953eb384-fb42-11f0-9a4c-0d07306300a5
X-GitHub-Event: push
X-GitHub-Hook-ID: 593508993
X-GitHub-Hook-Installation-Target-ID: 1138008365
X-GitHub-Hook-Installation-Target-Type: repository
```

Jenkins Build config

The screenshot shows the Jenkins job configuration page for 'trendstore-project'. The 'Configure' tab is selected. On the left, a sidebar lists General, Triggers, Pipeline, and Advanced. Under the Triggers section, the 'GitHub hook trigger for GITScm polling' option is checked. Other options like 'Build after other projects are built', 'Build periodically', 'Poll SCM', and 'Trigger builds remotely' are not checked.

Jenkins Build status

The screenshot shows the Jenkins interface for a build. The top navigation bar indicates the URL is 43.204.139.10:8080/job/trendstore-project/21/. The main content area displays the build status as green (#21, 27-Jan-2026, 5:39:57 am). It shows the build was started by GitHub push and took 28 seconds. A 'git' section details the revision (a7969a8141f98de770b1cfdd83356419694a0717) and repository (git@github.com:udhayakumarethiraj-git/Trendstore.git). A warning icon indicates potential insecure interpolation of sensitive variables, specifically 'sh: [DOCKER_PASS]'. The sidebar on the left lists various Jenkins management options.

Stage : Monitoring

An open-source monitoring system was implemented using Prometheus to collect cluster and application metrics, and Grafana was configured with dashboards to monitor application health, application URL status, and real-time metrics data.

Kubernetes metrics forwarded to Prometheus Server via loadbalancers

The screenshot shows the AWS EC2 Load Balancers console. The left sidebar includes 'Lifecycle Manager', 'Network & Security' (Security Groups, Elastic IPs, Placement Groups, Key Pairs, Network Interfaces), and 'Load Balancing' (Load Balancers, Target Groups, Trust Stores). The main content area displays a table of three load balancers:

Name	State	Type	Scheme
Application-LB	-	classic	-
Node-Exporter-LB	-	classic	-
kube-state-metrics-lb	-	classic	-

Prometheus Data from Kubernetes

Targets added to Prometheus

The screenshot shows the Prometheus Targets page with four sections:

- eks-kube-state-metrics (1/1 up)**: One endpoint is listed as UP.
- eks-node-exporter (1/1 up)**: One endpoint is listed as UP.
- node_exporter (1/1 up)**: One endpoint is listed as UP.
- prometheus (1/1 up)**: One endpoint is listed as UP.

Each section has a table with columns: Endpoint, State, Labels, Last Scrape, Scrape Duration, and Error. The last three columns are merged into a single "Error" column.

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://a1e9d7dbaa3ac4db0a426c7d9d68d433-61186723.ap-south-1.elb.amazonaws.com:8080/metrics	UP	instance="a1e9d7dbaa3ac4db0a426c7d9d68d433-61186723.ap-south-1.elb.amazonaws.com:8080", job="eks-kube-state-metrics"	11.120s ago	13.687ms	Via HTTP

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://a840c1c294e34202951cf5c4ae6f790-1482954724.ap-south-1.elb.amazonaws.com:9100/metrics	UP	instance="a840c1c294e34202951cf5c4ae6f790-1482954724.ap-south-1.elb.amazonaws.com:9100", job="eks-node-exporter"	6.742s ago	159.017ms	

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://localhost:9100/metrics	UP	instance="localhost:9100", job="node_exporter"	11.388s ago	7.818ms	

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://localhost:9090/metrics	UP	instance="localhost:9090", job="prometheus"	8.479s ago	4.600ms	

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://localhost:9115/probe/module="My Zeeb"target="http://ae313fa448ce84460bb25111e65fa4e8-228414783.ap-south-1.elb.amazonaws.com:3000"	UP	instance="http://ae313fa448ce84460bb25111e65fa4e8-228414783.ap-south-1.elb.amazonaws.com:3000", job="trendstore-app"	2.888s ago	8.874ms	

Query response

The screenshot shows the Prometheus Graph page with the following configuration:

- Query: `probe_success{job="trendstore-app"}`
- Time range: Evaluation time
- Panel settings: Load time: 75ms, Resolution: 14s, Result series: 1
- Buttons: Execute, Remove Panel

The results table shows one data point:

probe_success{instance="http://ae313fa448ce84460bb25111e65fa4e8-228414783.ap-south-1.elb.amazonaws.com:3000", job="trendstore-app"}	1
probe_success{instance="http://ae313fa448ce84460bb25111e65fa4e8-228414783.ap-south-1.elb.amazonaws.com:3000", job="trendstore-app"}	1

Prometheus Alerts Graph Status Help

Use local time Enable query history Enable autocomplete Enable highlighting Enable linter

probe_http_status_code{job="trendstore-app"}

Table Graph

Evaluation time < >

probe_http_status_code{instance="http://ae313fa448ce84460bb2511e65fa4e8-228414783.ap-south-1.elb.amazonaws.com:3000", job="trendstore-app"} 200

Load time: 69ms Resolution: 14s Result series: 1

Remove Panel

Prometheus Alerts Graph Status Help

Use local time Enable query history Enable autocomplete Enable highlighting Enable linter

probe_duration_seconds{job="trendstore-app"}

Table Graph

Evaluation time < >

probe_duration_seconds{instance="http://ae313fa448ce84460bb2511e65fa4e8-228414783.ap-south-1.elb.amazonaws.com:3000", job="trendstore-app"} 0.005879886

Load time: 66ms Resolution: 14s Result series: 1

```
ubuntu@ip-172-31-28-193:~/projects/trend/trend-repo$ kubectl get svc monitoring-kube-prometheus -n monitoring -w
NAME           TYPE        CLUSTER-IP   EXTERNAL-IP
monitoring-kube-prometheus-prometheus   LoadBalancer   172.20.243.2   aaa4183ae50434bda8288b2d02cc0ac3-1358863498.ap-south-1.elb.amazonaws.com   9090:32226/TCP,8080:31249/TCP   112m
```

3.6.205.231:9090/graph?g0.expr=node_cpu_seconds_total&g0.tab=1&g0.stacked=0&g0.show_exemplars=0&g0.range_infinite=1h

Prometheus Alerts Graph Status Help

Use local time Enable query history Enable autocomplete Enable highlighting Enable linter

node_cpu_seconds_total

Table Graph

Evaluation time < >

node_cpu_seconds_total(container="node-exporter", cpu="0", endpoint="http-metrics", instance="10.0.0.71:9100", job="node-exporter", mode="idle", namespace="monitoring", pod="monitoring-prometheus-node-exporter-vcbnw", prometheus="monitoring/monitoring-kube-prometheus-prometheus", prometheus_replica="prometheus-monitoring-kube-prometheus-prometheus-0", service="monitoring-prometheus-node-exporter") 20

node_cpu_seconds_total(container="node-exporter", cpu="0", endpoint="http-metrics", instance="10.0.0.71:9100", job="node-exporter", mode="iowait", namespace="monitoring", pod="monitoring-prometheus-node-exporter-vcbnw", prometheus="monitoring/monitoring-kube-prometheus-prometheus", prometheus_replica="prometheus-monitoring-kube-prometheus-prometheus-0", service="monitoring-prometheus-node-exporter") 4.

node_cpu_seconds_total(container="node-exporter", cpu="0", endpoint="http-metrics", instance="10.0.0.71:9100", job="node-exporter", mode="irq", namespace="monitoring", pod="monitoring-prometheus-node-exporter-vcbnw", prometheus="monitoring/monitoring-kube-prometheus-prometheus", prometheus_replica="prometheus-monitoring-kube-prometheus-prometheus-0", service="monitoring-prometheus-node-exporter") 0

node_cpu_seconds_total(container="node-exporter", cpu="0", endpoint="http-metrics", instance="10.0.0.71:9100", job="node-exporter", mode="nice", namespace="monitoring", pod="monitoring-prometheus-node-exporter-vcbnw", prometheus="monitoring/monitoring-kube-prometheus-prometheus", prometheus_replica="prometheus-monitoring-kube-prometheus-prometheus-0", service="monitoring-prometheus-node-exporter") 0

node_cpu_seconds_total(container="node-exporter", cpu="0", endpoint="http-metrics", instance="10.0.0.71:9100", job="node-exporter", mode="softirq", namespace="monitoring", pod="monitoring-prometheus-node-exporter-vcbnw", prometheus="monitoring/monitoring-kube-prometheus-prometheus", prometheus_replica="prometheus-monitoring-kube-prometheus-prometheus-0", service="monitoring-prometheus-node-exporter") 9.

node_cpu_seconds_total(container="node-exporter", cpu="0", endpoint="http-metrics", instance="10.0.0.71:9100", job="node-exporter", mode="steal", namespace="monitoring", pod="monitoring-prometheus-node-exporter-vcbnw", prometheus="monitoring/monitoring-kube-prometheus-prometheus", prometheus_replica="prometheus-monitoring-kube-prometheus-prometheus-0", service="monitoring-prometheus-node-exporter") 13


Load time: 70ms Resolution: 14s Result series: 1

Added Kubernetes Data source to Grafana


The screenshot shows the Grafana interface for managing data sources. The left sidebar is open, showing sections like Traces, Profiles, Alerting, Alert rules, Contact points, Notification policies, Silences, Active notifications, Recently deleted, Settings, and Connections. Under Connections, 'Data sources' is selected. The main content area is titled 'Type: Prometheus'. It shows a single data source named 'prometheus' with a 'Default' status. A note says: 'Before you can use the Prometheus data source, you must configure it below or in the config file. For detailed instructions, [view the documentation](#)'. Below this, a section titled 'Connection' contains a field 'Prometheus server URL *' with the value 'http://aaa4183ae50434bda8288b2d02cc0ac3-13588e'. There are also tabs for Settings, Dashboards, Permissions, Insights, Cache, and a search bar at the top.

Grafana Dashboards :


Application URL



Node Monitoring Data



Node Monitoring full page data



Cluster Monitoring Data

