



A pZH2B





B pZAAMP-CTB-10Li45GB3A




Supplementary Figure 1

T-DNA binary vectors used for *Agrobacterium*-mediated co-transformation. (A) Selection marker vector pZH2B containing an expression cassette for modified hygromycin phosphotransferase (*mHPT*; with deleted *EcoRI*, *NcoI*, and *PstI* sites) controlled by the cauliflower mosaic virus 35S promoter (P35S). Spec, spectinomycin resistance gene; LB, T-DNA left border; RB, T-DNA right border; Tnos, NOS terminator. (B) Selection marker-free *CTB*/RNAi vector (pZAAMP-CTB-10Li45GB3A) containing an overexpression cassette for *CTB*, controlled by the 13-kDa prolamins clone RM1 promoter (P131), and an RNAi cassette for suppression of rice endogenous storage proteins (13-kDa prolamins and glutelin B), controlled by the 10-kDa prolamins promoter (P10). The vertical arrow indicates the cleavage site between the prolamins signal sequence and *CTB*. S10, signal sequence of 10-kDa prolamins; *CTB*, cholera toxin B subunit; T131, 13-kDa prolamins clone RM1 terminator; RAPint, rice aspartic protease 3rd intron; T10, 10-kDa prolamins terminator.

A**B**



Supplementary Figure 2

Growth of *HPT* marker-free MucoRice-CTB lines 9B, 19A, 43B, and 50B under sunlight. Seeds (n=18-25) were germinated and planted in soil under sunlight, and recombinant plants were compared to wild-type Nipponbare in a greenhouse; the data are expressed as percentage. (A) Average fertility. (B) Average number of seeds per plant.




Supplementary Figure 3

Southern blot analysis of HPT marker-free MucoRice-CTB lines. Analysis was performed on genomic DNA of the fourth generation. The CTB probe detected a single band (arrows) in MucoRice-CTB line 19A, but no bands in wild-type Nipponbare. We inferred that a single copy of the CTB gene was present in the genome of the fourth generation of MucoRice-CTB #19A. The 9B, 43B, and 50A lines were estimated to have three, one, and two copies of the CTB gene, respectively. M: DNA size marker, W: wild-type Nipponbare, P: pZAAMP-CTB-10Li45GB3A Plasmid (2.5ng)

A**B**

Supplementary Figure 4

Expression of CTB (A) and HPT (B) in MucoRice-CTB line 19A. Expression was analyzed by PCR. As controls, the following DNA templates were used: pZAAMP-CTB-10Li45GB3A plasmid (0.1 ng; PC1), pZH2B plasmid (0.1 ng; PC2), and genomic DNA from wild-type Nipponbare (WT). Primers are listed in Supplementary Table 1. M, DNA size marker; NC, no template.



Supplementary Figure 5

mRNA levels of endogenous storage proteins in MucoRice-CTB line 19A. mRNA levels were analyzed by quantitative real-time PCR using RNA extracted from MucoRice-CTB line 19A or wild-type Nipponbare at 14 days after flowering. mRNA levels were normalized to the levels of 17S rRNA and are represented relative to those in wild-type Nipponbare. Values are averages of three replicates. ** $P < 0.01$ (MucoRice-CTB versus WT rice).

Supplementary Figure 6. Sequences of DNA insertion in Chromosome 1 of MucoRice-CTB 19A line

1	TGCTGCAAGG	CGATTAAGTT	GGGTAACGCC	AGGGTTTTTC	CAGTCACGAC	GTTGTAAAAC
61	GACGGCCAGT	GCCAAGCTGG	CGATCGCTTT	GGCGCGCCAA	GCTTTTTGTC	TAGTTGGCAG
121	CCTAATTAAT	TCTATGGAAA	CCAGGTGACA	TGGAGGGTTG	GGGACATGGT	GGAAAAAACC
181	GGAACGGGCC	GACAGTTCAA	CCGGAAAAAA	CCAGAACCCG	TTCAGTTCAA	AAGAAAGACC
241	GGACATGCAT	ATGACCCGCT	TTGAACCGGC	AGAACCGGTC	GGTTTTTCTA	TGAACCGGTC
301	ATTAAACCGT	CCCCGGTTAG	ACCGAACAAG	CCACAATAAT	CTTGAAATGG	GCCTTGATGT
361	GGCCCAATTG	GTCTGCCTAG	AGCGTTTTGG	TTGGCAAAAA	TCAATCTCCT	ATTCTCGGCA
421	CGTGTGATAT	ACAATGGTAA	GTGAGATATA	CAATTCTCGG	CACGGCTACA	TTACAAGGTG
481	TCGCATTGTG	TCAATGTTTG	GTTAATTTGC	TAGATTCACA	TAATACATGC	CAGGAAGTTC
541	AGAACAATGT	GTTGCCTTTC	ACCGGAAAAAC	TTTGTGAG	CAAATGCCTT	CTTCTTTTTT
601	GCTTCTGCTT	CTTGAGTCCA	TGTGGAGGAA	GCAGTAGATA	GCTGATGATA	TCAGGATTCC
661	TTCTGTGTCT	GTGTAGGTGT	AGCAACACCA	CTATAATTTT	TATTTAGCAA	CACAATATCA
721	ATTTGGTCTA	TAAAAGTATG	AATTAAATCA	ATCCCCAACC	ACAATTAGAG	TAAGTTGGTG
781	AGTTATTGTA	AAGCTCTGCA	AAGTTAATTT	AAAAGTTATT	GCATTAACCT	ATTTCGTATC
841	ACAAACAAGT	TTTACAAGA	GTATTAATGG	AACAATGAAA	ACCATTGAAC	ATACTATAAT
901	TTTTTTTCTT	ACTGAAATTA	TATAATTCAA	AGAGCATAAA	CCCACACAGT	CGTAAAGTTC
961	CACGTGTAGT	GCATTATCAA	AATAATAGCT	TACAAAACAT	AACAACTTA	GTTTCAAAAG
1021	TTGCAATCCT	TATCACATTG	ACACATAAAG	TGAGCGATGA	GTCATGTCAT	TATTTTTTTG
1081	CTCACCATCA	TGTATATATG	ATGGGCATAA	AAGTTACTTT	GATGATGATA	TCAAAGAACA
1141	TTTTTAGGTG	CACCTAACAG	AATATCCAAA	TAATATGACT	CACTTAGATC	CTAATATAGC
1201	ATCAAGCAAA	ACTAACACTC	TAAAGCAACC	GATAGGGAAA	CATCTATAAA	TAGACAAGCA

1261	TAATGAAAAC	CCTCCTCATC	CTTCACACAA	TTCAAACATT	ATAGTTGAAG	CATAGTAGTA
1321	GAATCCTACA	AAATCTAGTA	TTGTAGAATC	AGCAATGGCA	GCATACACCA	GCAAGATCTT
1381	TGCCCTGTTT	GCCTTAATTG	CTCTTTCTGC	AAGTGCCACT	ACTGCATCTA	GAACACCTCA
1441	ACAGATTACT	GATTTGTGTG	CAGAATACCA	CAACACACAG	ATCCACACCC	TCAATGATAA
1501	GATTTTCTCT	TATACAGAAT	CTCTAGCTGG	AAAGAGAGAG	ATGGCTATCA	TTACTTTCAA
1561	GAATGGTGCA	ACTTTCCAAG	TAGAAGTACC	AGGCAGTCAA	CATATAGATT	CACAAAAGAA
1621	GGCAATTGAA	AGGATGAAGG	ATACCCTGAG	GATTGCATAT	CTTACTGAAG	CTAAAGTTGA
1681	AAAGCTATGT	GTATGGAATA	ACAAGACTCC	TCATGCAATT	GCCGCAATTA	GTATGGCAAA
1741	TTGAGAGCTC	ATTGTAATAG	TATAATGGTT	CAAATGTTAA	AAATAAAGTC	ATGCATCATC
1801	ATGCGTGACA	GTTGAAACTT	GATGTCATAT	AAATCTAAAT	AAAATCACCT	ATTTAAATAG
1861	CATTCATGTA	TGAGGTTGCA	TTATCATAGC	TAATTACCAT	CACAAAGAAC	TTTACAATTA
1921	CTATGTGCAT	GCATTTGATC	CTAAGCTACT	TTGGCTATTA	GATACAAATG	GAGTGTATTA
1981	AGCAAGTCCA	ACTTTTCATT	CTAATAGGAA	CAAACCTGAA	GCACATATGT	CAATTACTAT
2041	ATCCCCAACA	ATTGATACAC	TATAGCAGTG	GTTGCAATGG	CAGCTGCAGG	AATTGCTAGT
2101	GAACCCAACA	GCCCATATAA	CTGAATTGAA	GCCATGTCAG	ACATCCGTAA	TGAACAACAA
2161	ATAATTCCAA	ATAGTGCATA	ACCAATAAAT	ACTTAAAGAT	TTGTCTTTCA	ACACTAATGT
2221	TTGCATTTCA	TGCAATTGTA	TTGCTCTGGA	AGCACCTTTT	AACAGGTTGT	ATCATCACAT
2281	GCATTACATT	GGAGGATAAG	GATATAAGAG	ATCATATATA	GAATAGAGGA	TATGGTGTTT
2341	TAGAAAAAGA	AGATGAAGAA	TATACATTGT	GAAACAGTGC	ATGATATAGG	CACATCACTT
2401	AATACATTAA	AAGCACTGCC	AGAAATCTAT	GTTGGTGAAC	AAATGCTCAC	TGGTTGTCTC
2461	ACTTATATCA	CCATTCACCA	AGTTCACCGT	ATGTAACAAG	CACTTGGCCC	CATGAATTCA
2521	CGCGCCAAGC	TTGTAGTGAA	CGGTCTGGAC	AGAGATTCGT	CGCGTCGTCA	GCGGAAGGAG
2581	GTGCTTGAAT	CCCTGATGCT	GCCGGTTCTC	TGTGTGTTTT	TGGCTTGTGA	GATGGGGTTT

2641	AGTCAGTGCA	ATTTCAAGTGG	ATTTTGTCTCA	ACTCGGTTGG	ATTGGCACGA	GATTGGTTCC
2701	GCGTGTGACC	GTTTGTGGA	GAACATGAAA	TCGCGTTGCT	CGTTCTGGTT	TGGATGCTCT
2761	GTTTTCTGAA	CTAGGTTGCT	CGAATTGAAT	CTGATTGGTT	TATGTCTACC	TCCGAGTATC
2821	AAGTAAGTTC	AGATGAGCGG	TTAGCTCGTT	TTCAGAGCTA	GACGGGATCA	CGATCTGGGA
2881	ATACAATTTT	TATGAGGCAA	ATGCAGCAAA	TATAAAGTGA	TCTAACTAAT	GCCACTTGAT
2941	ATTATGATGA	ACATGTTGTT	GTGAAACTGG	AAAATGCATG	CCAAATTGCC	AACCATATAC
3001	ATCTCATTAG	TAGAGTAACT	TCGTGACAGT	GAAAGAAAAC	TTCATTCTAG	CTGAGGGGAG
3061	ATCACATTGA	AGGTATTCGT	GATATAATAT	GTTAGCAAGA	TAAGTAGCTA	GGATGGTTTA
3121	TTCATAGCAC	ATTGGTACCT	GGCAGCATGT	CAGATAGATA	TTTTCTATTT	CAGCAATATA
3181	TTGATCTTAC	CTTGTGCAAC	AGTTTTCTCC	ATCCAAGTTC	AGTGAAAATC	ATTTGTCCTT
3241	GAAC TTATCT	ACTCAAGCGA	TGAACAATAC	TCATACACAT	GAGCATATGA	ATCAGTTCTA
3301	TCTTCTATGA	AGCCTTAACC	CTAGATTTAT	CACAATCTAG	TCATCTAGTC	CGGCAGACCA
3361	CATTGAACTC	CATTGCAATT	TGTGAGTTGT	TGTATGGCTT	CGGAATGGGG	TCGAATCTTT
3421	CTTCAATCCA	GGATGGAAAT	TTTGAGATCT	ATACATCACG	TTTGGTACAT	CTCTACTACT
3481	CTAGTACTAA	AAACATGAAG	ATTCTGAACA	TGGACATTGC	ATAGTTCTCC	ATCCCAATTC
3541	ACCCTGCAGT	GATCGCTGCA	CTGGATAATT	ATAATATCAG	TTAAAATTGA	AAATAATGCA
3601	ACTTCATACT	TGCATGGTGT	CAGTAGTGCC	TGCCTAAGAA	ATGTGTCTTG	TCATAATATG
3661	ATTACATGAA	ATATGTTTAC	TTCTCTGTTT	CTCTTTATTT	GTAAGATAAA	GAAC TAGATA
3721	TGTGGAAAGT	AGGATAGCAA	AGAGTATGGC	CAAACTCTAA	TCTTTGCTTT	ATTTTTTGGG
3781	ATGGACCCAA	AATTTGTTTC	TCCTTTACTT	CTTTCCCTTT	ACAACAATGT	TCTTTACTTC
3841	CAATTCTTAT	TAACAAAAC	CCAAATACAT	GCCAAACTGC	ATATGTATGT	ATGCTATTAA
3901	GGCACATTTA	CAAAGCTCCA	AGTTTACCTA	CTCAATCATT	CACATATGGC	GATGACTCAA
3961	ACTCTTAATT	GTTATCTGTG	TAAGCTGTGA	CTTGTGTAAC	ACATTCTACA	AGTCCCATAC

4021	CAATTCTGTT	CACAAAAGTT	TCTTTGTCCA	GCTCATAATT	TACAAAAGTG	CAAAATGCCA
4081	AAGCAATCTG	GCACAACCTT	ATCATCATAT	TTTCTTTCCA	CGCATTAAAG	CACTGGCAGA
4141	ATTATCTTTG	TGTAGATATT	CCAAAAGTAT	TGGTTGAATA	AATGTCCAAA	TAAATTCCAT
4201	GCCTCATGAT	TTCCAGCTTA	TGTGGCCTCC	ACTAGGTGGT	TTTGCAAAGG	CCAAACTCTT
4261	TCCTGGCTTA	CACAGCTACC	AGCATGTATA	AATAGGCCCC	TAGGCAACCA	TTATTCCATC
4321	ATCCTCAACA	ATATTGTCTA	CACCATCTGG	AATCTTGTTT	AACACTAGAA	TTGTAGAATC
4381	AGCATCTAGA	AGGGCAACCG	GGGAAGGTTA	AACCCATAGA	ACCTCTCCCT	TGGATGATGT
4441	AGACCACGCC	AGGAATATTT	GTGTATCGAG	GTACCAAAAG	GCCTTGAGGC	TGAATGACAC
4501	GTCGGATCAC	AAAAGTACCC	GTGCACTGGA	ATAATTCATT	CTTCTCATCG	AAGTACTCAG
4561	TCACCCAGC	TTCTGACCTC	ACTTTCCGAA	GTGGTTCAAA	TGCTTGTAGT	CTATCAAAAC
4621	TAGAGCATGC	AACAATAGCA	AGGAGAGCAA	ATACGAAAAT	GATCTTCATA	CTAGACCCAG
4681	ATCTCAGAAG	AATGGTCCGT	GCCTTAAAC	TTTCCCCAAC	CGTGCTAGTT	TATGTTGTGA
4741	CTGTCTGCCT	CTCTCAGTTT	ACTTGGATGC	ATTGACAACA	TCCTTTTTTG	CTATTACTCG
4801	TATTTGCTCT	ATAGCTGGTG	GCATATCTCA	TGTTGAAATT	TGCCCTTTTA	ATCCAAAATT
4861	GGATGTAATT	GAAAGAATCC	TACGTGGTAG	TTATTTGGAT	TTTGGTGTGA	AAAAAATAG
4921	CCTTGTTAGA	AGAAGCAAAA	TTGGATTTAG	TTAAAAGGAT	ACTAGATGGT	GTTATTTGGA
4981	TTTTGGTGCA	AATCAAATTA	GGAGGTTGGT	TTTATTCAAG	TTAAAGTTTG	TTTTAAAAA
5041	ATTCTCCTAA	AAAGATAGAT	ACTAGATTTG	CATATATGCA	TTGAAAATTA	CATCTTCGCT
5101	TGGCGGTTAT	ACTTTTAGTC	CCTCTAAATT	GTTCAATCAT	TTATGATGAA	AAGGAAAATC
5161	ATTTTATATC	ACAAAGTATT	TATGATGAAA	GGGGAAAAAT	ATTCTGCATG	GGTTTGAACA
5221	AAATACGTGG	ATTGGTGTAG	CCTTAACATA	CTTGAAAAGG	GTATGATGTT	GATGTAGTGC
5281	CCACATGGTG	TCGCTTGACA	TAAAAACGAT	ATGCAGTCAG	GATTGAGGAA	CATTGCTGAC
5341	AATTTACTAT	CGCTGTCTGT	GTTGACCACA	ATAATTCAGA	TGTACCATCC	TATCTTCTAA

5401	CTAGAAAGAT	GCATGGAAGT	TTCTTACATT	ATTTCCAGCA	CTTGAAATTT	TAGTGAAATA
5461	TCATTAAAAC	ATAACCACTT	ACTTTGCTGT	GATATGAAAT	AAATGTTTTA	TTTCTTGGAA
5521	AGTGGTATAT	TCATATATTC	TTACAGTAAA	TTTATTGATT	TTCTTTTCAT	TTATTTCTAA
5581	ATTTTAACCA	CCCTTTTGGT	AGCTTAAGGA	AAATTGTATG	TTTGACAGTC	CTGTTTTCTG
5641	TTGTTTCATC	CCTCCAGGAA	AACCAGCTAC	TAGTATGAAG	ATCATTTCG	TATTTGCTCT
5701	CCTTGCTATT	GTTGCATGCT	CTAGTTTTGA	TAGACTACAA	GCATTTGAAC	CACTTCGGAA
5761	AGTGAGGTCA	GAAGCTGGGG	TGACTGAGTA	CTTCGATGAG	AAGAATGAAT	TATTCCAGTG
5821	CACGGGTACT	TTTGTGATCC	GACGTGTCAT	TCAGCCTCAA	GGCCTTTTGG	TACCTCGATA
5881	CACAAATATT	CCTGGCGTGG	TCTACATCAT	CCAAGGGAGA	GGTTCTATGG	GTTTAACCTT
5941	CCCCGGTTGC	CCTTCTAGTG	GATCCCCGGG	TACCGAGCTC	AAACGTTGGT	TACATGTACT
6001	CTAGTAATAA	GGTGTTGCAT	ACTATCGTGT	GCAAACACTA	GAAATAAGAA	CCATTGAATA
6061	AAATATCAAT	CATTTTCAGA	CTTGCAAATA	TTGGGTATTT	GGATTTCTGT	CCCATGTCCC
6121	TCTTGAAAGC	CATGCTGTAC	ATGTTGGAGT	TCCCCCTTGG	ACCCAACCTA	CTCCATGCTC
6181	CCATGTTGAT	CTTAAATTCC	CTGTTCCCCC	AGAGCATGTA	AATTTTCTTA	TGCTAATCAG
6241	AGCAAGCTCG	ATGTCTCATT	AACATATCCC	TATTTGATCA	ATGTTGTGGT	TGTTTCAAAA
6301	TGTATTGGTG	ATAAGTGGTA	ACAGTGTACT	TCTGGCATAA	TGGATAATAA	GTGGCGGAGG
6361	TTTGTGAAGA	TAAGAGTTGG	AAACAGAGCT	GCTGTGTATG	TTCTAATGAC	AGAGAGTTTT
6421	TGGATGGTCA	CATAGATCTT	GGCCTTTTAC	TTTTGATGGA	GGGTTGCAGA	CGATCATTGA
6481	TGAATGGAGG	GCTTTGTTTT	TAAGAATCTT	ATTAGTGGGT	AGTGGTTACT	AGTTAGATGT
6541	CTATCAATCT	ATAGATAAAA	ATAATGTTGT	ATATCAAAGG	ATTTTTGTTC	TTGCGTTTCT
6601	TATGCCCAGT	CATTTTCTGA	ATTCACGCGT	TTTAATTAAC	CAATTCGTAA	TCATGGTCAT
6661	AGCTGTTTCC	TGTGTGAAAT	TGTTATCCGC	TCACAATTCC	ACACAACATA	CGAGCCGGAA
6721	GCATAAAGTG	TAAAGCCTGG	GGTGCCTAAT	GAGTGAGCTA	ACTCACATTA	ATTGCGTTGC

```

6781 GCTCACTGCC CGCTTTCCAG TCGGGAAACC TGTCGTGCCA GCTGCATTAA TGAATCGGCC
6841 AACGCGCGGG GAGAGGCGGT TTGCGTATTG GAGCTTGAGC TTGGATCAGA TTGTCGTTTC
6901 CCGCCTTCAG TTAAACTAT CAGTGTTTGA AAG

```

CTB protein coding region is shown in red. RNAi region (RNAi-RAP intron-RNAi) is shown in gray.


A part of RB (Right Border) is indicated by double lines. Mutation is shown in blue.

1	SR TPQQITDL	CAEYHNTQIH	TLNDKIFS YT	ESLAGKREMA	IITFKNGATF
51	QVEVPGSQHI	DSQKK AIERM	KD TLRIAYLT	EAKVEKLCVW	NNKTPHAIAA
101	ISMAN				

Supplementary Figure 7


Identification of CTB (N4Q) protein by shotgun MS/MS in MucoRice-CTB line 19A.

Matched peptides are shown in bold red. Protein sequence coverage was 85%.



Supplementary Figure 8.

Intestinal fluid volume with (left) and without (right) CT challenge in mice immunized with MucoRice-CTB line 19A. Group differences in data were evaluated using the two-tailed Student t test.



Supplementary Figure 9.

Detection of the heat shock protein Bip in WT and MucoRice-CTB line 19A seed. Total protein was separated by SDS-PAGE (left, Coomassie staining) and analyzed by western blotting (right) with polyclonal antibody raised in rabbits immunized with the recombinant N-terminal domain (residues 26–274) of rice Bip. Endogenous rice Bip was detected as a 75-kDa band in MucoRice-CTB 19A and WT rice (arrowheads), and bands with higher or lower electrophoretic mobility were also found in MucoRice-CTB 19A. M, molecular weight markers (kDa).

Supplementary Table 1. Transformation frequency and HPT marker-free MucoRice-CTB lines

Infection	Calli used for screening (A) *	CTB & HPT genes positive T0 calli (B) **	Ratio (B/A)	CTB protein positive T1 seeds ***	HPT marker-free line
1	53	15	28%	15	#19A
2	36	17	47%	14	none
3	53	15	28%	10	#9B
4	50	12	24%	9	#43B, #50A
Total	192	59	32%	48	4

* Calli used for screening were selected by MS Gelrite medium with hygromycin culture system.

** CTB & HPT genes positive T0 calli were selected by using PCR.

*** CTB protein positive T1 seeds were selected by using SDS-PAGE followed by Western blot analysis with anti CTB Antibody.

Supplementary Table 2. Primer sequence for PCR used in this study


Primer name	DNA sequence	Purpose
CTB-F	5'–ACACCTCAACAGATTACTGA–3'	CTB gene, CTB gene Probe
CTB-R	5'–TCAATTTGCCATACTAATTGCG–3'	CTB gene, CTB gene Probe
HPT-F	5'–TGAACTCACCGCGACGTCT–3'	HPT gene, HPT gene Probe
HPT-R	5'–TCGGCGAGTACTTCTACAC–3'	HPT gene, HPT gene Probe
19A ch1-F	5'– CGATCGAGCCCCTCTCTCTA–3'	#19A Full DNA sequence inserted and RB flanking sequence in chromosome 1
19A ch1-R3	5'– GCAACGCGAGTGACTTGTAC–3'	#19A Full DNA sequence inserted in chromosome 1
RAPint3-R	5'–ACATGAGATATGCCACCAGC–3'	#19A Full DNA sequence inserted in chromosome 1
RAPint4-F	5'–ATGTTGTGACTGTCTGCCTC–3'	#19A Full DNA sequence inserted in chromosome 1
19A ch1-R1	5'–CGAACCTTAATCTGCCCCGGT–3'	#19A LB flanking sequence chromosome 1
131out2	5'–CTTTCTTTTGAACCTGAACGGG–3'	#19A LB flanking sequence chromosome 1
10TLend5	5'–AGTGGGTAGTGGTTACTAGT–3'	#19A RB flanking sequence chromosome 1
Pro13k-F	5'–CAGGCTGGTAGCGCAACA-3'	Quantitative real-time PCR
Pro13k-R	5'–ACAATCGCCTGAACGCTACT-3'	Quantitative real-time PCR
Glu A-F	5'–ACAAAGAGAAGGATGTGCTTAC-3'	Quantitative real-time PCR
Glu A-R	5'–ATTCTTTATCCGCATTGCCAAC-3'	Quantitative real-time PCR
Glu B-F	5'–CAAGACAAACGCTAACGCCTTC-3'	Quantitative real-time PCR
Glu B-R	5'–TCGATAATCCTGGGTAGTATTG-3'	Quantitative real-time PCR
17SrRNA-F	5'–TTCCGGTCCTATTGTGTGTTGG-3'	Quantitative real-time PCR
17SrRNA-R	5'–ATGCTTTCGCAGTTGTTCGT-3'	Quantitative real-time PCR

Supplementary Table 3. Environmental parameters for the cultivation of MucoRice-CTB 19A

Element of Environment	Set value	
	Growing seedlings conditions	Cultivation conditions
Light / Dark period	16h / 8h	12h / 12h
Light intensity	400 – 500μmol/m ² /s	600– 700μmol/m ² /s
Temperature	29C / 24C	27C / 23C
Relative humidity	70%	
CO ₂ concentration	500ppm	
Nutrient solution	OAT House Fertilizers #1, #2 and #5	

Supplementary Table 4. DNA sequences to identify reads containing insert-specific sequences

T-DNA vector designed



LB-1 (90 bp)	ACAAATTGACGCTTAGACAACCTTAATAACACATTGCGGACGTTTTTAATGTACTGAATTAACGCCGAATTGCTCTAGCATTCGCCATTCA
LB-2 (90 bp)	GGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCTATTACGCCAGCTGGCGAAAGGGGGA TGTGCTGCAAGGCGATTAA
LB-3 (89 bp)	GTTGGGTAAACGCCAGGGTTTTCCAGTCACGACGTTGTAAAACGACGGCCAGTGCCAAGCTGGCGATCGCT TTGGCGCGCCAAGCTTTT
RB-1 (80 bp)	GAATTCACGCGTTTTTAATTAACCAATTCGTAATCATGGTCATAGCTGTTTCCTGTGTGAAATTGTTATCCGCTC ACAATT
RB-2 (80 bp)	CCACACAACATACGAGCCGGAAGCATAAAGTGTAAGCCTGGGGTGCCTAATGAGTGAGCTAACTCACATTA ATTGCGTT
RB-3 (80 bp)	GCGCTCACTGCCCCGCTTTCAGTCGGGAAACCTGTCGTGCCAGCTGCATTAATGAATCGGCCAACGCGCGGG GAGAGGCG
RB-4 (67 bp)	GTTTGCGTATTGGAGCTTGAGCTTGGATCAGATTGTCGTTTCCCGCCTTCAGTTTAAACTATCAGTG

Supplementary Table 5. Salt-soluble proteins of MucoRice-CTB19A and WT rice identified in both rices by Shot-gun MS analysis

Accession	Description	19A				WT				#PSMs 19A/WT
		# PSMs	# AAs	MW [kDa]	calc. pI	# PSMs	# AAs	MW [kDa]	calc. pI	
XP_015625618.1	heat shock 70 kDa protein BIP1 [Oryza sativa Japonica Group]	565	665	73.3	5.19	15	665	73.3	5.19	37.667
EEC75043.1	hypothetical protein OsI_11143 [Oryza sativa Indica Group]	15	256	28.5	6.04	1	256	28.5	6.04	15.000
XP_015627045.1	protein disulfide isomerase-like 1-4 [Oryza sativa Japonica Group]	23	563	62.2	4.93	2	563	62.2	4.93	11.500
XP_015611801.1	protein disulfide isomerase-like 2-3 [Oryza sativa Japonica Group]	34	441	47.3	5.58	4	441	47.3	5.58	8.500
EAY91599.1	hypothetical protein OsI_13234 [Oryza sativa Indica Group]	24	426	47.0	5.21	3	426	47.0	5.21	8.000
XP_015613091.1	lysosomal Pro-X carboxypeptidase [Oryza sativa Japonica Group]	14	517	57.4	5.31	2	517	57.4	5.31	7.000
BAS73554.1	Os01g0663400, partial [Oryza sativa Japonica Group]	44	445	47.7	5.96	7	445	47.7	5.96	6.286
BAD38226.1	putative formate--tetrahydrofolate ligase [Oryza sativa Japonica Group]	6	639	68.1	7.01	1	639	68.1	7.01	6.000
EEE60487.1	hypothetical protein OsJ_13773 [Oryza sativa Japonica Group]	37	895	99.9	5.95	7	895	99.9	5.95	5.286
ABR25447.1	40S ribosomal protein S14, partial [Oryza sativa Indica Group]	5	145	15.7	10.20	1	145	15.7	10.20	5.000
BAD88157.1	protein kinase-like [Oryza sativa Japonica Group]	5	463	49.6	7.97	1	463	49.6	7.97	5.000
XP_015651405.1	peptidyl-prolyl cis-trans isomerase FKBP15-1 [Oryza sativa Japonica Group]	5	154	16.3	5.38	1	154	16.3	5.38	5.000
XP_015618966.1	probable mediator of RNA polymerase II transcription subunit 37c [Oryza sativa Japonica Group]	74	648	70.9	5.21	15	648	70.9	5.21	4.933
BAA06876.1	aspartic protease [Oryza sativa]	28	509	54.1	5.26	6	509	54.1	5.26	4.667
EEC79860.1	hypothetical protein OsI_21345 [Oryza sativa Indica Group]	8	475	52.4	8.00	2	475	52.4	8.00	4.000
XP_015611898.1	polyadenylate-binding protein 2 [Oryza sativa Japonica Group]	4	662	71.6	6.83	1	662	71.6	6.83	4.000
XP_015647977.1	MD-2-related lipid-recognition protein ROSY1 [Oryza sativa Japonica Group]	4	152	16.2	5.50	1	152	16.2	5.50	4.000
ACJ54890.1	heat shock protein 70 [Oryza sativa Japonica Group]	75	653	71.6	5.43	19	653	71.6	5.43	3.947
AAT47049.1	unknown protein [Oryza sativa Japonica Group]	3	109	11.7	5.36	1	109	11.7	5.36	3.000
BAA77337.1	Nad-dependent formate dehydrogenase [Oryza sativa]	6	376	41.2	7.34	2	376	41.2	7.34	3.000
BAD68706.1	putative ketol-acid reductoisomerase precursor [Oryza sativa Japonica Group]	9	548	59.6	6.07	3	548	59.6	6.07	3.000
BAH92448.1	Os03g0854400 [Oryza sativa Japonica Group]	3	176	17.9	10.14	1	176	17.9	10.14	3.000
BAS99345.1	Os06g0701100, partial [Oryza sativa Japonica Group]	3	400	45.6	5.67	1	400	45.6	5.67	3.000
BAT15366.1	Os11g0701100, partial [Oryza sativa Japonica Group]	30	284	31.0	6.54	10	284	31.0	6.54	3.000
EEC77777.1	hypothetical protein OsI_16938 [Oryza sativa Indica Group]	3	168	18.5	7.81	1	168	18.5	7.81	3.000
EEE68955.1	hypothetical protein OsJ_27847 [Oryza sativa Japonica Group]	6	236	24.1	8.59	2	236	24.1	8.59	3.000
XP_015618089.1	probable aspartyl aminopeptidase [Oryza sativa Japonica Group]	3	478	52.4	6.92	1	478	52.4	6.92	3.000
XP_015622112.1	60S ribosomal protein L30 [Oryza sativa Japonica Group]	3	111	12.4	9.58	1	111	12.4	9.58	3.000
XP_015640215.1	serine carboxypeptidase 2 isoform X2 [Oryza sativa Japonica Group]	11	443	49.2	6.60	4	443	49.2	6.60	2.750
XP_015650060.1	60S acidic ribosomal protein P1 [Oryza sativa Japonica Group]	11	110	11.1	4.51	4	110	11.1	4.51	2.750
3FR7_A	Chain A, Ketol-Acid Reductoisomerase (Kari) In Complex With Mg2+	10	525	57.3	5.67	4	525	57.3	5.67	2.500
XP_015622490.1	60S ribosomal protein L23A [Oryza sativa Japonica Group]	5	152	17.0	10.30	2	152	17.0	10.30	2.500
XP_015627232.1	60S ribosomal protein L12-1 [Oryza sativa Japonica Group]	5	166	17.7	9.16	2	166	17.7	9.16	2.500
EEE62108.1	hypothetical protein OsJ_16892 [Oryza sativa Japonica Group]	14	359	38.2	6.16	6	359	38.2	6.16	2.333
XP_015647572.1	thioredoxin H1 [Oryza sativa Japonica Group]	14	122	13.1	5.30	6	122	13.1	5.30	2.333
XP_015614147.1	nucleoside diphosphate kinase 1 [Oryza sativa Japonica Group]	18	151	16.8	7.50	8	151	16.8	7.50	2.250
BAF14618.2	Os04g0404400 [Oryza sativa Japonica Group]	29	295	31.2	5.02	13	295	31.2	5.02	2.231
EEC81650.1	hypothetical protein OsI_25188 [Oryza sativa Indica Group]	17	533	57.1	6.35	8	533	57.1	6.35	2.125
AAA33918.1	UDP-glucose starch glycosyl transferase, partial [Oryza sativa]	4	191	22.0	5.88	2	191	22.0	5.88	2.000
AAL40390.1	C13 cysteine proteinase precursor [Oryza sativa Indica Group]	2	465	51.9	6.04	1	465	51.9	6.04	2.000
AAO23563.1	aspartate aminotransferase, partial [Oryza sativa]	2	414	45.8	6.28	1	414	45.8	6.28	2.000
BAA02157.1	40S subunit ribosomal protein [Oryza sativa Japonica Group]	2	117	13.0	9.63	1	117	13.0	9.63	2.000
BAA94761.1	adenylate kinase, partial [Oryza sativa]	4	209	22.8	8.06	2	209	22.8	8.06	2.000
BAD04054.1	heat shock protein 90 [Oryza sativa Japonica Group]	6	699	80.2	5.06	3	699	80.2	5.06	2.000
BAF17027.1	Os05g0295800 [Oryza sativa Japonica Group]	4	189	21.3	6.23	2	189	21.3	6.23	2.000

BAF20971.1	Os07g0184300 [Oryza sativa Japonica Group]	2	118	13.4	10.73	1	118	13.4	10.73	2.000
BAT05491.1	Os08g0424500, partial [Oryza sativa Japonica Group]	2	389	42.3	5.24	1	389	42.3	5.24	2.000
BAT16466.1	Os12g0235800, partial [Oryza sativa Japonica Group]	4	350	38.9	6.21	2	350	38.9	6.21	2.000
EAY85029.1	hypothetical protein OsI_06386 [Oryza sativa Indica Group]	4	878	98.3	5.17	2	878	98.3	5.17	2.000
EEC71703.1	hypothetical protein OsI_04213 [Oryza sativa Indica Group]	6	559	60.7	5.60	3	559	60.7	5.60	2.000
NP_001147283.1	40S ribosomal protein S28 [Zea mays]	2	65	7.5	11.17	1	65	7.5	11.17	2.000
XP_015611712.1	glutathione transferase GST 23 [Oryza sativa Japonica Group]	2	223	25.2	5.71	1	223	25.2	5.71	2.000
XP_015622168.1	nascent polypeptide-associated complex subunit alpha-like protein 1 [Oryza sativa Japonica Group]	6	202	22.1	4.55	3	202	22.1	4.55	2.000
XP_015627578.1	60S ribosomal protein L6-3 [Oryza sativa Japonica Group]	2	219	24.2	10.11	1	219	24.2	10.11	2.000
XP_015628386.1	cysteine proteinase inhibitor 8 [Oryza sativa Japonica Group]	6	123	12.9	8.69	3	123	12.9	8.69	2.000
XP_015633089.1	peptide methionine sulfoxide reductase B5 [Oryza sativa Japonica Group]	2	136	14.7	7.24	1	136	14.7	7.24	2.000
XP_015633778.1	2-oxoglutarate-dependent dioxygenase DAO [Oryza sativa Japonica Group]	2	300	32.1	5.82	1	300	32.1	5.82	2.000
XP_015642917.1	GDSL esterase/lipase At4g01130 [Oryza sativa Japonica Group]	4	379	40.9	8.15	2	379	40.9	8.15	2.000
XP_015647517.1	uncharacterized protein LOC4343118 isoform X2 [Oryza sativa Japonica Group]	2	543	58.4	6.06	1	543	58.4	6.06	2.000
XP_015650330.1	mitochondrial import inner membrane translocase subunit TIM8 [Oryza sativa Japonica Group]	2	73	8.3	5.31	1	73	8.3	5.31	2.000
XP_025878742.1	leucine aminopeptidase 2, chloroplastic [Oryza sativa Japonica Group]	2	532	55.1	5.80	1	532	55.1	5.80	2.000
XP_025879244.1	non-specific lipid-transfer protein 4 [Oryza sativa Japonica Group]	2	81	8.2	7.96	1	81	8.2	7.96	2.000
AAA82047.1	glyceraldehyde-3-phosphate dehydrogenase [Oryza sativa Indica Group]	19	337	36.5	7.11	10	337	36.5	7.11	1.900
AAN05517.1	unknown protein [Oryza sativa Japonica Group]	11	317	35.4	5.87	6	317	35.4	5.87	1.833
XP_015625382.1	glyceraldehyde-3-phosphate dehydrogenase 3, cytosolic [Oryza sativa Japonica Group]	23	337	36.5	7.88	13	337	36.5	7.88	1.769
AAX95683.1	hypothetical protein [Oryza sativa Japonica Group]	5	103	11.6	5.90	3	103	11.6	5.90	1.667
BAF23792.1	Os08g0434300, partial [Oryza sativa Japonica Group]	5	356	37.4	6.70	3	356	37.4	6.70	1.667
BAT14238.1	Os11g0525600, partial [Oryza sativa Japonica Group]	5	904	101.4	6.24	3	904	101.4	6.24	1.667
EAZ00429.1	hypothetical protein OsI_22453 [Oryza sativa Indica Group]	5	413	43.1	4.77	3	413	43.1	4.77	1.667
XP_015614294.1	malate dehydrogenase, cytoplasmic [Oryza sativa Japonica Group]	29	332	35.5	6.09	18	332	35.5	6.09	1.611
AAA57130.1	manganese superoxide dismutase [Oryza sativa]	18	231	24.9	7.02	12	231	24.9	7.02	1.500
AAN05528.1	mitochondrial chaperonin-60 [Oryza sativa Japonica Group]	3	574	60.8	5.87	2	574	60.8	5.87	1.500
ABG00012.1	RuBisCO subunit binding-protein alpha subunit, chloroplast precursor, putative, expressed [Oryza sativa Japonica Group]	3	479	50.4	5.08	2	479	50.4	5.08	1.500
ABR25841.1	40S ribosomal protein S8, partial [Oryza sativa Indica Group]	3	168	18.8	9.69	2	168	18.8	9.69	1.500
CAD41669.3	OSJNBa0019K04.16 [Oryza sativa Japonica Group]	6	431	44.5	6.65	4	431	44.5	6.65	1.500
XP_015615329.1	adenylate kinase 4 [Oryza sativa Japonica Group]	3	243	26.7	7.80	2	243	26.7	7.80	1.500
XP_015632687.1	subtilisin-like protease SBT1.7 [Oryza sativa Japonica Group]	3	764	78.5	6.67	2	764	78.5	6.67	1.500
XP_015632967.1	uncharacterized protein At5g02240 [Oryza sativa Japonica Group]	3	257	27.9	6.81	2	257	27.9	6.81	1.500
XP_015648168.1	acyl-CoA-binding domain-containing protein 1-like [Oryza sativa Japonica Group]	3	91	10.1	5.22	2	91	10.1	5.22	1.500
BAF11185.1	Os03g0197300 [Oryza sativa Japonica Group]	29	601	68.2	5.71	21	601	68.2	5.71	1.381
ABD57308.1	UDP-glucose pyrophosphorylase [Oryza sativa Indica Group]	26	469	51.6	5.59	19	469	51.6	5.59	1.368
A6N0M9.1	RecName: Full=Nucleoside diphosphate kinase 1; AltName: Full=Nucleoside diphosphate kinase I; Short=NDK I; Short=NDP kinase I; Short=NDPK I	12	149	16.8	6.80	9	149	16.8	6.80	1.333
EAY90376.1	hypothetical protein OsI_11954 [Oryza sativa Indica Group]	4	310	33.4	5.08	3	310	33.4	5.08	1.333
Q75H81.1	RecName: Full=Serpin-ZXA; AltName: Full=OrysaZxa	4	396	42.1	6.15	3	396	42.1	6.15	1.333
XP_015645300.1	1-Cys peroxiredoxin A [Oryza sativa Japonica Group]	41	220	24.0	6.43	31	220	24.0	6.43	1.323
AGT59174.1	glutelin, partial [Oryza sativa Indica Group]	5	454	51.2	8.68	4	454	51.2	8.68	1.250
Q65XA0.1	RecName: Full=Probable glutathione S-transferase DHAR1, cytosolic; AltName: Full=GSH-dependent dehydroascorbate reductase 1	15	213	23.6	6.21	12	213	23.6	6.21	1.250
XP_015639252.1	fructose-bisphosphate aldolase 1, cytoplasmic [Oryza sativa Japonica Group]	21	358	38.8	7.33	17	358	38.8	7.33	1.235
ADM86861.1	triosephosphate isomerase [Oryza sativa Japonica Group]	24	253	27.0	5.49	20	253	27.0	5.49	1.200
BAA03711.1	brain specific protein [Oryza sativa]	6	260	29.1	4.83	5	260	29.1	4.83	1.200
EAY89381.1	hypothetical protein OsI_10886 [Oryza sativa Indica Group]	6	159	17.7	6.61	5	159	17.7	6.61	1.200
XP_015621604.1	malate dehydrogenase, mitochondrial [Oryza sativa Japonica Group]	12	340	35.4	8.56	10	340	35.4	8.56	1.200
NP_001105455.2	calmodulin [Zea mays]	7	149	16.8	4.27	6	149	16.8	4.27	1.167
XP_015620921.1	guanine nucleotide-binding protein subunit beta-like protein A [Oryza sativa Japonica Group]	7	334	36.2	6.44	6	334	36.2	6.44	1.167
XP_015645043.1	reactive Intermediate Deaminase A, chloroplastic [Oryza sativa Japonica Group]	7	180	18.8	9.39	6	180	18.8	9.39	1.167

XP_015639465.1	malate dehydrogenase, mitochondrial [Oryza sativa Japonica Group]	11	340	35.4	8.10	10	340	35.4	8.10	1.100
XP_015628337.1	cupincin [Oryza sativa Japonica Group]	83	470	52.1	7.25	77	470	52.1	7.25	1.078
XP_015629108.1	late embryogenesis abundant protein 17 [Oryza sativa Japonica Group]	16	344	36.8	6.83	15	344	36.8	6.83	1.067
XP_015645679.1	17kDa alpha-amylase/trypsin inhibitor 1 [Oryza sativa Japonica Group]	101	158	16.4	7.50	95	158	16.4	7.50	1.063
AAA33917.1	superoxide dismutase [Oryza sativa Japonica Group]	1	152	15.2	6.18	1	152	15.2	6.18	1.000
AAA70046.1	lipid transfer protein precursor, partial [Oryza sativa]	2	99	10.0	8.51	2	99	10.0	8.51	1.000
AAF73828.1	aldehyde dehydrogenase [Oryza sativa]	1	549	59.3	6.80	1	549	59.3	6.80	1.000
AAG28777.1	citrate synthase [Oryza sativa]	1	472	52.2	7.88	1	472	52.2	7.88	1.000
ABA92030.1	Alcohol dehydrogenase 1, putative, expressed [Oryza sativa Japonica Group]	10	345	37.5	6.65	10	345	37.5	6.65	1.000
ABF97261.1	40S ribosomal protein S3, putative, expressed [Oryza sativa Japonica Group]	1	205	22.8	9.54	1	205	22.8	9.54	1.000
ABF99925.1	NAC domain containing protein, expressed [Oryza sativa Japonica Group]	2	146	16.1	6.01	2	146	16.1	6.01	1.000
ABR25518.1	60S ribosomal protein l22-2, partial [Oryza sativa Indica Group]	2	88	10.2	9.61	2	88	10.2	9.61	1.000
ABR25651.1	regulator of ribonuclease activity a, partial [Oryza sativa Indica Group]	1	167	17.9	5.88	1	167	17.9	5.88	1.000
ABR26039.1	cbs domain protein, partial [Oryza sativa Indica Group]	2	141	15.6	8.15	2	141	15.6	8.15	1.000
ABR26121.1	salt stress-induced protein, partial [Oryza sativa Indica Group]	1	104	11.0	4.70	1	104	11.0	4.70	1.000
BAA78385.1	heat shock protein 26 [Oryza sativa]	1	239	26.6	6.83	1	239	26.6	6.83	1.000
BAC06273.1	putative 60S ribosomal protein L5 [Oryza sativa Japonica Group]	7	301	34.3	9.09	7	301	34.3	9.09	1.000
BAD81175.1	putative cysteine proteinase inhibitor [Oryza sativa Japonica Group]	2	208	23.3	6.23	2	208	23.3	6.23	1.000
BAS75388.1	Os01g0866600, partial [Oryza sativa Japonica Group]	1	73	7.8	6.77	1	73	7.8	6.77	1.000
BAS81339.1	Os02g0793700, partial [Oryza sativa Japonica Group]	1	101	10.7	6.74	1	101	10.7	6.74	1.000
BAS81910.1	Os03g0109600, partial [Oryza sativa Japonica Group]	2	100	11.1	9.38	2	100	11.1	9.38	1.000
BAT09494.1	Os09g0568900, partial [Oryza sativa Japonica Group]	2	82	8.4	9.04	2	82	8.4	9.04	1.000
EAY97222.1	hypothetical protein OsI_19141 [Oryza sativa Indica Group]	1	169	16.0	6.89	1	169	16.0	6.89	1.000
EAZ00738.1	hypothetical protein OsI_22765 [Oryza sativa Indica Group]	1	81	8.7	6.32	1	81	8.7	6.32	1.000
EAZ01248.1	hypothetical protein OsI_23273 [Oryza sativa Indica Group]	1	164	17.6	5.80	1	164	17.6	5.80	1.000
EAZ12194.1	hypothetical protein OsJ_02079 [Oryza sativa Japonica Group]	2	243	26.1	5.57	2	243	26.1	5.57	1.000
EEC77750.1	hypothetical protein OsI_16870 [Oryza sativa Indica Group]	1	140	14.4	7.74	1	140	14.4	7.74	1.000
EEC78570.1	hypothetical protein OsI_18555 [Oryza sativa Indica Group]	5	502	52.7	7.75	5	502	52.7	7.75	1.000
EEC83682.1	hypothetical protein OsI_29480 [Oryza sativa Indica Group]	2	226	23.3	8.10	2	226	23.3	8.10	1.000
EEE54097.1	hypothetical protein OsJ_00845 [Oryza sativa Japonica Group]	1	161	17.3	7.50	1	161	17.3	7.50	1.000
XP_006659067.1	PREDICTED: probable calcium-binding protein CML7 [Oryza brachyantha]	1	148	16.7	5.06	1	148	16.7	5.06	1.000
XP_015611390.1	uncharacterized protein LOC4346597 [Oryza sativa Japonica Group]	1	185	17.3	7.65	1	185	17.3	7.65	1.000
XP_015613005.1	uncharacterized protein LOC4348196 [Oryza sativa Japonica Group]	1	386	42.6	5.02	1	386	42.6	5.02	1.000
XP_015617060.1	translationally-controlled tumor protein homolog [Oryza sativa Japonica Group]	1	168	18.9	4.68	1	168	18.9	4.68	1.000
XP_015617463.1	uncharacterized protein LOC4327239 [Oryza sativa Japonica Group]	4	432	46.4	6.44	4	432	46.4	6.44	1.000
XP_015619738.1	osmotin-like protein [Oryza sativa Japonica Group]	1	233	23.4	8.02	1	233	23.4	8.02	1.000
XP_015621051.1	cysteine proteinase inhibitor 5 [Oryza sativa Japonica Group]	1	148	15.7	6.13	1	148	15.7	6.13	1.000
XP_015622003.1	peroxiredoxin-2C [Oryza sativa Japonica Group]	5	162	17.3	5.88	5	162	17.3	5.88	1.000
XP_015622836.1	outer envelope membrane protein 7 [Oryza sativa Japonica Group]	1	101	10.4	4.55	1	101	10.4	4.55	1.000
XP_015627405.1	2-Cys peroxiredoxin BAS1, chloroplastic [Oryza sativa Japonica Group]	4	261	28.1	6.00	4	261	28.1	6.00	1.000
XP_015628927.1	793	2	114	12.7	7.81	2	114	12.7	7.81	1.000
XP_015629015.1	PLASMODESMATA CALLOSE-BINDING PROTEIN 2 [Oryza sativa Japonica Group]	2	175	17.8	4.83	2	175	17.8	4.83	1.000
XP_015630351.1	proteasome subunit alpha type-6 isoform X2 [Oryza sativa Japonica Group]	2	246	27.6	6.65	2	246	27.6	6.65	1.000
XP_015632320.1	uncharacterized protein LOC4334013 [Oryza sativa Japonica Group]	1	82	8.6	5.15	1	82	8.6	5.15	1.000
XP_015632604.1	60S ribosomal protein L19-1 [Oryza sativa Japonica Group]	1	208	24.1	11.39	1	208	24.1	11.39	1.000
XP_015635492.1	probable inactive UDP-arabinopyranose mutase 2 [Oryza sativa Japonica Group]	1	347	38.9	6.44	1	347	38.9	6.44	1.000
XP_015636840.1	dihydrolipoyllysine-residue succinyltransferase component of 2-oxoglutarate dehydrogenase complex 1, mitochondrial isoform X2 [Oryza sativa Japonica Group]	1	439	48.1	8.38	1	439	48.1	8.38	1.000
XP_015637356.1	uncharacterized protein LOC4338014 [Oryza sativa Japonica Group]	1	89	9.1	8.40	1	89	9.1	8.40	1.000
XP_015640756.1	photosynthetic NDH subunit of lumenal location 5, chloroplastic [Oryza sativa Japonica Group]	1	250	26.6	9.29	1	250	26.6	9.29	1.000
XP_015643120.1	probable alpha-glucosidase Os06g0675700 isoform X3 [Oryza sativa Japonica Group]	27	885	96.3	8.59	27	885	96.3	8.59	1.000

XP_015650677.1	acyl carrier protein 3, chloroplastic [Oryza sativa Japonica Group]	1	138	14.5	5.12	1	138	14.5	5.12	1.000
XP_025883358.1	copper transport protein ATX1 isoform X2 [Oryza sativa Japonica Group]	1	79	8.3	7.96	1	79	8.3	7.96	1.000
AAA72362.1	unnamed protein product [Oryza sativa Japonica Group]	314	174	19.8	6.96	317	174	19.8	6.96	0.991
XP_015613809.1	fructose-bisphosphate aldolase 3, cytoplasmic [Oryza sativa Japonica Group]	35	358	38.8	8.16	37	358	38.8	8.16	0.946
XP_015629251.1	oleosin 18 kDa [Oryza sativa Japonica Group]	9	172	17.2	10.10	10	172	17.2	10.10	0.900
EAZ04671.1	hypothetical protein OsI_26825 [Oryza sativa Indica Group]	22	234	23.7	6.20	25	234	23.7	6.20	0.880
CAA40604.1	rab25 product [Oryza sativa Japonica Group]	6	228	24.7	10.45	7	228	24.7	10.45	0.857
EAZ38239.1	hypothetical protein OsJ_22614 [Oryza sativa Japonica Group]	6	204	21.7	9.26	7	204	21.7	9.26	0.857
EEC74867.1	hypothetical protein OsI_10758 [Oryza sativa Indica Group]	11	445	48.0	5.47	13	445	48.0	5.47	0.846
BAD35232.1	putative chaperonin 21 precursor [Oryza sativa Japonica Group]	5	216	23.1	6.00	6	216	23.1	6.00	0.833
Q75GX9.1	RecName: Full=63 kDa globulin-like protein; AltName: Allergen=Ory s GLP63; Flags: Precursor	269	562	63.4	8.13	326	562	63.4	8.13	0.825
P37833.1	RecName: Full=Aspartate aminotransferase, cytoplasmic; AltName: Full=Transaminase A	4	407	44.5	7.94	5	407	44.5	7.94	0.800
XP_015625227.1	peptidyl-prolyl cis-trans isomerase [Oryza sativa Japonica Group]	7	172	18.3	8.34	9	172	18.3	8.34	0.778
XP_015649739.1	glycine-rich protein 2 [Oryza sativa Japonica Group]	7	197	18.7	6.76	9	197	18.7	6.76	0.778
XP_015644193.1	phosphoglycerate kinase, cytosolic [Oryza sativa Japonica Group]	16	401	42.3	6.61	21	401	42.3	6.61	0.762
AAK16176.1	translation initiation factor 5A [Oryza sativa Japonica Group]	3	161	17.5	6.14	4	161	17.5	6.14	0.750
EEE64042.1	hypothetical protein OsJ_18871 [Oryza sativa Japonica Group]	3	121	13.3	6.07	4	121	13.3	6.07	0.750
XP_015640796.1	thioredoxin H-type [Oryza sativa Japonica Group]	3	121	13.2	5.08	4	121	13.2	5.08	0.750
XP_015650763.1	fascilin-like arabinogalactan protein 1 [Oryza sativa Japonica Group]	6	415	43.6	8.24	8	415	43.6	8.24	0.750
Q01881.2	RecName: Full=Seed allergenic protein RA5; AltName: Allergen=Ory s aA_TI; Flags: Precursor	23	160	17.3	8.03	32	160	17.3	8.03	0.719
AAK55782.1	Hypothetical protein [Oryza sativa]	10	230	23.3	6.33	14	230	23.3	6.33	0.714
XP_015614438.1	alanine aminotransferase 2 [Oryza sativa Japonica Group]	7	483	52.6	6.65	10	483	52.6	6.65	0.700
XP_015631876.1	pyruvate decarboxylase 2 [Oryza sativa Japonica Group]	7	605	64.7	5.81	10	605	64.7	5.81	0.700
EAZ06557.1	hypothetical protein OsI_28805 [Oryza sativa Indica Group]	9	150	15.2	8.51	13	150	15.2	8.51	0.692
ABI74567.1	phosphoglycerate kinase [Oryza sativa Indica Group]	11	402	42.1	5.86	16	402	42.1	5.86	0.688
XP_015629184.1	uncharacterized protein LOC4332421 [Oryza sativa Japonica Group]	11	139	15.0	5.86	16	139	15.0	5.86	0.688
XP_015632814.1	vicilin-like seed storage protein At2g28490 [Oryza sativa Japonica Group]	19	565	61.4	7.53	28	565	61.4	7.53	0.679
BAB56043.1	lipoprotein-like [Oryza sativa Japonica Group]	2	252	28.0	7.93	3	252	28.0	7.93	0.667
BAF29005.1	Os12g0115000, partial [Oryza sativa Japonica Group]	4	110	10.7	8.34	6	110	10.7	8.34	0.667
BAS94548.1	Os05g0477900, partial [Oryza sativa Japonica Group]	2	83	8.1	9.10	3	83	8.1	9.10	0.667
EAY75782.1	hypothetical protein OsI_03698 [Oryza sativa Indica Group]	4	573	63.2	7.44	6	573	63.2	7.44	0.667
XP_015612407.1	cytosolic isocitrate dehydrogenase [NADP] [Oryza sativa Japonica Group]	2	412	46.0	6.80	3	412	46.0	6.80	0.667
XP_015613274.1	low-temperature-induced 65 kDa protein [Oryza sativa Japonica Group]	12	446	45.6	4.87	18	446	45.6	4.87	0.667
XP_015643985.1	late embryogenesis abundant protein D-34 [Oryza sativa Japonica Group]	8	277	27.9	4.36	12	277	27.9	4.36	0.667
EEC81520.1	hypothetical protein OsI_24909 [Oryza sativa Indica Group]	5	138	14.8	5.52	8	138	14.8	5.52	0.625
XP_015626227.1	14-3-3-like protein GF14-E isoform X2 [Oryza sativa Japonica Group]	5	262	29.7	4.77	8	262	29.7	4.77	0.625
XP_015623194.1	poly [ADP-ribose] polymerase 3 isoform X8 [Oryza sativa Japonica Group]	8	831	92.3	5.63	13	831	92.3	5.63	0.615
XP_015638049.1	embryonic abundant protein 1 [Oryza sativa Japonica Group]	8	95	10.2	5.60	13	95	10.2	5.60	0.615
XP_015645309.1	17kDa alpha-amylase/trypsin inhibitor 2 [Oryza sativa Japonica Group]	120	159	16.5	7.50	198	159	16.5	7.50	0.606
AIC77182.1	lipid transfer protein 2 [Oryza sativa]	3	95	9.4	8.95	5	95	9.4	8.95	0.600
XP_015612568.1	uncharacterized protein LOC4346387 [Oryza sativa Japonica Group]	3	75	7.8	5.86	5	75	7.8	5.86	0.600
XP_015617770.1	uncharacterized protein DDB_G0286299 [Oryza sativa Japonica Group]	3	331	35.3	4.98	5	331	35.3	4.98	0.600
XP_015622173.1	ubiquitin-fold modifier 1 [Oryza sativa Japonica Group]	3	102	10.4	9.61	5	102	10.4	9.61	0.600
XP_015625436.1	embryonic protein DC-8 [Oryza sativa Japonica Group]	30	471	47.3	6.87	51	471	47.3	6.87	0.588
P55142.2	RecName: Full=Glutaredoxin-C6; AltName: Full=Glutaredoxin-C2 homolog 1	5	112	11.8	6.04	9	112	11.8	6.04	0.556
Q6YZX6.1	RecName: Full=Putative aconitase hydratase, cytoplasmic; Short=Aconitase; AltName: Full=Citrate hydro-lyase	5	898	98.0	6.01	9	898	98.0	6.01	0.556
ABR25697.1	polyubiquitin containing 7 ubiquitin monomers, partial [Oryza sativa Indica Group]	6	201	22.6	8.28	12	201	22.6	8.28	0.500
BAD09607.1	putative superoxide dismutase [Cu-Zn], chloroplast precursor [Oryza sativa Japonica Group]	1	203	20.5	6.25	2	203	20.5	6.25	0.500
BAD09646.1	putative lipid transfer protein precursor [Oryza sativa Japonica Group]	1	120	12.0	7.84	2	120	12.0	7.84	0.500
BAS71712.1	Os01g0300200, partial [Oryza sativa Japonica Group]	1	487	52.9	8.10	2	487	52.9	8.10	0.500

BAS75922.1	Os01g0919900, partial [Oryza sativa Japonica Group]	1	283	32.3	5.92	2	283	32.3	5.92	0.500
EAZ04317.1	hypothetical protein OsI_26458 [Oryza sativa Indica Group]	2	335	34.0	8.12	4	335	34.0	8.12	0.500
EAZ09241.1	hypothetical protein OsI_31514 [Oryza sativa Indica Group]	2	245	25.5	6.27	4	245	25.5	6.27	0.500
EAZ31805.1	hypothetical protein OsJ_15961 [Oryza sativa Japonica Group]	1	116	12.9	11.27	2	116	12.9	11.27	0.500
EAZ45481.1	hypothetical protein OsJ_30136 [Oryza sativa Japonica Group]	1	245	26.0	8.53	2	245	26.0	8.53	0.500
EEC83981.1	hypothetical protein OsI_30128 [Oryza sativa Indica Group]	2	361	38.5	6.39	4	361	38.5	6.39	0.500
EEE60187.1	hypothetical protein OsJ_13133 [Oryza sativa Japonica Group]	1	207	21.5	5.66	2	207	21.5	5.66	0.500
XP_006654825.1	PREDICTED: GTP-binding nuclear protein Ran-2 [Oryza brachyantha]	1	221	25.0	7.12	2	221	25.0	7.12	0.500
XP_015617609.1	dehydrin Rab16B [Oryza sativa Japonica Group]	1	164	16.5	9.28	2	164	16.5	9.28	0.500
XP_015622758.1	copper transport protein ATX1 [Oryza sativa Japonica Group]	1	132	13.1	4.60	2	132	13.1	4.60	0.500
XP_015637493.1	oil body-associated protein 1A [Oryza sativa Japonica Group]	2	238	26.4	5.96	4	238	26.4	5.96	0.500
XP_015638298.1	gibberellin-regulated protein 2 [Oryza sativa Japonica Group]	1	92	9.7	8.44	2	92	9.7	8.44	0.500
XP_015639973.1	nuclear pore complex protein NUP50B [Oryza sativa Japonica Group]	1	472	49.7	4.77	2	472	49.7	4.77	0.500
XP_015644407.1	eukaryotic translation initiation factor 1A [Oryza sativa Japonica Group]	1	144	16.3	5.35	2	144	16.3	5.35	0.500
XP_015646663.1	alpha-amylase inhibitor 5 [Oryza sativa Japonica Group]	8	154	15.9	6.52	16	154	15.9	6.52	0.500
XP_015650252.1	NADP-dependent glyceraldehyde-3-phosphate dehydrogenase [Oryza sativa Japonica Group]	2	499	53.3	7.01	4	499	53.3	7.01	0.500
ACV65034.1	alpha-amylase inhibitor [Oryza sativa Indica Group]	18	179	19.2	8.19	37	179	19.2	8.19	0.486
EAY80813.1	hypothetical protein OsI_35993 [Oryza sativa Indica Group]	10	160	16.2	9.20	21	160	16.2	9.20	0.476
BAB71741.1	glyoxalase I [Oryza sativa Japonica Group]	29	291	32.5	5.67	65	291	32.5	5.67	0.446
AAB23101.1	bifunctional subtilisin/alpha-amylase inhibitor, RASI [Oryza sativa=rice, seeds, bran, Peptide, 176 aa] [Oryza sativa]	16	176	18.7	9.04	37	176	18.7	9.04	0.432
XP_015627797.1	hydroxyacylglutathione hydrolase cytoplasmic [Oryza sativa Japonica Group]	3	258	28.5	5.64	7	258	28.5	5.64	0.429
XP_015636388.1	ABA-inducible protein PHV A1 [Oryza sativa Japonica Group]	6	274	28.8	9.10	14	274	28.8	9.10	0.429
EAY88627.1	hypothetical protein OsI_10103 [Oryza sativa Indica Group]	12	276	27.1	5.05	30	276	27.1	5.05	0.400
EEE53911.1	hypothetical protein OsJ_00464 [Oryza sativa Japonica Group]	2	93	10.1	6.84	5	93	10.1	6.84	0.400
XP_015615102.1	non-specific lipid-transfer protein 1-like [Oryza sativa Japonica Group]	8	117	11.6	9.80	20	117	11.6	9.80	0.400
XP_015632174.1	actin-depolymerizing factor 4 [Oryza sativa Japonica Group]	2	139	15.9	6.04	5	139	15.9	6.04	0.400
BAA05537.1	WSI18 protein induced by water stress [Oryza sativa Japonica Group]	11	214	22.1	9.14	28	214	22.1	9.14	0.393
XP_015612430.1	uncharacterized protein LOC4324175 [Oryza sativa Japonica Group]	5	83	8.5	4.97	13	83	8.5	4.97	0.385
XP_015645223.1	alpha-amylase/trypsin inhibitor RA16 [Oryza sativa Japonica Group]	18	157	17.0	8.03	47	157	17.0	8.03	0.383
XP_015637572.1	late embryogenesis abundant protein 19 [Oryza sativa Japonica Group]	15	200	20.5	6.25	40	200	20.5	6.25	0.375
XP_015639340.1	aldose reductase [Oryza sativa Japonica Group]	6	318	35.6	6.80	16	318	35.6	6.80	0.375
CAA69949.1	lipid transfer protein [Oryza sativa]	10	116	11.4	9.13	28	116	11.4	9.13	0.357
ABC74439.1	differentiation embryo protein 31 [Oryza sativa Indica Group]	18	392	47.4	6.51	52	392	47.4	6.51	0.346
AAO37499.1	expressed protein [Oryza sativa Japonica Group]	1	158	16.5	4.46	3	158	16.5	4.46	0.333
ABA99939.2	Malate dehydrogenase, glyoxysomal precursor, putative, expressed [Oryza sativa Japonica Group]	1	320	33.6	7.62	3	320	33.6	7.62	0.333
CAI29542.1	eukaryotic translation initiation factor 2 alpha [Oryza sativa Indica Group]	1	339	38.2	5.40	3	339	38.2	5.40	0.333
EAY83219.1	hypothetical protein OsI_38428 [Oryza sativa Indica Group]	1	257	25.4	5.03	3	257	25.4	5.03	0.333
EAY84337.1	hypothetical protein OsI_05714 [Oryza sativa Indica Group]	1	131	13.8	10.24	3	131	13.8	10.24	0.333
EAZ11740.1	hypothetical protein OsJ_01605 [Oryza sativa Japonica Group]	1	467	49.8	6.28	3	467	49.8	6.28	0.333
EEC67044.1	hypothetical protein OsI_33786 [Oryza sativa Indica Group]	1	755	84.1	5.24	3	755	84.1	5.24	0.333
EEC67896.1	hypothetical protein OsI_35571 [Oryza sativa Indica Group]	1	347	36.6	8.51	3	347	36.6	8.51	0.333
XP_015611441.1	uncharacterized protein LOC4346534 [Oryza sativa Japonica Group]	1	95	10.3	4.81	3	95	10.3	4.81	0.333
XP_015620018.1	glycine-rich RNA-binding protein 2 [Oryza sativa Japonica Group]	2	162	16.1	6.74	6	162	16.1	6.74	0.333
XP_015611186.1	embryonic protein DC-8 [Oryza sativa Japonica Group]	5	241	24.5	6.40	16	241	24.5	6.40	0.313
BAS98064.1	Os06g0531200, partial [Oryza sativa Japonica Group]	2	289	30.9	5.78	7	289	30.9	5.78	0.286
ABG22475.1	Adenosylhomocysteinase, putative, expressed [Oryza sativa Japonica Group]	1	392	42.8	5.25	4	392	42.8	5.25	0.250
CAH67861.1	B0403H10-OSIGBa0105A11.13 [Oryza sativa]	1	110	12.3	8.50	4	110	12.3	8.50	0.250
EEC72589.1	hypothetical protein OsI_06045 [Oryza sativa Indica Group]	1	527	56.0	8.10	4	527	56.0	8.10	0.250
XP_015628800.1	defensin-like protein [Oryza sativa Japonica Group]	2	81	8.8	8.51	8	81	8.8	8.51	0.250
XP_008780868.1	class II metallothionein-like protein 1A [Phoenix dactylifera]	3	87	8.5	7.33	14	87	8.5	7.33	0.214

ABF95727.1	expressed protein [Oryza sativa Japonica Group]	1	279	30.8	6.86	5	279	30.8	6.86	0.200
BAD25501.1	hypothetical protein [Oryza sativa Japonica Group]	1	93	9.7	5.92	5	93	9.7	5.92	0.200
EAZ03220.1	hypothetical protein OsI_25368 [Oryza sativa Indica Group]	15	141	15.3	6.95	80	141	15.3	6.95	0.188
CAH67235.1	OSIGBa0140007.3 [Oryza sativa]	1	215	23.2	5.54	6	215	23.2	5.54	0.167
XP_015625560.1	hsp70-Hsp90 organizing protein [Oryza sativa Japonica Group]	1	578	64.9	6.38	6	578	64.9	6.38	0.167
XP_015646664.1	seed allergenic protein RAG2-like [Oryza sativa Japonica Group]	32	160	17.3	8.34	241	160	17.3	8.34	0.133
XP_015643961.1	prolamin PPROL 17D-like [Oryza sativa Japonica Group]	1	149	16.7	7.90	8	149	16.7	7.90	0.125
ACA50505.1	seed allergenic protein RAG2 [Oryza sativa Japonica Group]	51	166	17.8	8.03	449	166	17.8	8.03	0.114
AAD10378.1	Bowman-Birk type trypsin inhibitor [Oryza sativa]	1	136	15.4	6.13	19	136	15.4	6.13	0.053