ACADEMIC PROJECT DEFENSE | COMPREHENSIVE VIVA VOCE

CuraCascade V2

An Integrated Biomedical Informatics Framework for Automated Gene–Disease Validity Discrepancy Auditing & Longitudinal Latency Analytics

Author: Udit Shokeen | Register Number: 23BCB0001

Institution: School of Computer Science & Engineering (SCOPE), Vellore Institute of Technology (VIT), Vellore

Technical Verification: 47 / 47 Automated Pytest Suite Passing (54.12s on Python 3.13) | 100-Dyad Independent Benchmark

SOURCE REPOSITORY (VERIFIED)
github.com/uditshokeen14/curacascadeV2

LIVE DEPLOYMENT (STREAMLIT CLOUD)
curacascadev2.streamlit.app

EXECUTIVE SUMMARY

The Four Pillars of CuraCascade V2

System architecture, empirical benchmark verification, and scientific boundaries at a glance

THE REAL-WORLD PROBLEM

Genomic Evidence Drift

When ClinGen downgrades or refutes unproven gene–disease claims, downstream variant repositories like ClinVar do not synchronize automatically. Thousands of 'Pathogenic' variant assertions linger in refuted genes for years, exposing patients to hazardous overdiagnosis.

OUR APPLIED SOLUTION

Automated Relational Auditing

Engineered an automated 3NF relational warehouse and deterministic disease-aware rule engine. Unifies ClinGen, ClinVar, and PanelApp with ontology crosswalks (MONDO, MedGen) to identify and classify discrepancies into actionable clinical strata.

STRONGEST VERIFIED RESULT

100.0% Audit Precision

On an independent, firewalled benchmark of 100 gene–disease dyads, CuraCascade achieved 100.0% precision and 100.0% specificity across 94 evaluable cases (18 TP, 0 FP, 42 TN). Every single flagged alert is a verified, authentic conflict.

SCIENTIFIC BOUNDARY

Conservative 34.6% Recall

System recall is 34.6% because the engine intentionally refuses to guess when variants are labeled under broad umbrella terms ('Cardiovascular phenotype'). In clinical informatics, zero false-positive alerts prevents clinician alert fatigue.

3,033	51,025	51,251	2.82 Yrs	182,760	47 / 47
Genes Ingested	ClinVar Variants	Audit Findings	Median Lag (1,030d)	Patient-Years at Risk	Tests Passing (Pytest)

THE REAL-WORLD PROBLEM

Genomic Evidence Drift & Downstream Clinical Lag

Why updated gene–disease validity assessments fail to propagate to downstream clinical databases

STAGE 1: EXPERT CURATION RELEASE (T = 0)


ClinGen expert panels systematically re-evaluate historic gene–disease associations using standardized monogenic scoring criteria. Genes like MYOZ2 or CACNA2D1 are officially downgraded to 'Refuted' or 'No Evidence'.

STAGE 2: ASYNCHRONOUS DOWNSTREAM DELAY (T = +2.82 YRS)

Commercial diagnostic laboratories and public repositories (ClinVar) operate asynchronously. Re-curating variants requires uncompensated clinical labor. Outdated 'Pathogenic' assertions persist indefinitely.

STAGE 3: CLINICAL MISDIRECTION & PATIENT RISK

Patients undergoing multigene panel testing receive reports declaring variants 'Pathogenic' for diseases the gene does not cause. This leads to inappropriate surgical interventions, ICD implantations, and family anxiety.



EMPIRICAL CASE: MYOZ2 IN HYPERTROPHIC CARDIOMYOPATHY

- ClinGen Curation: Refuted in 2019 (lack of segregation in broad cohorts).
- ClinVar Reality: Multiple active 'Pathogenic' variant assertions persisted for >5.9 years.
- Downstream Impact: Diagnostic panels continued testing MYOZ2, risking overtreatment.

BIOMEDICAL FOUNDATIONS I

The Central Dogma: DNA, Genes, Variants, and Proteins

Establishing genomic first principles for multidisciplinary academic examination

01. DNA

3.1 Billion Base Pairs

Double-helix genetic code composed of Adenine, Thymine, Cytosine, and Guanine across 23 chromosome pairs.

02. GENE

~20,000 Coding Units

Contiguous DNA segments that transcribe into messenger RNA (mRNA) to direct functional cellular machinery.

03. VARIANT

Permanent Alteration

Nucleotide change (substitution, insertion, deletion) relative to the reference human genome assembly.

04. PROTEIN

Biological Product

Folded polypeptide chains forming structural elements and enzymes. Missense/nonsense changes alter function.

POPULATION GENOMICS: BENIGN POLYMORPHISMS VS. DAMAGING MONOGENIC MUTATIONS

- Human Genomic Diversity: Every individual carries 4 to 5 million genetic variants across their genome; 99.9% are harmless polymorphisms.
- Missense Substitutions: A single nucleotide change replaces an amino acid. May be benign or disrupt active catalytic binding pockets.
- Truncating / Nonsense Mutations: Converts an amino acid codon into a premature stop codon, causing haploinsufficiency or nonsense-mediated decay.
- **The Population Frequency Rule (gnomAD): If an allele is observed at high frequency (>5%) in healthy global populations, it cannot cause a severe rare childhood disease.**

BIOMEDICAL FOUNDATIONS II

Gene Validity vs. Variant Pathogenicity

The fundamental conceptual distinction that underpins the entire CuraCascade audit architecture

GENE-LEVEL CLINICAL VALIDITY (ClinGen)

Primary Question: 'Does variation in Gene X cause Disease Y?'

- Curated by ClinGen Gene Curation Expert Panels (GCEPs).
- Evaluates human genetic evidence: Mendelian segregation LOD scores, case-control odds ratios.
- Evaluates experimental evidence: Knock-out animal models, in vitro biochemical rescue.
- Standardized Classification Tiers: Definitive, Strong, Moderate, Limited, Disputed, Refuted.
- Unit of Analysis: The Gene–Disease Dyad (e.g., MYH7 — Hypertrophic Cardiomyopathy).

VARIANT-LEVEL PATHOGENICITY (ClinVar / ACMG)

Primary Question: 'Does Variant Z alter protein function to cause disease?'

- Curated by diagnostic testing laboratories under ACMG/AMP 2015 rules.
- Evaluates variant attributes: Population frequency in gnomAD, in silico structural damage.
- Evaluates functional assays: Enzyme kinetics, protein stability assays.
- 5-Tier Classification: Pathogenic (P), Likely Pathogenic (LP), VUS, Likely Benign (LB), Benign (B).
- Unit of Analysis: The Specific Allele (e.g., NM_000257.4:c.2119C>T, p.Arg707Ter).

⚠ THE CENTRAL VULNERABILITY: VARIANT PATHOGENICITY IS STRICTLY CONDITIONAL UPON GENE VALIDITY

Even if a variant severely truncates protein synthesis, if the gene itself is REFUTED for that disease, classifying the variant as 'Pathogenic' for that disease is biologically contradictory. A variant cannot cause a condition if the gene does not. CuraCascade was engineered to detect this exact contradiction.

THE DATA ECOSYSTEM

The Public Genomic Intelligence Ecosystem

Mapping the roles, granularities, and governance of primary biomedical data repositories

ClinGen

Gene Validity Authority

NIH-funded expert consortium curating gene–disease validity (Definitive to Refuted) and dosage sensitivity.

Key Attributes:

Weekly curations, MONDO disease ontologies, ~2,000 curated dyads.

NCBI ClinVar

Variant Assertions

Public archive of variant-level clinical interpretations submitted by commercial and academic laboratories.

Key Attributes:

Daily submissions, MedGen disease IDs, >3.5 million variant assertions.

PanelApp

Diagnostic Gene Panels

Genomics England platform grading gene inclusions via a traffic-light tier (Green=Diagnostic, Amber, Red).

Key Attributes:

Crowdsourced expert consensus, 500+ disease-specific panels.

gnomAD

Population Frequencies

Global reference database of allele frequencies across >140,000 exomes/genomes used to establish rarity.

Key Attributes:

Periodic multi-ancestry releases (v2, v3, v4).

MONDO / HGNC

Ontology Standards

Monarch Disease Ontology and HUGO Gene Nomenclature Committee providing canonical IDs.

Key Attributes:

Hierarchical disease classification and approved gene symbols.

ROOT CAUSE ANALYSIS

Why Genomic Evidence Disagrees in Practice

Systemic structural, temporal, and semantic barriers causing persistent database discordance

01. GRANULARITY DISCONNECT

Gene-Level vs. Variant-Level Silos

ClinGen curates at the gene–disease level, but diagnostic labs submit interpretations at the individual variant level. Laboratories rarely re-evaluate historic variant assertions when gene-level papers are published.

02. SEMANTIC HETEROGENEITY

Ontology & Nomenclature Mismatches

ClinVar submissions frequently use broad clinical umbrella terms (e.g., 'Cardiovascular phenotype', MedGen C0007222), whereas ClinGen curates specific diseases (e.g., 'Brugada syndrome 1', MONDO:0015263). String joins fail completely.

03. TEMPORAL ASYNCHRONY

Asynchronous Update Cycles

ClinGen expert curations are published periodically as batch releases, while ClinVar receives daily submissions. Without automated webhooks or cross-database alert triggers, synchronization drifts by years.

04. ECONOMIC BARRIERS

Uncompensated Re-Curation Burden

Retrospective re-curation of tens of thousands of historical variants is labor-intensive and uncompensated for commercial labs. Outdated assertions remain active indefinitely unless flagged by automated audit tooling.

RESEARCH GAP

Current Landscape & The Research Gap

Evaluating existing commercial and academic tools against CuraCascade V2's automated audit capabilities

Capability / Feature	Manual Search	Variant Portals	ClinGen Website	CuraCascade V2
Automated Gene-to-Variant Auditing	❌ Manual Only	❌ Variant Only	❌ Gene Only	✅ **Fully Automated**
Disease-Aware Ontology Crosswalk	❌ None	⚠️ Partial Strings	⚠️ MONDO Only	✅ **4-Tier Crosswalk**
Longitudinal Evidence Latency Tracking	❌ None	❌ None	❌ None	✅ **Days & Patient-Yrs**
Independent 100% Precision Benchmark	❌ N/A	❌ Unaudited	❌ Unaudited	✅ **Verified (0 FP)**
Open-Source 3NF Relational Store	❌ Proprietary	❌ Closed API	⚠️ CSV Exports	✅ **SQLite + DuckDB**
Audit Dossier Export (ISO 15189 Aligned)	❌ Manual Docs	⚠️ Generic PDF	❌ None	✅ **HTML/PDF Dossier**

THE CORE RESEARCH GAP

No existing tool performs automated, disease-aware cross-auditing between ClinGen gene curations and ClinVar variant assertions while quantifying longitudinal latency kinetics in an open-source, reproducible framework.

SCOPE & BOUNDARIES

Project Objectives & Ethical Scope Boundaries

Clear definition of primary engineering deliverables and explicit clinical non-goals

PRIMARY ENGINEERING OBJECTIVES

- **Ingest & Normalize Public Repositories**
  Build automated ETL scripts for ClinGen, ClinVar, PanelApp with SHA-256 provenance tracking.
- **Design a 3NF Relational Warehouse**
  Implement a normalized SQLite and DuckDB schema enforcing referential integrity and sub-10ms queries.
- **Develop a Disease-Aware Audit Engine**
  Build a deterministic 4-tier rule engine using MONDO and MedGen crosswalks to classify conflicts.
- **Quantify Latency & Patient Exposure**
  Measure cross-sectional elapsed days unresolved and calculate cumulative patient-years at risk.
- **Deploy Interactive Decision Support**
  Provide an intuitive Streamlit interface with multi-parameter filtering and audit dossier generation.

STRICT NON-GOALS & BOUNDARIES

❌ **NO Autonomous Diagnostic Sign-Off**
CuraCascade does not issue clinical diagnoses or alter medical charts without accredited human review.

❌ **NO Live EHR Mutation**
The software operates in read-only analytical mode and does not write directly to hospital electronic health records.

❌ **NO In Silico Variant Pathogenicity Scoring**
The engine audits published consensus assertions; it does not predict molecular folding or replace AlphaFold.

❌ **NO ISO 15189 Accreditation Claims**
Software alone cannot be ISO accredited; it provides compliance-enabling audit infrastructure for accredited labs.

❌ **NO Prospective Clinical Prediction Claims**
Exploratory ML is retrospective triage; it does not prospectively forecast real-world hospital outcomes.

RESEARCH QUESTIONS

Contributions & Core Research Questions

Three central research questions addressed by empirical implementation and benchmark verification

RQ1: AUTOMATED AUDIT FEASIBILITY

Can an automated, disease-aware relational engine detect gene–disease discrepancies with zero false positives?

VERIFIED CONTRIBUTION:

Engineered a 3NF relational schema and ontology crosswalk in pipeline/audit_engine.py. On our independent 94-case evaluable benchmark, the system achieved 100.0% precision (0 false positives), proving deterministic auditing is feasible.

RQ2: LATENCY & EXPOSURE KINETICS

What is the empirical propagation latency between ClinGen gene refutations and downstream ClinVar updates?

VERIFIED CONTRIBUTION:

Across 51,251 findings, we quantified a median propagation latency of 2.82 years (1,030 days) and 182,760 cumulative patient-years at risk, demonstrating that evidence drift is persistent and multi-year.

RQ3: MACHINE LEARNING RISK TRIAGE

Can machine learning models prioritize high-risk discrepancies based on public metadata features?

VERIFIED CONTRIBUTION:

Trained a Balanced Random Forest achieving an AUROC of 0.857 and Brier score of 0.1508 on 7 features, providing an exploratory risk-triage framework while disclosing retrospective snapshot temporal leakage.

WORKFLOW ARCHITECTURE

End-to-End Processing Workflow

The complete data lifecycle from raw public data streams to regulatory clinical audit dossiers

1. INGESTION

Public Streams

Pull raw dumps from ClinGen (JSON/TSV), ClinVar (GZ TSV 4.5GB), and PanelApp (REST API).

2. VALIDATION

Integrity & Schema

Verify SHA-256 checksums, resolve HGNC gene aliases, normalize MedGen/MONDO disease terms.

3. STORAGE

Normalized Warehouses

Load into 3NF SQLite database (transactional lookups) and DuckDB (vectorized analytics).

4. AUDIT ENGINE

Discrepancy Matching

Execute 4-tier disease-aware matching, classify Class A/B/C findings, compute latency days.

5. DELIVERY

UI & Report Export

Streamlit interactive dashboard, multi-parameter filtering, ISO 15189 HTML audit dossiers.

PIPELINE REPRODUCIBILITY & OPERATIONAL GUARANTEES

- Cryptographic Provenance: Every downloaded snapshot is logged with SHA-256 hash, URL, and timestamp in data_provenance table.
- Streaming Parsing: ClinVar ingestion uses Python line generators to stream 4.5 GB files in under 100 MB RAM.
- Transactional Rollbacks: Database inserts occur in 5,000-row chunks; unrecoverable parser errors trigger rollback to prevent partial corruption.

SYSTEM ARCHITECTURE

Decoupled Multi-Tier System Architecture

Clean separation of ingestion pipelines, dual analytical warehouses, and presentation interfaces

ARCHITECTURAL TIERS & SEPARATION OF CONCERNS

- **Pipeline Tier (Headless ETL)**
  Dedicated scripts in pipeline/ (ingest_clingen.py, ingest_clinvar.py, build_db.py). Operates headlessly via CLI.
- **Storage Tier (Dual Engines)**
  SQLite for relational constraints, foreign keys, and UI point-lookups. DuckDB for vectorized columnar analytics.
- **Audit & Benchmark Tier**
  audit_engine.py evaluates ontology crosswalks. validation_benchmark.py runs firewalled evaluation.
- **Presentation Tier (Streamlit UI)**
  app.py provides responsive UI with custom CSS design tokens, cached DB connections, and zero ETL logic.




DATABASE DESIGN

Normalized 3NF Relational Schema & Indexing

Relational decomposition, foreign-key cascades, and compound B-tree index optimization

THIRD NORMAL FORM (3NF) DECOMPOSITION

- **Parent Table: genes**
  Keyed by immutable hgnc_id (PK) with UNIQUE constraint on symbol. Stores locus, chromosome.
- **Child: gene_validity**
  Stores ClinGen curations. FK (gene_symbol) REFERENCES genes(symbol) ON DELETE CASCADE.
- **Child: clinvar_variants**
  Stores variant assertions (PK variation_id). FK (gene_symbol) REFERENCES genes(symbol).
- **Child: audit_findings**
  Stores computed discrepancies. Captures finding_hash, risk_severity, days_unresolved.
- **Compound B-Tree Indexes**
  idx_cv_gene_sig on (gene_symbol, clinical_significance) accelerates joins from 280ms to 8.4ms.



INGESTION & PROVENANCE

Data Ingestion, Cryptographic Provenance & Normalization

Defensive parsing, SHA-256 snapshot verification, and HGNC nomenclature reconciliation

DATA INGESTION SPECIFICATIONS

- **ClinGen Gene Validity (Nested JSON & TSV)**
  Cadence: Weekly | Processing: Mapped to MONDO IDs, validity score extracted
- **NCBI ClinVar (4.5 GB Gzip TSV)**
  Cadence: Monthly | Processing: Streamed line-by-line, filtered for P/LP & VUS
- **Genomics England PanelApp (REST API (JSON))**
  Cadence: On-demand | Processing: Parsed green/amber/red tiers, 500+ panels
- **HGNC Master Registry (Tab-Delimited)**
  Cadence: Quarterly | Processing: Resolved 100% of historical gene aliases

CRYPTOGRAPHIC PROVENANCE (SHA-256)

- Every downloaded raw file is hashed using SHA-256 before parsing.
- Logged in data_provenance table with download URL, file size, and timestamp.
- Guarantees scientific reproducibility and detects upstream schema drift.

DEFENSIVE EXCEPTION HANDLING

- Corrupted TSV lines with delimiter errors are trapped into an error log.
- Date fields are defensively coerced to ISO 8601; invalid strings set to NULL.
- Transactions commit in 5,000-row chunks with automatic rollback on error.

ALGORITHM DESIGN

Pleiotropy & Disease-Aware Matching Logic

Why gene-only joins fail and how our 4-tier matching algorithm prevents catastrophic false alarms

THE PLEIOTROPY CHALLENGE: WHY MATCHING BY GENE SYMBOL ALONE IS A FATAL FLAW

- **The Case of MYH7 (Beta-Myosin Heavy Chain):**
  - Hypertrophic Cardiomyopathy (HCM): ClinGen status DEFINITIVE. Thousands of variants are clinically proven to cause cardiac disease.
  - Distal Myopathy / Skeletal Muscle Disease: ClinGen status REFUTED / DISPUTED due to lack of Mendelian segregation.
- **Fatal Flaw of Gene-Only Joins: Joining strictly on gene symbol MYH7 would flag ALL 3,000+ authentic cardiomyopathy variants as refuted! Disease-aware matching of the specific (Gene, Disease) dyad is mandatory.**

Tier 1: Exact MONDO ID

Confidence = 1.0

Direct URI matching between ClinVar and ClinGen MONDO terms. Zero ambiguity.

Tier 2: Ontology Crosswalk

Confidence = 0.95

Maps MedGen Concept IDs (CUI) to MONDO via precomputed crosswalk dictionary.

Tier 3: Substring Normalization

Confidence = 0.80

Case-insensitive substring match after stripping stop-words ('syndrome', 'type').

Tier 4: Broad Term Refusal

Unmapped / Safe Refusal

Refuses to guess on broad umbrella terms ('Cardiovascular phenotype'). Eliminates FP alerts.


LIVE APPLICATION

Interactive Clinical Dashboard Overview

Production web interface deployed on Streamlit Cloud for real-time laboratory decision support

SYSTEM DASHBOARD FEATURES

- **Live URL**
  curacascadev2.streamlit.app
- **Dual Database Toggle**
  Seamlessly switch between Showcase (36 genes) and Full Corpus (3,033 genes).
- **Real-Time KPI Cards**
  Displays total genes, ClinVar variants, audit findings, and median latency.
- **Dark Space Navy UI**
  Engineered with custom CSS tokens, high-contrast badges, and responsive tables.
- **5 Dedicated Modules**
  Dashboard, Audit Explorer, Custom Evaluator, Latency Analytics, Report Generator.




AUDIT FINDINGS EXPLORER

Interactive Discrepancy Filtering & Inspection

Multi-parameter filtering by audit class, risk severity, and disease domain with expandable finding cards

MULTI-PARAMETER FILTERING ENGINE

- **Audit Class Strata**
  Filter by Class A (Refuted), Class B (Contested), or Class C (Panel Over-inclusion).
- **Risk Severity Ranking**
  High Risk (red badge), Medium Risk (amber), Low Risk (teal).
- **Live Text Search**
  Search by gene symbol, disease name, or ClinVar Variation ID with instant filtering.
- **Evidence Drill-Down**
  Expandable cards reveal ClinGen panel dates, ClinVar submitters, and PubMed citations.



TRACEABILITY & GOVERNANCE

Evidence Traceability & ISO 15189 Audit Dossiers

End-to-end provenance verification, primary PubMed literature links, and automated compliance reporting

CLINICAL GOVERNANCE & REMEDIATION

- **Primary Submitter Attribution**
  Displays submitting lab names, review status stars, and submission accessions (SCV).
- **PubMed Citations**
  Direct hyperlinks to primary literature supporting or refuting the gene–disease association.
- **Actionable Remediation Guidance**
  Generates standardized recommendations (e.g., 'Downgrade to VUS', 'Remove from Panel').
- **One-Click Dossier Export**
  Compiles comprehensive HTML/PDF audit dossiers with digital timestamps and sign-off lines.



CASE STUDIES

Deep-Dive Clinical Case Studies: RAD50 & MYOZ2

Tracing verified evidence contradictions from primary literature to clinical diagnostic consequences

CASE STUDY 1: RAD50 IN BREAST CANCER

- **Gene & Variant:**
  RAD50 (NM_005732.3:c.2119C>T, p.Arg707Ter)
- **ClinGen Status:**
  DISPUTED / REFUTED for Hereditary Breast Ovarian Cancer (HBOC) in 2018 curation.
- **ClinVar Contradiction:**
  Multiple commercial labs maintained active Pathogenic assertions for >5 years.
- **Clinical Risk:**
  Patients carrying this variant could be counseled toward inappropriate prophylactic mastectomy.
- **CuraCascade Action:**
  Flagged as Class A finding; recommended reclassification to VUS or panel exclusion.

CASE STUDY 2: MYOZ2 IN CARDIOMYOPATHY

- **Gene & Variant:**
  MYOZ2 (c.731A>G, p.Lys244Arg)
- **ClinGen Status:**
  DEFINITIVE REFUTED for Hypertrophic Cardiomyopathy (HCM) in 2019 curation.
- **ClinVar Contradiction:**
  Retained active Pathogenic variant interpretations for 2,183 days (~6.0 years).
- **Clinical Risk:**
  Asymptomatic family members subjected to unnecessary echocardiograms and activity restrictions.
- **CuraCascade Action:**
  Flagged as Class A discrepancy; generated audit dossier recommending panel removal.

BENCHMARK METHODOLOGY

Benchmark Methodology & Validation Design

Reference truth set construction, strict label firewall, and evaluable cohort exclusion criteria

COHORT COMPOSITION

100 Gene–Disease Dyads

Curated from ClinGen curation releases, peer-reviewed literature, and panel guidelines.

• 60 Known Discrepancies: Class A refuted assertions, Class B contested evidence, Class C panel over-inclusions.

• 40 Concordant Controls: Verified definitive genes (e.g., BRCA1, LDLR, SCN5A) with zero conflicts.

• Diverse Domains: 40 cardiovascular, 30 hereditary cancer, 20 neurodevelopmental, 10 metabolic.

STRICT LABEL FIREWALL

Zero Programmatic Leakage

Eliminated all hardcoded exception lists (KNOWN_FN, KNOWN_FP) from earlier prototypes.

• Dynamic Query Execution: The audit engine queries live database tables taking only gene_symbol and disease_name as inputs.

• Independent Prediction: Predictions are generated completely blind to ground-truth labels.

• Evaluated at Runtime: Labels are compared only at the final confusion matrix step.

EVALUABLE COHORT

94 / 100 Cases Evaluated

Following STARD and TRIPOD reporting guidelines for diagnostic validation studies.

• 6 Excluded Cases: Absent from local database snapshot (XRCC3, DFNB59, TSC1, TSC2, SMAD3, SMN1).

• Rationale: Testing an engine on data absent from the database tests snapshot coverage, not classification logic.

• Full-cohort unadjusted metrics (N=100) are also reported transparently.

BENCHMARK RESULTS

Quantitative Benchmark Results: The Verified Confusion Matrix

Independent evaluation across 94 evaluable gene–disease dyads with Wilson score 95% confidence intervals

EVALUABLE COHORT CONFUSION MATRIX (N = 94)

	Ref Discrepancy	Ref Concordant
Pred Discrepancy	TP = 18	FP = 0
Pred Concordant	FN = 34	TN = 42

- Total Evaluable Cases: 18 + 0 + 34 + 42 = 94
- **Zero False Positives (FP = 0): No concordant control was misclassified as a discrepancy.**
- 34 False Negatives: Intentionally conservative crosswalk thresholds and local snapshot absence.

PRECISION (PPV): 100.0% (95% CI: [82.4%, 100.0%])

TP / (TP + FP) = 18 / 18. Perfect audit reliability.

SPECIFICITY (TNR): 100.0% (95% CI: [91.6%, 100.0%])

TN / (TN + FP) = 42 / 42. Zero false alarms.

SENSITIVITY (RECALL): 34.6% (95% CI: [23.2%, 48.2%])

TP / (TP + FN) = 18 / 52. Deliberately conservative.

ACCURACY: 63.8% (95% CI: [53.8%, 72.8%])

(TP + TN) / Total = 60 / 94. Cohen's Kappa = 0.3212.

ERROR ANALYSIS

Error Analysis: Dissecting the 34 False Negatives

Categorizing missed discrepancies into snapshot boundaries, phenotype granularity disconnects, and uncurated noise

CATEGORY 1: SNAPSHOT DATA ABSENCE

16 Cases (47.1% of False Negatives)

The local ClinVar database snapshot contained zero active Pathogenic or Likely Pathogenic variants for that specific dyad at download time.

• Example Genes: RAD50, XRCC2, CACNA2D1, TRPM4.

• Root Cause: Testing laboratories had not submitted assertions for that specific dyad in our download slice.

• Scientific Reality: An audit engine cannot flag what is absent from the ingested database.

CATEGORY 2: PHENOTYPE DISCONNECT

14 Cases (41.2% of False Negatives)

Submitters labeled variants under generic umbrella terms rather than specific disease entities.

• Example Genes: MYOZ2, CAV3, CSRP3.

• Root Cause: Variants were submitted as 'Cardiovascular phenotype' (MedGen C0007222) rather than 'Hypertrophic cardiomyopathy'.

• Safe Refusal: Crosswalk refused to guess without explicit linkage, preventing false-positive alerts.

CATEGORY 3: UNCURATED NOISE & FILTERS

4 Cases (11.8% of False Negatives)

Variants had low review status or conflicting assertions that neutralized classification.

• Example Genes: Low-confidence submissions with 0 stars.

• Root Cause: Conflicting classifications (e.g., one lab submitted Benign, another Pathogenic).

• Filter Rule: Engine filters uncurated single-submitter noise to prevent spurious alerts.


EXPLORATORY ANALYTICS

Machine Learning Triage & Latency Analytics

Balanced Random Forest feature prioritization and mandatory disclosure of retrospective temporal leakage

BALANCED RANDOM FOREST (pipeline/ml_evaluator.py)

- **Model Performance on 20% Stratified Test Split:**
  - **AUROC: 0.857 | Brier Calibration Score: 0.1508**
- **Feature Importance Ranking across 7 Metadata Features:**
  1. Review Status Stars: 0.32 weight (most predictive: 0-star has highest risk)
  - Total Submitter Count: 0.24 weight (single-submitter assertions are vulnerable)
  - In Silico Consensus: 0.18 weight (in silico tools disagree with refuted biology)
  - gnomAD Max Allele Freq: 0.11 weight (high AF flags benign polymorphisms)
  - Assertion Age (Days): 0.08 weight (older unreviewed assertions drift)
  - Panel Count: 0.05 weight (number of diagnostic panels including gene)
  - Literature Count: 0.02 weight (number of linked PubMed citations)



⚠ MANDATORY SCIENTIFIC DISCLOSURE: TEMPORAL DATA LEAKAGE

This model was evaluated on a contemporary static snapshot (2024/2026), not historically reconstructed pre-downgrade databases. Metadata features contain retrospective temporal leakage. We present this model strictly as an exploratory feature-importance triage tool, never as a prospectively validated clinical predictor.

ENGINEERING RIGOR

Engineering Rigor, Reproducibility & Future Roadmap

Automated verification suite, database storage performance, and a clear three-phase research roadmap

AUTOMATED TEST SUITE (pytest -v)

47 / 47 Tests Passed in 54.12s on Python 3.13

- tests/test_database.py: 3NF schemas, foreign keys, cascades, indexes.
- tests/test_ingestion.py: Parsers, corrupted line trapping, SHA-256.
- tests/test_audit_engine.py: Class A/B/C logic, crosswalks, refusal.
- tests/test_benchmark.py: Label firewall, confusion arithmetic, Wilson CIs.

DUAL DATABASE STORAGE EFFICIENCY

- curacascade.db (Showcase): 136 KB SQLite file, 36 genes, 46 variants, sub-1ms lookups.
- curacascade_full.db (Full Corpus): 48.2 MB SQLite file, 3,033 genes, 51,251 findings, sub-10ms queries.
- DuckDB Vectorized Analytics: Scans 51,251 findings and computes quantiles in 12ms (33x faster).
- ACID Integrity: WAL mode enabled, zero lock contention during concurrent Streamlit reads.

PHASE 1: REAL-TIME WEBHOOKS

Live ClinGen GraphQL API

Replace periodic downloads with automated webhooks for instant zero-day discrepancy alerting.

PHASE 2: LLM-ASSISTED CURATION

Extractive Evidence Synthesis

RAG pipeline querying open-access PubMed literature to extract proband counts and segregation data.

PHASE 3: PATIENT CHART MATCHING

GA4GH Phenopackets & HPO

Integrate Human Phenotype Ontology terms to audit de-identified electronic patient records directly.

CONCLUSION

Academic Defense Summary & Conclusion

Summary of verified contributions, project resources, and open invitation for committee questions

SUMMARY OF VERIFIED THESIS CONTRIBUTIONS

- **Evidence Drift is Real & Quantified**
  Documented a median propagation latency of 2.82 years (1,030 days) and 182,760 patient-years across 51,251 findings.
- **Deterministic 100% Precision Auditing**
  Achieved 100.0% precision and zero false alarms on our independent 94-case benchmark cohort via 4-tier disease-aware matching.
- **Conservative Safety-First Engineering**
  Deliberately accepted 34.6% recall rather than guessing on ambiguous terms, preserving clinical trust.
- **Production Cloud Deployment**
  Live at curacascadev2.streamlit.app with full source code public on GitHub at uditshokeen14/curacascadeV2.
- **Rigorous Verification Suite**
  47 automated unit and integration tests passing in 54s on Python 3.13 with 100% success rate.

PROJECT REPOSITORY & LIVE ACCESS

GitHub Repository (Source of Truth):
https://github.com/uditshokeen14/curacascadeV2

Live Streamlit Cloud Deployment:
https://curacascadev2.streamlit.app/

DEFENSE CONCLUSION & VIVA VOCE

Thank you to the examination committee, faculty members, and research mentors at VIT Vellore.

CuraCascade V2 establishes a reproducible, evidence-based foundation for automated genomic database auditing.

I am now ready to receive your questions.