Name: **Imran Nazir Udoy**

Id: 22303286

# Website Diagram for Fit Life website

Fig: Website Diagram

```python
t = (1,2,3,4,5,"riad","ng")
t2=("asan",6,7,8,9,10,"ekhsan")
t3=(1,2,3,4,5,6)
print (f"{t} and {t2}")
# t2[6]="asan ekhtiar and santo"
# t[5]="ng riad"
print (f"{t2} and {t}" )
print(t[0:4])
# t[1:3]=t2[1:3]
print(t)
# t.append("riad is coming soon to ekhtiar and santos house , cheer him")
# print(t)
x=len(t)
print(x)
# t.insert(x,"hell niga")
# print(t)
# t.extend(t2)
# print(t)
ma=max(t3)

mi=min(t3)
print (ma)
print (mi)
c=t3.count(3)
print("count : ",c)
n=4
for i in range(1,5):
    print("*"*i)

l1=list(t3)
l1.reverse()
print(l1)
l1.append(666)
l1.insert(3,766)
l1.sort()
tu=tuple(l1)
print(tu)
```

```
(1, 2, 3, 4, 5, 'riad', 'ng')  and ('asan', 6, 7, 8, 9, 10, 'ekhsan')
('asan', 6, 7, 8, 9, 10, 'ekhsan') and (1, 2, 3, 4, 5, 'riad', 'ng')
(1, 2, 3, 4)
(1, 2, 3, 4, 5, 'riad', 'ng')
7
6
1
count :  1
*
**
***
****
[6, 5, 4, 3, 2, 1]
(1, 2, 3, 4, 5, 6, 666, 766)
```

```python
def arbid_sazid(a,b,c):
    if c=="+":
        print(a+b)
    elif c=="-":
        print(a-b)
    elif c=="*":
        print(a*b)
    elif c=="/":
        print(a/b)
    else:
        print("invalid operator")

a=int(input("enter the first number : "))
b=int(input("enter the second number : "))
c=(input("enter the operator : "))
arbid_sazid(a,b,c)
```