3S-COM Testbed Scenario Report - Scenario 4 - DDoS and Make-Before-Break

	Scenario	Algorithm	Requests	Accept	No safe	MSD viol	Decision ms	Service ms	Timeouts	Migrations	MSD drops
rio 4 - D	DoS and Make	ybrid_runtime	113	24.8%	75.2%	0.0%	4632.4	2.33	0	9	0
rio 4 - D	DoS and Make	jo_vppm	113	23.0%	77.0%	0.0%	1671.3	3.59	0	0	0
rio 4 - D	DoS and Make	heuristic	113	22.1%	77.9%	0.0%	4.7	2.34	0	0	0
rio 4 - D	DoS and Make	greedy	113	25.7%	5.3%	69.0%	3.0	0.23	0	0	0
rio 4 - D	DoS and Make	decoupled	113	18.6%	0.0%	77.9%	0.4	3.67	0	0	0


Algorithm Acceptance Comparison
decoupled
greedy
heuristic
hybrid_runtime
jo_vppm
Acceptance rate (%)
0
5
10
15
20
25
ddos_mbb


Hardware Safety Comparison
MSD violation rate (%)
0
10
20
30
40
50
60
70
80
decoupled
greedy
heuristic
hybrid_runtime
jo_vppm
ddos_mbb


Decision Latency by Algorithm
Decision latency (ms)
3000
2500
2000
1500
1000
500
0
decoupled
greedy
heuristic
hybrid_runtime
jo_vppm


Network Service Latency Comparison
decoupled
greedy
heuristic
hybrid_runtime
jo_vppm
Modeled service latency (ms)
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
ddos_mbb


Make-Before-Break Activity
Triggered
Succeeded
Count
0
2
4
6
8
hybrid_runtime:ddos_mbb