

ELECTRINIUM FOUNDATION OF AMERICA INC.

Arthur P. Summers
850 N 28th St.
Springfield, Oregon 97477

AN UPDATE AND EXPANDED VIEW OF THE LAW OF ELECTRICAL BALANCE

The electrinium battery is based entirely upon the law of electrical balance and the power of the atom, so let us restate that law and give an expanded explanation thereof.

THE ELECTRICAL CHARGE OF THE ATOM IS EQUAL TO ITS WEIGHT, MULTIPLIED BY ITS VOLUME. BEING ELECTRICALLY CHARGED IN THAT MANNER, EVERY ATOM IS EQUAL IN POWER TO EVERY OTHER ATOM WHEN THEY ARE OF EQUAL HEAT AND OF EQUAL PRESSURE.

The illustration on the cover of Solar Radiant Energy is an illustration of our Universe. The large circle is the Central Sun which lies in the center of the Milky Way. The middle circle is our Solar Sun and the smaller circle is the Earth. All energy in this Universe comes from the Central Sun. It comes to us as radiant electrical energy and is an evenly balanced power throughout the Universe. *This electrical force is not a substance, it is only a force. The electron, which is a created substance, is the carrier of electrical force.* Without solar radiation, all atoms would collapse and their electrons would lie directly upon the nucleus.

To illustrate this energy force more clearly, it is comparable with a tire carrying 60 PSI of air. The tire is full of energy and will lift and carry heavy loads indefinitely. However, it isn't the air that has the energy, it is the pressure under which the air is carried. A tire that has no pressure is a flat and will do not work.


Our Universe is like the tire, the entire void is filled with ether which is under electrical pressure from solar radiation. The ether is a *non substance, in a precreated form, and is that from which all substances are created.* The law of electrical balance and the power of the atom may be new to you but think about it in connection with the Thermo-electric couple, the silicon solar cell, the electret, the self actuated energy cell, chemaloy smelting and all the inventions in which the *volume is increased or decreased through pressure or temperature change.* All the great forces produced and used by nature are produced in this way. When the volume of an atom is changed through heat, cold or pressure the electrical balance changes between the present area and its surroundings.

THE LEAD ACID STORAGE BATTERY AND THE ELECTRINIUM BATTERY


It is believed that electricity is produced by a chemical action in the battery. It is also believed that a storage battery can be discharged and can be recharged. None of these beliefs are actually true; if you will follow along with me and study the following drawings you will see for yourselves that it isn't true.

The following illustrations are of the storage battery of today and proposed electrinium battery of tomorrow. These illustrations are of an extreme magnification of a very small portion of a one cell battery. Only 9 atoms are used in the acid battery, three each of lead, zinc and sulphur. Only six atoms are used in the electrinium battery, three each of lead and zinc. The elements of *lead and zinc* are used only for *illustrative purpose.*


#1 Is open circuit at full charge and shows atoms positioned in a new acid battery ready for use. -A- Positive lead atoms. -B- Negative zinc atoms. -S- Sulphur atoms. -D- 2½ volt light bulb. -C- the gap between the lead and zinc plates filled with a solution of sulphuric acid and water, compounded to produce a pathway of conductivity with a resistance greater than battery output.



#2 Closed circuit at full discharge. One lead atom has united with one sulphur atom, crossed the gap and united with a zinc atom, which created a full body of electrical energy with both positive and negative AB plus S, or ASB. This energy then made the full circuit through the light bulb -D- and returned to its metal body -ASB- We now have a compound molecule, -ASB- within a single atom circuit which is greater in force than the next lead atom. The circuit is blocked until this compound molecule is discarded in battery charging. When the electric energy made the full circuit, it passed through the bulb and crossed the gap twice. The gap must be greater in resistance than the bulb, therefore this flow of energy must have been greater than 7½ volts.



#3 Is a mass of Electrinium Compound in which the lead and zinc atoms have been united, producing compound molecules -AB- in which state they contain full electrical bodies with both positive and negative pres-



ent. This mass is now electric, like iron is magnetic. The positive ends are greatly attracted to the negative ends, the negative to the positive, the atoms form small circles and energy flows on and on endlessly. This is just like the flow of magnetic energy in soft iron.


#4 Is an Electrinium Unit. The body -E- is a very hard substance of good conductivity, such as a semiconductor crystal. Within that body are three Electri-

nium molecules -A- that have been electrically aligned with all positive ends in one direction and negative to the opposite. All three -AB- molecules will produce at all times with a combined energy output of over 22½ volts at light bulb -D-. This gives us a permanent source of electrical energy, just like the permanent magnet.

Study these drawings, especially #1 and #2. How does a battery work?? You can see that all energy that goes out of it must return, so it really cannot become discharged. The energy you charge into it must come out, so, it really can't be charged. WHAT REALLY DOES HAPPEN??

Follow the circuit, starting with positive -A-, how it then joins the acid atom -S- and rides on its back across

DEMPSTER®



*The leading
name in
Windmills
for over a
century.*

TAX CREDITS

5 YEAR WARRANTY

CERTIFIED TECHNICIAN

Sold, serviced and installed in New Mexico by

**WILLIAMSON'S
WATER WORKS**

N.M. LIC.
WD 849

WINDMILLS • PUMPS • WATER SYSTEMS


Star Rt., Box 302
Tijeras, NM 87059

(505) 281-5788



ENERGY UNLIMITED

POB 35637, Sta. D, Albuquerque, NM, 87176



the gap between the positive and negative plates and joins the negative atom -B-. This produced the compound molecule -ASB- which now contains the electrical force of all three atoms within a single body. This force, which is greater than any other force within the circuit, leaves the battery through the switch, through the light bulb, then back into the battery through -A-, crosses the gap again and into its own body -ASB-.

Now this particular circuit is blocked, (discharged) by the -ASB- molecule which is much stronger electrically



SERIES 311-B

**ZEPHYR
DIRECT
DRIVE
ALTERNATOR**

A BUILDING BLOCK FOR WIND MACHINES
RATED 1.5 KW AT 450 RPM, 180 HZ

DIRECT DRIVE — LOW RPM

EFFICIENT — PERMANENT
MAGNETS
BRUSHLESS

RELIABLE — LOW
MAINTENANCE
WEATHER-TIGHT
RUGGED



P.O. BOX 241, BRUNSWICK, MAINE 04011
(207) 725-6534

SOLAR MART

NEW MEXICO'S LEADING
SOLAR SUPPLY STORE



DIVISION OF
MCGILL STEPHENS INC.

134 Vermont N.E.
Albuquerque, NM 87108
(505) 262-2108

Free Solar Seminars
Free Catalog

Builders-Use Our Show Room For Your Customers


Novan Collectors & Modules
Closed Loop Systems
Open Loop Systems
Draindown Systems

Kalwall Fiberglass Glazing
Kalwall Water Storage Tubs
Kalwall Insulated Skylights
Window Quilts

Thermol 81 Energy Rods



CUSTOM INSTALLATION or DO-IT-YOURSELF



ALL STEAM - from bicycles to cars and buses, light aircraft to airships, canoes to coastal paddle steamers, and small stationary to massive beam engines.

FUELS - gas, oil (including waste oil), coal, wood, sawdust, peat (turf), solar, and nuclear.

Magazine - Plans - Books

Subscription: 1 year, \$11; 2 years, \$21

Sample with brochure: \$2

Dollar bills (NOT coin),
International Postal Money Orders
accepted

"STEAM POWER"

**KIRK MICHAEL,
ISLE OF MAN, BRITAIN**

heatpipe

PASSIVE SOLAR WATER HEATER



- **PASSIVE**
- **HIGHLY EFFICIENT**
- **5 YEAR WARRANTY**
- **FREEZE PROTECTED**
- **MAINTENANCE FREE**

The heatpipe™ Passive Solar Water Heater uses the boiling and condensing of freon™ liquid to achieve highly reliable and efficient performance with no moving parts, electric power, pumps or controls. This patented system is SRCC certified and IAPMO accepted, highly cost-effective and freeze protected. For information regarding distribution, contact:

DAVID MILLER (505) 838-4182



**ENERGY
ENGINEERING INC**

7001 BLUEWATER RD. N.W., ALBUQUERQUE, N.M.
(505)-838-4182 87105



"...professional, easy
to use, accurate
and builds con-
sumer confidence."

— Jerry Yudelzon,
Energy Clinic
Corporation



David Wright, A.I.A., renowned solar architect

Architects ■ Designers ■ Builders ■ Planners
Solar Sales Personnel ■ Installers ■ Utilities
Energy Auditors ■ County/City Officials

An instant visual solar calculator and site selector that determines solar access (optimum direct radiation, shading patterns: percent of occlusion, insolation). Ground or roof top level, with or without sun, for best site or collector orientation. For passive, hybrid, or active systems design, construction, or installation, both new and retrofit.

\$79.50 (with winter grid) plus \$3.00 shipping. Summer grid \$8.00 additional. Specify nearest even latitude. Extra winter or summer grids \$8.00 each. Calif. residents add 6% tax. Money back guarantee.

Solar Site Selector Dept SE-1

Pat. Pending

105 Rockwood Drive
Grass Valley, CA 95945 (916) 272-2077

than the single atoms behind it. If it could be removed from the circuit the atoms that follow it would be free to move and produce energy. To do this a generator forces energy through the battery backwards (charging) and it breaks the -ASB- molecules loose, they fall to the bottom of the battery and the circuit is again free to function. Of course this is slowly destroying the battery and the -ASB- molecules become sludge which builds up on the bottom of the battery and in time will touch the bottom edge of the plates and short them out. Very few batteries ever wear out. They short out.

Study this carefully and you will see that a battery uses within itself much more energy to fulfill a demand than is actually attained in usable energy. The energy it takes to build those -ASB- molecules is great in comparison to the small amount it takes to break them loose and let them drop to the bottom. They only need a little bump and here is how it can be done. Read on, it's already here.

SOLAR RADIANT ENERGY AND THE ELECTRINIUM BATTERY

In studying the above drawing and seeing the -ASB- molecule in the middle of the circuit which blocks all traffic until it is removed or discarded, I wonder how we

can better this? It might be very simple if we could go back 12,000 years to the electrinium battery of Atlantis. In it the -A- & -B- atoms were combined into compound molecules before they were installed into the battery. Study Figure #4. The molecules never move and there is no use for acid, there is no destruction of material, the circuit never becomes blocked, and the energy can flow on continuously forever. Another thing to notice in the drawing of #4. The three -AB- molecules are lined up like flashlight batteries. Instead of having only two volts the electrinium battery will multiply its voltage over and over again and a 1,000 volt battery will be common.

The storage battery is over 100 years old and during that time many many different elements have been used in its construction. To make a battery, two diverse elements are used, a positive and a negative. The positive element is always the smaller atom with the greatest number of electrons and the greater electrical force. The Negative is a much larger atom with fewer electrons and a lesser electric force. Look at the element table in your dictionary. Over 100 elements are listed and each one has an atomic number which is the number of its electrons. Next listed is its atomic weight. In selecting the elements to be used in the electrinium battery both these tables are necessary. The idea is to create a

substance that is out of electrical balance with its surrounding elements. Note that the large elements (negative) have a weak force. The small elements (positive) have a strong force. Yet, under the law of electrical balance they are equal. If we take a small atom with great force and combine it with a big one with a weak force, we will then have a large atom with a great force and it will be out of balance with all other atoms.

The solar cells of today do this by expansion from solar radiation. The self actuated energy cells do this through compression and pressure. They were patented in 1983 but are not in production. The cell is of two parts, one side is positive, the other negative. The two parts are put together under pressure of 75 to 100 PSI (squeezed tightly together) then sealed into a single unit which retains the pressure inwardly. The finished cell (called Sunergy) is 1" x 1" x 1/4" and has an energy output of 1.9 volts x 5 amps. The electret is also new, has a very high voltage but no amperage and is used in microphones.



All of these above devices depend upon some kind of outside source to throw them out of balance electrically. The out-of-balance feature will be built into the electrinium battery permanently. This will be done by combining all of the positive elements with all of the negative elements. None of the electrical producing elements will be atoms but will be compounded into molecules and the battery will be solid state in which there is no chemical action. In combining these elements, it is more than just mixing together. It is like the cream being homogenized with the milk; they become a compound substance that will not easily separate.

Years ago a man called me from Phoenix and said his friend had put together an electrinium unit and it worked. Later when I got there the man was in the hospital with a heart attack. When he was released I got to talk with him only a few minutes and he promised he would contact me again after he had recovered his strength. He never did and now he isn't to be found. He did tell me that he had used copper and beryllium to make his compound but during further work the compound destroyed itself. His idea was good and he should not have had any trouble combining his compound with the element germanium which would become the crystal body.

Notice, the copper atomic number is 29 and its atomic weight is 63.546. The beryllium atomic number is 4 and its atomic weight 9.0122. The atomic number for germanium is 32 and its atomic weight is 72.55. After the copper and the beryllium are combined into electrinium compound the compound would then have an atomic number of (29 plus 4) 33 and that is very close to that of germanium which is 32. However, when we compare the weights of the compound and that of germanium it is even closer. Compound atomic weight would be (63.546 plus 9.0122) 72.5582 against the germanium atomic weight of 72.59. That is awful close and with a little care they should combine and stay mixed all through crystal growth and cooling period. To align the electrical properties it has been suggested that a strong magnetic field be used during the growing and cooling period rather than using the DC or AC electric force.

Save Labor, Save Costs... Build support systems for SOLAR COLLECTORS

with
KEE KLAMPS
and
ordinary
pipe.



Permit quick, easy seasonal
angle adjustments.

Kee Klamps are strong malleable iron castings... galvanized to resist corrosion. Use with standard 1/2" to 2" pipe. No threading, no bolts, no screws, no drilling. Just use allen wrench. Build easily right on the site. Save up to 70% in labor costs. Seasonal angular adjustment can be made quickly and easily. Gives unlimited scope to the designer and builder. Send for free catalog that supplies complete ordering information and prices.

KEE KLAMPS

79 Benbro Drive Buffalo, N.Y. 14225
In Canada: 159 Rayette Road, Concord, Ontario L4K-1C7

Solar Storage Tanks



- **Lowest Cost per Gallon!** ■
- **Various Sizes Available** ■
from stock
- **ASK FOR LITERATURE!** ■

SOLAR COMPONENTS

Div. KALWALL CORPORATION
P.O. Box 237, Manchester, N.H. 03105
Phone 603-668-8186
Visit our store at 121 Valley Street.