





Magnetic Bearing Technologies

*Autoactive™
Magnetic
Bearings*

NO EXTERNAL CONTROLS



MBT's Advanced Prototype

benefits of magnetic bearings

- no mechanical friction or wear
- oil-free, no contaminants
- ultrahigh-speed operation
- low power consumption
- high or low temperature operation
- reduced vibration and noise

drawbacks of conventional magnetic bearings

- high cost
- damaging high-speed deviations
- bulky external control unit
- cumbersome cables
- expensive UPS requirement
- position sensor problems

Magnetic Bearing Technologies, Inc. ("MBT") has developed an entirely new class of magnetic bearings that are inherently stable. MBT's *Autoactive*™ bearings generate their own power, greatly reducing the risk of rotor deviations and eliminating the need for a UPS system. Because the position sensing, power generation and force transducer functions of MBT's *Autoactive* bearings are performed by a few simple components within the bearing envelope itself, there is no need for external power supplies, control electronics, amplifiers, cables or discrete position sensors.


PATENTED TECHNOLOGY

SELF CONTAINED


An *Autoactive* magnetic bearing is completely self contained, like a ball bearing. Owning an *Autoactive* system is like having a set of friction-free ball bearings that never require oil, grease or maintenance. MBT's engineers are available to analyze your application and quote performance and price for prototypes and production quantities. The end result is a product that's as easy to use as a ball bearing—just install an *Autoactive* unit in your bearing envelope and it's ready to work.

Autoactive bearings eliminate the need for

costly installation procedures
control cabinets
external cables
position sensors
UPS systems
power supplies



Demonstration Unit




Prototype Rotor

Autoactive bearing applications

turbomolecular vacuum pumps
turboexpanders
compressors
satellite momentum wheels
flywheel batteries

INHERENT RELIABILITY

“self contained, like a ball bearing”



Magnetic Bearing Technologies, Inc.

4030 Braker Lane West, #300

Austin, Texas 78759

Telephone (512) 346-6576

Telefax (512) 346-9949