

- FOREWORD OF THE EVENT -

Before starting to read the following summary about the landing of an U.F.O. in Cicciano (Naples, ITALY), it's better if the readers will be well informed about the analysis arose from the exam of the UFO's landing finds, in reference of the Chemical-Physics change effects of the traces on the ground made by the UFO in sequel of an Electro-Magnetic field - in the frequency of high power microwaves -; these analysis represent a scientific confirmation about the E.M. propulsion of the UFO's, confirmed by many researchers till now, but never proved by laboratory data. These data, anyway, came from traces on the ground made by other UFO's landings occurred in different times and places very far from each other. These cases we're talking about are -in chronological order- Delphos (Kansas, USA), occurred in 1971/NOVEMBER/2nd (1); Trans-an-Provence (Gard, FRANCE), occurred in 1981/JANUARY/8th (2); Luogosano (Avellino, ITALY), occurred in 1989/DECEMBER/22nd (3).

About the microwaves, but perhaps this is only a "curious coincidence", the name of the Radioastronomical research SETI (Search for Extra-Terrestrial Intelligence), gave by the American Congress to NASA in the 12th October 1992 together with an allocation of 100 million dollars, is now HRMS, which means "High Resolution Microwaves Survey".

At last, about the Chemical-Physics change effects of the traces on the ground of the UFO's landing, as quoted above, the Chemical researcher Alessandro DATTELO (co-author with the Electronic researcher Vincenzo IORIO about the analytical investigations on UFO's landings in Luogosano and Cicciano) has elaborated a physical theory to explain the interaction mechanism with the environment of the primary energetic phenomenon, or UFO, so to say. Such a theory, defined as "MODULATED FIELDS", is briefly reported in the following treatise.

The Investigator:



FOOTNOTES

(3) Ufological research Bulletin No 89-AV-OI- made by the investigator Umberto TELARIGO.

- REPORT -

- Reconstruction -

TYPE EVENT: sighting of an UFO with traces on the ground;

PLACE: parco verde - CICCIANO - province of Naples;

DATE OF THE EVENT: Saturday, 1990/NOVEMBER/3rd.

Saturday 1990 November, the 3rd, between 20/00 and 20/30 pm, two young boys, [REDACTED] and [REDACTED] TA, respectively of 11 and 12 years old, were sitting on the bench placed behind the gas tank (next to the tennis sportground) in the area of "parco verde" where they live with their own families (ADDRESS: [REDACTED]). They were talking about school and the holiday of that day; in fact their parents allowed them to have a break at school, because that Saturday was in the middle of two days of public holidays. Suddenly they heard a dull and muffled noise, like a flash-light (as the young witnesses declared); they turned back and saw a violet intense flash, disappearing beyond the trees and the hedge, in the avenue between the building and the tennis sportground. The distance, as the crow flies, between the place where the boys were standing and the hedge which defines the avenue, is about 20 mt. The two boys, through an inner avenue, reached in great haste (in about 13 seconds, as timed during the reconstruction of the event) the link with the main avenue where, from a distance of 10 mt, they could see the phenomenon without any visual obstacle. They saw an object apparently hemispheric, emitting a violet cold light with green variegatures (such a luminescence seemed not to spread beyond its perimeter). Such variegatures, as the two witnesses revealed, unceasingly migrated, remaining always alighted, with an irregular and winding motion, on the whole surface of the UFO. Below the object, the witnesses observed three bright emissions (flames) of rectangular shape, about 30 cm. long and clear violet in color; these "flames" appeared one for each limb of the object and a third one in the middle of it. Such bright emissions showed a clean and exact outline, except for the side turned to the ground, which appeared irregular and shaded. According to the witnesses, the bright emission in the middle were more wide than the other two, which were equal from each other. The flying object was suspended from the ground at about 2-30 mt; its basis was about at the same level of the balcony, at a distance of 70/80 cm. According to the witnesses, the UFO emitted a kind of low intensity hissing sound. From the beginning of the observation the flying object, with a moderate speed, raised up vertically. Then, after reaching an altitude from the ground of about 5/6 mt, with a sudden acceleration, the UFO disappeared in the dark sky, partially cloudy. The quick disappearance of the phenomenon has been perceived by the witnesses only thanks to its "trail of light".

All the observing phenomenon has lasted not more than 8/8 seconds. Because of the short distance between the witnesses and the UFO (about 10 mt) they have estimated its real size (according to a comprehensive view under which the phenomenon were observed -

1

- see picture 2 - phase I) in about 3 mt its length basis, and 1 mt its maximum height. During the slow raising up of the object, the witnesses could see more clearly (because of the changing of the comprehensive view) the lower side of the UFO. The below "flames" were tubular shape; not rectangular; they were four and not three, as before confirmed because of the different comprehensive view. The three bright emissions, equal from each other, were disposed on the exterior edge of the UFO's basis, on the vertices of an hypothetic triangle. The bright emission in the middle of the object instead, also apparently tubular shaped, looked like more wide of the others. During the sudden acceleration, according to the witnesses, the bright emission of light in the middle of the UFO increased its diameter. During this phase of the observation, Carmine M. and Ludovico G. could notice the basis of the flying object as an ellipsoidal shaped. When the UFO sudden upwards speeded up, the witnesses didn't perceived any hissing sound or noise. Now, while Ludovico G. ran towards his friends into the garage (where they were playing) to tell them what he and Carmine saw, Carmine M. remained again on the observing site for about 1 minute more; he could see, thanks to the light of the streetlamps, a black motes cloud. Because of the wind, according to the witness, the shape of the cloud was oblong and lodge a bit more over from the landing site of the UFO. According to [REDACTED] M., a share of this motes fell down in a puddle of rain water, which seemed to put on a colour like the ink. After that, Carmine M. reached [REDACTED] G. and his friends in the garage. Both the witnesses declared that, after the disappearance of the phenomenon, the image of the UFO still persisted on the retina of their eyes for about 10 seconds more.

After ten minutes time, the two witnesses, together with all their friends, went back to the landing site; one of the witnesses' friends, I [REDACTED] 10 or ten years old, saw on the concrete ground some strange black spots, never seen before. So, the two witnesses saw and connected these traces with the appearance of the UFO. This connection is logical, because the traces agree (in number, shape and distribution) to the light emissions observed under the flying object. I [REDACTED] declared also to have touched these black spots with his fingers, without perceiving heat or to dirty the fingers itself.

After 40 minutes from the observed phenomenon, the traces on the concrete ground have been seen by Carmine's mother, [REDACTED] [REDACTED] a [REDACTED] and by two of her guests, Mrs Antonella GRASSO and Mrs A [REDACTED]. Such a traces appeared clean, exact and with an homogeneous coat of black sediment.




The Investigator

[REDACTED]



PICTURE 1

DATA: 9/NOV/1990

- A -



DATA: 9/NOV/1990






- 4 -

• Ricostruzione
grafica -B-

3° Fase

2° FASE

1° FASE



cm. 230

cm. 117

RICOSTRUZIONE GRAFICA -C-



LUNGHEZZA
STENDIBIANCHERIA
mt. 2,80 circa

BALCONATA

FILI STENDIBIAN-
CHERIA (n. 4)
IN MATERIA SINTE-
TICA ESTERNAMENTE
E 4 SOTTILI FILI
DI ACCIAIO INTERNI


PALO LAMPIONE

MURETTO DI CINTA CON
SIEPE SUPERIORE
h-MURETTO = cm. 52
h-SIEPE = cm. 90 circa
h-MURETTO+SIEPE = cm. 142 circa




Ricostruzione grafica di UMBERTO TELARICC
Realizzazione grafica di SILVIO DE ANGELI

Ricostruzione grafica di UBERTO TELARICO
 Realizzazione grafica di SILVIO DE ANGELIS




RICOSTRUZIONE GRAFICA FORMA DEL PRESUNTO UFO, IN ACCORDO
CON I DATI TESTIMONIALI, LA STRUTTURA GEOMETRICA DELLE
TRACCE E I RILEVAMENTI METRICI DEL SITO OVE DETTO FENO-
MENO SAREBBE STATO OSSERVATO.


RICOSTRUZIONE GRAFICA -G-



1) VISTA IN PIANTA
PARTE INFERIORE



3) VISTA LATERALE



2) VISTA FRONTALE
RISPETTO AI TESTIMONI

Ricostruzione grafica di UMBERTO TELARICO
Realizzazione grafica di SILVIO DE' ANGELIS

ORGANOLEPTIC EXAM OF COLLECTED SAMPLES

(Description of the samples collected, after a Visual, Olfactory and Tactile exam)

Type event: -sighting of an UFO with traces on the ground-

Place: -Parco Verde-CICCIANO-Province of Naples-

Date: -Saturday, 1990/NOVEMBER/3rd -

Natural ground (or comparison) :

The comparison samples of the ground are morphologically shown as classic agglomerates of concrete, with different size compound by Gravel (that means fragmented stone), partially included in an amalgam of sand and cement. The surface of such fragments, exposed at the air, has a clear colour with round edges, because the ground, meanwhile, has been in succession trodden. On the contrary, the amalgam of sand and cement has a clear grey irregular ravines. The fragments of the ground are covered up by a grey/green patina, more dark of the amalgam and almost homogeneous, made by microscopic Lichenes (a symbiotic association of a mushroom with a seaweed), typical of damp places and not directly exposed to sunbeams. The samples of ground do not emanate any particular perceptible smell.

Ground of the trace (or suspicious) :

The samples of the trace on ground show a morphological structure similar to those of natural ground; the only difference consist of a lead/grey/black superficial patina, almost even, apparently of carbon origin. If we rub one of our fingers on such a coal patina, it leaves a black sediment on the skin, similar to that left by the graphite or woodcoal. The samples of the ground do not emanate any particular perceptible smell.

Left thread for drying washing :

The thermoplastic threads (marked as Table No 1 and No 2), having cm 275 in length and mm 3 in diameter, are compound by a soft external plastic blue sheath, by an internal thickness compound of thin white syntetic fibres, and by an heart of four thin steel wires. With a careful visual comparison of both threads, we won't notice any difference or alteration between the thread placed above the trace on the ground (-A-or suspicious line) and the remainder thread.

The Analyst

-9-

- ANALYSIS OF THE COLLECTED SAMPLES AT THE OPTICAL MICROSCOPE -

Type event : Sighting of an UFO with traces left on the ground;

Place : Parco Verde - GIGLIANO - Province of Naples;

Date : Saturday 1990/NOVEMBER/3rd

USED EQUIPMENT: professional microscope -PAIN 600 X-

USED MAGNIFICATION: 8x10=80 - 8x15=120 - 20x10=200 -

Observed under a magnification of 80X and 120X, a concrete fragment type -2- (natural ground or comparison) appears as a mixture of heterogeneous elements kept together by sand and cement. In the amalgam we distinguish the following components:

- A) sand mixed with Silica glassy fragments;
- B) a large quantity of stones or broken stone fragments;
- C) different large white/dull crystals of Carbonate Calcium;
- D) a lot of black mineral structures.

Observed under a magnification of 80X, 120X, 200X, a concrete fragment type -I- (trace ground or suspicious) appears covered by a thin carbonic layer, homogeneous and close to a calcareous sublayer. The fact that the surface of the traces, though the presence of an extreme unevenness (such as holes, ravines, etc.), shows an homogeneous distribution of the carbonic pellicle, do not admit that this could be the result of a deliberate rubbing with wood-carbon and/or blacklead, so a fraud. The fragments of ground of the traces show, anyway, an increasing reflective power because of carbon and crystalline layers from which they are compound.

From the samples of ground we observed some large white/dull Carbonate of Calcium crystals emerging from the carbonic layer. Under a microscope observation, the samples of ground where the traces are located, appears in colour as bright metallic/grey.

The Analyst

████████████████████

- MEASUREMENT OF THE ELECTRIC RESISTANCE OF GROUND SAMPLES -

Type event : sighting of an UFO with traces left on the ground;

Place : Parco Verde -CICCIANO- Province of Naples;

Date: Saturday 1990/NOVEMBER/3rd

Through a sensible instrument of electric measurements, such as an electronic Tester mod. DIGITEST 82, made by the firm I.C.E. of Milan, it is been drawn the electric resistance of a sample of ground of the trace left by the UFO (or suspicious) and a sample of natural ground (or comparison). The result it's been that the surface of the sample of trace ground (or suspicious) shown, even if with an amount not numerically quantificated, a conductivity higher than the natural ground (or comparison). The measurement of the sample of suspicious ground has been drawn on the superficial carbonic layer of the sample itself.

The Analyst

Vincenzo IORIO

- RESULTS OF CHEMICAL TESTS IN DAMPNES -

Type event : sighting of an UFO with traces left on the ground;

Place : Parco Verde -CICCIANO- Province of Naples;

Date : Saturday 1990/NOVEMBER/3rd

The results of chemical analysis in dampness, about the presence of Cations and Anions, carried out on a sample of ground of the trace (or suspicious) and on a sample of natural ground (or comparison), according with the most trusted and sophisticated x-rays spectrography exam (E.D.S. X-RAY), confirmed the perfect and equal qualitative similitude of the two analysed samples of ground. Anyway, the absence in both samples of ground of Sulphates, Chlorides, Phlorures and Lunar Caustics, confirmed by the low value of PH (equivalent at about -7-), has excluded the pouring on the ground of any acid substance.

The Analyst



- 11 -

- SUMMARIZED CONSIDERATIONS AND FINAL CONCLUSIONS OF THE TWO ANALYSTS -

Type event : sighting of an UFO with traces on the ground;

Place : Parco Verde -CIGCIANO- Province of Naples;

Date : Saturday, 1990/NOVEMBER/3rd.

A) The analysis at the D.S.C.(Differential Scanning Calorimeter) allowed us to establish that the ground of the trace (or suspicious) had undergone an E.M. irradiation with high frequency microwaves for about 10 seconds. The intensity of such irradiation has been not more than 360 times that produced by an E.M. induction oven, having a power of 2500 Watt and a frequency of 2,2 Ghz. The remaining presence of not carbonized organic material in the traces left by the UFO on the ground (or suspicious) proves that the irradiation with microwaves has been probably accompanied by a thermic flash more than 1000°C lasted for about 1 second. Such thermic effects produced the carbonization of organic material (Lichenes) on the ground in the irradiated area, with the consequent synthesis of new organic compounds, in origin not located on the natural ground.

- DIFFERENTIAL SCANNING CALORIMETER or D.S.C. -

(Thermodifferential Analysis)

Description of the used analytic procedure and evaluation of obtained results.

The thermic analysis carried out on a sample of natural ground (or comparison)-see DSC 1 shows an esothermic reaction of it in consequence of a probable combustion between 100°C and 300°C, and a carbonization phenomenon which starts at 460°C. All this leave no doubts about the organic nature of the superficial layer located on the sample mentioned above, where we recognize the thermic behaviour of the inert material, such is the Carbonate of Calcium.

The thermic analysis carried out on a sample of ground of the trace (or suspicious)-see DSC 2- shows a more inert thermic behaviour, and the absence of combustion reactions till 250°C, with the consequent damagement of the organic material still located on the sample itself; this last circumstance is confirmed because the carbonization reaction of the remaining organic material mentioned above starts at the temperature of 300°C.

The result obtained, thanks to the microwaves treatment, it's been very good. In fact, if we compare the graph DSC -4-, concerning the sample of comparison ground treated with microwaves, and the graph DSC -2-, concerning the sample of ground of the trace (or suspicious) we will notice their similar behaviour (see DSC -6-).

Unfortunately, about this sample of comparison ground opportunely treated with microwaves though it is thermically similar to the sample of ground of the trace (or suspicious), we don't notice any obvious carbonization effects, but only a quick dehydration effect. Such dehydrated effect happens because of the presence of Lichenes on the ground surface

that, containing more water, have probably undergone a quick dehydration and combustion effect, generated by a cellular explosion. After the effect above mentioned, the surface of the sample of comparison ground treated with microwaves, assumes a soft, inert, and almost "lunar" appearance because of the presence of small craters.

The carbonization of the organic matrix, noticed on the sample of suspicious ground, could be provoked by a very quick thermic flash that has warmed up in a short time this organic matter with a temperature of 1000°C. From the graph DSC -6- we will have a confirmation of what mentioned above where, besides the simile behaviour between the sample of suspicious ground and the sample of comparison ground treated with microwaves, we will notice the absence of no carbonization effects, showing the presence of complete organic material (that means not carbonized) on the sample of suspicious ground (where the traces are located). What we said has been confirmed by the obtained Visible and U.V. spectrophotometric results, which have been further explained next.

The Analyst
[REDACTED]

B) The thermogravymetric analysis (or T.G.A.) confirmed the reason of the traces on the ground in terms of heat and microwaves. The test above mentioned allowed us to verify a warming up of 149°C, in about 10 seconds time, of the ground of the traces. Such temperature do not justify the carbonization of the superficial organic layer (Lichenes) of the ground, or traces; however, the most probable supposition is that of a thermic flash of 1000°C lasted for about 10 seconds. This hypothesis has been experimentally confirmed; in fact, after we've put in an electric oven, with a temperature of 1100°C, a sample of comparison ground and kept in for about 10 seconds, we have obtained the carbonization of the superficial layer of sample.

The Analyst
[REDACTED]

C) The thermomeccanic analysis (or T.M.A.) on the samples of ground has shown that the ground of the traces (or suspicious) had undergone a conspicuous thermic stress. The T.M.A. analysis, now carried out on samples of thermoplastic cable (loft threads for drying washing), has shown a different degradation (or Polymerization) of material placed directly above the trace -A- on the ground, respect on that noticed on the sample of no radiated thread (or comparison). Such degradation is the consequence of decrease of the polymeric chains and the lowering of vitreous transition temperature, because of an Electro-Magnetic irradiation in the field of microwaves. On the grounds of the T.M.A. -8- procession, we've established that the entity of a possible thermic component on the thermoplastic cables, has been 40.000 times lower from that produced by microwaves, so indestructible at the warming up effect of the microwaves themselves. Thanks to a mathe-

-14-15-16-

matic procedure, it's been possible to carry out an approximate calculation about the exposure time of microwaves along the radiated thermoplastic cable (or suspicious); the result was 0,54 seconds.

Considering the particular nature of what we are studying, it is been thought to verify the Chemical-Physics condition of the two thermoplastic threads with a steel heart (used for the drying washing), marked as thread No 1 and thread No 2. This exam should allow to verify if these threads had undergone an E.M. radiation as equal as the ground where the traces are located. During such inquiries, we've used the TMA technique which allow to measure the thickness variation of a material, subordinated to a thermic effect, in order of millionth millimetre. We have used this technique because, in such particular materials, the degradation changes their vitreous transition (which is the temperature where a thermoplastic material changes its viscosity features). In the graph TMA -1-, concerning the sample of comparison thread (No 2) picked up away from thread No 1 (suspicious), we notice the degradation features of the mentioned material. In this case, the ONSET temperature (which means the degradation temperature of sample of such material) is 175,51°C.

In the graph TMA -2-, concerning the sample of thread No 1 (or suspicious), which is that one picked up from the thread above trace -A-, we notice the degradation features of the material mentioned. The ONSET final temperature of this kind of sample is 174,13°C. In a first estimated evaluation, the analytic data provided by graphs TMA 1 and TMA 2 do not point out the existence of any big differences between the analyzed samples of thermoplastic material. But, if we compare the two mentioned graphs (see TMA 5) we'll notice different degradation bends, concerning the comparison thread and the suspicious thread. Infact, the thickness of suspicious material starts to decrease at about 60°C. It is also pointed out the parallelism between the mentioned bends.

In the graph TMA 7, concerning the comparison between the graph TMA 1 (referred to the sample of comparison standard thread) and the graph referred to a sample of comparison thread, treated for 2 minutes, with microwaves, and with limbs dipped into the water so to absorb only 10% of power of the oven, we notice that the degradation temperature is changed to (compared with the sample of comparison standard thread) 60°C, near the temperature of the sample of suspicious thread. Now, the analytic data show that the reason of suspicious degradation material (it means the line of thread located above the trace A on the ground) is assigned to an Electro-Magnetic tonic effect in the microwaves field.

The Analyst

A [REDACTED] 0

- 17 - 18 -

D) The Visible and Ultra-Violet spectrophotometric analysis shows that on the ground of the traces (or suspicious) happened a Chemical process of organic synthesis; this is proved with the presence, on the ground of the traces, of organic substances non-existent on the sample of natural ground (or comparison). Such synthesis process of new organic products confirms the hypothesis suggested from the D.S.C. analysis about the non-thermic nature of what caused the traces on the ground. This test also confirmed the existence, about the material of the traces on ground (or suspicious), of a non-carbonized residual product already mentioned by D.S.C. analysis.

The spectrum No II shows a clear red shift effect, which means a shift toward lower frequency; in fact, while the wave-length of maximum absorption of the comparison sample is 226,3 nm, that one of suspicious sample is 249,4 nm. All this means that the suspicious sample has an hyperchromatic effect (or absorbence increase). Probably such hyperchromatic effect has been provoked by a breakage of cyclic molecule containing double effects. In fact, while the ring residual product of circular molecule produces a red shift effect, the hyperchromic effect is caused by chemical groups called Auxochromes that have taken the place on cyclic substance rings, forming a process of organic synthesis. In the spectrum, II this process of organic synthesis is symbolized in the area marked with letter C with a maximum absorption of 277,5 nm. The area C borrows thanks to the absorption of organic substances, which do not exist in the comparison sample, to the prejudice of substances located in the area marked with the letter A. The area marked with letter B corresponds to the remaining non-carbonized organic material, still located on suspicious samples.

The point marked as 315 nm is not an isosbhetic point, which means the wave-length where coexist only two chemical kinds in balance, but only an effect made by the instrument during the changing of lamps in the passage from Visible to Ultra-Violet.

At the end of this last test, we can say that the hypothesis concerning the presence (on the ground where the traces are located) of not all carbonized organic material and organic material structurally changed, is confirmed by the Visible and U.V. spectrophotometric analysis. Then, we continue saying that the synthesis process of new organic substances on suspicious samples is more realistic of a degradation process. At the end of all this, we confirm the Electro-Magnetic nature of what have caused the traces on the ground left by the UFO.

The Analyst

████████████████████

E) The optical analysis with the electronic microscope about the only sample of ground of the traces (or suspicious) shows, close to the calcareous sublayer, a superficial dark and uniform layer, almost soft. The morphological features of such superficial layer, let us to think to a carbonized organic material formed by Lichenes.

- ELECTRONIC X RAYS MICROSCOPY -

A sample of ground where the traces are located (or suspicious) it's been submitted to optical analysis through electronic microscopy. Photo No 1 shows a dark surface with eccentric contrasts, because of X-rays. Such dark patina depends by a soft superficial layer having a thickness of tenth millimetre. The features of this dark patina let us to understand to be an organic layer made up by microscopic Lichenes. Photo No 2 (placed in Appendix), obtained from computer analysis, shows in detail the structure of the superficial carbonic layer of the ground where the traces are located.

The Analyst

[REDACTED]

F) The chemical analysis carried out with the technique of Energy Dispersive Spectrometry X Ray (or E.D.S.X RAY) determined the chemical composition between the sample of suspicious ground and the sample of comparison ground. The spectra of these samples are identical, so this confirms their common origin. But only in the spectrum of ground of traces there is a not related element belonging to the group of rare grounds: it is the Hytterbius (Yb). The percentage relation of Silicon/Hytterbius and Iron/Hytterbius compared with percentage relations of the same couple of substances, even if they are terrestrial or cosmic origin, it's been above such known standards.

- ENERGY DISPERSIVE SPECTROMETRY X RAY or E.D.S.X RAY -

.Description of used analytic procedure and evaluation of obtained results..

Type event : Sighting of an UFO with traces left on the ground;
Place : Parco Verde -CICCIANO- Province of Naples;
Date : Saturday 1990/NOVEMBER/3rd.

A sample of ground of the traces -or suspicious-(see graph No 1) and a sample of natural ground -or comparison-(see graph No 2) have undergone many trials, such as the chemical analysis with the E.D.S.X RAY technique. This technique, first of all, has given prominence to the samples of ground; in fact they are made up with classical building materials, for example concrete. The elements which make up our samples of ground are: Calcium (Ca) coming from limestone; Silicon (Si); Iron (Fe); Aluminium (Al); Titanium (Ti); Potassium (K) coming from clay.

What distinguish the sample of suspicious ground from the sample of comparison ground is an emission of 7420 eV (electronVolt) -see graph No 2-. The computer associates such energetic emission of 7420 eV, not to a second emission of the Iron (Fe), but to a first emission of an element belonging to the group of rare grounds, and most precisely, the Hytterbius (Yb). After repeated E.D.S.X RAY analysis, carried out on different zones of

-21-22-

suspicious sample, we established that the emission of 7420 eV comes only from superficial areas of it. Such energetic emission of 7420 eV do not come out from the comparison ground (see graph No 2), even if it's been redoubled the acquisition times, that is to say, the number of effected readings time. Infact the reading time for the suspicious sample was 90 seconds; the reading time for the comparison sample was 180 sec. Since in graphs No 1 and 2, in the interestead area of 7420 eV emission (we also notice a systematic drag mistake of the graph plotter) it is been done -always thanks to the computer- an enlargement of the area referred to graph No 1. In this way, we obtained a more detailed and clean graph (see spectrogram No 3).

G) The next additional inquiry, carried out on 1992/JANUARY/16th concerning plasma analysis of the suspicious sample, confirmed in it the presence and percentage of Hytterbius (Yb), already indicated before.

- Yb comparison sample in CICCiano -

H) Thanks to the results of the tests concerning the verification of a possible fraudulent origin of the traces on the ground, and all the dispatched Chemical/Physics analysis, we can confirm that such traces has not been made by artificial means, so we exclude their fraudulent origin. About the possible natural origin of the traces, we can say that, because of their regular shape and homogeneous structuralizations, they have not been produced by a lightning fall or by an electric plasma discharge of atmospheric phenomenon. However, because we do not know other natural phenomena that can produce these effects similar to the traces on the ground left by the UFO, we must reject the hyphotesis of their fraudulent origin.

- FINAL CONCLUSIONS -

The obvious agreement of the results of each tests has an analytic unchangeable eloquence. The event that has produced the traces on the ground in CICCiano - Province of Naples - on 1990/NOVEMBER/3rd, is an Electro-Magnetic energetic event, in the field of high frequency and low penetration microwaves. The entity of such energetic event it's been not above 360 times from that produced by our E.M. induction oven, having a power of 2500 Watt and a frequency of 2,2 Ghz. Besides this E.M. factor, it is put side by side it, a thermoenergetic component, short and intense, of 1000°C for a term of about 10 seconds. About the presence of Hytterbius (Yb) into the ground of the traces (or suspicious) at the moment we haven't any theoretical model, natural, artificial or of other kind, to explain its presence and its high concentration compared with well-known terrestrial and cosmic standards. About the Hytterbius, it is better to underline the Chemical/Physics features of this element (see the enclosed schedule about M.D.S. X RAY tests on page ...), and of the rare grounds, which determine their use in the electronic field and nuclear

technology. About this, we will list the following applications of the Hytterbius:

- magnetic bubbles instruments (such as Orthoironshod of Hytterbius);
- in the Phosphorus to convert Infra-red light to Visible light;
- as transparent screening to thermic neutrons (used in nuclear technology).

Always talking about the Hytterbius, we know that such chemical element has the lowest boiling-point (1180°C atmospheric pressure) than other elements belonging to the group of rare grounds. About this connection, as an interesting piece of information, we notice the coincidence between this last feature of the Hytterbius and the fact that the energetic field of the UFO in CICCiano (Naples) generated a temperature to the ground above 1000°C, that means the temperature able to bring the Hytterbius at the boiling-point and, hypothetically, to produce residuals sediment of this chemical element on the ground of the trapes left by the UFO.

At the end, as scientific advisers of this event, because of numerous and exact analytic data picked up, we can confirm that the traces on the ground are not fraudulent, natural or conventional. To give a full interpretation of the events explained in this inquiry report and to give an explanatory hypothesis coherent with the events above explained, it is better to call upon the ufological researcher to speak, Mr TBLARICO Umberto.

The Analysts

[REDACTED]
(chemical expert)

[REDACTED]
(industrial electronic expert; chemical researcher)

- INFORMATION OF THE LABORATORIES WHERE HAVE BEEN DISPATCHED THE CHEMICAL AND CHEMICAL/PHYSICS ANALYSIS OF THE EVENT -

- Informations about the Analyst and list concerning the exams -

Type event : Sighting of an UFO with traces left on the ground;

Place : Parco Verde -CICCiano- Province of Naples;

Date : Saturday 1990/NOVEMBER/3rd.

PRIVATE LABORATORY OF CHEMICAL ANALYSIS AND ELECTRONIC EQUIPMENT

Office : Via Caduti sul Lavoro No 16, -CASERTA- Italy

Analyst: Mr [REDACTED]

DISPATCHED ANALYSIS:

- Physics/Structural analysis -

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

24-25-26-

- Chemical analysis -

- 1) ANALYTICAL EXAMPLES FOR CATIONS IDENTIFICATION (obtained on samples of ground).
- 2) ANALYTICAL EXAMPLES FOR ANIONS IDENTIFICATION (obtained on samples of ground).
- 3) AMMONIUM TEST FOR HYTTERBIUS IDENTIFICATION (obtained on samples of ground).
- 4) NEOTORIN COLOURIMETER TEST FOR HYTTERBIUS IDENTIFICATION (obtained on samples of ground).

Analyst: XXXXXXXXXX

DISPATCHED ANALYSIS:

- Thermic analysis -

- 1) DIFFERENTIAL SCANNING CALORIMETER EXAM (or D.S.C.) (obtained on samples of ground).
- 2) THERMOGRAVIMETRIC EXAM (or T.G.A.) (obtained on samples of ground).
- 3) THERMOECCANIC EXAM (or T.M.A.) (obtained on samples of thermoplastic cable and on samples of suspicious ground).

- Spectrometric analysis -

- 1) VISIBLE AND ULTRA-VIOLET SPECTROPHOTOMETRIC EXAM (obtained on samples of ground).
- 2) ENERGY DISPERSIVE SPECTROMETRY X-RAY (or E.D.S.X-RAY) (obtained on samples of ground).
- 3) PLASMA ANALYSIS (obtained only on samples of suspicious ground).

- Photographic analysis -

- 1) PHOTGRAPHIC EXAM UNDER AN ELECTRONIC MICROSCOPE (obtained only on samples of ground where the traces are located).

ATTENTION:

The office of the Laboratory is rigorously private, and so it is peremptorily forbidden its spreading.

- FINAL CONCLUSIONS OF THE INVESTIGATOR ABOUT THE EVENT -

Type event : sighting of an UFO with traces left on the ground;

Place : Parco Verde -CICCIANO- Province of Naples, ITALY;

Date : Saturday 1990/NOVEMBER/3rd.

Bringing up again with the UFO sighting with traces left on the ground in CICCIANO on 1990/NOVEMBER/3rd, the inquiries results confirmed what before expressed by the investigator. The analytic results have proved that the traces on the ground are not of fraudulent origin or natural known phenomenon, but of an energetic phenomenon mixed with

-26-27-28-

microwaves and heat of unknown nature.

About the nature of the energetic phenomenon, on the grounds of evidence data, laboratory data and geometrical data of the traces on the ground, it seems impossible to be connected among well-known accepted phenomena. All acquired data on this event let us to think that was a phenomenon having all features of a tridimensional solid body, with geode shape, and a powerful energetic potential (concentrated in its lower side in four emission points.) Such conclusion is also confirmed from the flight dynamics analysis of the UFO phenomenon. We reconstructed this flight dynamics on the grounds of evidence data, analytic data, and on the position of the traces on the ground; that is what it led to:

- 1) on the grounds of evidence data - a fast descent from the sky, towards the ground, in an area full of obstacles, such as street-lamps, an high wire-netting, an hedge and a building;
- 2) on the grounds of logically procedure - stop of its fast descent, to avoid the impact against the metallic rod of the drier-washing and the first two thermoplastic threads connected at it;
- 3) on the grounds of analytic data - stop, for about 1 second, above the first two loft threads for drying-washing;
- 4) on the grounds of logically procedure, bringing attention to the position of trace "A" on the ground and the absence of melting marks on thermoplastic threads because not exposed to the thermic flash noticed, on the contrary, on the ground - lateral displacement manoeuvre to slip under the drier-washing;
- 5) on the grounds of analytic data from T.G.A. exams - stop, for about 10 seconds, at a distance from the ground between 0 and 100 cm.;
- 6) on the grounds of logically procedure and evidence data - lateral displacement manoeuvre to avoid, taking off, the metallic rod of the drier-washing and the first two thermoplastic threads connected at it;
- 7) on the grounds of evidence data - to gain height at moderate speed from 2,30 mt. to 6 mt. from the ground;
- 8) on the grounds of evidence data - rapid acceleration upward and consequent disappearance.

Such complicated flight dynamics led again to a flying object drove by a pilot or farther radio-controlled, thanks to a sophisticated guide-system.

About the technological origin of such UFO phenomenon, because its features of shape, dynamics and propulsion are not equal to our used technology, it is logically conclude that the aerial phenomenon of this inquiry report is part of a class of aerial/space phenomena believed to belong to an extra-terrestrial technology.

About the affinity between the event in CIGCIANO and others well-known ufological events it is right to connect this already analyzed event and the famous Vashka exhibit, issued in the italian newspaper "LA STAMPA" (Turin) on 1985/JANUARY/31st on page 4.

The common factor between the two events is the presence, in them, of minerals belonging to the group of rare grounds: in CIGCIANO we have Hytterbius and perhaps Luthezius and Thulja (all noticed on the ground where the traces are located); on VASHKA exhibit we

microwaves and heat of unknown nature.

About the nature of the energetic phenomenon, on the grounds of evidence data, laboratory data and geometrical data of the traces on the ground, it seems impossible to be connected among well-known accepted phenomena. All acquired data on this event let us to think that was a phenomenon having all features of a tridimensional solid body, with geode shape, and a powerful energetic potential (concentrated in its lower side in four emission points.) Such conclusion is also confirmed from the flight dynamics analysis of the UFO phenomenon. We reconstructed this flight dynamics on the grounds of evidence data, analytic data, and on the position of the traces on the ground; that is what it led to:

- 1) on the grounds of evidence data - a fast descent from the sky, towards the ground, in an area full of obstacles, such as street-lamps, an high wire-netting, an hedge and a building;
- 2) on the grounds of logically procedure - stop of its fast descent to avoid the impact against the metallic rod of the drier-washing and the first two thermoplastic threads connected at it;
- 3) on the grounds of analytic data - stop, for about 1 second, above the first two loft threads for drying-washing;
- 4) on the grounds of logically procedure, bringing attention to the position of trace "A" on the ground and the absence of melting marks on thermoplastic threads because not exposed to the thermic flash noticed, on the contrary, on the ground - lateral displacement manoeuvre to slip under the drier-washing;
- 5) on the grounds of analytic data from T.G.A. exams - stop, for about 10 seconds, at a distance from the ground between 0 and 100 cm.;
- 6) on the grounds of logically procedure and evidence data - lateral displacement manoeuvre to avoid, taking off, the metallic rod of the drier-washing and the first two thermoplastic threads connected at it;
- 7) on the grounds of evidence data - to gain height at moderate speed from 2,30 mt. to 6 mt. from the ground;
- 8) on the grounds of evidence data - rapid acceleration upward and consequent disappearance.

Such complicated flight dynamics led again to a flying object drove by a pilot or farther radio-controlled, thanks to a sophisticated guide-system.

About the technological origin of such UFO phenomenon, because its features of shape, dynamics and propulsion are not equal to our used technology, it is logically conclude that the aerial phenomenon of this inquiry report is part of a class of aerial/space phenomena believed to belong to an extra-terrestrial technology.

About the affinity between the event in CIGCIANO and others well-known ufological events it is right to connect this already analyzed event and the famous Vashka exhibit, issued in the italian newspaper "LA STAMPA" (Turin) on 1985/JANUARY/31st on page 4.

The common factor between the two events is the presence, in them, of minerals belonging to the group of rare grounds: in CIGCIANO we have Hytterbius and perhaps Luthezius and Thulja (all noticed on the ground where the traces are located); on VASHKA exhibit we

have Cerious, Lantanium and Neodymium (a worked metallic alloy). "

Moreover, the acquisition on November 1991 of an UFO report originated from USSR, about a sighting of an UFO with traces left on the ground in a place not too far from the town of VORONEZH (reported on an article with the title "UFO IN VORONEZH" issued in Russia in 1990), has supplied us with another comparison datum about the Hytterbius. Infact, like in the analysis about the UFO event in CIGCIANO, in the Soviet UFO report we will notice an high concentration percentage of Hytterbius on the ground where the traces are located, and it is not connected with minerals of the same origin group, such as the Ichtryous. For more details, see the enclosed documents.

Is it a coincidence the discovery, in all three reported UFO events, of minerals belonging to the group of rare grounds? Or is it a sign of an unknown technology? We believe it is more probable the second supposition.

About the UFO event in CIGCIANO on 1990/November/3rd, hypothetically and as a simple starting point of a research in future, we think that the Hytterbius, analytically verified on the ground where the traces are located, could be explained as the residual of an energetic source containing rare grounds connected with Plasma production checked by an high frequency Electro-Magnetic field. The presence of microwaves, the type of luminosity emitted by the UFO, the features of energetic emissions under the flying shape (such as lateral exact and irregular outlines turned over to the ground), and a less consistency of energetic effect in the middle of the traces on the ground (equivalent to a typical ring-shaped of Plasma), are all facts coherent with the propulsive hypothesis expressed before.

At the end, as investigators of this event, we think that the high quality and professionalism of this research, makes it one of those events to supply, together with other professional UFOs events, an answer to many questions that still surround the UFOs technology. Furthermore, we are sure that the following ufological inquiry report is one of those to face and get over any scientific analysis, if only this objectivity seeks the truth without no preconceptions or compromises.

The Investigator
[REDACTED]

The object, not-terrestrial, has been found by Soviet fishermen.

- THE MYSTERY OF "VASHKA EXHIBIT"-

MOSCOW: What kind of mystery exists around the "Exhibit of Vashka"? It is an alloy of rare elements, a fragment bright metal in colour and as big as a fist, found in summer of the year 1976 near the river Vashka in KOMI REPUBLIC (about 1000 Km north-east of Moscow); the verdict of the scientists, after years of studies and sophisticated laboratory exams, is that such alloy is impossible to be obtained on Earth and that it is not a natural fragment.

Is it a work of an ancient explorer from space? Did it belong to an extra-terrestrial?

The Soviet newspaper "SOTSIALISTICHESKAYA INDUSTRIYA" published a relation about scientific inquiries, but is agree with scientists on the fact that it is a mysterious object indeed.

The fishermen who found it were surprised of the sparkles which it emitted when they threw it against a stone, and when later on they tried to cut it with a saw. That's why it ended up in the Geological Institute of Russian Academy, which sent some samples from it to other research institutes. But the surprises didn't finish yet: with the most sophisticated analysis instruments, it was found a composition of elements which do not alloy in the terrestrial nature.

The "Vashka exhibit" is made up -67,2% by Cherious, a metal used for flints (this explains the problem of sparkles); 10,9% by Lantanious, and 8,78% by Neodimious, both of them belong to metals of rare grounds. Yet, small quantities of Iron and Magnesium and -0,04% Uranium and Molybdenum.

Another detail: on Earth, the Iron reacts with the Oxygen, producing Oxides; in the exhibit of Vashka they do not exist. In that mysterious block we also haven't the products from Uranium disintegration, which occurs every 100 thousand years: so, it is not a natural element, but an artificial one. Furthermore: in any alloy of rare metals, as specify the scientist Fomenko who belongs to the Committee for Anomalous Phenomena and that is devoted about this problema, there are impurities made up by chemical elements such as Calcium and Sodium (impurities also found when are used sophisticated sophistication methods): well, in the "Vashka exhibit" these impurities do not exist.

Through different evidences, it's been ascertained that the alloy is been produced using metal-dust. Theoretically, -declares Fomenko- this is possible using a cold process, exerting pressures of ten thousand atmospheres. From the shape of the exhibit, it deduces that the fragment was part of a cylinder or a ring with 120 cm in diameter; on the Earth do not exist installations to produce such big objects under those pressures.

Is it a work of an Extra-terrestrial? Who knows! Anyway, within exact limits: the analysis with Isotopics -says Fomenko- denotes that the "Exhibit of Vashka" comes from our Solar System.

Translation into English carried out by Mr. ALBERTO MANCINELLI

