



The direction in which these readings are taken varies them with at. When plotted as a graph they define ellipses rather than circles around bodies. The longest and shortest axis of these ellipses are at right angles. The axis described is not exactly aligned to the Earth's, but is found to deviate to the West of North. This is not due to an experimental error as the same angle of deviation is found at each point of the compass although this angle varies when measured for the same bodies at different times. (Fig. 2).



2. Ellipse defined around living bodies by plotting their radiesthetic readings.

Beyond the maximum health reading of 80 centimeters, there are found to be critical distances that vary in intensity during speech and thought. The critical distance that varies during thought is situated over a meter from the body. When thought

is directed as in telepathic experiments, its direction can be determined by the behaviour of this critical distance. A maximum impulse can be detected in a critical direction and at a critical elevation that varies with the direction and distance of the object of attention. (Fig. 8).



8. Director of thought is linked with the object to which attention is being directed by a beam shown by the point of maximum modulation.

(a) The distance at which modulation is found is detected at approximately 110 cms.

(b) At this distance from the body, the direction is altered till a maximum modulation in a critical direction is detected.

(c) The elevation is then varied till an optional point is found.

Between the normal readings at about 2 and 11 centimeters and at about 80 centimeters from the body, adventitious readings are found in certain diseases. In tuberculosis for example, readings are found at $3\frac{1}{2}$, 7, $10\frac{1}{2}$, 14, 21 and 28 inches. These are similar to those measured from living cultures of tubercle bacilli in vitro. Readings of $2\frac{1}{2}$, 5, $7\frac{1}{2}$ and 10 inches are recognised as similar to those measured from living cultures of Staphylococcus Albus. Checking for identity can be done by comparing a known sample with an unknown, and getting an interference effect. This effect consists of an elimination of the patient's adventitious readings, with a restoration of the patient's health readings towards normal.

The following experiment is given as an example of how a single fact in radiesthesia can be established.

To be proved. That there is a detectable physical difference between two objects, which can be determined by radiesthetic means and not by the use of all other special senses combined.

Method. A set of 8 blue stained T.B. slides, previously unopened, straight from a hospital pathological laboratory, were examined for radiesthetic differences. (See Table).

Table of radiesthetic readings obtained in the experiment involving eight blue stained T.B. slides.

Sample No. 1	..	8.25	7.5	10.75	13.75
" " 2	..		7		Negative
" " 3	..		7.5		14.5
" " 4	..		Positive		
" " 5	..		7	10.5	14
" " 6	..	4	8	11.5	
" " 7	..	3.5	7	10.5	14
" " 8	..				Negative
" " 9	..				Negative
" " 10	..	3.5	7	10	13.5
" Control	..				Negative
" " 11	..				Negative

N.B.—"Positive" readings—Easy to read.

"Negative" readings—Hard to read and very weak.

Samples numbered 3 and 7 were chosen for their radiesthetic difference from each other.

As will be seen from the readings obtained, two samples (numbers 3 and 7) were chosen for their radiesthetic difference from each other, i.e., number 3 gave a strongly marked reading of 7.5 inches, while number 7 gave no reading whatsoever. These slides were then marked 3 and 7 respectively in ink but were otherwise indistinguishable except by their radiesthetic readings. They were then compared with a view to distinguishing the one from the other.

After being shuffled, each in turn was placed in position, carefully shielded from observation. Thus, neither the person taking the readings nor the one placing the slides in position knew which was actually being examined. This precaution was necessary to ensure that the examiner was unaware telepathically of the readings through the knowledge of someone else. The specimen being examined was placed touching the end of a calibrated ruler and its radiesthetic reading taken. The observer was recording a strong $7\frac{1}{2}$ inch reading from the one slide which was not present with the other. When any doubt occurred, the two slides were interchanged until certainty about this difference was established. Such interchanging was limited to three times and was actually necessary on three occasions. In each test the result was recorded, the specimen examined and the correctness of the readings checked. The slides were then jumbled and one of them again placed in position for examination. Such jumbling did not entail close proximity of the two specimens so that they did not effect each other's readings by proximity of radiation. This elementary precaution must be taken in all such radiesthetic experiments, and lack of such precautions

invalidates much so-called scientific work on this subject. This ignorance of residual radiation being left on surrounding objects is an obvious reason why controlled experiments by so-called scientific observers fail to elucidate physical differences. By the time the specimens have been thoroughly mixed up so as to muddle the observer, their very physical properties have become muddled. They will have absorbed each other's radiations and become indistinguishable.

In the above test, the person examining the radiesthetic readings along the ruler, correctly determined the difference between the two samples, just as certainly as if normal vision were used. It was agreed that 8 tests should form the series and in all 8 tests the results were correct.

Conclusion. There is a detectable physical difference between two objects which can be determined by radiesthetic means.

Although much can be learned from the pendulum, rod or sensitive hand, the main problem facing those studying this subject is that of replacing the human nervous system by an instrument independent of the variation in sensitivity of the human nervous system.

This problem has now been solved by the invention of various instruments that are sensitive to radiations to which previously only living bodies were sensitive. Two such instruments of entirely independent design produce similar results, in that both instruments can be used to detect objectively the impulse that I feel in my hand when it passes through certain critical distances at which an alteration in the reflex of a dowser occurs. The two instruments referred to are:—

1. A Nodal Indicator designed by Father Glazewski and made by Mr. F. J. Billington, a radio engineer. This was demonstrated to the Psychosomatic Research Association during a lecture by Father Glazewski on "The Gravitational Wave" on December 1st, 1949, here in London, and again this year, to the Medical Society for the Study of Radiesthesia.

2. An instrument of my own design, still at the experimental stage, which was developed from the following experiments and observations.

A physiotherapist, who was also a water diviner or dowser, showed me how a pendulum he was holding swung round and round when he held it over a woman's palm, and up and down when he held it over a man's palm. On seeing this phenomenon, I asked him to run a current of electricity through an arm bath and to repeat the experiment with the limb of the subject lying in the saline solution in which the current was running. While the current was switched on, the pendulum went on swinging as before rather to my surprise, so I asked him to switch off.

As he did so we both observed a kick in the swing of the pendulum and then it went on swinging as before. This was

with direct current so I asked him to switch over to a make and break circuit. While this current was passing through the arm bath, the distortion in the swing of the pendulum was maintained. These experiments appeared to show:—


1. That a change in physical conditions was accompanied by a change in dowsing reaction but that constant physical conditions were not accompanied by a change in dowsing reaction.
2. That this change in dowsing reaction could be maintained by a continuation of these changing physical conditions.

The fact that the speed of change in physical conditions could be critical in its effects on the dowsing reaction, and that these changes of speed were multiples of frequencies known to exist in the human nervous system (i.e., Berger rhythm, &c.) is illustrated in the next stage of our experiments.


Using a super-sonic and sonic frequency oscillator, its maker, Mr. H. V. Rogers, and I tried to find critical frequencies at which a maximum effect on the dowsing reaction could be obtained. At such critical frequencies we could hear a beat in the headphones attached to the variable oscillator, and on one occasion a complete cessation of the note of the oscillator occurred, although the machine was still running. (Fig. 4). This was an interference effect and was accompanied by a complete elimination of the dowsing phenomenon over the patient round whom this frequency

was running in a rubber insulated coil. We had, in fact, interfered with the dowsing reaction at will and with precision, with a variable oscillator whose frequencies were known. We had obtained evidence of certain critical frequencies in the sonic, sub- and super-sonic ranges, and we concluded that we were measuring the frequencies of living bodies against those of the oscillator used.

A pool of mercury or a sensitive flame could also be used to detect nodes in the air-borne waveform emitted by the microphone of such an oscillator. For instance, we fitted a microphone into a glass-sided box, together with a sensitive flame, and moved the flame and microphone apart until a node was detected. (Fig. 5). In this case they were a 4-inch intervals from the microphone when the oscillator was set at 80 kilocycles. Nodes were felt by hand at the same 4-inch intervals from the microphone with the oscillator set at 30 kilocycles but we who were doing the experiment, both felt abdominal discomfort and a slowing down of the reaction time. I wanted to cease the experiment and switch off, yet I went on doing it and was angry with my assistant for not switching off.




4. Variable oscillator and living bodies. When the instrument is tuned to a critical frequency, a beat frequency is heard in the headphones, the dowser is inhibited and the critical distance readings are distorted to the maximum extent.



5. Variable oscillator tuned to 80,000 cycles per second. At 82,000 cycles my assistant detected nodal points with her tongue in the airborne wave from the headphone. She was severely shocked.

If a sensitive flame or a mercury pool could be used to detect such nodal points from the oscillator's microphone, they might be used to detect the critical distances we could feel with our hands round living bodies. We therefore tried them out and found that the readings from the mercury pool were similar to those taken by hand. We placed a dish of mercury on the floor in the sunlight, and watched its reflection on the wall of my surgery. As I brought my hand through a critical distance above the mercury, my assistant Miss Smith, observed that the pattern on the wall changed the direction in which it was rotating. When my hand was to one side or the other of this exact distance, the reflection of the mercury was observed to change from clockwise to anticlockwise, or vice versa, according to whether I was too far from or too near to the mercury.


The distance thus measured from bodies was that at which the stimulus to the water divining or dowsing reflex occurs. (Fig. 6).



6. Mercury pool detector of critical distances.

The following routine method is used to give evidence that the critical distances measured from bodies by a mechanical detector is similar to that at which the dowsing reflex occurs.

Measurements are taken with the mechanical detector and confirmed or corrected by direct detection of critical distance by hand. If a distance measured mechanically is the correct one, then a stimulus will be felt in the hand as it passes through this point. We had previously found that the dowsing reaction altered where this stimulus was located. With the mercury pool we measured our own critical distances and confirmed them by hand. We also measured critical distances from living cultures such as T.B. and Staphylococcus Albus and found readings appropriate to the specimen examined. (Fig. 7).




7. Critical distances measured from living cultures of bacteria.

When in 1947 I lectured to the Medical Society for the Study of Radiesthesia on this evidence concerning the physical stimulus responsible for radiesthetic phenomena, Father Glazewski stated that he had come to the same conclusion theoretically. Also that Dr. and Mme. Maury, of Paris, had made a detector of these energies. Father Glazewski gave me an uncut quartz crystal the size of a pea, which I tested out as a detector. We held the quartz crystal in the hand, and felt an impulse when it passed through critical distances from living bodies. We then held the

crystal at the end of a metal contact and felt an impulse when the crystal, and not the hand holding it, passed through a critical distance. The crystal was therefore acting as a detector. During these experiments, a critic of my work sent me a diagram of the original circuit used in the classical experiment in the production of super-sonic waves. In that experiment a high-frequency alternating current was passed through a crystal, between two metal contacts. The crystal vibrated mechanically at the speed of the alternating current used, and produced air-borne waves of this frequency. I merely reversed the arrangement, placing the crystal between two metal contacts, to pick up these energies we were measuring, and to translate them back into an electrical change between these two contacts.

The original detector consisted of a torch bulb, situated at the focal point of a metal reflector, in which the filament was divided, the crystal being inserted between the two ends of the filament, with these two making contact at two opposing surfaces of the crystal. From these two contacts, two leads formed a coil round the handle of the instrument. When this device was attached as a pick-up to an amplifier, a change in note was heard when the body being tested passed through its critical distance from the detector. This as a detector was improved by making the coil attached to the crystal the length of the critical distance that was to be detected. This can be done by tapping it just



8. Crystal radio wave meter.


as a violin string is stopped. The coil was then connected in series with the crystal and a variable condenser. (Fig. 8).

This instrument is a crystal radio wave meter of standard design, but with a coil shorter than that usually used in the reception of radio waves. The latest modification of this circuit is to earth one side of the crystal. When this detector is at critical distances from bodies, passage of current is observed through the crystal as movement.

When a quartz or suchlike crystal is moved through critical distances from bodies, it vibrates mechanically and this vibration can be felt, transmitted up a single metal contact or crystal holder. This observation that energy could be felt from a single contact onto the crystal, made it likely that the energy generated by this detector is mechanical.

Mechanical vibration can be detected by connecting the vibrating body to a mercury pool on a vibration proof support. The crystal can be dipped into the mercury and any mechanical vibration is then seen as a deflection of a beam of light reflected from the mercury's surface. Thus, the mercury pool and a crystal detector of critical distance can be combined into a mercury-crystal detector, in which case the critical distance is measured from the nearest point of the crystal to the body. We have found experimentally that the effect can be magnified by placing the crystal at the focal point of a paraboloid reflector, which appears to act as a collector of these energies.

The mercury-crystal detector can be combined with the standard wavemeter circuit of the crystal, coil and condenser.



9. Mercury, crystal, coil and condenser combination.

The tip of the crystal used in this circuit can dip into the mercury and resonance of the circuit amplifies the effect produced. Thus, the separate forms of a detector as dissimilar as a mercury pool, a crystal surface or the lateral edge of a coil, have been combined into the one mercury-crystal-coil and condenser combination. (Fig. 9). This is most satisfactory from the theoretical point of view as each piece of equipment confirms the evidence about this energy, demonstrated by the rest of the apparatus. The mercury shows the mechanical vibration of the crystal and the coil and condenser show the accompanying electro-magnetic component of the radiesthetic stimulus.

To give an example of the similarity between readings taken by hand and those taken instrumentally, a culture of T.B. was found to have a reading of 7 inches and multiples of that 7 inches when measured by hand. This reading was confirmed repeatedly by other independent observers using a mercury pool and different samples as controls. Finally, the same readings were again recorded when they were measured by means of Father Glazewski's apparatus.

On another occasion an observer was taking his own readings by means of Father Glazewski's apparatus, and he recorded readings of 2½, 5, 7½ and 10 inches. These were recognised to be similar to the wave pattern of Staphylococcus Albus, so I sent away a specimen for autogenous vaccine. The result was, the laboratory cultured Staphylococcus Albus.

The diagnosis had thus been made instrumentally. The next step was to measure the waveform emitted by an oscilloclast when set to treat staphylococcus or to treat T.B. When the oscilloclast was set to treat T.B. it gave a critical distance at 7 inches and when set to treat staphylococci, gave a reading somewhat appropriate to that obtained from Staphylococcus. The subject was therefore treated with the oscilloclast set to give an interference effect with his readings, and he is now being treated instrumentally by a colleague who is experienced in the use of this machine.

While being so treated, the subject asked permission to be allowed to listen to his portable radio. The sound of the make-and-break on the oscilloclast could be heard in the radio, so we connected him to his radio instead of the oscilloclast, and still got an interference effect on his critical readings, although he was no longer in direct contact with the machine. Thus, entirely instrumental diagnosis and treatment have been used in this case. This fulfils six of the following postulates, namely:—

1. That a radiesthetic reading to be significant in a disease, should be measurable in a patient suffering from that disease.
2. That the disease entity, independent of the patient, should give a similar reading.

3. That identity between known disease entity samples and the unknown but suspected disease in the patient, should give an interference effect by resonance with the patient's readings.

4. That a culture of the disease entity giving readings similar to the known standard, should be preparable from the patient.

5. That a waveform similar to that of the disease entity should be instrumentally produced.

6. That this waveform should give an interference effect on the patient's waveform.

7. That a beneficial effect on the patient should be thus achieved.

Summary

The detection of the radiesthetic stimulus is crucial. Its demonstration proves the existence of certain shells, energy levels or critical distances, arranged concentrically around bodies, including that of man. The arrangement of these energy levels varies with the nature of the body being examined and with alterations in the physical state of that body. They are therefore of diagnostic significance in medicine. The behaviour of certain energy cells has also been correlated with mental and emotional activity. These measurements are therefore of value in assessing the mental ability and the emotional reaction type.

There are now instrumental detectors of this energy field which establishes its existence beyond all reasonable doubt and the perfection of these instruments can now safely be left to the technical experts, who are already making great strides in this direction.

The proved existence of these shells, energy levels or critical distances which could now well be called "G" waves, if Father Glazewski's Gravitational Wave hypothesis is confirmed, removes the limitations of materialism from science. Reality will no longer fit into existing scientific theory, and our theories must give way before the remorseless logic of experimental fact. Science can no longer turn a blind eye to the other half of the truth. We can no longer take a one-eyed view of our experience and exclude as suggestion, coincidence or merely unorthodox, anything that in our pride we do not wish to admit.

If we are right in claiming that this energy field exists as an objective reality, then the boundaries of science can be extended to include much that has been hitherto unacceptable.

Any reference to the medical application of these researches is purely incidental and no claim is made that they are of immediate practical value as further research and confirmation are essential to take this work from its present experimental stage to that of practical application.

DISCUSSION

Mr. Charles: Has Dr. Ash linked his work up with Dr. Kilner's screen observations?

Answer: Though related, Dr. Ash's measurements were those taken along a material path such as a rule, with its end touching the finger tip of his patient.

Mr. Houghton-Bentley: What about the frequency of oscillation of the crystal used?

Answer: The lack of official support in these researches had made it impossible as yet to determine the best type of crystal to use. Use had to be made of any crystals available.

Mr. Houghton-Bentley offered to help Dr. Ash to determine the correct type and size of crystal.

Mr. Hyde-Parker: What about the orientation of critical distance?

Answer: The readings of actual distance were taken along a rule and it was change in direction of this rule that altered critical distance from the finger tip placed on the end of the rule.

Dr. Watson: What about the physical variation during sleep and in death?

Answer: It is found that when a person is approaching death the inner shell normally at 2 inches approximately and the outer shell normally at 24 inches, have approached one another till they almost meet at about 12 inches from the patient. As he rallies they separate. During sleep a somewhat similar narrowing of the space between these two readings occur.

Question on pregnancy.

Answer: Dr. Ash had studied this subject, when attempting the determination of fertility in hen's eggs. Fertility could be determined with an 80 per cent. accuracy but attempts at the determination of sex in the egg ended in results no better than could be accounted for by chance. Several hundreds of eggs had been examined, their critical distances measured and the alteration in these determined when the frequency in an insulated coil around them was altered. At certain critical frequencies a maximum distortion in critical distance was recorded. One such frequency was 40 cycles per second. The length of the critical distance reading was greater in the fertile eggs than in the infertile.

Mr. Houghton-Bentley: What is the energy given off by the healer? Is it magnetic in a spiritual sense, as in the laying on of hands?

Answer: It is not ferro-magnetic, but is affected by the earth's magnetic field. It is the energy used in the laying on of hands.

Mr. Houghton-Bentley: Does the healer get more energy?

Answer: The energy of the healer first goes down abruptly, then gradually recovers to its normal level in about three-quarters of an hour. The permanent effect is that the healer gains in his ability to discharge energy.

Mr. Maby described the distance between the first and second shell readings as a zone that expands in health and contracts in disease or death. The expanse of this zone represents the amplitude of the person's field. This would correspond to the width of a "dowsing band" as found by a water diviner over the surface of the earth.

Mr. Burton: Do the energy zones of bacteria alter?

Answer: In normal health the zone between the first and second critical distance is clear of readings. Adventitious readings occur in disease. These may be recognised as those of a particular bacteria. This can be confirmed by testing the effect on the patient's readings of the presence of a known culture of the suspected bacteria. If the patient's reading is restored to normal and the adventitious readings are eliminated, then resonance has occurred between the bacteria in the culture and the bacteria in the patient.

We know the tube was sterile, the water was distilled and contained no minerals, and no mineral substance can penetrate the glass wall of the test tube.

The only logical explanation for these surprising results is of course the assumption of the existence of formative or "etheric forces" which are able to penetrate the "finer media" postulated by the esteemed Mr. Hieronymus. Around 1879, a German scientist named Von Herzeele had proved in more than 500 analysis that the mineral substances thus found in organic substances originate in a way comparably to alchemistic procedures. His published claims so outraged the scientific, materialistic oligarchy of his day that his writings vanished from the libraries - (shades of Dr. Wilhelm Reich!) - It took a student of Dr. Rudolf Steiner, a medical doctor named Dr. Rudolf Hauschka, many years of intensive efforts to locate the writings of Von Herzeele in an obscure small library in Berlin.

Shortly after WW-2, Dr. Hauschka proceeded to republish his own findings; and he immediately received a joyous response in a letter from a Monsieur Spindler in France, reporting jubilantly that he too had, independently, come to identical experimental conclusions as Dr. Hauschka. Monsieur Spindler was director of the Laboratoire Maritime de Dinard on the Bretonic Coast of France and had investigated the origin of iodine in seaweed, utilizing carefully designed "closed system"-type experiments which eliminated even the slightest trace of iodine and other important trace elements from the very first beginning. Here again, iodine showed up, surprisingly and like a miracle, indicating the ability of plants to manufacture elements from the "etheric formative forces." Fortunately, Spindler had excellent connections to openminded French scientists, among them the well-known Prof. Raranger, director of an Institute on the famous Polytechnikum in Paris.

The postulate of "aetheric space," of a "dynamic space fluidum" has since spread on the Continent and is gaining recognition. Although the terminology in the field is still somewhat confused as can be expected, the Russians, for instance, decided to call it "bioplasmic energy;" and other nations have coined still different terms--the basic facts remain always the same.

It can be readily shown that there exist obvious parallels of the observed assimilation of etheric energies by organic plants to so-called "miracles."

As an example, there is the case of Theresa von Konnersreuth, a German peasant girl who astonished people for decades in our century, not merely by speaking Aramaic when in a state of ecstasy, but much more so by her demonstrated and verified ability to survive for many years without the intake of food! Although she had a glass of water per day, meaning just some liquid, the majority was inclined to discount the reports as "hoaxes," disregarding, as usual, the sworn statements of her physicians. However, all these reported phenomena, whether of feeding or of healing, raise legitimate questions regarding the unknown and, therefore, have no connection with the pseudo-sciences or what is sometimes termed "occultism." If one is familiar with ether-research, it should be the objective of the research efforts to eliminate

the shadowy element of mystification in this field.

Unfortunately, the attempts to suppress and ignore scientific findings which run contrary to contemporary theories are not limited to Europe. One of the most disturbing examples of the boycott of the ruling oligarchy concerns a native American scientist with full academic credentials whose biography is listed in the Encyclopaedia Americana, but not in any other of the major encyclopaedias or biographical dictionaries. Since the initial information concerning this scientist came from overseas and the search for his papers is still going on at this time, his identity cannot be revealed; but this much can be stated about his life and his work: He was born in 1866 in Missouri and died in 1962 in California, aged 96. He joined the U.S. Navy in 1902 as an astronomer and teacher of mathematics and from then on he regularly published articles on astronomy until 1914, when he first began to formulate his wave theory of attractive forces in the ether, publishing articles on his theory at his own expense in "Astronomische Nachrichten," which were later republished in his own, typewritten volumes. He presumably retired from his position in 1931, at age 65, and it was from then on that he continued his wave theory research in contrast with the relativistic theories of Einstein and his associates. But because no scientific journals would publish any articles that opposed relativity except for the "Astronomische Nachrichten" to which he had personal connections dating back to his academic years in Berlin, he was forced to publish his work in 14 typewritten volumes between 1938 and 1954. His work shows that he was refuting relativity in favor of the classical theories of Laplace and Newton, attributing the original train of thought to Newton's "Opticks."

It would be easy to dismiss his efforts as those of an old-fashioned scientist fighting a rear-guard action, if it were not for the fact that he was personally endorsed during a Cayce reading concerning the development of an antigravity device. During this reading, the suggestion was given that the works of this scientist would be fundamental to an understanding of gravitation!

From the few papers already in my possession at this time, it is clear that this scientist was able to use his theory to account for the bending of light by gravitational fields and the advance of the perihelion of Mercury, for which Einstein used an older and erroneous value. The American-born scientist, (our Dr. X.), explained the effect by a very slight absorption of gravitational red shift between galaxies (of light), which has been widely used as evidence of a "universally expanding universe." The Ether wave Theory of Dr. X totals about 4,000 pages because the volumes were not typeset but were reproduced from a double-spaced typewritten manuscript and secondly because an enormous amount of repetitive and historical and biographical material is contained therein.

However, there are also a number of disturbing facts turning up in connection with these research papers and the work done by Dr. X.:

- 1.) The Cayce reading which specifically endorsed the work of Dr. X, by name

in detail is now "missing from the files" of the ARE library.

- 2.) Because of the critical energy situation and the obvious need to search for potential new energy sources, a frantic search for all Dr. X papers can be expected, as is evident by a recent article in the ARE Journal wherein a NASA scientist concludes his writeup on some energy aspects of the legendary Atlantis with a request to the readers "to make comments or suggestions, particularly with regard to the availability of the rare copies of the works" of our Dr. X.
- 3.) Finally, the original articles published by Dr. X in the German "Astronomische Nachrichten," if they still should exist in their archives and should have survived the bombings of WW-2, are not within the territory of West Germany, since the editorial office of this particular scientific journal is now located in the East.

It is known that Dr. X was a personal friend of Sir Oliver Lodge in England, who has always endorsed the existence of the ether. It is also known that Dr. X research provided a physical explanation for the existence of radionic energies because he was able to prove that, quote, "each body carries with it a wave field," thus providing a solid clue for something radionic researchers have been looking for since ages. Dr. X claims that these fundamental energies of nature are due to waves propagated with the velocity of light but move more slowly through solid masses--whence arises also refraction, dispersion, and perhaps absorption of part of the wave energy--all facts long confirmed in radionic research and certainly not explainable as part of the properties of the electromagnetic spectrum.

The openminded reassessment of Einstein's theory of relativity (the general as well as the special theory of relativity) abroad is now in greater evidence, as seen by Prof. Seiki's book, Principles of Ultrarelativity, which contains a section titled, "Elasticity of Electromagnetic Ether," (Japan,) the book of a German university prof. named Tirala called Mass-psychosis in the Sciences, which also deals with Einstein's theories. Finally there is a major work in preparation by Dr. Pulitzer. D.Sc., of Pulitzer family fame in London, England, which will deal extensively with "para-physics" and the ether concept. More should be done, however, and this writer will be happy to provide a research analysis on the conclusions of the above mentioned foreign authors, including extensive source material, if there exist sufficient interest for this topic and funding for such an undertaking can be secured. There is a tremendous challenge with incalculable benefits in such a project; and the traditional American zest for pioneering in new fields would certainly seem to justify it, especially in view of the potential benefits not merely in the field of medicine, but also in subatomic particle physics, space travel, nuclear chemistry, cosmology, and many other fields.

At a time when our esteemed friend and senior researcher, Galen T. Hieronymus, whom many consider as the foremost authority with the widest experience in American radionic research, conducted the historic Apollo space flight ex-

periments and decided to publish his experimental research results on a private basis, I felt honored for the privilege to write a short introductory paragraph for his report. Today, I would like to repeat a concerned warning which concluded this introduction:

"There is a very urgent message to the American people in this experiment. If we don't pursue this exciting field of research, other nations and ideologies will certainly do so!"

It is my opinion that radionics is today where acupuncture was shortly before Dr. Paul Dudley White's visit to the Republic of China. Acupuncture was known for hundreds of years, but it was simply tabu to mention even the word in scientific circles. Today, acupuncture is practiced by licensed physicians in our country!

At the moment, radionics is still a sleeping giant in the world of science; and there still might be some hope to expect a research grant from the National Science Foundation or another federal agency based upon the splendid work done by Prof. Tiller and others in the world of academia.

Sen. William Proxmire has repeatedly questioned the modus operandi of the activities of the National Science Foundation, awarding its grants to the large universities which always turned out to be strongholds of absolute scientific sterility. In one of his statements, Sen. Proxmire said:

"The National Science Foundation continues to pour its support into the academic oligarchy of the large universities. The so-called advisory panels that review NSF programs and projects are, in turn, packed with representatives from these universities that get the grants."

"I think it is high time the NSF looked past the East and West Coast academic monopolies to find other important contributors to our basic and applied research technology."

For example, he listed some of these projects:

A one-year, \$15,870 project in "Hitchhiking - a viable addition to a multimodal transportation system."

A one-year, \$27,600 study into "The social behavior of Alaskan Brown bears."

Or a year-long, \$112,200 study into "The climate in Africa during the Ice-age."

Maybe the time has come to take a bold and independent step forward and to invest a fraction of these funds into sleeping giants of real potential like the research of Dr. X, in conjunction with the independent findings of the DeLawarr labs, of Galen T. Hieronymus, of the Italian Prof. Todeschini, the German Prof. L. G. Tirala, the Japanese Prof. Seiki, the British Dr. Pulitzer, and others. It would seem wise to concentrate on a scientist who was specifically

endorsed by the greatest American prophet in our time, Edgar Cayce.
The time is ripe for such a step, and it has to be undertaken now if America does not want to come in second best in this field!

And at this point, Mr. Chairman, may I recommend that the motion be made we establish a society in this interest to be known as the

"American Radionic Research Society."

Thank you.

ATTN: The content of this paper is copyrighted and no authorized version or reproduction is permitted without special approval by the author.

General Information

It is generally accepted that the body has an energy field around it. This belief is held even without the proof of science, although vast research is being conducted.

A small group of people believe that this energy may be conducted along a wire or conductor into a device which will allow measurement in a subjective manner, that is by using the human body response to this energy to determine a result.

Generally without indication of the intensity of energy, information is determined by "frequency" changes of this energy.

Radionics is the utilization of an unusual energy or form of energy to produce desired effects.

The energy is pre-physical in that it is the force field around matter, thus detection, tuning, and transmission comprise the art of radionics.

The energy itself has two polarities which are spiral twined together, or may exist separate. These energies may divide into two more which are generally locked into matter.

Magic, Alchemy, Astrology all use this form of energy.