Fitmate / TaskChat QA Test Specification

Prioritized Test Suites: P1 (Critical), P2 (High), and P3 (Medium/Low)

Platform: Flutter (Android / iOS / Web)
Version: Production Build Ready
Date: November 2026

30	12	10	8
TOTAL TEST CASES	P1 (CRITICAL / BLOCKER)	P2 (HIGH PRIORITY)	P3 (MEDIUM / POLISH)

Priority 1 (P1) - Critical & Blocker Test Cases

Zero tolerance: App crashes, auth lockouts, missing data, failed lead booking, false offline blocking

ID	MODULE	SCENARIO / PRECONDITIONS	ACTION STEPS	EXPECTED RESULT
P1 AUTH-01	Authentication	**Dual Token Storage** User logs in with valid phone & password.	1. Submit credentials on Login page. 2. Inspect TokenStorage and in-memory cache. 3. Verify redirection to landing page.	Auth token is persisted in Secure Storage AND cached in RAM (`TokenMemoryCache`). Role determines immediate landing screen without delay.
P1 AUTH-02	Authentication	**Session Continuity** App cold restart after successful login.	1. Force kill the app while logged in. 2. Relaunch app. 3. Verify splash & token auto-hydration.	App reads cached token instantly without asking for login again. First frame mounts smoothly.
P1 AUTH-03	Authentication	**Secure Logout** Active session user taps Logout in Settings.	1. Navigate to Settings. 2. Tap "Logout" and confirm. 3. Inspect storage and try back navigation.	Both Secure Storage and RAM token cache are completely cleared. User is routed to Login; back button does not reopen protected screens.
P1 LEAD-01	New Booking	**Create Lead / Booking** All mandatory inputs filled (Name, Phone, Area).	1. Tap "Add Booking". 2. Fill client name, 10-digit phone, select Area & Branch Head. 3. Tap Save.	Form submits successfully (`POST /api/bookings`). Booking ID is generated, success alert displayed, and user redirected to active list.
P1 LEAD-02	New Booking	**Input Validation & Error Prevention** Invalid or empty fields submitted.	1. Leave name empty or phone with letters/<10 digits. 2. Tap Submit.	Field-level validation highlights errors in red. No network request is dispatched. UI remains responsive.
P1 ALERT-01	Real-Time Alerts	**New Lead In-App Banner Trigger** App in foreground when new lead is added.	1. New lead event received via `NewLeadService.notifyNewLead()`. 2. Observe top of screen.	Floating top banner animates down with "New Lead Added", "NEW" green pill, and client name/location subtitle.
P1 ALERT-02	Real-Time Alerts	**Banner "Refresh" Action** In-app banner is currently visible.	1. Tap the green "Refresh" action button on the banner.	Banner animates away. Both `TodayViewModel` and `CoordinatorViewModel` refresh listings immediately, and coordinator list auto-scrolls to top.
P1 COORD-01	Coordinator	**Initial Bookings Listing** Coordinator logs in or navigates to Coordinator View.	1. Open Coordinator tab. 2. Observe list rendering and card data.	Loads first page (15 items) without jank. Displays client name, location, scheduled date, and colored status chips.
P1 COORD-02	Coordinator	**Infinite Scroll Pagination** Coordinator view has >15 bookings.	1. Scroll down to bottom of list (<200px from end).	Bottom spinner appears, `loadNextPage()` triggers with `page=2&limit=15`. Next 15 items append smoothly without duplicate cards or jumps.
P1 TODAY-01	Today Page	**Today's Bookings Fetch** Today view selected via bottom navigation.	1. Switch between tabs. 2. Select Today tab.	`fetchBookings()` fires automatically on selection. Current day's bookings render accurately with date headers.

ID	MODULE	SCENARIO / PRECONDITIONS	ACTION STEPS	EXPECTED RESULT
P1 STATUS-01	Status Update	**Status Transition & Persistence** User changes status from New to Completed/Cancelled.	1. Open lead details/status dialog. 2. Select new status and enter note. 3. Save.	Status updates on backend (`/api/bookings/status`). Card chip color and label update immediately in Coordinator & Today views.
P1 NET-01	Connectivity	**Genuine Offline Gate** Device Wi-Fi & Mobile data turned off.	1. Disable network connections. 2. Observe connectivity banner & attempts to navigate.	`InternetConnectionCheckerPlus` detects genuine lack of internet. Offline banner/sheet shows Lottie animation. No false 500/crash screens.

Priority 2 (P2) - High Priority Functional Workflows

Major role-based features, dynamic filters, document uploads, and connectivity recovery

ID	MODULE	SCENARIO / PRECONDITIONS	ACTION STEPS	EXPECTED RESULT
P2 PERM-01	Role Permissions	**Document Delete Permissions** Logged in as Coordinator vs Branch Manager.	1. Open Update Status page as Coordinator. 2. Repeat as Branch Manager.	Coordinator view shows trash/delete button for uploaded documents. Branch Manager view hides delete button but allows uploading new docs.
P2 ASSIGN-01	Status Update	**Branch Manager Assignment** Coordinator assigns lead to a Branch Manager.	1. In Coordinator Update Status, select Branch Manager from dynamic dropdown. 2. Save.	Payload sends selected `createdBy` ID and `createdByName` matching the chosen manager. Lead appears in that manager's assigned list.
P2 FILT-01	Coordinator Filter	**Filter Bottom Sheet Application** Coordinator filters by Area & Status.	1. Tap filter icon. 2. Select Area chip (e.g., "South") and Status ("Pending"). 3. Tap Apply.	List filters instantly to matching bookings. Active filter count badge appears on filter icon. Reset button clears all selections.
P2 FILT-02	Today Filter	**Today View Inline Filters** Multi-chip status filter row.	1. Tap status chips in Today header (Completed, In Progress).	Only bookings with matching statuses are visible. "All" chip deselects specific chips and restores complete view.
P2 SRCH-01	Search	**Instant Client & Phone Search** User enters search query in search bar.	1. Type client name or partial phone number. 2. Test clearing search input.	List filters with debounced query as user types. Clearing search via "X" immediately restores the full unfiltered list.
P2 DOC-01	Document Upload	**Attachment Upload (Camera & Gallery)** User attaches photo or document to lead.	1. Tap document upload card. 2. Select image from gallery or take camera photo. 3. Submit.	Image thumbnail renders in upload card. File is multipart-uploaded and saved to backend without distorting form.
P2 NOTIF-01	FCM Notifications	**Push Notification Handling** FCM notification received when app is backgrounded.	1. Send test push notification. 2. Tap notification banner from Android/iOS tray.	App wakes up and deep-links directly to the relevant booking/lead detail view using `navigatorKey`.
P2 ALERT-03	Real-Time Alerts	**Banner Dismissal & Timer** In-app banner appears and user takes no action.	1. Trigger new lead banner. 2. Wait 6 seconds. 3. In next test, swipe up or tap "X".	Banner automatically dismisses smoothly after 6s. Swiping up or tapping close icon dismisses banner immediately without triggering refresh.
P2 NET-02	Connectivity	**Auto Reconnection Recovery** Internet connection restored after drop.	1. While offline sheet is visible, re-enable Wi-Fi/data.	`ConnectivityService` detects active internet, automatically dismisses the offline popup, and triggers refresh on current view.

ID	MODULE	SCENARIO / PRECONDITIONS	ACTION STEPS	EXPECTED RESULT
P2 AUTH-04	API Client	**Automatic Bearer Token Injection** Any authenticated API call dispatched.	1. Trigger any API call (e.g. `/api/bookings`). 2. Inspect HTTP headers via debug proxy.	`AuthenticatedClient` automatically injects `Authorization: Bearer ` without requiring manual header assembly in each service.

Priority 3 (P3) - Medium & Polish / Edge Cases

UI animations, skeleton placeholders, dark mode contrast, report history, and display rate

ID	MODULE	SCENARIO / PRECONDITIONS	ACTION STEPS	EXPECTED RESULT
P3 REP-01	Activity Report	**Activity History Timeline** User opens Report/Activity view.	1. Open Activity Report. 2. Scroll through timeline items (`/api/booking-history`).	Renders action types ("Status Updated", "New Booking Created"), timestamp, notes, and staff member details cleanly.
P3 REP-02	Activity Report	**Graph Breakdown by Status** Report graph displays completed vs cancelled.	1. View status breakdown graph. 2. Filter by date range (Today, Week, Month).	Graph re-renders with proportional color bars and metric stat cards without layout overflow.
P3 UI-01	Shimmer Loading	**Skeleton Placeholder UI** Slow 3G network simulation on initial list load.	1. Throttle network to 3G. 2. Open Activity History or Coordinator list.	`HistorySkeletonLoading` renders wave shimmer card placeholders matching actual card dimensions. No abrupt pop-in jumps.
P3 UI-02	Navigation	**Scroll-To-Top FAB Button** User scrolls down Coordinator or Today list >250px.	1. Scroll list downwards. 2. Tap the floating arrow button when it appears.	FAB fades in when offset >250px. Tapping it triggers light haptic feedback and animates scroll smoothly to top (offset 0).
P3 UI-03	Today Page	**Collapsible App Bar Dynamics** Scrolling down vs scrolling up in Today view.	1. Scroll down the Today list. 2. Scroll up slightly.	App bar collapses on downward scroll to maximize screen real estate, and smoothly expands back when scrolling up.
P3 THEME-01	Dark Mode	**Dark Mode Contrast & Theme Switching** Device toggled between Light and Dark mode.	1. Toggle system dark mode. 2. Verify banner, cards, text, and inputs.	Surfaces adopt dark palette (`#1E2024`, `AppDarkColors`), text maintains WCAG AAA contrast, and borders stay subtly defined.
P3 PERF-01	Display Mode	**120Hz High Refresh Rate** Run on device with 90Hz/120Hz display (e.g. Samsung/Pixel).	1. Check display refresh rate via Android developer options. 2. Scroll through lists.	`DisplayModeService.enableHighRefreshRate()` locks to 120Hz peak rate for fluid, tear-free scrolling.
P3 ERR-01	Error Handling	**Backend 500 / Timeout Fallback** Endpoint fails with 500 error while internet is active.	1. Mock 500 server error on booking fetch.	Shows inline error message with "Retry" button. Does NOT show "No Mobile Internet" popup because internet is active.