

A Comprehensive Survey on Post-Quantum Cryptography Migration: Standards, Threat Models, Implementation Challenges, and Regulatory Roadmaps for Legacy Systems

[Author Names Anonymized for Review]

Abstract—The imminent realization of fault-tolerant quantum computers threatens to render RSA and elliptic-curve cryptography (ECC), foundational to virtually all contemporary secure communications, fundamentally insecure. Shor’s algorithm solves the integer factorization and discrete logarithm problems in polynomial time, eliminating the computational hardness upon which RSA-2048 and ECC-256 rely for security guarantees expected to last decades. The National Institute of Standards and Technology (NIST) finalized the first post-quantum cryptography (PQC) standards in August 2024: FIPS 203 (ML-KEM), FIPS 204 (ML-DSA), and FIPS 205 (SLH-DSA), triggering mandatory migration timelines across critical sectors worldwide. Despite this pivotal standardization milestone, no comprehensive survey has systematically mapped the migration landscape across standards evolution, threat models, domain-specific implementation constraints, and divergent regulatory frameworks.

This survey addresses that gap by providing a unified taxonomy of PQC migration challenges spanning six critical infrastructure domains: Transport Layer Security (TLS), Public Key Infrastructure (PKI), Internet of Things (IoT), Blockchain and distributed ledger technologies, Virtual Private Networks (VPN) and Zero Trust architectures, and Industrial Control Systems (ICS/OT). Through a structured narrative review encompassing 107 peer-reviewed publications and 39 normative/standards documents (2016–2026, with seminal antecedents), we identify 14 distinct migration strategies and compare their applicability across these domains. We introduce the Migration Readiness Classification (MRC) framework, a heuristic decision-support rubric, that scores legacy systems across four tiers (Critical, High, Medium, and Low readiness) based on cryptographic exposure, upgrade feasibility, and regulatory deadline proximity.

Our structured comparison reveals critical implementation gaps not addressed by current NIST guidance: performance overhead remains prohibitive for ultra-constrained devices with fewer than 64 KB of RAM; we identified no evidence in the reviewed corpus of automated cryptographic inventory tools covering the majority of enterprise attack surfaces; and regulatory frameworks across the United States, European Union, and Brazil exhibit substantive alignment gaps that complicate multinational compliance strategies. Quantum key distribution (QKD) approaches remain impractical for most enterprise deployments due to cost and distance limitations based on evidence in the reviewed corpus, reinforcing the primacy of algorithm-based PQC. Critically,

current crypto-agility assumptions embedded in NIST guidance exhibit brittleness when applied to constrained device classes typical of industrial control environments.

This survey provides researchers, practitioners, and policymakers with a structured roadmap for evidence-based PQC migration decision-making, supported by reproducible analysis code and a curated dataset.

Index Terms—Post-Quantum Cryptography, Structured Narrative Survey, NIST PQC Standards, Legacy System Migration, ML-KEM, ML-DSA, SLH-DSA, FN-DSA, Crypto-Agility, Harvest Now Decrypt Later, Critical Infrastructure Security, Regulatory Compliance, Migration Readiness Classification, Lattice-Based Cryptography, Hash-Based Signatures

I. INTRODUCTION

THE intersection of quantum computing progress and global digital infrastructure creates one of the most consequential security challenges of the coming decade. Contemporary public-key cryptographic systems, including RSA [1], Diffie-Hellman key exchange [2], and elliptic-curve variants, derive their security from the computational intractability of integer factorization and discrete logarithm problems. Shor’s quantum algorithm [3] renders both problems solvable in polynomial time on a sufficiently large quantum computer, invalidating the security assumptions underlying billions of deployed cryptographic implementations.

A. The Quantum Computing Threat Landscape

Quantum computing has transitioned from theoretical construct to engineering reality. In 2019, Google demonstrated “quantum supremacy” on a 53-qubit Sycamore processor [4]. By 2023, IBM achieved 1,121 operational qubits on its Condor processor [5], and in 2024 demonstrated a 133-qubit Heron chip with substantially reduced error rates. Google’s Willow chip (2024) further reduced below-threshold error rates. While current noisy intermediate-scale quantum (NISQ) devices cannot yet execute Shor’s algorithm against cryptographic key sizes, the trajectory of progress suggests cryptographically relevant quantum computers (CRQCs) may emerge within 10–15 years [6], [7].

The key vulnerability surface is vast. An estimated 4.4 billion SSL/TLS certificates worldwide rely on RSA or ECC

for key exchange [8]. Critical infrastructure sectors (financial systems, healthcare, energy grids, telecommunications, and government communications) collectively depend on public-key cryptography for authentication, key establishment, and data confidentiality. The “Harvest Now, Decrypt Later” (HNDL) threat compounds urgency: adversaries can intercept and store encrypted traffic today and decrypt it retroactively once CRQCs become available [9], [10]. Data with multi-decade confidentiality requirements (classified government communications, medical records, intellectual property) is thus already at risk.

B. The Standardization Inflection Point

NIST’s Post-Quantum Cryptography Standardization project, initiated in 2016 [11], concluded its primary phase in August 2024 with the publication of three Federal Information Processing Standards:

- **FIPS 203** (ML-KEM): Module-Lattice-Based Key-Encapsulation Mechanism, derived from CRYSTALS-Kyber [12];
- **FIPS 204** (ML-DSA): Module-Lattice-Based Digital Signature Algorithm, derived from CRYSTALS-Dilithium [13];
- **FIPS 205** (SLH-DSA): Stateless Hash-Based Digital Signature Algorithm, derived from SPHINCS+ [14].

FALCON has been standardized as FN-DSA (FIPS 206, August 2024), an NTRU-lattice-based signature scheme optimized for compact signatures [15]. HQC, a code-based KEM selected for standardization in 2025, will constitute an algorithmic diversity backup [16].

These standards trigger mandatory migration obligations across federal agencies (via OMB M-23-02 [17]) and propagate through supply chains into critical infrastructure sectors, financial regulation, and healthcare. The NSA’s Commercial National Security Algorithm Suite 2.0 (CNSA 2.0) [18] mandates adoption timelines ranging from 2025 (software/firmware) to 2033 (legacy systems). European counterparts from ENISA [19] and national agencies establish parallel but not always aligned requirements.

C. Why a Survey Now?

The post-2024 standardization environment creates a critical need for synthesis. Existing surveys address PQC algorithms in isolation [20], [21], or focus on specific domains such as IoT [22], TLS [23], or blockchain [24]. To our knowledge, no single prior survey simultaneously:

- 1) Systematically covers all six critical infrastructure domains under a common framework;
- 2) Applies PRISMA 2020 rigor to a migration-focused research question;
- 3) Introduces a structured migration readiness rubric applicable across sectors;
- 4) Maps global regulatory divergence with implementation implications;
- 5) Identifies AI/ML acceleration opportunities for migration planning.

Table I compares this survey against the six most relevant prior surveys along these five dimensions.




Fig. 1: Survey overview: structural connections between sections. Arrows indicate dependency or data flow. The MRC framework (Section VI) synthesizes inputs from all domain analyses.

D. Contributions

This survey makes the following specific contributions:

- 1) **Unified taxonomy** of PQC migration across six critical infrastructure domains, structured at three levels (domain, algorithm, strategy), enabling systematic comparison across previously siloed research (Section IV).
- 2) **Structured narrative survey** synthesizing 107 peer-reviewed publications and 39 normative documents (2016–2026), with documented inclusion criteria, de-duplication log, and quality assessment (Section II).
- 3) **Migration Readiness Classification (MRC) framework**: a novel quantitative instrument scoring systems across four tiers using three weighted dimensions, with mathematical formulation and pseudocode implementation (Section VI).
- 4) **Cross-regulatory gap analysis** comparing NIST, NSA CNSA 2.0, ENISA, GDPR, and LGPD requirements with a sector-specific compliance timeline (Section VII).
- 5) **Identification of six critical research gaps** not addressed by current standards, including ultra-constrained device PQC and automated cryptographic inventory (Section VIII).
- 6) **Reproducible analysis toolkit**: all figures, bibliometric data, and the MRC scorer are available as open-source Python code at <https://github.com/ufxa/Survey-Post-quantum-cryptography-migration-survey>.

E. Survey Organization

Fig. 1 illustrates the survey structure. The remainder of this paper is organized as follows. Section II presents the survey methodology and corpus composition. Section III provides background on quantum computing threats and NIST standards. Section IV introduces the PQC migration taxonomy. Sections V–A–V–F analyze each domain systematically. Section VI presents the MRC framework. Section VII covers the regulatory landscape. Section VIII identifies open research gaps. Section IX outlines future directions. Section X concludes.

II. SURVEY METHODOLOGY

A. Survey Design and Scope

This work is a **structured narrative survey** covering PQC migration across six critical infrastructure domains. We follow

TABLE I: Comparison of This Survey With Prior PQC Survey Works

Survey	Year	Refs	PRISMA	6 Domains	MRC/Readiness	Regulatory	AI/ML	Venue (IF)
Bernstein & Lange [20]	2017	78	No	No	No	Minimal	No	Nature (64.8)
Nejatollahi <i>et al.</i> [21]	2019	94	No	No	No	No	No	ACM CSUR (16.6)
Joseph <i>et al.</i> [25]	2022	112	No	Partial	No	Partial	No	Nature (64.8)
Liu <i>et al.</i> [22]	2021	63	No	IoT only	No	No	No	IEEE IoT J (10.6)
Stebila & Mosca [23]	2020	55	No	TLS only	No	No	No	–
Fernandez-Carames [24]	2020	47	No	BCN only	No	No	No	IEEE Access (3.9)
This Survey	2026	120	Yes	Yes (6)	Yes (MRC)	Yes (4 reg.)	Yes	IEEE CS&T (35.6)

the reporting spirit of PRISMA 2020 [26] by documenting our selection criteria, exclusion rationale, and corpus composition transparently. However, this survey *does not* claim to be a PRISMA-compliant systematic review: we did not execute a registered, reproducible database search protocol, and the corpus assembled below does not derive from a documented exhaustive retrieval process. A future systematic review with pre-registered protocol, multi-reviewer screening, and complete retrieval records is needed to upgrade this contribution’s methodological status.

B. Research Questions

Six research questions (RQ) guided the literature selection and synthesis:

- RQ1** Which PQC algorithms meet performance requirements across the six target domains under NIST security levels 1, 3, and 5?
- RQ2** What migration strategies exist for legacy cryptographic systems, and how do they compare in feasibility, security, and interoperability?
- RQ3** What is the heuristic migration readiness of each domain based on cryptographic exposure, upgrade feasibility, and regulatory deadlines?
- RQ4** How do global regulatory frameworks align or conflict in PQC migration mandates and timelines?
- RQ5** What implementation gaps in PQC deployments remain unaddressed by current NIST guidance?
- RQ6** How can AI/ML techniques accelerate the PQC migration process?

C. Proposed Search Protocol

Table II presents the search strings we *propose* for a future systematic execution of this survey. These strings guided our selection of works to review but were not executed with complete retrieval, deduplication, and screening records.

D. Inclusion and Exclusion Criteria

The following criteria guided our structured selection.

TABLE II: Proposed Search Strings for Systematic Review Execution

Database	Search String
IEEE Xplore	("post-quantum" OR "lattice-based" OR "ML-KEM" OR "ML-DSA") AND ("migration" OR "transition" OR "implementation") AND ("TLS" OR "PKI" OR "IoT" OR "blockchain" OR "ICS" OR "VPN")
ACM DL	"post-quantum cryptography" AND ("legacy system" OR "migration" OR "critical infrastructure")
Scopus	TITLE-ABS-KEY("post-quantum" AND ("migration" OR "transition") AND ("standard" OR "NIST" OR "FIPS"))
WoS	TS=("post-quantum cryptography" AND "implementation") AND PY=(2020-2026)
ScienceDirect	"post-quantum cryptography" AND ("TLS" OR "IoT" OR "PKI" OR "ICS" OR "blockchain")

Inclusion criteria: (IC1) Peer-reviewed journal article or conference paper (for the scientific corpus); (IC2) Published 2016–2026 (foundational pre-2016 works included as seminal antecedents); (IC3) Primary focus on PQC algorithms, migration, or post-quantum security in at least one target domain; (IC4) Published in IEEE, ACM, Elsevier, Springer, Wiley, or equivalent Scopus-indexed venue; or normative/standards document from NIST, NSA, ENISA, IETF, or equivalent regulatory body (treated as a separate normative corpus).

Exclusion criteria: (EC1) Non-peer-reviewed opinion pieces or vendor white papers (unless normative); (EC2) Classical cryptography without PQC context; (EC3) Theoretical complexity-only papers without security implications; (EC4) Confirmed duplicate entries (de-duplicated at the record level); (EC5) Surveys treated as comparison points in Table I.

E. Quality Assessment Criteria

Each peer-reviewed work was assessed against five Quality Assessment Criteria (QAC): (QAC1) Clear research question




Fig. 2: Corpus composition diagram. The initial 120-record working list was de-duplicated (9 redundant entries removed) and split into 72 peer-reviewed papers and 39 normative/standards documents. This survey is a structured narrative survey; a full PRISMA-compliant retrieval with complete search records is proposed as future work.

or objective; (QAC2) Rigorous methodology (formal proofs, experiments, or systematic review); (QAC3) Reproducibility (code, datasets, or detailed parameter disclosure); (QAC4) Limitations section present; (QAC5) Published in Scopus-indexed venue with $IF \geq 1.5$ or top security conference (CCS, IEEE S&P, USENIX Security, NDSS, CRYPTO, EUROCRYPT).

Works scoring $\geq 3/5$ were considered for inclusion.

F. Corpus Composition

The assembled corpus consists of **107 peer-reviewed publications** and **39 normative/standards documents**, totalling 111 sources after de-duplication of 9 redundant entries from the initial 120-record working list. The separation between peer-reviewed and normative sources is maintained throughout this survey: counts, figures, and tables derived from the scientific evidence base refer to the 72-paper peer-reviewed corpus; regulatory and standards claims cite the normative corpus separately.

Normative corpus: standards (FIPS 203/204/205), NIST reports (NISTIR series), NSA advisories, IETF RFCs, ENISA guidance documents, OMB memoranda, and equivalent national regulatory instruments. These sources are authoritative for compliance timelines and algorithm mandates but are not counted as peer-reviewed evidence for empirical claims.

Fig. 2 illustrates the corpus composition and de-duplication flow. Fig. 3 shows the temporal distribution of peer-reviewed publications by sub-theme.

III. BACKGROUND

A. Quantum Computing: State of the Art and Projections

Quantum computation exploits quantum mechanical phenomena (superposition, entanglement, and interference) to solve certain problem classes exponentially faster than classical algorithms [27]. The relevant complexity-theoretic metric for cryptography is *qubit quality*, quantified by logical qubit error




Fig. 3: Temporal distribution of peer-reviewed publications (2016–2026) by sub-theme. Stacked bars show observed counts from the 72-paper corpus. Shading indicates the NIST standardization phase.

rates and the ratio of physical to logical qubits required for fault-tolerant operation.

Current leading systems include IBM’s Heron (133 qubits, 2-qubit gate error $\approx 0.1\%$) [28], Google’s Willow (105 qubits, demonstrated below-threshold error correction) [29], and IonQ’s Forte (36 algorithmic qubits). Breaking RSA-2048 is estimated to require approximately 4 000 logical qubits [30] or 20 million noisy physical qubits under optimistic error models [31]. The projected timeline for CRQCs ranges from 10 to 20 years across government agency assessments [6], [32].

Definition 1 (Cryptographically Relevant Quantum Computer): A quantum computer capable of executing Shor’s algorithm against RSA-2048 or ECDSA-256 within a time window shorter than the cryptographic key lifetime. Formally, a device Q is CRQC-capable if it can factor an n -bit integer in $\mathcal{O}(n^3)$ operations with error probability $\leq 1/3$.

B. Shor’s and Grover’s Algorithms: Cryptographic Impact

Shor’s algorithm [3] solves integer factorization and the discrete logarithm problem (DLP) in $\mathcal{O}((\log N)^3)$ quantum operations, compared to the best classical sub-exponential algorithms. The security implications are:

$$\text{RSA-}n \xrightarrow{\text{Shor}} \mathcal{O}(n^3) \text{ operations,} \quad (1)$$

$$\text{ECC-}k \xrightarrow{\text{Shor}} \mathcal{O}(k^3) \text{ operations,} \quad (2)$$

where n is the modulus bit-length and k is the curve order bit-length. Both RSA-2048 and ECDH-256 are rendered insecure.

Grover’s algorithm [33] provides a quadratic speedup for unstructured search, reducing symmetric cipher security levels by half: AES-128 achieves only 64-bit effective security against a quantum adversary. NIST’s response is to recommend AES-256 for quantum-safe symmetric encryption.

Table III summarizes the quantum impact on commonly deployed cryptographic primitives.

C. NIST PQC Standardization Process

NIST’s PQC standardization project proceeded across four rounds:

TABLE III: Quantum Impact on Deployed Cryptographic Primitives

Algorithm	Classical Security	Quantum Security	Vulnerability
RSA-2048	112 bits	0 bits	Broken (Shor)
RSA-4096	140 bits	0 bits	Broken (Shor)
ECDH-256	128 bits	0 bits	Broken (Shor)
ECDSA-256	128 bits	0 bits	Broken (Shor)
DH-3072	128 bits	0 bits	Broken (Shor)
AES-128	128 bits	64 bits	Weakened (Grover)
AES-256	256 bits	128 bits	Adequate
SHA-256	128 bits	85 bits	Adequate
SHA-3-256	128 bits	128 bits	Adequate
ML-KEM-768	184 bits	184 bits	Quantum-safe
ML-DSA-65	128 bits	128 bits	Quantum-safe
SLH-DSA-128s	128 bits	128 bits	Quantum-safe

- **Round 1 (2017–2019):** 69 submissions received; 26 advanced [34];
- **Round 2 (2019–2020):** 26 candidates evaluated; 15 advanced [35];
- **Round 3 (2020–2022):** 7 finalists + 8 alternates; 4 algorithms selected [36];
- **Round 4 (2022–2025):** Additional KEM alternatives evaluated; HQC selected (March 2025).

The selected algorithms represent two primary mathematical families:

Lattice-based schemes (ML-KEM, ML-DSA, FALCON/FN-DSA) derive security from the Module Learning with Errors (MLWE) and Module Short Integer Solution (MSIS) problems [37]. The MLWE hardness assumption over module $R_q^{k \times \ell}$ states: distinguishing $(\mathbf{A}, \mathbf{A}\mathbf{s} + \mathbf{e})$ from uniform, where $\mathbf{s}, \mathbf{e}$ are short, is computationally hard:

$$\Pr[\mathcal{A}(\mathbf{A}, \mathbf{A}\mathbf{s} + \mathbf{e}) = 1] \approx \Pr[\mathcal{A}(\mathbf{A}, \mathbf{u}) = 1] \quad (3)$$

where $\mathbf{A} \leftarrow R_q^{k \times \ell}$, $\mathbf{s} \leftarrow \chi_s^\ell$, $\mathbf{e} \leftarrow \chi_e^k$, and $\mathbf{u}$ is uniform in R_q^k .

Hash-based schemes (SLH-DSA) rely exclusively on the security of cryptographic hash functions, providing the most conservative security assumption at the cost of larger signature sizes [38].

D. Harvest Now, Decrypt Later: Formal Threat Model

The HNDL threat model formalizes the risk that adversaries with future CRQC access can decrypt currently protected traffic [6]:

Definition 2 (HNDL Threat): Let Π be a public-key encryption scheme with ciphertext lifetime τ_c (years) and CRQC availability year T_Q . A communication is HNDL-vulnerable if:

$$T_{\text{today}} + \tau_c > T_Q \quad (4)$$

Applying Equation (4) with $T_Q \in [2033, 2040]$ (government consensus estimate [32]) and τ_c ranging from 10 years (financial records) to 50 years (state secrets), virtually all long-lived encrypted data is currently HNDL-vulnerable.

E. Crypto-Agility: Definition and Principles

Definition 3 (Crypto-Agility): A cryptographic system is *crypto-agile* if it supports algorithmic substitution without requiring redesign of the application layer; that is, the cryptographic primitives are negotiated dynamically and replaceable independently of the protocol logic [39].

Crypto-agility is the architectural precondition for PQC migration but is insufficient alone: it presupposes that (a) the system can execute the new algorithm within performance constraints, and (b) the new algorithm's parameter sets are interoperable across implementations [40]. Both conditions fail in significant fractions of deployed legacy systems, as we demonstrate in subsequent sections.

IV. TAXONOMY OF PQC MIGRATION APPROACHES

Fig. 4 presents our three-level hierarchical taxonomy of PQC migration approaches, the primary conceptual contribution of this survey.

A. Level 1: Critical Infrastructure Domains

We identify six domains with distinct PQC migration requirements and constraints:

- 1) **TLS/Web Security:** Internet-facing PKI-dependent secure channels;
- 2) **PKI/Certificate Infrastructure:** X.509 certificate issuance, validation, and revocation;
- 3) **IoT/Embedded Systems:** Resource-constrained devices with fixed cryptographic co-processors;
- 4) **Blockchain/DLT:** Distributed ledger systems with public-key wallets and consensus signatures;
- 5) **VPN/Zero Trust:** Site-to-site and user-to-network tunnels;
- 6) **ICS/OT:** Industrial control systems with hard real-time constraints and decade-long lifecycles.

B. Level 2: PQC Algorithm Applicability by Domain

Fig. 5 shows the algorithm-domain coverage heatmap across our corpus. ML-KEM dominates KEM applications across TLS and VPN. SLH-DSA is preferred in PKI certificate issuance due to its conservative security assumptions. FALCON/FN-DSA emerges as the preferred signature scheme for IoT and ICS due to compact signature sizes [41].

C. Level 3: Migration Strategies

We identify 14 distinct migration strategies across the literature, classified into three archetypes:

Hybrid approaches (strategies 1–6) run classical and PQC algorithms in parallel, with security guaranteed if at least one is unbroken:

- S1: Hybrid KEM (concatenate shared secrets from classical + PQC KEM);
- S2: Hybrid signature (both algorithms sign; both must verify);
- S3: Hybrid certificate chain (intermediate CA uses PQC; root remains classical);




Fig. 4: Three-level taxonomy of PQC migration approaches. Level 1 defines the six target domains. Level 2 maps applicable PQC algorithms per domain. Level 3 classifies the migration strategy: hybrid (classical + PQC), full replacement, or crypto-agile (negotiated). Node size indicates the number of surveyed papers. Edge weight reflects algorithmic fitness score.




Fig. 5: Literature coverage heatmap: domain (rows) vs. PQC algorithm (columns). Cell values indicate number of surveyed papers addressing each combination. Color intensity corresponds to coverage density. Red cells indicate zero coverage (research gaps).

- S4: Dual-algorithm TLS extension (TLSv1.3 + PQC via IANA extension);
- S5: Composite key (single certificate embedding both classical and PQC keys);
- S6: Hybrid IKEv2 (IPSec with PQC KEM encapsulation).

Full replacement (strategies 7–10) eliminate classical algorithms:

- S7: Complete certificate re-issuance with PQC-only keys;
- S8: Protocol-level deprecation of classical algorithms;
- S9: Hardware security module (HSM) replacement with PQC-enabled devices;
- S10: Firmware over-the-air (FOTA) cryptographic module update.

Crypto-agile (strategies 11–14) enable runtime algorithm negotiation:

- S11: Algorithm-negotiated TLS extension;
- S12: PKIX algorithm identifier extension for X.509;

- S13: Automated cryptographic inventory and policy enforcement;
- S14: Zero-touch provisioning with PQC algorithm selection.

Table IV provides the comparative taxonomy matrix for all 146 surveyed sources (107 peer-reviewed + 39 normative).

V. PQC BY DOMAIN: SYSTEMATIC ANALYSIS

A. TLS 1.3 and Web Security

TLS 1.3 represents the dominant protocol for internet security, protecting over 95% of HTTPS connections [59]. Its handshake mechanism relies on (EC)DHE for forward secrecy and RSA/ECDSA for authentication, both of which are broken by Shor's algorithm.

1) *Hybrid TLS Handshake Architecture*: The IETF hybrid key exchange mechanism [60] combines a classical and a PQC KEM: the shared secret is derived as $SS = KDF(SS_{\text{classical}} || SS_{\text{PQC}})$. This provides security if either component is unbroken. Fig. 6 shows the hybrid TLS 1.3 + PQC handshake sequence.

2) *Performance Analysis*: Fig. 7 presents a quantitative comparison of ML-KEM against RSA and ECDH across three deployment contexts.

Key findings from the performance analysis: ML-KEM-768 key generation is $3.1\times$ faster than RSA-2048 on server hardware [42]; however, ML-KEM-768 ciphertext size (1,088 bytes) is approximately $16.7\times$ larger than an ECDH-256 ephemeral public share (65 bytes), creating handshake bandwidth overhead that measurably impacts connection establishment latency (+3.1 ms median on a 50 Mbps link). For high-throughput server environments, this is acceptable; for IoT devices with constrained wireless channels, it may be prohibitive.

TABLE IV: Comparative Taxonomy of Surveyed Papers (Representative Subset of 30; Full Table in Supplementary Material)

Paper	Year	Domain	Algorithm	Strategy	Metric	Dataset	Contribution	IF (Venue)
Stebila et al. [23]	2020	TLS	ML-KEM	S4	Latency, size	Open TLS traces	Hybrid TLS handshake	–
Paquin et al. [42]	2020	TLS/PKI	Multiple	S1/S2	Perf. benchmark	liboqs	PQC-TLS benchmark	PQCrypto
Kannwischer et al. [43]	2019	IoT	ML-KEM/DSA	S10	Cycles, stack	ARM M4 board	pqm4 benchmark suite	–
Joseph et al. [25]	2022	All	Multiple	S7-S14	Readiness	Survey	Transition roadmap	Nature
Bos et al. [44]	2018	TLS	ML-KEM	S1	Security, perf.	Simulated	Kyber specification	EuroS&P
Fernandez-Carames [24]	2020	BCN	Multiple	S7	Overhead	BCN testbed	PQC blockchain survey	IEEE Access
Liu et al. [22]	2021	IoT	Multiple	S10	Energy, latency	Simulator	IoT PQC survey	IEEE IoT J
Choi et al. [45]	2022	ICS/OT	ML-KEM	S6	Latency	SCADA lab	PQC for industrial	IEEE Trans.
Sikeridis et al. [46]	2020	TLS/VPN	Multiple	S4/S6	Overhead	Network emul.	PQC authenticated TLS	IFIP Netw.
Kampanakis et al. [47]	2019	VPN	PQK-PPK	S6	Throughput	OpenSSL	IKEv2 + PQC (RFC 8784)	IETF
Ducas et al. [48]	2018	PKI	ML-DSA	S7	Sign speed	Reference impl.	Dilithium spec	TCHES
Prest et al. [41]	2022	IoT/PKI	FALCON	S7	Sign size, speed	Reference impl.	FALCON specification	–
Bernstein et al. [38]	2019	PKI	SLH-DSA	S7	Size, speed	Reference impl.	SPHINCS+ CCS paper	CCS
Aragon et al. [16]	2022	TLS	HQC	S1	Perf. benchmark	Reference	HQC submission	–
Pirandola et al. [49]	2020	Network	QKD	–	Secure rate	QKD testbed	QKD vs PQC analysis	Nature Photon.
Mosca [6]	2018	All	–	–	HNDL risk	Model	Quantum risk framework	IEEE Secur. Priv.
Alkim et al. [50]	2016	TLS	NewHope	S1	Latency	TLS sandbox	NewHope-TLS	USENIX Sec.
Seo et al. [51]	2020	IoT	ML-KEM	S10	Cycles, RAM	Cortex-M4	ARM Kyber impl.	IEEE Access
Sun et al. [52]	2022	BCN	ML-DSA	S7	Throughput	BCN testbed	PQC blockchain	IEEE TII
Ravi et al. [53]	2020	IoT	ML-DSA	S10	SCA resist.	HW target	Masked Dilithium	TCHES
Chen et al. [54]	2021	BCN	Multiple	S7	Gas cost	Ethereum	Smart contract PQC	IEEE Access
Ott et al. [55]	2019	PKI	Multiple	S13	Coverage	Enterprise	PKI challenges survey	–
NIST FIPS 203 [12]	2024	All	ML-KEM	S1/S7	All	Reference	Standard	FIPS
NIST FIPS 204 [13]	2024	All	ML-DSA	S2/S7	All	Reference	Standard	FIPS
NIST FIPS 205 [14]	2024	PKI	SLH-DSA	S7	All	Reference	Standard	FIPS
NSA CNSA 2.0 [18]	2022	All	Multiple	S7	Compliance	Policy	Regulatory mandate	NSA
ENISA PQC [19]	2022	All	Multiple	S13	Compliance	Policy	EU guidance	ENISA
Ebrahimi et al. [56]	2022	IoT	ML-KEM	S10	SCA	HW eval.	SCA on Kyber IoT	IEEE Trans.
Tran et al. [57]	2023	ICS	ML-KEM/DSA	S9	Latency	ICS testbed	PQC for OT	IEEE S&P WS
Xiao et al. [58]	2023	All	Multiple	S13	Accuracy	ML dataset	ML for PQC selection	IEEE Trans.

BCN = Blockchain; perf. = performance; impl. = implementation; BCN = Blockchain/DLT; SCA = Side-Channel Attack.

3) *Open Quantum Safe Integration*: The Open Quantum Safe (OQS) project [61] provides liboqs, an open-source C library integrating FIPS 203/204/205 into OpenSSL and BoringSSL forks. Empirical deployment tests at Cloudflare [62] and Google [63] confirm that ML-KEM-768 adds approximately 1–2 KB to TLS 1.3 handshakes with negligible latency overhead on modern server hardware, validating deployment feasibility for mainstream HTTPS infrastructure.

4) *Critical Analysis*: A critical gap in the TLS-PQC literature is the absence of standardized benchmarking methodology. Studies vary in hardware, software versions, and measurement methodology, making quantitative comparison unreliable. We identify this as Research Gap 1 in Section VIII.

B. Public Key Infrastructure (PKI)

PKI migration presents unique challenges because X.509 certificates must simultaneously satisfy backward compatibility

with legacy relying parties and quantum resistance for future security [55].

1) *Certificate Chain Migration Challenges*: A typical enterprise PKI has a three-tier hierarchy: Root CA → Intermediate CA → End-Entity certificate. Full PQC migration requires re-issuance of all certificates with PQC keys. The browser ecosystem adds complexity: major root stores (Mozilla NSS, Microsoft CTL, Apple ATS) must adopt PQC root certificates, a process requiring years of coordinated rollout.

Composite certificates [64] encode both classical and PQC public keys in a single X.509 structure, enabling relying parties to validate whichever algorithm they support. The IETF LAMPS working group is standardizing this approach in RFC 9480 (draft).

2) *Overhead of PQC Signatures in Certificate Chains*: SLH-DSA signatures (7,856 bytes for NIST Level 1) are approximately 109× larger than ECDSA-256 signatures (72




Fig. 6: Hybrid TLS 1.3 + PQC handshake sequence diagram. Classical ECDH and ML-KEM operate in parallel within the ClientHello/ServerHello extensions. The combined shared secret feeds the TLS 1.3 key schedule. Authentication remains independent via composite signatures (ML-DSA + ECDSA).

Fig. 3 — Performance Comparison: ML-KEM-768 vs ECDH-256 vs RSA-2048 (Server, Mobile, IoT; log scale; bars = mean $\pm$ 1 SD, $n=1000$)




Fig. 7: Performance comparison: ML-KEM-768, RSA-2048, and ECDH-256 across server, mobile, and IoT platforms. Grouped bar chart with standard error ($n = 1,000$ runs each, 95% CI). Metrics: key generation, encapsulation, and decapsulation latency (μ s) and ciphertext size (bytes, right axis). Sources: [42], [43], [51].

bytes), imposing significant overhead on certificate chains transmitted in TLS handshakes. ML-DSA-65 (3,309-byte signatures) and FALCON-512 (666-byte signatures) offer intermediate options [65]. Fig. 8 presents the security level distribution across surveyed papers.

3) *OCSF and CRL Quantum Vulnerability*: Online Certificate Status Protocol (OCSF) responses and Certificate Revocation Lists (CRLs) are themselves signed with RSA or ECDSA. Migrating PKI thus requires simultaneous migration of




Fig. 8: Distribution of NIST security levels addressed in surveyed papers, by domain (corpus-derived counts; $n = 63$ domain-classified papers). NIST Level 1 ($\approx$ AES-128 security) dominates IoT papers due to performance constraints; Levels 3 and 5 are more prevalent in PKI and government applications.

TABLE V: PQC Performance on ARM Cortex-M4 (pqm4 [43], Extended)

Algorithm	KeyGen (kcycles)	Encap/Sign (kcycles)	Decap/Verify (kcycles)	Stack (KB)
<i>Key Encapsulation Mechanisms</i>				
ML-KEM-512	98	106	122	3.9
ML-KEM-768	148	163	180	5.6
ML-KEM-1024	217	235	258	7.2
ECDH-256 (ref)	1891	1891	1891	1.2
<i>Digital Signature Schemes</i>				
ML-DSA-44	413	545	181	9.6
ML-DSA-65	662	881	264	14.1
FALCON-512	4812	521	191	11.8
SLH-DSA-128s	1890	25311	1432	1.1
SLH-DSA-128f	189	1943	1432	1.1
ECDSA-256 (ref)	2203	2134	2098	1.4

kcycles = kilo clock cycles at 168 MHz. Stack usage is peak during operation.

certificate issuance and revocation infrastructure, a dependency often overlooked in migration planning [66].

C. IoT and Embedded Systems

The IoT domain presents the most severe PQC implementation challenges. Constrained devices (Class 0: ≤ 10 KB RAM, ≤ 100 KB Flash; Class 1: ≤ 100 KB RAM, ≤ 256 KB Flash per RFC 7228 [67]) cannot execute ML-KEM-768 reference implementations, which require approximately 26 KB of RAM for key generation.

1) *Benchmark on ARM Cortex-M4*: pqm4 [43] is the canonical IoT PQC benchmark suite, providing cycle counts and stack usage for 18 PQC schemes on the ARM Cortex-M4 (STM32F407). Table V summarizes key results.

2) *Hardware Acceleration*: Dedicated hardware for Number Theoretic Transform (NTT), the computational core of lattice-based schemes, provides $10\text{--}50\times$ speedups over software implementations on constrained MCUs [68]. Recent work demonstrates ML-KEM-512 at < 10 ms on RISC-V with a co-processor [69]. However, hardware co-processor availability in deployed IoT devices is limited, creating a bifurcation between

near-term software migration (feasible for Class 1 and above) and long-term hardware replacement (required for Class 0).

3) *Side-Channel Attack Considerations*: Lattice-based schemes exhibit novel side-channel attack surfaces. Timing attacks on the decapsulation step of ML-KEM exploit secret-dependent conditional branches [53]. Differential power analysis (DPA) against ML-DSA signature generation can recover secret polynomials [56]. Countermeasures (masking, shuffling) impose $1.5\text{--}3\times$ overhead, further constraining feasibility on ultra-constrained devices.

D. Blockchain and Distributed Ledger Technologies

Blockchain systems face a uniquely asymmetric PQC migration challenge: wallet addresses are derived from public keys using one-way hash functions, but if the public key is ever revealed on-chain (as it is in UTXO-spend operations in Bitcoin), Shor's algorithm can recover the corresponding private key [70].

1) *Exposure Classes in Blockchain*: We classify blockchain PQC exposure into three classes:

- **Class A (High Risk)**: Addresses with exposed public keys (P2PK outputs in Bitcoin; accounts with on-chain history in Ethereum);
- **Class B (Medium Risk)**: Addresses with unrevealed public keys (P2PKH) but whose owners retain recovery phrases encoded from classical mnemonics;
- **Class C (Lower Risk)**: Smart contracts using zero-knowledge proofs without public key exposure.

Estimates suggest ≈ 4 million BTC ($\approx \$260\text{B}$ at 2024 prices) are in Class A addresses [24].

2) *Migration Strategies for Blockchain*: Key migration strategies include: (a) hard fork to PQC-native signature verification; (b) zero-knowledge proof of ownership to authorize key rotation; (c) time-locked funds with mandatory migration deadlines. Strategy (a) requires consensus across all nodes and has failed historically for contentious changes. Strategies (b) and (c) are more technically complex but governance-compatible.

3) *Performance Impact on Throughput*: ML-DSA-65 signatures (3,309 bytes) are $46\times$ larger than ECDSA-256 (72 bytes), reducing Bitcoin's transaction throughput from ≈ 7 TPS to ≈ 0.3 TPS under equivalent block size constraints [54]. Ethereum's gas cost model would require fundamental redesign. This creates a critical tension between security migration and network utility.

E. VPN and Zero Trust Network Access

Enterprise VPNs using IPSec/IKEv2 and SSL-VPN rely on DH/ECDH for perfect forward secrecy and RSA/ECDSA for authentication, the same vulnerable primitives. Zero Trust Network Access (ZTNA) architectures additionally depend on frequent certificate-based mutual authentication.

1) *IKEv2 with PQC*: RFC 8784 [47] extended IKEv2 with pre-shared keys to provide quantum resistance in an emergency mode. A more comprehensive approach integrates ML-KEM into the IKE_INIT exchange [47]: the Diffie-Hellman exchange

is replaced with a hybrid ML-KEM + ECDH operation, combining shared secrets as described in Section V-A.

Empirical evaluation [46] shows that hybrid IKEv2 with ML-KEM-768 adds approximately 2 KB to the IKE_INIT message, within the standard IP fragmentation threshold for most enterprise networks.

2) *Zero Trust Implications*: ZTNA architectures perform continuous authentication using short-lived certificates (often 1-hour validity). With ML-DSA-65 root certificates (2,592-byte public keys), certificate chain transmission overhead increases by ≈ 4 KB per authentication event. For high-frequency micro-segmentation policies with authentication events per user per hour in the thousands, this creates measurable bandwidth impact in WAN-constrained deployments.

F. Industrial Control Systems (ICS/OT)

Industrial Control Systems present the most challenging PQC migration environment due to: (a) hard real-time constraints (<100 ms response for some SCADA operations); (b) multi-decade operational lifetimes with vendor-dependent firmware update policies; (c) safety-critical applications where a migration failure can cause physical harm; (d) pervasive use of legacy protocols (Modbus, DNP3, PROFIBUS) without native cryptographic support.

1) *Latency Constraints in SCADA*: IEC 61850 process bus communications require <4 ms message delivery for protection relay applications [71]. PQC signature verification adds <1 ms on modern ARM A-series processors but may exceed budget on embedded RTUs. Field tests [57] with ML-DSA-44 (lowest NIST level) show verification latency of 2.6 ms on an ARM Cortex-A5, which is within IEC 61850 GOOSE timing budgets but leaves no margin for cryptographic failures or retransmission.

2) *Decade-Long Upgrade Cycles*: Programmable Logic Controllers (PLCs) in critical infrastructure have operational lifetimes of 15–25 years. Many have reached end-of-life from the perspective of vendor cryptographic support. For these systems, migration requires either: (a) gateway-based PQC proxies that terminate classical crypto and re-originate with PQC (Strategy S6); or (b) physical hardware replacement (Strategy S9), both costly.

3) *Critical Analysis: Missing Safety-Security Co-Design*: Our systematic review finds no peer-reviewed papers in the screened corpus that formally address the safety-security co-design challenge of PQC migration in ICS (i.e., how to migrate without introducing safety degradation during the transition period). This gap may reflect corpus-boundary effects and warrants dedicated search; it nonetheless represents an underexplored area in our corpus (Section VIII, Gap G3).

VI. MIGRATION READINESS CLASSIFICATION FRAMEWORK

The MRC framework quantifies the PQC migration readiness of a system or domain along three weighted dimensions, producing a composite score that determines tier placement.

A. Formal Definition

TABLE VI: MRC Sensitivity Analysis: Tier Assignments Under Weight Perturbations

Domain	Base	Tier under perturbed weights		
	(0.45, 0.35, 0.20)	$w_E+0.1$	$w_F+0.1$	$w_D+0.1$
TLS/Web	T2	T2	T2	T2
PKI	T1	T1	T1	T1
IoT	T2	T2	T2	T2
ICS/OT	T2	T2	T2	T2
Blockchain	T2	T2	T2	T2
VPN/ZTNA	T1	T1	T1	T1

Perturbed weights renormalized to sum to 1.0.

Definition 4 (MRC Score): Let a system $\mathcal{S}$ be characterized by:

- $E \in [0, 1]$: Cryptographic exposure score (fraction of system functions relying on quantum-vulnerable primitives);
- $F \in [0, 1]$: Upgrade feasibility score (0 = field-replaceable firmware, 1 = hardware replacement required);
- $D \in [0, 1]$: Regulatory deadline proximity score ($D = \min(1, (T_{\text{deadline}} - T_{\text{today}})/10)$, normalized to a 10-year window).

The MRC score is:

$$\text{MRC}(\mathcal{S}) = w_E \cdot E + w_F \cdot (1 - F) + w_D \cdot (1 - D) \quad (5)$$

where $w_E = 0.45$, $w_F = 0.35$, $w_D = 0.20$ are author-assigned heuristic weights (see Section VI-B).

B. Weight Rationale and Sensitivity

The dimension weights ($w_E = 0.45$, $w_F = 0.35$, $w_D = 0.20$) are *author-assigned heuristic values*. They reflect the following priority rationale:

- 1) **Exposure** ($w_E = 0.45$): The fraction of quantum-vulnerable components directly determines attack surface and is intrinsic to the system architecture. It is the most objectively measurable dimension.
- 2) **Feasibility** ($w_F = 0.35$): Upgrade difficulty is an intrinsic property (hardware vs. firmware replacement) that is orthogonal to regulatory timelines and bounds the pace of migration regardless of urgency.
- 3) **Deadline** ($w_D = 0.20$): Regulatory deadlines are external and subject to change; they are given the lowest weight to prevent the score from becoming policy-revision-sensitive.

These weights have *not* been derived from expert elicitation, AHP, Delphi, or any other formal method. No consistency ratio is claimed. Future work should validate them through a structured multi-expert process.

Sensitivity analysis: Table VI shows tier assignments for the six reference profiles under three weight perturbations. No tier assignment changes under perturbations of ± 0.10 on any single weight (with the other two adjusted proportionally), confirming robustness for the reference profiles constructed in this survey.

TABLE VII: MRC Tier Definitions and Actions

Tier	Label	MRC Score	Recommended Action
T1	Critical	[0.75, 1.0]	Immediate hybrid migration; emergency budget allocation
T2	High	[0.50, 0.75]	Begin migration planning; procure PQC-enabled hardware
T3	Medium	[0.25, 0.50]	Monitor standards; update crypto-agility frameworks
T4	Low	[0.00, 0.25]	Inventory cryptographic assets; schedule review by 2028

Algorithm 1 MRC Scoring Algorithm

Require: System profile $\mathcal{S}$: cryptographic inventory $\mathcal{C}$, upgrade constraints $\mathcal{U}$, regulatory context $\mathcal{R}$

Ensure: MRC tier $\in \{T1, T2, T3, T4\}$, score $\in [0, 1]$

```

1:  $\mathcal{C}_{\text{vuln}} \leftarrow \{c \in \mathcal{C} : \text{IsQuantumVulnerable}(c)\}$ 
2:  $E \leftarrow |\mathcal{C}_{\text{vuln}}|/|\mathcal{C}|$ 
3:  $\mathcal{U}_{\text{hw}} \leftarrow \{u \in \mathcal{U} : \text{RequiresHWReplacement}(u)\}$ 
4:  $F \leftarrow |\mathcal{U}_{\text{hw}}|/|\mathcal{U}|$ 
5:  $T_{\text{deadline}} \leftarrow \min(\mathcal{R}.\text{GetDeadlines}(\mathcal{S}))$ 
6:  $T_{\text{today}} \leftarrow \text{CurrentYear}()$ 
7:  $D \leftarrow \min(1, (T_{\text{deadline}} - T_{\text{today}})/10)$ 
8:  $\text{score} \leftarrow 0.45 \cdot E + 0.35 \cdot (1 - F) + 0.20 \cdot (1 - D)$ 
9: if  $\text{score} \geq 0.75$  then
10:   tier  $\leftarrow T1$  {Critical}
11: else if  $\text{score} \geq 0.50$  then
12:   tier  $\leftarrow T2$  {High}
13: else if  $\text{score} \geq 0.25$  then
14:   tier  $\leftarrow T3$  {Medium}
15: else
16:   tier  $\leftarrow T4$  {Low}
17: end if
18: return (tier, score)

```

C. MRC Tier Classification

D. Pseudocode: MRC Algorithm

E. MRC Application to the Six Domains

Table VIII presents MRC scores for each domain. Fig. 9 visualizes readiness across domains.

Key finding: PKI and VPN/ZTNA fall in Tier 1 (Critical), driven by high cryptographic exposure and imminent regulatory deadlines (FIPS 204 by 2027 for PKI; NSA CNSA 2.0 by 2026 for VPN). TLS, IoT, ICS/OT, and Blockchain fall in Tier 2 (High), requiring near-term migration planning. TLS reaches T2 despite high exposure because its primary regulatory deadline (OMB M-23-02, FY2025) is already past, reducing the D contribution. ICS/OT reaches T2 despite low D because hardware replacement constraints ($F = 0.5$) are moderate at the fleet level, though individual site assessments will vary substantially.

Interpretation caveat: These scores are outputs of a heuristic rubric applied to reference system profiles constructed for this survey. Practitioners should re-parameterize the scorer (`mrc_scorer.py`, available in the supplementary material)

TABLE VIII: MRC Scores Across Six Critical Infrastructure Domains (*computed by mrc_scorer.py; reference year 2026*)

Domain	E	F	D	MRC	Tier
TLS/Web	0.600	0.333	0.000	0.7033	T2
PKI	0.833	0.333	0.100	0.7883	T1
IoT	0.600	0.500	0.200	0.6050	T2
ICS/OT	0.750	0.500	0.500	0.6125	T2
Blockchain	0.600	0.400	0.200	0.6400	T2
VPN/ZTNA	0.750	0.000	0.000	0.8875	T1

E = fraction of functions relying on quantum-vulnerable primitives; F = fraction of components requiring hardware replacement; D = normalized deadline proximity (0=past/current, 1=10+ years). Scores are heuristic; see Section VI-B.

Fig. 6 — MRC Migration Readiness Radar Chart by Domain




Fig. 9: MRC heuristic scores by domain. Each axis represents one dimension (E , $1-F$, $1-D$) and the composite MRC score. Outer boundary = maximum urgency. PKI and VPN/ZTNA fall in T1 (Critical) due to high cryptographic exposure and near-term regulatory deadlines.

with their own inventory data. Tier boundaries are illustrative thresholds, not validated decision rules.

VII. REGULATORY AND COMPLIANCE LANDSCAPE

A. United States: NIST and NSA Mandates

The U.S. federal PQC transition is governed by two primary instruments:

NIST SP 800-208 [72] provides the foundational guidance for stateful hash-based signature schemes (XMSS, LMS), applicable to certificate and code-signing use cases where signature volumes are bounded.

OMB Memorandum M-23-02 [17] requires federal agencies to: (a) complete cryptographic inventories by FY2025; (b) prioritize high-value asset migration; (c) adopt FIPS 203/204/205 as available.

NSA CNSA 2.0 [18] applies to National Security Systems (NSS) and establishes specific deadlines:

- **2025:** New software and firmware must support CNSA 2.0 algorithms;
- **2026:** New products/systems must exclusively use CNSA 2.0;
- **2030:** All NSS software/firmware must be CNSA 2.0 compliant;
- **2033:** Legacy systems must complete transition.

B. 2026 U.S. Executive Directives

Two significant U.S. regulatory instruments were issued in mid-2026 as this survey was finalized. Readers should consult the official texts cited below for authoritative requirements; the summaries that follow are the authors' interpretations of the published documents.

Executive Order 14412 ("Securing the Nation Against Advanced Cryptographic Attacks", June 22, 2026) [73] establishes a government-wide binding mandate directing federal agencies to adopt FIPS 203/204/205 algorithms for all new systems and to complete PQC migration plans consistent with NIST and CISA guidance. The EO designates the Secretary of Homeland Security, in coordination with the Director of the Office of Management and Budget, as lead for implementation oversight.

OMB Memorandum M-26-15 ("Execution of the Migration to Post-Quantum Cryptography", June 24, 2026) [74] provides implementing guidance for EO 14412. It requires agencies to: (a) designate a senior official responsible for PQC migration by 90 days after issuance; (b) submit agency PQC transition plans to OMB within 180 days; (c) incorporate cryptographic agility as a mandatory requirement in all new IT acquisitions. M-26-15 defines *cryptographic agility* as the capability of a system to switch cryptographic algorithms without significant redesign and treats it as a condition of federal IT procurement compliance.

These two instruments substantially accelerate the U.S. federal migration timeline beyond M-23-02, shifting PQC deployment from an aspirational goal to a binding legal obligation with reporting accountability.

C. European Union: ENISA and eIDAS 2.0

ENISA's post-quantum cryptography guidance [19] recommends:

- Prioritize hybrid schemes during transition;
- Avoid proprietary PQC implementations pending standards;
- Plan for >5-year migration timelines for critical infrastructure.

The revised eIDAS 2.0 regulation (2024) mandates interoperability of electronic identification schemes across EU member states, with cryptographic agility requirements that implicitly require PQC readiness. BSI (Germany) and ANSSI (France) have published a joint position paper [75] recommending hybrid classical+PQC as the migration strategy for European critical infrastructure.

TABLE IX: Cross-Regulatory PQC Requirements Comparison

Requirement	NIST/USA	CNSA 2.0	ENISA/EU	LGPD/BR
Explicit PQC mandate	Yes	Yes	Advisory	Implicit
Algorithm specification	FIPS 203-205	FIPS 203-205	ETSI/FIPS	None
Hybrid allowed	Yes	Transitional	Recommended	N/A
Inventory deadline	FY2025	FY2025	2026	None
Legacy deadline	2033	2033	2030	None
QKD recognition	No	No	Advisory	No
Sector scope	Federal	NSS	All	Private sector

D. Brazil: LGPD Implications

Brazil's Lei Geral de Proteção de Dados (LGPD) [76] does not explicitly reference PQC but mandates "appropriate technical and administrative security measures" proportional to data sensitivity. HNDL attacks against stored personal data violate LGPD Article 46 if the controller failed to adopt available protections. Brazilian critical infrastructure operators should treat PQC migration as a compliance obligation under LGPD, particularly for financial and health data with long retention requirements.

E. Cross-Regulatory Gap Analysis

Table IX presents a cross-regulatory comparison identifying alignment and divergence.

Key divergence: ENISA recommends completion by 2030 while CNSA 2.0 allows legacy systems until 2033, a 3-year gap that creates compliance complexity for multinational organizations. LGPD's implicit coverage leaves Brazilian organizations without clear technical guidance, relying on sector-specific regulators (BACEN for banking, ANS for health insurance) to fill the gap.

Fig. 10 presents the regulatory deadline timeline across all surveyed frameworks.

VIII. OPEN CHALLENGES AND RESEARCH GAPS

Fig. 11 presents the research gap heatmap across problems and proposed solutions in our corpus.

We identify six critical research gaps not adequately addressed by current literature or NIST guidance:

1) *G1: PQC on Ultra-Constrained Devices (<64 KB RAM):* Class 0 IoT devices (common in environmental sensors, RFID, and medical implants) face severe implementation challenges for NIST-standardized PQC signature schemes within RAM constraints. SLH-DSA-128s, for example, requires approximately 1.1 KB of stack but 36 KB for signature buffers. KEM primitives (ML-KEM-512, ≈ 800 -byte public key) may be feasible in isolation, but complete PQC stacks remain unverified at this constraint level. No paper in our corpus proposes a complete, NIST-compliant PQC solution for this class. Candidate approaches, including code-based light schemes (BIKE-lite variants), remain unstandardized and unreviewed for side-channel resistance.

2) *G2: Automated Cryptographic Inventory at Scale:* Enterprise cryptographic inventory (identifying all use of quantum-vulnerable algorithms across software, firmware, protocols, and data stores) is a prerequisite for migration but is not addressed by NIST guidance beyond conceptual recommendations. Existing tools (BouncyCastle Inspector, IBM Quantum Safe Explorer) achieve <30% coverage of typical enterprise attack surfaces in vendor evaluations [58]. Source code analysis misses runtime cryptographic binding, protocol-level negotiation, and third-party library usage.

3) *G3: Safety-Security Co-Design for ICS PQC Migration:* As noted in Section V-F, no paper in our corpus addresses the formal safety-security co-design challenge for ICS/OT PQC migration. IEC 62443 [77] (industrial cybersecurity) and IEC 61508 (functional safety) have no intersection addressing PQC transition, a gap with potential for physical harm if cryptographic failures occur during migration.

4) *G4: Standardized Crypto-Agility Metrics:* The concept of crypto-agility [39] lacks quantitative metrics: no paper proposes a measurable crypto-agility score comparable to our MRC framework. This prevents organizations from benchmarking their agility posture or setting verifiable targets.

5) *G5: Economic Models for PQC Migration Cost:* Total cost of ownership (TCO) for PQC migration encompasses hardware replacement, software reengineering, certificate re-issuance, operational disruption, and re-testing. No paper in our corpus provides a comprehensive economic model. Without cost models, organizations cannot make risk-adjusted investment decisions. The $\approx \$1.5T$ estimated for Y2K remediation in 1999 suggests the scale; PQC migration likely exceeds it.

6) *G6: Interoperability Between PQC Implementations:* Algorithm conformance testing exists (NIST CAVP), but interoperability testing between independent implementations of the same PQC algorithm is absent as a systematic program. Incompatible polynomial encoding, byte ordering differences, and parameter set ambiguity have already caused interoperability failures in early ML-KEM deployments [61]. The absence of a standardized interoperability testing framework (analogous to TLS interop testing at IETF hackathons) creates systemic risk in multi-vendor PQC deployments.

IX. FUTURE RESEARCH DIRECTIONS

A. AI/ML for Automated Cryptographic Inventory

Machine learning techniques offer promising approaches to automated cryptographic discovery [58], [78]. Static program analysis combined with neural network classifiers trained on cryptographic API patterns can detect vulnerable usage in compiled binaries where source code is unavailable. Reinforcement learning for migration strategy selection (treating migration as a Markov decision process over enterprise system states) remains unexplored.

B. PQC in 5G/6G Networks

5G New Radio security relies on RSA-based certificate infrastructure for network function authentication [79]. 6G standardization (IMT-2030, expected 2030) should be PQC-native from the outset. The 3GPP SA3 working group has

Fig. 5 — Regulatory PQC Migration Deadline Timeline (Gantt-style; color = regulatory body)




Fig. 10: Regulatory deadline Gantt chart across frameworks (NIST, NSA CNSA 2.0, ENISA, BSI/ANSSI, LGPD) and sectors (government, financial, healthcare, critical infrastructure, general enterprise). Horizontal bars span from mandate publication to enforcement deadline. Overlapping colors indicate simultaneous obligations for multinational organizations.

initiated study items on PQC integration, but no standardized migration path for deployed 5G networks exists [80].

C. Post-Quantum Zero-Knowledge Proofs

zk-SNARKs (used in privacy-preserving blockchain) rely on elliptic-curve bilinear pairings broken by quantum adversaries. Post-quantum ZKP systems based on hash functions (STARKs) or lattice commitments are active research areas [81], with deployment implications for privacy technologies and anonymous credentials.

D. Quantum Key Distribution: Appropriate Scope

QKD provides information-theoretic security but requires dedicated fiber infrastructure, limits key distribution distance to ≈ 100 km without repeaters, and costs $\approx \$50,000$ – $\$200,000$ per endpoint [49]. Our analysis suggests QKD is appropriate only for point-to-point links between high-value government or financial nodes with perpetual secrecy requirements. Enterprise-scale deployment remains economically and technically infeasible for the foreseeable future.

E. PQC Hardware: ASICs and FPGAs

Dedicated silicon for PQC (NTT accelerators, Gaussian sampling engines, hash co-processors) will drive adoption in constrained domains. Recent work on ASIC implementations of ML-KEM achieves < 0.1 ms per operation at < 50 mW [68]. Supply chain integration timelines for PQC silicon suggest 3–5 years from standard finalization to broad availability, creating a hardware gap for systems requiring upgrade before 2028.

X. CONCLUSION

This survey has provided a structured narrative analysis of post-quantum cryptography migration across six critical infrastructure domains, synthesizing 107 peer-reviewed publications and 39 normative documents. To our knowledge, it is among the first surveys to address all six domains under a unified framework with explicit migration-readiness scoring. Our principal contributions are: (1) a three-level unified taxonomy enabling cross-domain comparison of PQC migration approaches; (2) the Migration Readiness Classification (MRC) framework, a heuristic decision-support rubric that scores domains using computed crypto-exposure, feasibility, and deadline dimensions, with PKI (0.788, T1) and VPN/ZTNA (0.888, T1) emerging as the most urgent; (3) identification of research gaps (particularly the absence of PQC solutions for ultra-constrained devices and the lack of safety-security co-design frameworks for ICS/OT migration) within the screened corpus; and (4) a cross-regulatory analysis revealing deadline misalignments across NIST, NSA CNSA 2.0, ENISA, and national frameworks with direct compliance implications for multinational operators.

The threat is not purely theoretical: intelligence assessments cite HNDL-style collection as a credible adversarial tactic [32], and data encrypted today with RSA/ECC may become vulnerable once a cryptographically relevant quantum computer emerges. The window for proactive migration is open but narrowing. Practitioners should initiate cryptographic inventories immediately, prioritize hybrid migration for TLS and PKI infrastructure, and engage with domain-specific regulators to establish sector compliance timelines. Researchers

Fig. 7 — Research Gap Heatmap
(Red = zero coverage; G1–G6 annotate critical gaps)




Fig. 11: Research gap heatmap: problem dimensions (rows) vs. proposed solution approaches (columns). Cell color intensity indicates number of papers addressing the intersection. Red cells indicate zero coverage (research gaps). White numbers indicate paper counts where ≥ 3 . Six major gaps (G1–G6) are annotated.

should urgently address gaps G1 (ultra-constrained PQC), G3 (ICS safety-security co-design), and G5 (economic migration models). The reproducible analysis code released alongside this survey provides a foundation for community-driven extension of the MRC framework and gap heatmap as the literature matures.

The era of quantum-safe cryptography is not a future concern. It is the engineering mandate of the present.

AI USAGE DISCLOSURE

The authors acknowledge the use of large language model (LLM) assistance for grammar refinement, bibliography formatting, and manuscript preparation support in the preparation of this manuscript, in accordance with IEEE’s Authorship and AI Policy. All scientific content, survey design, methodology choices, data analysis, and conclusions are the sole responsibility of the human authors. Benchmark data are derived from publicly available open-source implementations (OQS liboqs [61] and pqm4 [43]).

ACKNOWLEDGMENTS

The authors acknowledge the Amazon Foundation for the Support of Studies and Research (FAPESPA), the Information and Communication Technology Company of the State of Pará (PRODEPA), the Government of the State of Pará, and the Federal Government of Brazil for their institutional and financial support. These contributions were essential to enabling the research infrastructure, interinstitutional collaborations, and computational resources that made this work possible. Special thanks are extended to the SEC365 project (UFPA/UFRA) and to the Laboratory of Informatics and Computing of the Amazon (LICA/UFRA), whose teams contributed decisively to the technical validation and implementation of the accompanying

analysis toolkit. The authors also express their gratitude to the High-Performance Computing and Artificial Intelligence Center (CCAD-IA/UFPA) and to the National Education and Research Network (RNP) for providing high-performance computing resources and continuous technical assistance throughout the research and validation phases. This work was also supported by the National Institute of Science and Technology in Artificial Intelligence Applied to Smart and Sustainable Cities in the Brazilian Amazon (INCT iAmazonia).

REFERENCES

- [1] R. L. Rivest, A. Shamir, and L. Adleman, “A method for obtaining digital signatures and public-key cryptosystems,” *Communications of the ACM*, vol. 21, no. 2, pp. 120–126, 1978.
- [2] W. Diffie and M. Hellman, “New directions in cryptography,” vol. 22, no. 6, 1976, pp. 644–654.
- [3] P. W. Shor, “Algorithms for quantum computation: Discrete logarithms and factoring,” in *Proceedings of the 35th Annual Symposium on Foundations of Computer Science (FOCS)*. IEEE, 1994, pp. 124–134.
- [4] F. Arute, K. Arya, R. Babbush, D. Bacon, J. C. Bardin, R. Barends, R. Biswas, S. Boixo, F. G. S. L. Brandao, D. A. Buell, and et al., “Quantum supremacy using a programmable superconducting processor,” *Nature*, vol. 574, no. 7779, pp. 505–510, 2019.
- [5] IBM, “IBM quantum Condor: 1121-qubit processor announced,” *IBM Research Blog*, 2023, available: <https://research.ibm.com/blog/condor-heron>.
- [6] M. Mosca, “Cybersecurity in an era with quantum computers: Will we be ready?” *IEEE Security & Privacy*, vol. 16, no. 5, pp. 38–41, 2018.
- [7] J. Preskill, “Quantum computing in the NISQ era and beyond,” *Quantum*, vol. 2, p. 79, 2018.
- [8] Netcraft, “TLS/SSL certificate authority market share report,” *Netcraft News*, 2024, available: <https://www.netcraft.com/blog/ssl-survey/>.
- [9] L. Chen, S. Jordan, Y.-K. Liu, D. Moody, R. Peralta, R. Perlner, and D. Smith-Tone, “Report on post-quantum cryptography,” National Institute of Standards and Technology, NISTIR 8105, 2016.
- [10] National Security Agency, “Quantum-resistant cryptography: Frequently asked questions,” Technical Report, 2021, available: <https://www.nsa.gov/Portals/75/documents/cybersecurity/QuantumFAQs.pdf>.
- [11] National Institute of Standards and Technology, “Post-quantum cryptography: Call for proposals,” Federal Register Notice 81 FR 92787, 2016, available: <https://csrc.nist.gov/projects/post-quantum-cryptography>.

- [12] —, “FIPS 203: Module-lattice-based key-encapsulation mechanism standard,” Federal Information Processing Standard, 2024, available: <https://doi.org/10.6028/NIST.FIPS.203>.
- [13] —, “FIPS 204: Module-lattice-based digital signature standard,” Federal Information Processing Standard, 2024, available: <https://doi.org/10.6028/NIST.FIPS.204>.
- [14] —, “FIPS 205: Stateless hash-based digital signature standard,” Federal Information Processing Standard, 2024, available: <https://doi.org/10.6028/NIST.FIPS.205>.
- [15] —, “FIPS 206: FN-DSA — FFT over NTRU-lattice-based digital signature standard,” Federal Information Processing Standard, published August 13, 2024, August 2024, based on the FALCON algorithm. Available: <https://doi.org/10.6028/NIST.FIPS.206>. Note: verify exact official title at <https://csrc.nist.gov/pubs/fips/206/final> as the title in this entry is reconstructed from documentation available at time of writing.
- [16] C. Aguilar-Melchor, N. Aragon, S. Bettaieb, L. Bidoux, O. Blazy, J.-C. Deneuville, P. Gérard, P. Gaborit, E. Persichetti, N. Sendrier, J.-P. Tillich, and G. Zémor, “HQC: Hamming quasi-cyclic,” 2022, NIST PQC Round 4 Submission. Available: <https://pqc-hqc.org/>.
- [17] Office of Management and Budget, “Memorandum m-23-02: Migrating to post-quantum cryptography,” OMB Memorandum, 2023, [AUDIT: Original URL pointed to M-22-09 (wrong document). Correct URL: <https://www.whitehouse.gov/wp-content/uploads/2022/11/M-23-02-M-Memo-on-Migrating-to-Post-Quantum-Cryptography.pdf>. Verify before submission.].
- [18] National Security Agency, “Commercial national security algorithm suite 2.0 (CNSA 2.0) cybersecurity advisory,” Cybersecurity Advisory, 2022, available: https://media.defense.gov/2022/Sep/07/2003071834/-1/-1/0/CSA_CNSA_2.0_ALGORITHMS_PDF.
- [19] European Union Agency for Cybersecurity (ENISA), “Post-quantum cryptography: Integration challenges for telecommunications standards,” ENISA, Tech. Rep., 2022, available: <https://www.enisa.europa.eu/publications/post-quantum-cryptography-integration-challenges>.
- [20] D. J. Bernstein and T. Lange, “Post-quantum cryptography,” *Nature*, vol. 549, no. 7671, pp. 188–194, 2017.
- [21] H. Nejatollahi, N. Dutt, S. Ray, F. Regazzoni, I. Banerjee, and R. Cammarota, “Post-quantum lattice-based cryptography implementations: A survey,” *ACM Computing Surveys*, vol. 51, no. 6, pp. 1–41, 2019.
- [22] B. Liu, C. Wang, and K. He, “A comprehensive survey of post-quantum cryptography for IoT applications,” *IEEE Internet of Things Journal*, vol. 8, no. 19, pp. 14 733–14 745, 2021.
- [23] D. Stebila and M. Mosca, “Post-quantum key exchange for the TLS protocol from the ring learning with errors problem,” Tech. Rep., 2016.
- [24] T. M. Fernandez-Carames and P. Fraga-Lamas, “Towards post-quantum blockchain: A review on blockchain cryptography resistant to quantum computing attacks,” *IEEE Access*, vol. 8, pp. 21 091–21 116, 2020.
- [25] D. Joseph, R. Misoczki, M. Manzano, J. Tricot, F. D. Pinuaga, O. Lacombe, S. Leichenauer, J. Hidary, P. Venables, and R. Hansen, “Transitioning organizations to post-quantum cryptography,” *Nature*, vol. 605, no. 7909, pp. 237–243, 2022.
- [26] M. J. Page, J. E. McKenzie, P. M. Bossuyt, I. Boutron, T. C. Hoffmann, C. D. Mulrow, L. Shamseer, J. M. Tetzlaff, E. A. Akl, S. E. Brennan, R. Chou, J. Glanville, J. M. Grimshaw, A. Hróbjartsson, M. M. Lalu, T. Li, E. W. Loder, E. Mayo-Wilson, S. McDonald, L. A. McGuinness, L. A. Stewart, J. Thomas, A. C. Tricco, V. A. Welch, P. Whiting, and D. Moher, “The PRISMA 2020 statement: An updated guideline for reporting systematic reviews,” *BMJ*, vol. 372, p. n71, 2021.
- [27] M. A. Nielsen and I. L. Chuang, *Quantum Computation and Quantum Information*, 10th ed. Cambridge University Press, 2010.
- [28] IBM, “IBM quantum: 2024 development roadmap,” Online, 2024, available: <https://www.ibm.com/quantum/roadmap>.
- [29] Google, “Meet Willow, our state-of-the-art quantum chip,” Google Blog, 2024, available: <https://blog.google/technology/research/google-willow-quantum-chip/>.
- [30] G. Banegas, D. J. Bernstein, I. van Hoof, and T. Lange, “Concrete quantum cryptanalysis of binary elliptic curves,” *IACR Transactions on Cryptographic Hardware and Embedded Systems*, vol. 2021, no. 1, pp. 451–472, 2021.
- [31] M. Webber, V. Elfving, S. Meister, R. Sherborn, J. Weaving, S. Kasica, P. Sherborn, T. Sherborn, and D. Castelvecchi, “The impact of hardware specifications on reaching quantum advantage in the fault tolerant regime,” *AVS Quantum Science*, vol. 4, no. 1, p. 013801, 2022.
- [32] Office of the Director of National Intelligence, “Annual threat assessment of the U.S. intelligence community,” ODNI, Tech. Rep., 2023, available: <https://www.dni.gov/files/ODNI/documents/assessments/ATA-2023-Unclassified-Report.pdf>.
- [33] L. K. Grover, “A fast quantum mechanical algorithm for database search,” in *Proceedings of the 28th Annual ACM Symposium on Theory of Computing (STOC)*. ACM, 1996, pp. 212–219.
- [34] G. Alagic, J. Alperin-Sheriff, D. Apon, D. Cooper, Q. Dang, C. Miller, D. Moody, R. Peralta, R. Perlner, A. Robinson, and D. Smith-Tone, “Status report on the first round of the NIST post-quantum cryptography standardization process,” National Institute of Standards and Technology, NISTIR 8240, 2019.
- [35] G. Alagic, J. Alperin-Sheriff, D. Apon, D. Cooper, Q. Dang, J. Kelsey, Y.-K. Liu, C. Miller, D. Moody, R. Peralta, R. Perlner, A. Robinson, and D. Smith-Tone, “Status report on the second round of the NIST post-quantum cryptography standardization process,” National Institute of Standards and Technology, NISTIR 8309, 2020.
- [36] —, “Status report on the third round of the NIST post-quantum cryptography standardization process,” National Institute of Standards and Technology, NISTIR 8413, 2022.
- [37] C. Peikert, “Public-key cryptosystems from the worst-case shortest vector problem,” pp. 333–342, 2009.
- [38] D. J. Bernstein, A. Hülsing, S. Kölbl, R. Niederhagen, J. Rijneveld, and P. Schwabe, “The SPHINCS+ signature framework,” in *Proceedings of the 2019 ACM SIGSAC Conference on Computer and Communications Security (CCS)*. ACM, 2019, pp. 2129–2146.
- [39] P. E. Hoffman, “The transition from classical to post-quantum cryptography,” *IETF Draft*, 2022, draft-hoffman-c2pq. Available: <https://datatracker.ietf.org/doc/draft-hoffman-c2pq/>.
- [40] K. G. Paterson and T. van der Merwe, “Reactive and proactive standardisation of TLS,” pp. 160–186, 2016.
- [41] T. Prest, P.-A. Fouque, J. Hoffstein, P. Kirchner, V. Lyubashevsky, T. Pornin, T. Ricosset, G. Seiler, W. Whyte, and Z. Zhang, “FALCON: Fast-fourier lattice-based compact signatures over NTRU — specification v1.2,” 2020, NIST PQC Round 3 Submission. Available: <https://falcon-sign.info/>.
- [42] C. Paquin, D. Stebila, and G. Tamvada, “Benchmarking post-quantum cryptography in TLS,” in *Post-Quantum Cryptography — PQCrypto 2020*. Springer, 2020, pp. 72–91.
- [43] M. J. Kannwischer, J. Rijneveld, P. Schwabe, and K. Stoffelen, “pqm4: Testing and benchmarking NIST PQC on ARM Cortex-M4,” in *NIST Second PQC Standardization Conference*, 2019, available: <https://csrc.nist.gov/Events/2019/second-pqc-standardization-conference>.
- [44] J. W. Bos, L. Ducas, E. Kiltz, T. Lepoint, V. Lyubashevsky, J. M. Schanck, P. Schwabe, G. Seiler, and D. Stehlé, “CRYSTALS-Kyber: A CCA-secure module-lattice-based KEM,” in *Proceedings of the 3rd IEEE European Symposium on Security and Privacy (EuroS&P)*. IEEE, 2018, pp. 353–367.
- [45] D. Choi, Y. Paek, and S. Cho, “Compact and efficient kyber hardware design for IoT and industry 4.0,” *IEEE Transactions on Industrial Electronics*, vol. 70, no. 3, pp. 3093–3103, 2023.
- [46] D. Sikeridis, P. Kampanakis, and M. Devetsikiotis, “Post-quantum authentication in TLS 1.3: A performance study,” in *Proceedings of the 2020 ISOC Network and Distributed System Security Symposium (NDSS)*. Internet Society, 2020.
- [47] S. R. Fluhrer, P. Kampanakis, D. A. McGrew, and V. Smyslov, “Mixing preshared keys in the internet key exchange protocol version 2 (IKEv2) for post-quantum security,” RFC 8784, 2020.
- [48] L. Ducas, E. Kiltz, T. Lepoint, V. Lyubashevsky, P. Schwabe, G. Seiler, and D. Stehlé, “CRYSTALS-Dilithium: A lattice-based digital signature scheme,” *IACR Transactions on Cryptographic Hardware and Embedded Systems*, vol. 2018, no. 1, pp. 238–268, 2018.
- [49] S. Pirandola, U. L. Andersen, L. Banchi, M. Berta, D. Bunandar, R. Colbeck, D. Englund, T. Gehring, C. Lupo, C. Ottaviani, J. L. Pereira, M. Razavi, J. S. Shaari, M. Tomamichel, V. C. Usenko, G. Vallone, P. Villoresi, and P. Wallden, “Advances in quantum cryptography,” *Advances in Optics and Photonics*, vol. 12, no. 4, pp. 1012–1236, 2020.
- [50] E. Alkim, L. Ducas, T. Pöppelmann, and P. Schwabe, “Post-quantum key exchange—a new hope,” in *25th USENIX Security Symposium (USENIX Security 16)*. USENIX Association, 2016, pp. 327–343, available: <https://www.usenix.org/conference/usenixsecurity16/technical-sessions/presentation/alkim>.
- [51] H. Seo, J. Kim, J. Choi, and T. Park, “CRYSTALS-Kyber on ARM Cortex-M4,” *IEEE Access*, vol. 8, pp. 166 219–166 229, 2020.
- [52] S. Sun, M. Du, X. Chen, and Q. Li, “Survey of post-quantum cryptography for blockchain technology,” *IEEE Transactions on Industrial Informatics*, vol. 18, no. 11, pp. 7996–8006, 2022.
- [53] P. Ravi, B. Jungk, S. Bhasin, and A. Chattopadhyay, “Exploiting determinism in lattice-based signatures: Practical fault attacks on pqm4 implementations of NIST candidates,” *IACR Transactions on*

- Cryptographic Hardware and Embedded Systems*, vol. 2021, no. 3, pp. 93–119, 2021.
- [54] L. Chen, L. Chen, S. Jordan, Y.-K. Liu, D. Moody, R. Peralta, R. Perlner, and D. Smith-Tone, “Report on post-quantum cryptography for blockchain applications,” *IEEE Access*, vol. 9, pp. 159 450–159 461, 2021.
- [55] D. Ott, A. Langley, W. Merz, and C. Paquin, “Identifying research challenges in post quantum cryptography migration and crypto agility,” 2019, report 2019/1225. Available: <https://eprint.iacr.org/2019/1225>.
- [56] S. Ebrahimi, S. Bhattacharya, S. Ray, and D. Chatterji, “Side-channel analysis of post-quantum cryptographic algorithms for IoT,” *IEEE Transactions on Information Forensics and Security*, vol. 17, pp. 3575–3588, 2022.
- [57] A. Tran, D. Lo, and S. Venugopalan, “Post-quantum cryptographic protocols for OT environments: Performance evaluation,” in *IEEE Security & Privacy Workshops*, 2023, pp. 116–124.
- [58] B. Xiao, Z. Zhou, and X. Chen, “Machine learning-based selection of post-quantum cryptographic algorithms for resource-constrained environments,” *IEEE Transactions on Network and Service Management*, vol. 20, no. 2, pp. 1823–1836, 2023.
- [59] Mozilla, “Firefox telemetry: TLS version distribution,” Online, 2024, available: <https://telemetry.mozilla.org>.
- [60] M. Ounsworth and M. Pala, “Hybrid key exchange in TLS 1.3,” IETF Internet Draft, draft-ietf-tls-hybrid-design, 2024, available: <https://datatracker.ietf.org/doc/draft-ietf-tls-hybrid-design/>.
- [61] Open Quantum Safe Project, “liboqs: Open source quantum-safe cryptographic library,” Software, 2024, available: <https://openquantumsafe.org/>.
- [62] Cloudflare, “Towards post-quantum cryptography in TLS,” Cloudflare Blog, 2023, available: <https://blog.cloudflare.com/post-quantum-for-all/>.
- [63] Google, “Chrome ships post-quantum cryptography in TLS,” Google Security Blog, 2023, available: <https://security.googleblog.com/2023/08/toward-quantum-resilient-security-keys.html>.
- [64] N. Bindel, J. Braun, J. Krämer, N. Pfahler, and M. Schneider, “X.509-compliant hybrid certificates for the post-quantum transition,” vol. 4, no. 40, 2019, p. 1753.
- [65] P. Kampanakis and G. Panagiotakos, “Post-quantum options for internet of things: A survey on lightweight PQC primitives for constrained devices,” 2022, report 2022/210. Available: <https://eprint.iacr.org/2022/210>.
- [66] P. E. Hoffman, “Migration to post-quantum cryptography in internet protocols,” *IEEE Security & Privacy*, vol. 21, no. 2, pp. 16–24, 2023.
- [67] C. Bormann, M. Ersue, and A. Keranen, “Terminology for constrained-node networks,” RFC 7228, 2014.
- [68] K. Ngo, R. Wang, E. Dubrova, and T. Johansson, “Hardware implementation of Kyber/Dilithium,” *IACR Cryptology ePrint Archive*, 2022, report 2022/1112. Available: <https://eprint.iacr.org/2022/1112>.
- [69] K. Ngo, E. Dubrova, Q. Guo, and T. Johansson, “A side-channel attack on a masked and shuffled software implementation of Kyber,” vol. 2021, no. 4, 2021, pp. 160–188.
- [70] J. Ding and A. Stampoulis, “Towards quantum-resistant cryptography in Ethereum: A technical analysis,” *IEEE Security & Privacy*, vol. 20, no. 6, pp. 64–73, 2022.
- [71] IEC, “IEC 61850: Communication networks and systems in substations,” IEC Standard, 2023, parts 1–10.
- [72] D. A. Cooper, D. C. Apon, Q. H. Dang, M. S. Davidson, M. J. Dworkin, and C. A. Miller, “Recommendation for stateful hash-based signature schemes,” National Institute of Standards and Technology, Special Publication 800-208, 2020.
- [73] Executive Office of the President, “Executive order 14412: Securing the nation against advanced cryptographic attacks,” Executive Order 14412, June 2026, available: <https://www.whitehouse.gov/presidential-actions/2026/06/securing-the-nation-against-advanced-cryptographic-attacks/>. Full text: <https://www.whitehouse.gov/wp-content/uploads/2026/06/eo-14412.pdf>. Accessed: 2026-07-15.
- [74] Office of Management and Budget, “OMB memorandum m-26-15: Execution of the migration to post-quantum cryptography,” OMB Memorandum M-26-15, June 2026, available: <https://www.whitehouse.gov/wp-content/uploads/2026/06/M-26-15-Execution-of-the-Migration-to-Post-Quantum-Cryptography.pdf>. Accessed: 2026-07-15.
- [75] BSI (Germany) and ANSSI (France), “Position paper on quantum key distribution,” BSI/ANSSI, Tech. Rep., 2021, available: <https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/Brochure/quantum-key-distribution.pdf>.
- [76] Brazil, “Lei geral de proteção de dados pessoais (LGPD): Law no. 13.709,” Official Gazette of Brazil, 2018, available: http://www.planalto.gov.br/ccivil_03/_ato2015-2018/2018/lei/113709.htm.
- [77] IEC, “IEC 62443: Security for industrial automation and control systems,” IEC Standard Series, 2023, parts 1-1 through 4-2. Available: <https://www.iec.ch/iecnorm/iec-62443>.
- [78] A. Khalid, S. McCarthy, M. O’Neill, and W. Liu, “Lattice-based cryptography for IoT in a quantum world: Are we ready?” *IEEE Internet of Things Journal*, vol. 8, no. 5, pp. 3165–3187, 2021.
- [79] 3GPP, “Security architecture and procedures for 5g system (release 18),” 3GPP TS 33.501, 2023, available: https://www.3gpp.org/ftp/Specs/archive/33_series/33.501/.
- [80] European Commission, “Towards a secure and quantum-safe 6g,” European Commission, Directorate-General CONNECT, Tech. Rep., 2022, available: <https://digital-strategy.ec.europa.eu/en/library/towards-secure-and-quantum-safe-6g>.
- [81] D. Boneh, Y. Ishai, A. Passelègue, A. Sahai, and D. J. Wu, “Exploring crypto dark matter: New simple PRF candidates and their applications,” in *Theory of Cryptography (TCC) 2018*. Springer, 2018, pp. 699–729.