

¹ OGSTools: A Python package for OpenGeoSys

² Tobias Meisel  ^{1*}, Florian Zill  ^{2,1*}, Julian Heinze  ^{1*}, Lars Bilke  ^{1*}, Max Jäschke  ^{3,1,4*}, Feliks Kiszkurno  ^{2,1*}, Norbert Grunwald  ^{1*}, Thomas Fischer ^{1*}, and Jörg Buchwald ^{1*}

⁵ 1 Helmholtz Centre for Environmental Research, Germany  ² TU Bergakademie Freiberg, Germany  ³ Leipzig University of Applied Sciences, Germany  ⁴ Technische Universität Dresden, Germany 

⁷ * These authors contributed equally.

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright¹⁰ and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#))²¹

⁸ Summary

⁹ OGSTools (OpenGeoSys Tools) is a Python library for pre- and post-processing of OpenGeoSys¹⁰ (OGS) - a software package for simulating thermo-hydro-mechanical-chemical (THMC)¹¹ processes in porous and fractured media [Bilke, Naumov, et al. (2025)] [Kolditz et al. (2012)].¹² OGSTools [Meisel et al. (2025)] provides an interface between OGS-specific data and well-established data structures of the Python ecosystem, as well as domain-specific solutions,¹³ examples, and sensible defaults for OGS users and developers. By connecting OGS to the¹⁴ ecosystem of Python, the entry threshold to the OGS platform is lowered for users. The¹⁵ library's functionalities are designed to be used in the OGS benchmark gallery, the OGS test¹⁶ suite, and for automating repetitive tasks in the model development cycle — from simple daily¹⁷ tasks to complex automated workflows.¹⁸

Statement of need

Development efficiency

²² Modellers of OGS iteratively run simulations, analyse results, and refine their models with the²³ goal to improve the accuracy, efficiency and reliability of the simulation results. To improve²⁴ efficiency, repetitive steps in the model development cycle should be formalised. Python was²⁵ chosen as the formalisation language because it matches the existing expertise of the user²⁶ base. The Python library introduced here serves as a central platform to collect and improve²⁷ common functionalities needed by modellers of OGS.

²⁷ Complex workflows

²⁸ A workflow is a structured sequence of steps, that processes data and executes computations²⁹ to achieve a specific goal [Diercks et al. (2022)]. In our scientific research, workflows need³⁰ to integrate multiple steps—such as geological data preprocessing, ensemble simulations³¹ with OGS, domain-specific analysis and visualization—into complex, fully automated, and³² therefore reproducible sequences. Typically, one specific workflow is implemented to answer³³ one specific scientific question. Workflow-based approaches have been proven to adhere to³⁴ the FAIR principles [Goble et al. (2020)], [Wilkinson et al. (2025)]. The typical approach³⁵ is to use existing workflow management software that covers domain-independent parts like³⁶ dependency graph description, computational efficiency, data management, execution control,³⁷ multi-user collaboration and data provenance [Bilke, Fischer, et al. (2025)]. Building on³⁸ the Python ecosystem, our goal is an integrated solution in which all components, including³⁹ the Python-based workflow managers like Snakemake [Köster & Rahmann (2012)] and Aiida⁴⁰ [Huber et al. (2020)], function together. Common and frequently used functionality found⁴¹ within workflow components is made reusable and provided in this Python library. It focuses on

42 functionalities directly related to (1) the OGS core simulator and its specific input and output
43 data, (2) domain-specific definitions in geo-science, (3) finite element modelling (FEM), and
44 (4) numerical computation. The workflow components are constructed from generic Python
45 libraries, OGSTools, and integration code for the respective workflow manager chosen.

46 **Test suite**

47 OGSTools provides functionality for (1) setting up test environments, (2) executing OGS under
48 specified conditions, (3) evaluating OGS results against defined test criteria, and (4) monitoring
49 the testing process.

50 **Educational Jupyter notebooks**

51 OGS is already being used in academic courses and teaching environments. With Jupyter
52 Notebooks, students can explore interactive learning environments where they directly modify
53 parameters, material laws, and other influencing factors, and instantly visualize the outcomes.
54 OGSTools serves as an interface between OGS and Jupyter Notebooks. It supports the creation
55 of input data—such as easily configurable meshes or ready-to-use project files.

56 **Centralization of Python-related development**

57 Previously, the code base for Python-related tasks in OGS was fragmented, with components
58 often developed for specific use cases and varying degrees of standardization. The lack of
59 centralization led to inefficiencies, inconsistent quality, and challenges in maintaining and
60 extending the code. With OGSTools, reusable Python code is now centralized under the
61 professional maintenance of the core developer team of OGS. Further, it enables the transfer
62 of years of experience in maintaining the OGS core [Bilke et al. (2019)] to the pre- and
63 post-processing code. For the centralized approach, preceding work on msh2vtu [Kern & Bilke
64 (2022)], ogs6py and VTUInterface [Buchwald et al. (2021)] and extracted functionalities from
65 the projects (1) AREHS [Meisel et al. (2024)], and (2) OpenWorkFlow – Synthesis Platform
66 [Environmental Research UFZ (2023)] have been adapted and integrated into OGSTools.

67 To address The Need for a Versioned Data Analysis Software Environment [Blomer et
68 al. (2014)] OGSTools additionally provides a pinned environment, updated at least once per
69 release. While reproducibility requires environments with pinned dependencies, OGSTools is
70 additionally tested with the latest dependencies, to receive early warnings of breaking changes
71 and to support the long-term sustainability of the codebase. To support broad adoption within
72 the OGS user community, the library is deliberately integrated at key points of interest, such
73 as the official OGS benchmarks, executable test cases, and further contexts where previously
74 used libraries were employed.

75 **Features**

76 The implemented features are covering pre-processing, setup and execution of simulations, and
77 post-processing.

78 Pre-processing for OGS includes mesh creation, adaptation, conversion, as well as defining
79 boundary conditions, source terms, and generating project files (OGS-specific XML files).
80 OGSTools further provides a material management component that allows process-specific
81 material definitions to be assembled from structured YAML sources and translated into OGS-
82 compatible project file entries. This allows a consistent, database-like handling of material
83 parameters across workflows, test cases, and educational examples, while separating physical
84 model definitions from project file syntax. In addition, a FEFLOW converter (from FEFLOW models
85 to OGS models) is integrated [Heinze et al. (2025)]. The converter uses the geometric and
86 material data of FEFLOW models to generate OGS-suitable meshes and definitions for H, HT
87 and HC processes.

88 The simulation execution part covers running simulations with the OGS core via command line
89 and Python-based co-simulation interfaces. Runtime features include monitoring, interactive
90 stepping, and access to intermediate results for in-simulation analysis.

91 Post-processing includes domain-specific evaluation and visualization of simulation results, for
92 temporal and spatial distribution analysis. OGSTools helps to create detailed plots by defining
93 sensible defaults and OGS-specific standards. It offers functionalities for the comparison of
94 numerical simulation results with experimental data or analytical solutions. Just as preprocessing
95 and analysis are essential for single simulations, tooling becomes critical for efficiently handling
96 ensemble runs. Ensemble runs enable evaluation of model robustness, parameter sensitivity,
97 numerical behaviour, and computational efficiency, with spatial and temporal grid conversion
98 currently supported.

99 A more complete list of examples covering a significant part of the feature set is found in the
100 online documentation of OGSTools¹. Containers are provided for reproducibility, benefiting
101 both developers and users ([Bilke, Fischer, et al. (2025)]). Like OpenGeoSys, OGSTools is
102 available on PyPI and Conda.

103 Applications

104 Workflows

105 The AREHS-Project (effects of changing boundary conditions on the development of
106 hydrogeological systems: numerical long-term modelling considering thermal–hydraulic–mechanical(–chemi–
107 coupled effects) [Kahnt et al. (2021)] is focused on modelling the effects of the glacial
108 cycle on hydro-geological parameters in potential geological nuclear waste repositories in
109 Germany. [Zill et al. (2024)] and [Silbermann et al. (2025)] highlighted the importance of
110 an automated workflow to efficiently develop models to answer the scientific question and
111 to ensure the reproducibility of the results. For reproducibility all material is available at
112 [Meisel et al. (2024)]. OpenWorkFlow [Environmental Research UFZ (2023)] is a project for an
113 open-source, modular synthesis platform designed for safety assessment in the nuclear waste
114 site selection procedure of Germany. ThEDi is a study, that focuses on determining the optimal
115 packing of disposal containers in a repository to ensure temperature limits are not exceeded.
116 OGS-GIScape is a workflow for creating, simulating and analysing numerical groundwater
117 models. OGS-GIScape helps scientists to investigate complex environmental models or conduct
118 scenario analyses to study the groundwater flow and the associated environmental impact
119 due to changes in groundwater resources. The outcome of the models could be used for
120 the management of groundwater resources. For scalability and parallelization all mentioned
121 workflows use the workflow management software Snakemake. The rules are implemented
122 using OGSTools.

123 OpenGeoSys benchmarks

124 The OGS benchmark gallery is a collection of web documents (mostly generated from Jupyter
125 Notebooks) that demonstrate, how users can set up, adjust, execute, and analyse simulations.
126 They can be downloaded, executed, and adapted in an interactive environment for further
127 exploration. With OGSTools, code complexity and code duplication has been reduced, and it
128 allows especially inexperienced users to focus on the important part of the notebook.

129 Example

130 The following example shows a complete OGS Liquid Flow² simulation workflow, adapted
131 to 2D from³. First, an OGS-capable mesh is generated and pressure boundary conditions

¹<https://ogstools.opengeosys.org>

²<https://www.opengeosys.org/stable/docs/processes/liquid-flow/liquidflow/>

³<https://www.opengeosys.org/6.5.7/docs/benchmarks/liquid-flow/primary-variable-constrain-dirichlet-boundary-condition/>

¹³² are assigned to the boundary meshes ([Figure 1](#)), using standard `pyvista` functionality. After
¹³³ execution of the simulation, convergence metrics ([Figure 2](#)) and the final pressure distribution
¹³⁴ ([Figure 3](#)) are visualized. An extended version of this example is available in the OGSTools
¹³⁵ documentation ⁴.

```

import numpy as np
import ogstools as ot
from ogstools.examples import load_project_simple_lf

# 1. Pre-processing: Load example Project and construct input meshes
project = load_project_simple_lf()
meshes = ot.Meshes.from_gmsh(ot.gmsh_tools.rect((8,4),8,2))
# Set boundary conditions on the pyvista meshes
num_points = meshes["left"].n_points
meshes["left"].point_data["pressure"] = np.full(num_points, 2.9e7)
meshes["right"].point_data["pressure"] = np.full(num_points, 3.1e7)
model = ot.Model(project=project, meshes=meshes)
# Visualize setup with boundary conditions (Figure 1)
model.plot_constraints()

# 2. Run: Execute Simulation
sim = model.run()

# 3. Post-processing: Analyse results
# Plot final pressure distribution (Figure 2)
ot.plot.contourf(sim.result[-1], "pressure")
# Plot convergence behaviour (Figure 3)
sim.log.plot_convergence()

# 4. Store: Save Simulation
sim.save(id = "mysim", archive=True)

```




Figure 1: Initial boundary conditions.

⁴https://ogstools.opengeosys.org/stable/auto_examples/howto_quickstart/plot_framework_short.html




Figure 2: Resulting convergence metrics.




Figure 3: Resulting pressure distribution.

136 Acknowledgements

137 This work has been supported by multiple funding sources, including AREHS under grant
 138 4719F10402 by Bundesamt für die Sicherheit der nuklearen Entsorgung (BASE), and
 139 OpenWorkflow under grant STAFuE-21-05-Klei by Bundesgesellschaft für Endlagerung
 140 (BGE). The authors also acknowledge ongoing support from SUTOGS (Streamlining Usability and
 141 Testing of OpenGeoSys) under (grant [Grant Number]) by Deutsche Forschungsgemeinschaft
 142 (DFG)

143 References

- 144 Bilke, L., Fischer, T., Naumov, D., & Meisel, T. (2025). Reproducible HPC software
 145 deployments, simulations, and workflows – a case study for far-field deep geological
 146 repository assessment. *Environmental Earth Sciences*, 84(17), 502. <https://doi.org/10.1007/s12665-025-12501-z>
- 148 Bilke, L., Flemisch, B., Kalbacher, T., Kolditz, O., Helmig, R., & Nagel, T. (2019).
 149 Development of Open-Source Porous Media Simulators: Principles and Experiences.
 150 *Transport in Porous Media*, 130(1), 337–361. <https://doi.org/10.1007/s11242-019-01310-1>
- 151 Bilke, L., Naumov, D., Wang, W., Fischer, T., Kiszkurno, F. K., Lehmann, C., Max, J.,
 152 Zill, F., Buchwald, J., Grunwald, N., Kessler, K., Aubry, L., Dörnbrack, M., Nagel, T.,
 153 Ahrendt, L., Kaiser, S., & Meisel, T. (2025). *OpenGeoSys* (Version 6.5.4). Zenodo.
 154 <https://doi.org/10.5281/zenodo.14672997>
- 155 Blomer, J., Berzano, D., Buncic, P., Charalampidis, I., Ganis, G., Lestaris, G., & Meusel, R.

- 156 (2014). The need for a versioned data analysis software environment. *CoRR*, *abs/1407.3063*.
 157 <http://arxiv.org/abs/1407.3063>
- 158 Buchwald, J., Kolditz, O., & Nagel, T. (2021). ogs6py and VTUinterface: Streamlining
 159 OpenGeoSys workflows in python. *Journal of Open Source Software*, *6*(67), 3673. <https://doi.org/10.21105/joss.03673>
- 160 Diercks, P., Gläser, D., Lünsdorf, O., Selzer, M., Flemisch, B., & Unger, J. F. (2022).
 161 *Evaluation of tools for describing, reproducing and reusing scientific workflows*. <https://arxiv.org/abs/2211.06429>
- 162 Environmental Research UFZ, H. C. for. (2023). *OpenWorkflow - synthesis platform*.
 163 <https://www.ufz.de/index.php?en=48378>
- 164 Goble, C., Cohen-Boulakia, S., Soiland-Reyes, S., Garijo, D., Gil, Y., Crusoe, M. R., Peters, K.,
 165 & Schober, D. (2020). FAIR computational workflows. *Data Intelligence*, *2*(1-2), 108–131.
 166 https://doi.org/10.1162/dint_a_00033
- 167 Heinze, J., Lehmann, C., Meisel, T., Rink, K., Kreye, P., Renz, A., Zeunert, S., & Rühaak, W.
 168 (2025). Combining FEFLOW and OpenGeoSys for interoperable workflows in environmental
 169 geotechnics. *Environmental Earth Sciences*, *84*(16), 457. <https://doi.org/10.1007/s12665-025-12380-4>
- 170 Huber, S. P., Zoupanos, S., Uhrin, M., Talirz, L., Kahle, L., Häuselmann, R., Gresch, D., Müller,
 171 T., Yakutovich, A. V., Andersen, C. W., Ramirez, F. F., Adorf, C. S., Gargiulo, F., Kumbhar,
 172 S., Passaro, E., Johnston, C., Merkys, A., Cepellotti, A., Mounet, N., ... Pizzi, G. (2020).
 173 AiiDA 1.0, a scalable computational infrastructure for automated reproducible workflows
 174 and data provenance. *Scientific Data*, *7*(1). <https://doi.org/10.1038/s41597-020-00638-4>
- 175 Kahnt, R., Konietzky, H., Nagel, T., Kolditz, O., Jockel, A., Silbermann, C., Tiedke,
 176 F., Meisel, T., Rink, K., Wang, W., Zill, F., Carl, A., Gabriel, A., Schlegel, M.,
 177 & Abraham, T. (2021). AREHS: Effects of changing boundary conditions on the
 178 development of hydrogeological systems: Numerical long-term modelling considering
 179 thermal–hydraulic–mechanical(–chemical) coupled effects. *Safety of Nuclear Waste
 180 Disposal*, *1*, 175–177. <https://doi.org/10.5194/sand-1-175-2021>
- 181 Kern, D., & Bilke, L. (2022). msh2vtu. In *GitHub repository*. GitHub. <https://github.com/dominik-kern/msh2vtu>
- 182 Kolditz, O., Bauer, S., Bilke, L., Grunwald, N., Delfs, J.-O., Fischer, T., Görke, U., Kalbacher,
 183 T., Kosakowski, G., Mcdermott, C., Park, C.-H., Radu, F., Rink, K., Shao, H., Sun,
 184 F., Sun, Y., Singh, A., Taron, J., Walther, M., & Zehner, B. (2012). OpenGeoSys:
 185 An open-source initiative for numerical simulation of thermo-hydro-mechanical/chemical
 186 (THM/c) processes in porous media. *Environmental Earth Sciences*, *67*, 589–599. <https://doi.org/10.1007/s12665-012-1546-x>
- 187 Köster, J., & Rahmann, S. (2012). Snakemake—a scalable bioinformatics workflow engine.
 188 *Bioinformatics*, *28*(19), 2520–2522. <https://doi.org/10.1093/bioinformatics/bts480>
- 189 Meisel, T., Zill, F., Jäschke, M., Bilke, L., Grunwald, N., Fischer, T., & Kiszkurno, F. K.
 190 (2025). OGSTools (Version 0.7.1). Zenodo. <https://doi.org/10.5281/zenodo.17223939>
- 191 Meisel, T., Zill, F., Silbermann, C. B., Wang, W., Bilke, L., & Kern, D. (2024). AREHS –
 192 OpenGeoSys workflow (Version 1.0). Zenodo. <https://doi.org/10.5281/zenodo.11367280>
- 193 Silbermann, C., Zill, F., Meisel, T., Kern, D., Kolditz, O., Magri, F., & Nagel, T. (2025).
 194 Automated thermo-hydro-mechanical simulations capturing glacial cycle effects on nuclear
 195 waste repositories in clay rock. *Geomechanics and Geophysics for Geo-Energy and Geo-
 196 Resources*, *11*. <https://doi.org/10.1007/s40948-025-00960-4>
- 197 Wilkinson, S. R., Aloqalaa, M., Belhajjame, K., Crusoe, M. R., Paula Kinoshita, B. de, Gadelha,
 198 L., Garijo, D., Gustafsson, O. J. R., Juty, N., Kanwal, S., Khan, F. Z., Köster, J., Peters-von
 199

- 204 Gehlen, K., Pouchard, L., Rannow, R. K., Soiland-Reyes, S., Soranzo, N., Sufi, S., Sun, Z.,
205 ... Goble, C. (2025). Applying the FAIR principles to computational workflows. *Scientific
206 Data*, 12(1). <https://doi.org/10.1038/s41597-025-04451-9>
- 207 Zill, F., Silbermann, C., Meisel, T., Magri, F., & Nagel, T. (2024). Far-field modelling of
208 THM processes in rock salt formations. *Open Geomechanics*, 5, 1–16. [https://doi.org/10.5802/ogeo.20](https://doi.org/10.
209 5802/ogeo.20)

DRAFT