

OGSTools: A Python package for OpenGeoSys

Tobias Meisel^{1*}, Florian Zill^{1,2*}, Julian Heinze^{1*}, Lars Bilke^{1*}, Max Jäschke^{3*}, Feliks Kiszkurko^{1*}, Dominik Kern^{2*}, and Jörg Buchwald^{1*}

¹ Helmholtz Centre for Environmental Research, Germany ² TU Bergakademie Freiberg, Germany ³ Leipzig University of Applied Sciences, Germany * These authors contributed equally.

DOI: 10.xxxxxx/draft

Software

- Review
- Repository
- Archive

Editor: Open Journals

Reviewers:

- @openjournals

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0)

Summary

OGSTools (OpenGeoSys Tools) is an open source (3-Clause BSD) Python library for streamlined usage of OpenGeoSys 6 (OGS), also an open-source software [Bilke et al. (2025)] for simulating thermo-hydro-mechanical-chemical (THMC) processes in porous and fractured media [Kolditz et al. (2012)]. OGSTools [Zill et al. (2025)] provides an interface between OGS-specific data and well-established data structures of the Python ecosystem, as well as domain-specific solutions, examples, and tailored defaults for OGS users and developers. The libraries' functionalities are designed to be used in complex automated workflows (including pre- and post-processing), the OGS benchmark gallery, the OGS test-suite, and in automating repetitive tasks in the model development cycle.

Statement of need

Development efficiency

Modelers of OGS iteratively run simulations, analyse results, and refine their models with the goal to enhance the accuracy, efficiency and reliability of the simulation results. To improve efficiency, repetitive tasks in the model development cycle should be formalized and automated through computer programs. The Python library introduced here is needed serves a central platform to collect and improve common functionalities needed by modelers of OGS.

Complex workflows

A workflow is a structured sequence of tasks, that processes data and executes computations to achieve a specific goal [Diercks et al. (2022)]. In our scientific research, workflows need to integrate multiple steps—such as geological data preprocessing, ensemble simulations with OGS, domain specific analysis and visualization—into complex and fully automated and therefore reproducible sequences. Typically, one specific workflow is implemented to answer one specific scientific question. Workflow-based approaches have been proofed to adhere to the FAIR principles [Goble et al. (2020)], [Wilkinson et al. (2025)]. The typical approach is to use existing workflow management software that covers domain independent parts like dependency graph description, computational efficiency, data management, execution control, multi-user collaboration and data provenance [(?).]. When building upon the Python ecosystem Python-based workflow managers such as Snakemake [Köster & Rahmann (2012)] and AiIDA [Huber et al. (2020)] are a natural choice.

The usage of workflow managers shifts the actual development to the workflow components. Common and frequently used functionality found within workflow components are made reusable and provided in this Python library. It focuses on functionalities directly related to (1) the OGS core simulator and its specific input and output data, (2) domain-specific

definitions in geo-science, (3) finite element modeling (FEM), and (4) numerical computation. Our workflow components are then built of generic Python libraries, our library and workflow manager dedicated integration code. To ensure integration of the library's functionalities with the workflow management software, a list of functional and non-functional requirements (e.g., thread safety), imposed by workflow management software, are maintained and regularly validated through continuous testing.

Test suite

OGSTools provides functionality for (1) setting up test environments, (2) executing OGS under specified conditions, (3) evaluating results against defined test criteria, and (4) monitoring the testing process.

Centralization of Python-related development

Previously, the code base for Python-related tasks in OGS was fragmented, with components, that were often developed for specific use cases, with varying degrees of standardization and sharing. The lack of centralization led to inefficiencies, inconsistent quality, and challenges in maintaining and extending the code. With OGSTools, all Python-related code is now centralized under the professional maintenance of the OGS core developer team. It ensures better collaboration, standardized practices and improved code quality. Further it enables the transfer of years of experience in maintaining the OGS core [Bilke et al. (2019)] to the pre- and post-processing code. For the centralized approach, preceding work from msh2vtu [Kern & Bilke (2022)], ogs6py and VTUInterface [Buchwald et al. (2021)] and extracted functionalities from the projects (1) AREHS [Meisel et al. (2024)], and (2) OpenWorkFlow - Synthesis Platform [Environmental Research UFZ (2023)] have been adapted and integrated into OGSTools.

To address The Need for a Versioned Data Analysis Software Environment [Blomer et al. (2014)] OGSTools provides additionally a pinned environment, updated at least once per release. While reproducibility requires environments with pinned dependencies. OGSTools is additionally tested with the latest dependencies to receive early warning of breaking changes and support long-term sustainability of the codebase.

To support broad adoption within the OGS user community, the library is deliberately integrated at key points of interest, such as the official OGS benchmarks, executable test cases, and further contexts where previously used libraries were employed.

Features

The implemented features are covering pre-processing, setup and execution of simulations and post-processing.

Preprocessing for OGS includes mesh adaptation, conversion, refinement, and creation, as well as defining boundary conditions, source terms, and generating project files (OGS specific XML-Files). Building upon this, a FEFLOW converter (from FEFLOW models to OGS models) is integrated [(?)].

Postprocessing includes domain specific evaluation and visualization of simulation results, for temporal and spatial distribution analysis. OGSTools helps to create detailed plots by defining sensible defaults and OGS-specific standards. It offers functionalities for the comparison of numerical simulation results with experimental data or analytical solutions. Just as preprocessing and analysis are essential for single simulations, tooling becomes critical for efficiently handling ensemble runs. Ensemble runs enable evaluation of model robustness, parameter sensitivity, numerical behavior, and computational efficiency, with spatial and temporal grid conversion currently supported.

88 A more complete list of examples covering a significant part of the features set is found in the
89 online documentation of OGSTools¹. Containers are provided for reproducibility, benefiting
90 both developers and users ([?]). Like OpenGeoSys, OGSTools is available on PyPI and Conda.

91 Applications

92 OGSTools has been integral part of complex workflows. OGSTools is designed to support the
93 implementation of such workflow components where OGS is involved.

94 AREHS

95 The AREHS-Project (effects of changing boundary conditions on the development of hydro-
96 geological systems: numerical long-term modelling considering thermal-hydraulic-mechani-
97 cal(-chemical) coupled effects) project [Kahnt et al. (2021)] focused on modeling the effects of
98 the glacial cycle on hydro-geological parameters in potential geological nuclear waste reposi-
99 tories in Germany. [Zill et al. (2024)] and [Silbermann et al. (2025)] highlighted the importance
100 of an automated workflows to efficiently develop models to answer the scientific question and
101 to ensure the reproducibility of the results. This workflow covers all necessary steps from
102 a structured layered model and geological parameters over the simulation with OGS to the
103 resulting figures shown in [Zill et al. (2024)] and [Silbermann et al. (2025)]. It is composed as
104 Snakemake workflow and all material available on [Meisel et al. (2024)].

105 OpenWorkflow

106 OpenWorkFlow [Environmental Research UFZ (2023)], is a project for an open-source, modular
107 synthesis platform designed for safety assessment in the nuclear waste site selection procedure
108 of Germany. Automated workflows as a piece of the planned scientific computational basis
109 for investigating repository-induced physical and chemical processes in different geological
110 setting are essential for transparent and reproducible simulation results. OGS together with
111 OGSTools has been used in a study of thermal repository dimensioning - named ThEDi. TheDi
112 focuses on determining the optimal packing of disposal containers in a repository to ensure
113 temperature limits are not exceeded. The fully automated workflow generates the simulation
114 models based on geometric and material data, runs and analyses the simulations. For scalability
115 and parallelization the workflow is embedded optionally within the workflow management
116 Snakemake. The workflow components are implemented reusing OGSTools functionalities.

117 OpenGeoSys benchmarks

118 The OGS benchmark gallery is a collection of web documents (mostly generated from Jupyter
119 Notebooks) that demonstrate, how users can set up, adjust, execute, and analyse simulations.
120 They can be downloaded, executed, and adapted in an interactive environment for further
121 exploration. With OGSTools code complexity and code duplication could be reduced, and it
122 allows especially inexperienced users to focus on the important part of the notebook.

123 OGS-GIScape

124 OGS-GIScape is a Snakemake-based workflow for creating, simulating and analysing numerical
125 groundwater models (NGM). OGS-GIScape enables scientists to investigate complex environ-
126 mental models to study the groundwater flow and the associated environmental impact or
127 conduct scenario analyses. The models could be used to estimate the impact due to changes
128 in groundwater resources. Furthermore, the outcome of the models could be used for the
129 management of groundwater resources.

130 An important part of the NGM creation is the geometric model (mesh). It is build using
131 geographic information system (GIS) tools at the landscape scale and combining various

¹<https://ogstools.openeosys.org>

meshing tools. The workflow also comprises the parametrisation of the geometric model with physical parameters as well as defining boundary conditions, for instance groundwater recharge on the top of the computational domain or the integration of rivers. For these workflow steps it is mainly necessary to change parts of the OGS project file which is done with OGSTools.

Acknowledgements

This work has been supported by multiple funding sources, including AREHS under grant 4719F10402 by Bundesamt für die Sicherheit der nuklearen Entsorgung(BASE), and OpenWorkflow under grant STAFuE-21-05-Klei by Bundesgesellschaft für Endlagerung (BGE). The authors also acknowledge ongoing support from SUT0GS (Streamlining Usability and Testing of OpenGeoSys) under (grant [Grant Number]) by Deutsche Forschungsgemeinschaft (DFG)

Bilke, L., Flemisch, B., Kalbacher, T., Kolditz, O., Helmig, R., & Nagel, T. (2019). Development of Open-Source Porous Media Simulators: Principles and Experiences. *Transport in Porous Media*, 130(1), 337–361. <https://doi.org/10.1007/s11242-019-01310-1>

Bilke, L., Naumov, D., Wang, W., Fischer, T., Kiskurno, F. K., Lehmann, C., Max, J., Zill, F., Buchwald, J., Grunwald, N., Kessler, K., Aubry, L., Dörnbrack, M., Nagel, T., Ahrendt, L., Kaiser, S., & Meisel, T. (2025). *OpenGeoSys* (Version 6.5.4). Zenodo. <https://doi.org/10.5281/zenodo.14672997>

Blomer, J., Berzano, D., Buncic, P., Charalampidis, I., Ganis, G., Lestaris, G., & Meusel, R. (2014). The need for a versioned data analysis software environment. *CoRR*, abs/1407.3063. <http://arxiv.org/abs/1407.3063>

Buchwald, J., Kolditz, O., & Nagel, T. (2021). ogs6py and VTUinterface: Streamlining OpenGeoSys workflows in python. *Journal of Open Source Software*, 6(67), 3673. <https://doi.org/10.21105/joss.03673>

Diercks, P., Gläser, D., Lünsdorf, O., Selzer, M., Flemisch, B., & Unger, J. F. (2022). *Evaluation of tools for describing, reproducing and reusing scientific workflows*. <https://arxiv.org/abs/2211.06429>

Environmental Research UFZ, H. C. for. (2023). *OpenWorkFlow - synthesis platform*. <https://www.ufz.de/index.php?en=48378>

Goble, C., Cohen-Boulakia, S., Soiland-Reyes, S., Garijo, D., Gil, Y., Crusoe, M. R., Peters, K., & Schober, D. (2020). FAIR computational workflows. *Data Intelligence*, 2(1-2), 108–131. https://doi.org/10.1162/dint_a_00033

Huber, S. P., Zoupanos, S., Uhrin, M., Talirz, L., Kahle, L., Häuselmann, R., Gresch, D., Müller, T., Yakutovich, A. V., Andersen, C. W., Ramirez, F. F., Adorf, C. S., Gargiulo, F., Kumbhar, S., Passaro, E., Johnston, C., Merkys, A., Cepellotti, A., Mounet, N., ... Pizzi, G. (2020). AiiDA 1.0, a scalable computational infrastructure for automated reproducible workflows and data provenance. *Scientific Data*, 7(1). <https://doi.org/10.1038/s41597-020-00638-4>

Kahnt, R., Konietzky, H., Nagel, T., Kolditz, O., Jockel, A., Silbermann, C., Tiedke, F., Meisel, T., Rink, K., Wang, W., Zill, F., Carl, A., Gabriel, A., Schlegel, M., & Abraham, T. (2021). AREHS: Effects of changing boundary conditions on the development of hydrogeological systems: Numerical long-term modelling considering thermal-hydraulic-mechanical(–chemical) coupled effects. *Safety of Nuclear Waste Disposal*, 1, 175–177. <https://doi.org/10.5194/sand-1-175-2021>

Kern, D., & Bilke, L. (2022). msh2vtu. In *GitHub repository*. GitHub. <https://github.com/dominik-kern/msh2vtu>

Kolditz, O., Bauer, S., Bilke, L., Grunwald, N., Delfs, J.-O., Fischer, T., Görke, U., Kalbacher, T., Kosakowski, G., Mcdermott, C., Park, C.-H., Radu, F., Rink, K., Shao, H., Sun,

- 179 F., Sun, Y., Singh, A., Taron, J., Walther, M., & Zehner, B. (2012). OpenGeoSys:
180 An open-source initiative for numerical simulation of thermo-hydro-mechanical/chemical
181 (THM/c) processes in porous media. *Environmental Earth Sciences*, 67, 589–599. <https://doi.org/10.1007/s12665-012-1546-x>
182
- 183 Köster, J., & Rahmann, S. (2012). Snakemake—a scalable bioinformatics workflow engine.
184 *Bioinformatics*, 28(19), 2520–2522. <https://doi.org/10.1093/bioinformatics/bts480>
- 185 Meisel, T., Zill, F., Silbermann, C. B., Wang, W., Bilke, L., & Kern, D. (2024). *AREHS -*
186 *OpenGeoSys workflow* (Version 1.0). Zenodo. <https://doi.org/10.5281/zenodo.11367280>
- 187 Silbermann, C., Zill, F., Meisel, T., Kern, D., Kolditz, O., Magri, F., & Nagel, T. (2025).
188 Automated thermo-hydro-mechanical simulations capturing glacial cycle effects on nuclear
189 waste repositories in clay rock. *Geomechanics and Geophysics for Geo-Energy and Geo-*
190 *Resources*, 11. <https://doi.org/10.1007/s40948-025-00960-4>
- 191 Wilkinson, S. R., Aloqalaa, M., Belhajjame, K., Crusoe, M. R., Paula Kinoshita, B. de, Gadelha,
192 L., Garijo, D., Gustafsson, O. J. R., Juty, N., Kanwal, S., Khan, F. Z., Köster, J., Peters-von
193 Gehlen, K., Pouchard, L., Rannow, R. K., Soiland-Reyes, S., Soranzo, N., Sufi, S., Sun, Z.,
194 ... Goble, C. (2025). Applying the FAIR principles to computational workflows. *Scientific*
195 *Data*, 12(1). <https://doi.org/10.1038/s41597-025-04451-9>
- 196 Zill, F., Bilke, L., Meisel, T., Heinze, J., Kizskurno, F. K., Kern, D., Jäschke, M., & Lehmann,
197 C. (2025). *OGSTools* (Version 0.7.0). Zenodo. <https://doi.org/10.5281/zenodo.15804988>
- 198 Zill, F., Silbermann, C., Meisel, T., Magri, F., & Nagel, T. (2024). Far-field modelling of
199 THM processes in rock salt formations. *Open Geomechanics*, 5, 1–16. <https://doi.org/10.5802/ogeo.20>
200