# Visoka škola strukovnih studija za informacione i komunikacione tehnologije



# Car rental

https://carrentalpancevo.000webhostapp.com/

**Predmet**: Web programiranje 1 **Student**: Uglješa Đorđević 249/18

Beograd, decembar 2020

# Sadržaj

1. Uvod	3
1.1 Korišdeni programski jezici	3
1.2 Opis funkcionalnosti	3
1.3 Template	3
2. Organizacija	7
2.1 Organizaciona šema	7
2.2 Mapa sajta - sitemap.xml	7
2.3 robots.txt	7
2.4 Delovi stranice	8
3. Kodovi	12
3.1 HTML	12
3.2 CSS	27
3.3 Javascript	107
3.4 Jquery	114

#### 1.Uvod

#### 1.1 Korišćene tehnologije

- HTML 5
- CSS 3
- Javascript
- Bootstrap
- jQuery
- Visual Studio Code

### 1.2 Opis funkcionalnosti

- Pošto je ovo one page sajt, nakon klika na linkove u meniju odvodi vas na određene segmete sajta
- Meni je prilagođen za sve vrste uređaja i od rezolucije tableta, pa nadalje, pojavljuje se "hamburger" i klikom na njega pojavljuje se meni u vidu animacije, a klikom na "x" zatvara se
- Skrolovanjem na dole pojavljuje se strelica u donjem desnom uglu i klikom na nju dolazite na vrh stranice
- Dinamičko učitavanje automobila i pojavljivanje da li su na stanju ili ne(u zavisnosti kakvo je stanje upisano u json fajl), prelaskom miša preko njih dolazi do animacije, a klikom na njih dolazite do forme za rezervisanje
- Filtriranje vrsta automobila klikom na dugme
- Slajder koji je odrađen u Javascriptu i poseduje kontrolne strelice
- Provera podataka na obe forme gde prilikom greške podaci se ne šalju i obeležena su polja gde je došlo do greške zajedno sa tekstom objašnjenja, kada svi podaci budu validni forma šalje podatke

- Skriveni tekst koji je pojavljuje klikom na dugme "Read more"
- Dinamičko ispisivanje sekcije opisa iz niza


# 1.3 Template

 Korišćen je gotov css template <u>https://colorlib.com/wp/template/car-rental/</u> uz modifikacije kako

### 2. Organizacija

# 2.1 Organizaciona šema

• Ovaj sajt je rađen kao single page web stranica



### 2.2 Mapa sajta - sitemap.xml


```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
<url>
<loc>http:// https://carrentalpancevo.000webhostapp.com/index.html</loc>
<lastmod>06.12.2019</lastmod>
<changefreq>weekly</changefreq>
<priority>1.0</priority>
</url>
</url>
```

#### 2.3 robots.txt


User-agent:\*

Disallow:/img/


#### 2.4 Delovi stranice



Na početku sajta imamo header koji nije fiksan ved se do njega dolazi dugmetom koje se pojavljuje nakon skrolovanja u donjem desnom uglu. Nalazi se takođe forma kod koje klikom na dugme submit vrši se validacija unetih podataka, korišteni su regularni izrazi. Polja Contact i Date & time dodaju same crtice kako bi pomogli korisniku da pravilno unese podatke.




Ovo je ABOUT sekcija koja u sebi sadrži divove sa tekstom i linear ikonama. Ova sekcija je dinamički ispisana iz niza u Javascriptu.




Ovaj deo strane je dinamički ispisan u Javascriptu iz niza i klikom na dugme odlazi se na about sekciju.




Ovaj deo strane u sebi sadrži slajder koji u sebi ima primerke onih automobila koji su napopularniji. Elemente slajdere možete pomerati putem strelica sa obe strane.



Ovde se nalazi "lista" koja je dinamički ispisana preko JavaScripta koja izvlači podatke iz Json dokumenta putem Ajax requesta. Prelaskom miša ispisuje se da li su dostupni ili ne. Takođe prelaskom miša pokreće se animacija koja je urađena preko jQuery-a. Iznad slika automobile nalazi se 6 dugmeta koja predstavlja opcije filtriranja koje korisnik može da odabere.




Jedina funkcionalnost u ovoj sekciji je dugme "READ MORE" koja pokazuje opis autora.



Kontakt sekcija u sebi ima formu koja klikom na submit dugme, preko Javascripta i uz pomoć regularnih izraza, proverava validnost podataka i šalje ukoliko su podaci ispravno uneti, a prikazuje šta je pogrešio korisnik prilikom unosa podataka ukoliko je do toga došlo.

Implemntirana je i lokacija.



I za kraj futer deo sajta ima u sebi subscription formu, linkove ka socijalnim mrežama kao i linkove ka dokumentaciji i sitemapu.

#### 3. Kodovi

#### **3.1 HTML**

```
<!DOCTYPE html>
    <html lang="zxx">
        <meta name="viewport" content="width=device-width, initial-scale=1, shrink-</pre>
to-fit=no">
        <link rel="shortcut icon" href="img/icon.png">
        <meta name="author" content="">
        <meta name="description" content="One of the most significant car rental co</pre>
mpany in the europe">
        <meta name="keywords" content="car, rental, rent, rents, bmw, mercedes, aud</pre>
i, land rover, mustang">
        <meta charset="UTF-8">
        <title>Car Rentals</title>
        <link href="https://fonts.googleapis.com/css?family=Poppins:100,200,400,300</pre>
,500,600,700" rel="stylesheet">
            <link rel="stylesheet" href="css/linearicons.css">
            <link rel="stylesheet" href="css/font-awesome.min.css">
            <link rel="stylesheet" href="css/bootstrap.css">
            <link rel="stylesheet" href="https://code.jquery.com/ui/1.12.1/themes/b</pre>
ase/jquery-ui.css">
            <link rel="stylesheet" href="css/style.css">
        </head>
        <body>
              <header id="header" id="home">
                <div class="container">
                     <div class="row align-items-center justify-content-between d-</pre>
flex">
                       <div id="logo">
                         <a href="index.html"><img src="img/logo.png" alt="logo sajt</pre>
a"/></a>
                       </div>
                       <nav id="nav-menu-container">
```

```
<a href="index.html">Home</a>
                        <a href="#cars">Cars</a>
                        <a href="#team">Team</a>
                        <a href="#contact">Contact</a>
                        <a href="#author">Author</a>
                        <div id="closeMenu">
                        <i class="fa fa-times fatimes"></i></i>
                        </div>
                      <div class="burger">
                          <i class="fa fa-bars" aria-hidden="true"></i></i>
                      </div>
                    </nav>
                   </div>
               </div>
             </header>
           <section class="banner-area relative" id="home">
               <div class="overlay overlay-bg"></div>
               <div class="container">
                   <div class="row fullscreen d-flex align-items-center justify-</pre>
content-center">
                      <div class="banner-content col-lg-7 col-md-6 ">
                          <h6 class="text-
white ">the Royal Essence of Journey</h6>
                          <h1 class="text-white text-uppercase">
                              Best Journey Ever
                          </h1>
                          Rent a car here and go enjoy everywhere but near!
                          <a href="#team" class="primary-btn text-</pre>
uppercase">Rent Car Now</a>
                      </div>
                      <div id="book" class="col-lg-5 col-md-6 header-right mt-</pre>
5 mb-5">
                          <h4 class="text-white pb-30">Book Your Car Today!</h4>
                          <form id="firstForm" class="form" method="post" action=</pre>
"#" autocomplete="on">
                              <div class="form-group">
                                      <select id="selection" class="default-</pre>
select form-control">
```

```
<option value="0" disabled selected hid</pre>
den>Select Your Car</option>
                                           <option value="1">BMW</option>
                                           <option value="1">Mercedes</option>
                                           <option value="1">Toyota</option>
                                           <option value="1">Range Rover</option>
                                           <option value="1">Volkswagen</option>
                                           <option value="1">Jaguar</option>
                                           <option value="1">Ford Mustang</option>
                                           <option value="1">Dodge</option>
                                       </select>
                                       </div>
                               <div class="form-inline row">
                                   <div class="col-md-6 pb-2 wrap-left">
                                           <label id="from-</pre>
text">Pickup date :</label>
                                   </div>
                                   <div class="col-md-6 pt-1 wrap-right">
                                       <div class="input-group dates-</pre>
wrap">
                                           <input id="datepicker" class="dates for</pre>
control" id="exampleAmount" placeholder="Date & time" type="text">
                                           <div class="input-group-prepend">
                                               <span class="input-group-</pre>
text"><span class="lnr lnr-calendar-full"></span></span>
                                           </div>
                                       </div>
                                       </div>
                               </div>
                               <div class="form-inline row">
                                   <div class="col-md-6 pb-2 wrap-left">
                                           <label id="from-</pre>
text">Drop off date :</label>
                                   </div>
                                   <div class="col-md-6 pt-1 wrap-right">
                                       <div class="input-group dates-</pre>
wrap">
                                           <input id="datepicker2" class="dates fo</pre>
```

```
control" id="exampleAmount" placeholder="Date & time" type="text">
                                      <div class="input-group-prepend">
                                         <span class="input-group-</pre>
text"><span class="lnr lnr-calendar-full"></span></span>
                                      </div>
                                  </div>
                                  error2">
                               </div>
                           </div>
                           <div class="from-group">
                               <input class="form-</pre>
control" id="name" type="text" name="name" placeholder="Your name">
                               <input class="form-</pre>
control" id="mail" type="email" name="email" placeholder="Email address">
                               <input class="form-control" id="phone-</pre>
number" type="tel" name="phone" placeholder="Phone number (06x/xxx-xxx)">
                               error">
                           </div>
                           <div class="form-group row">
                               <div class="col-md-12">
                                  <button type="submit" id="booker" class="bt</pre>
n btn-default btn-lg btn-block text-center text-
uppercase">Confirm Car Booking</button>
                               </div>
                        </form>
                    </div>
                 </div>
             </div>
          </section>
          <a href="#header" id="scrolled"></a>
          <section class="feature-area section-gap" id="service">
             <div class="container">
                 <div class="row d-flex justify-content-center">
                    <div class="col-md-8 pb-40 header-text">
                        <h1>Little bit more about us</h1>
```

```
Who are in extremely love with eco friendly system.
                           </div>
                   </div>
                   <div class="row" id="featurePrint">
                   </div>
               </div>
           </section>
           <section class="home-about-area" id="about">
               <div class="container-fluid">
               </div>
           </section>
           <section class="model-area section-gap" id="cars">
               <div class="container">
                   <div class="row d-flex justify-content-center pb-40">
                       <div class="col-md-8 pb-40 header-text">
                           <h1 class="text-center pb-
10">These are most popular cars</h1>
                           Choose your Desired Car Model.
                           </div>
                   </div>
                   <div class="active-model-carusel slideshow-container">
                       <div class="row align-items-center single-</pre>
model item mySlides fadeInto">
                           <div class="col-lg-6 model-right pr-60">
                               <img class="img-fluid" src="img/car.jpg" alt="">
                           </div>
                           <div class="col-lg-6 pl-60">
                               <div class="title justify-content-between d-flex">
                                   <h4 class="mt-20">Audi 3000 msi</h4>
                                   <h2>$100<span>/day</span></h2>
                               </div>
                                   Audi 3000 msi is a briliant car for everyday us
e. As it is new car, we are not worried that you will enjoy it as much as rest of o
ur car disposal.
```

```
<u1>
                                  Capacity
                                                    : 04 Person
                                  Doors
                                                     : 04
                                  Air Condition : Dual Zone
                                  Transmission
                                                     : Automatic
                              <a class="text-uppercase mt-2 primary-</pre>
btn" href="#book">Book This Car Now</a>
                          </div>
                      </div>
                      <div class="row align-items-center single-</pre>
model item mySlides fadeInto">
                          <div class="col-lg-6 model-right pr-60">
                              <img class="img-fluid" src="img/car2.jpg" alt="">
                          </div>
                          <div class="col-lg-6 pl-60">
                              <div class="title justify-content-between d-flex">
                                  <h4 class="mt-20">Mustang GT-500</h4>
                                  <h2>$150<span>/day</span></h2>
                              </div>
                                  Mustang GT-
500 is brand new car in 2019. We can tell you that it is more fun to drive it then
GT-
350. Mostly people rent this car for fun and not for everyday use. You can't blame
them, right?
                              <u1>
                                                 : 04 Person
                                  Capacity
                                  Doors
                                                     : 03
                                  Air Condition : Dual Zone
                                  Transmission : Automatic
                              <a class="text-uppercase primary-</pre>
btn" href="#book">Book This Car Now</a>
                          </div>
                      </div>
                      <div class="row align-items-center single-</pre>
model item mySlides fadeInto">
                          <div class="col-lg-6 model-right pr-60">
                              <img class="img-fluid" src="img/car3.jpg" alt="">
                          </div>
                          <div class="col-lg-6 pl-60">
                              <div class="title justify-content-between d-flex">
                                  <h4 class="mt-20">BMW M5</h4>
                                  <h2>$115<span>/day</span></h2>
```

```
</div>
                                  BMW M5 is a practial and good looking car. It w
ill most certainly drawn antetion.
                              <u1>
                                  Capacity
                                                     : 05 Person
                                  Doors
                                                     : 04
                                  Air Condition : Dual Zone
                                  Transmission
                                                     : Automatic
                              <a class="text-uppercase primary-</pre>
btn" href="#book">Book This Car Now</a>
                          </div>
                      </div>
                      <div class="row align-items-center single-</pre>
model item mySlides fadeInto">
                          <div class="col-lg-6 model-right pr-60">
                              <img class="img-fluid" src="img/car4.jpg" alt="">
                          <div class="col-lg-6 pl-60">
                              <div class="title justify-content-between d-flex">
                                  <h4 class="mt-20">Land Rover Ventor</h4>
                                  <h2>$130<span>/day</span></h2>
                              </div>
                                  The best luxury car we have in our disposal. Br
and Land Rover edition will give you comfort but at the same time acceleration of a
sport car.
                              <l
                                  Capacity
                                                     : 07 Person
                                  Doors
                                                     : 04
                                  Air Condition : Dual Zone
                                  Transmission : Automatic
                              <a class="text-uppercase primary-</pre>
btn" href="#book">Book This Car Now</a>
                          </div>
                      </div>
                      <div class="row align-items-center single-</pre>
model item mySlides fadeInto">
                          <div class="col-lg-6 model-right pr-60">
                              <img class="img-fluid" src="img/car5.jpg" alt="">
                          </div>
                          <div class="col-lg-6 pl-60">
```

```
<div class="title justify-content-between d-flex">
                                   <h4 class="mt-20">Opel Insignia</h4>
                                   <h2>$70<span>/day</span></h2>
                               </div>
                                   Opel Insignia is classic car for everyday use.
It is very efficient and it will serve its purpose.
                               <l
                                                      : 05 Person
                                   Capacity
                                   Doors
                                                       : 04
                                   Air Condition
                                                      : Dual Zone
                                   Transmission
                                                      : Manual
                               <a class="text-uppercase primary-</pre>
btn" href="#book">Book This Car Now</a>
                           </div>
                       </div>
                       <a class="prev" onclick="plusSlides(-1)">&#10094;</a>
                       <a class="next" onclick="plusSlides(1)">&#10095;</a>
                   </div>
                   <div class="text-center justify-content-center mt-4">
                       <span class="dot" onclick="currentSlide(1)"></span>
                       <span class="dot" onclick="currentSlide(2)"></span>
                       <span class="dot" onclick="currentSlide(3)"></span>
                       <span class="dot" onclick="currentSlide(4)"></span>
                       <span class="dot" onclick="currentSlide(5)"></span>
                   </div>
               </div>
           </section>
           <section class="team-area section-gap team-page-teams" id="team">
               <div class="container">
                   <div class="row d-flex justify-content-center">
                       <div class="menu-content pb-70 col-lg-8">
                           <div class="title text-center">
                               <h1 class="mb-10">Our Car Fleet</h1>
                           </div>
                       </div>
                   </div>
```

```
<div class="row justify-content-around d-flex align-items-</pre>
center mb-5" id="carFilter">
                        <button id="all" class="primary-btn text-</pre>
uppercase">All</button>
                        <button id="sedan" class="primary-btn text-</pre>
uppercase">Sedan</button>
                        <button id="coupe" class="primary-btn text-</pre>
uppercase">Coupe</button>
                        <button id="suv" class="primary-btn text-</pre>
uppercase">Suv</button>
                        <button id="pickup" class="primary-btn text-</pre>
uppercase">Pickup</button>
                        <button id="convertible" class="primary-btn text-</pre>
uppercase">Convertible</button>
                    </div>
                    <div class="row justify-content-center d-flex align-items-</pre>
center" id="carPrint">
                    </div>
                </div>
            </section>
            <section class="facts-area section-gap">
                <div class="container">
                    <div class="row">
                        <div class="col single-fact">
                             <h1 id="projects">2536</h1>
                             Projects Completed
                        </div>
                        <div class="col single-fact">
                             <h1 id="clients">6784</h1>
                             Really Happy Clients
                        </div>
                        <div class="col single-fact">
                             <h1 id="numberCars">2239</h1>
                             Total number of our cars
                        </div>
                        <div class="col single-fact">
                             <h1>435</h1>
                             Professional Drivers
                        </div>
                    </div>
                </div>
            </section>
```

```
<section id="author" class="callaction-area relative section-gap">
                <div class="overlay overlay-bg"></div>
                <div class="container">
                   <div class="row justify-content-center">
                       <div class="col-lg-10">
                            <h1 class="text-white">Little bit about author</h1>
                            <div class="row align-items-center mt-4 mb-5">
                                <div class="col-lg-6 model-right pr-60">
                                    <img class="img-</pre>
fluid" src="img/author.JPG" alt="">
                                </div>
                                <div class="col-lg-6">
                                        <h4 class="text-
yellow">Hey! My name is Uglješa Đorđević.</h4>
                                            Index number: 249/18<br>
                                            Date of birth: 08.07.1999
                                        I am a second year student at Visoka škola
strukovnih studija za informacione i komunikacione tehnologije" in Belgrade. This p
resents school project. So far I have studied Web Design and this my first time con
fronting Web Programing.
                                    <input type="button" id="tBtn" class="mt-</pre>
4 text-uppercase primary-btn" value="Read more" />
                                </div>
                            </div>
                       </div>
                   </div>
                </div>
           </section>
           <section class="contact-page-area section-gap" id="contact">
                <div class="container">
                   <div class="row">
```

```
<div class="map-
wrap" style="width:100%; height: 445px;" id="map"></div>
                       <div class="col-lg-4 d-flex flex-column address-wrap">
                          <div class="single-contact-address d-flex flex-row">
                              <div class="icon">
                                  <span class="lnr lnr-home"></span>
                              </div>
                              <div class="contact-details">
                                  <h5>Pančevo, Serbia</h5>
                                  Žarka Zrenjanina 99b
                              </div>
                          </div>
                          <div class="single-contact-address d-flex flex-row">
                              <div class="icon">
                                  <span class="Inr Inr-phone-handset"></span>
                              </div>
                              <div class="contact-details">
                                  <h5>00 (880) 9865 562</h5>
                                  Mon to Fri 9am to 6 pm
                              </div>
                          </div>
                          <div class="single-contact-address d-flex flex-row">
                              <div class="icon">
                                  <span class="lnr lnr-envelope"></span>
                              </div>
                              <div class="contact-details">
                                  <h5>support@carrental.com</h5>
                                  Send us your query anytime!
                              </div>
                          </div>
                      </div>
                      <div class="col-lg-8">
                          <form class="form-</pre>
area " autocomplete="on" action="#" method="post" class="contact-form text-right">
                              <div class="row">
                                  <div class="col-lg-6 form-group">
                                      <input id="namec" class="form-</pre>
control" name="name" placeholder="Enter your name" type="text">
                                      error1">
                                      <input id="mailc" class="form-</pre>
control" name="email" placeholder="Enter email address" type="email">
                                      error1">
```

```
<input id="subc" class="form-</pre>
control" name="subject" placeholder="Enter your subject" type="text">
                                        <div class="mt-20 alert-msg" style="text-</pre>
align: left;"></div>
                                   </div>
                                    <div class="col-lg-6 form-group">
                                        <textarea class="common-textarea form-
control" name="message" placeholder="Message" ></textarea>
                                       <button type="submit" id="contactBtn" class</pre>
="primary-btn mt-20 text-white" style="float: right;">Send Message</button>
                                   </div>
                                </div>
                            </form>
                       </div>
                   </div>
                </div>
           </section>
            <footer class="footer-area section-gap">
                <div class="container">
                   <div class="row justify-content-between">
                        <div class="col-lg-2 col-md-6 col-sm-6">
                            <div class="single-footer-widget">
                                <h6>Documentation</h6>
                                <u1>
                                   <i class="fa fa-book mr-
1"></i><a href="Dokumentacija.pdf" target="_blank">Documentation</a>
                                   <i class="fa fa-sitemap mr-
1"></i><a href="sitemap.xml" target="_blank">Sitemap</a>
                                </div>
                        </div>
                        <div class="col-lg-2 col-md-6 col-sm-6 social-widget">
                            <div class="single-footer-widget">
                                <h6>Follow Us</h6>
                                <div class="footer-social d-flex align-items-</pre>
center">
                                    <a href="https://www.facebook.com" target=" bla</pre>
nk"><i class="fa fa-facebook"></i></a>
                                   <a href="https://twitter.com" target=" blank"><</pre>
i class="fa fa-twitter"></i></a>
                                   <a href="https://www.instagram.com" target="_bl</pre>
ank"><i class="fa fa-instagram"></i></a>
```

```
</div>
                           </div>
                        </div>
                        <div class="col-lg-4 col-md-6 col-sm-6">
                            <div class="single-footer-widget">
                                <h6>Newsletter</h6>
                                Stay updated with our latest news
                                <div class="" id="mc_embed_signup">
                                    <form target="_blank" novalidate="true" action=</pre>
"#" method="get" class="form-inline">
                                        <input class="form-</pre>
control" name="EMAIL" placeholder="Enter Email" onfocus="this.placeholder = ''" onb
lur="this.placeholder = 'Enter Email '" required="" type="email">
                                            <button class="click-btn btn btn-</pre>
default"><span class="lnr lnr-arrow-right"></span></button>
                                            <div style="position: absolute; left: -</pre>
5000px;">
                                                <input name="b_36c4fd991d266f23781d</pre>
ed980_aefe40901a" tabindex="-1" value="" type="text">
                                            </div>
                                        <div class="info"></div>
                                    </form>
                               </div>
                           </div>
                        </div>
                        Copyright ©<script>document.write(new Date().getFullYear());</script> Uglješa
Đorđević | Made as a school project
                    </div>
               </div>
            </footer>
            <script type="text/javascript" async defer src="https://maps.googleapis</pre>
.com/maps/api/js?key=AIzaSyBhOdIF3Y9382fqJYt5I_sswSrEw5eihAA&callback=initMap"></sc
ript>
            <script type="text/javascript" src="js/main.js"></script>
            <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.7.1/jquery.</pre>
min.js" type="text/javascript"></script>
           <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.</pre>
min.js"></script>
            <script type="text/javascript" src="js/jquery.js"></script>
        </body>
```

</html>

```
@keyframes fadeInto {
 from {opacity: 0}
 to {opacity: 1}
@keyframes navLinkFade{
 from{
    opacity: 0;
    transform: translateX(50px);
  to{
    opacity: 1;
    transform: translateX(0px);
body {
 color: #777777;
 font-family: "Poppins", sans-serif;
 font-size: 14px;
 font-weight: 300;
 line-height: 1.625em;
  position: relative;
ol, ul {
 margin: 0;
 padding: 0;
 list-style: none;
select {
  display: block;
figure {
```

```
margin: 0;
a {
  -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
iframe {
  border: 0;
a, a:focus, a:hover {
 text-decoration: none;
  outline: 0;
.btn.active.focus,
.btn.active:focus,
.btn.focus,
.btn.focus:active,
.btn:active:focus,
.btn:focus {
 text-decoration: none;
 outline: 0;
.card-panel {
 margin: 0;
  padding: 60px;
.btn i, .btn-large i, .btn-floating i, .btn-large i, .btn-flat i {
 font-size: 1em;
  line-height: inherit;
.gray-bg {
  background: #f9f9ff;
h1, h2, h3,
h4, h5, h6 {
```

```
font-family: "Poppins", sans-serif;
  color: #222222;
  line-height: 1.2em !important;
 margin-bottom: 0;
 margin-top: 0;
 font-weight: 600;
.h1, .h2, .h3,
.h4, .h5, .h6 {
 margin-bottom: 0;
 margin-top: 0;
 font-family: "Poppins", sans-serif;
 font-weight: 600;
 color: #222222;
h1, .h1 {
 font-size: 36px;
h2, .h2 {
 font-size: 30px;
h3, .h3 {
 font-size: 24px;
h4, .h4 {
 font-size: 18px;
h5, .h5 {
 font-size: 16px;
h6, .h6 {
 font-size: 14px;
 color: #222222;
td, th {
  border-radius: 0px;
```

```
.clear::before, .clear::after {
 content: " ";
 display: table;
.clear::after {
 clear: both;
.fz-11 {
font-size: 11px;
.fz-12 {
 font-size: 12px;
.fz-13 {
font-size: 13px;
.fz-14 {
font-size: 14px;
.fz-15 {
font-size: 15px;
.fz-16 {
font-size: 16px;
.fz-18 {
 font-size: 18px;
.fz-30 {
font-size: 30px;
.fz-48 {
 font-size: 48px !important;
```

```
.fw100 {
 font-weight: 100;
.fw300 {
font-weight: 300;
.fw400 {
font-weight: 400 !important;
.fw500 {
font-weight: 500;
.f700 {
font-weight: 700;
.fsi {
font-style: italic;
.mt-10 {
margin-top: 10px;
.mt-15 {
margin-top: 15px;
.mt-20 {
 margin-top: 20px;
.mt-25 {
margin-top: 25px;
.mt-30 {
margin-top: 30px;
```

```
.mt-35 {
 margin-top: 35px;
.mt-40 {
margin-top: 40px;
.mt-50 {
 margin-top: 50px;
.mt-60 {
margin-top: 60px;
.mt-70 {
margin-top: 70px;
.mt-80 {
 margin-top: 80px;
.mt-100 {
 margin-top: 100px;
.mt-120 {
margin-top: 120px;
.mt-150 {
margin-top: 150px;
.ml-0 {
 margin-left: 0 !important;
.ml-5 {
margin-left: 5px !important;
.ml-10 {
```

```
margin-left: 10px;
.ml-15 {
margin-left: 15px;
.ml-20 {
margin-left: 20px;
.ml-30 {
 margin-left: 30px;
.ml-50 {
margin-left: 50px;
.mr-0 {
margin-right: 0 !important;
.mr-5 {
 margin-right: 5px !important;
.mr-15 {
 margin-right: 15px;
.mr-10 {
 margin-right: 10px;
.mr-20 {
margin-right: 20px;
.mr-30 {
 margin-right: 30px;
.mr-50 {
margin-right: 50px;
```

```
.mb-0 {
 margin-bottom: 0px;
.mb-0-i {
 margin-bottom: 0px !important;
.mb-5 {
 margin-bottom: 5px;
.mb-10 {
 margin-bottom: 10px;
.mb-15 {
margin-bottom: 15px;
.mb-20 {
margin-bottom: 20px;
.mb-25 {
 margin-bottom: 25px;
.mb-30 {
 margin-bottom: 30px;
.mb-40 {
 margin-bottom: 40px;
.mb-50 {
 margin-bottom: 50px;
.mb-60 {
 margin-bottom: 60px;
```

```
.mb-70 {
 margin-bottom: 70px;
.mb-80 {
margin-bottom: 80px;
.mb-90 {
margin-bottom: 90px;
.mb-100 {
margin-bottom: 100px;
.pt-0 {
 padding-top: 0px;
.pt-10 {
 padding-top: 10px;
.pt-15 {
padding-top: 15px;
.pt-20 {
 padding-top: 20px;
.pt-25 {
 padding-top: 25px;
.pt-30 {
padding-top: 30px;
.pt-40 {
 padding-top: 40px;
```

```
.pt-50 {
 padding-top: 50px;
.pt-60 {
 padding-top: 60px;
.pt-70 {
 padding-top: 70px;
.pt-80 {
padding-top: 80px;
.pt-90 {
 padding-top: 90px;
.pt-100 {
 padding-top: 100px;
.pt-120 {
 padding-top: 120px;
.pt-150 {
 padding-top: 150px;
.pt-170 {
 padding-top: 170px;
.pb-0 {
 padding-bottom: 0px;
.pb-10 {
 padding-bottom: 10px;
.pb-15 {
```

```
padding-bottom: 15px;
.pb-20 {
 padding-bottom: 20px;
.pb-25 {
 padding-bottom: 25px;
.pb-30 {
 padding-bottom: 30px;
.pb-40 {
 padding-bottom: 40px;
.pb-50 {
 padding-bottom: 50px;
.pb-60 {
 padding-bottom: 60px;
.pb-70 {
 padding-bottom: 70px;
.pb-80 {
 padding-bottom: 80px;
.pb-90 {
 padding-bottom: 90px;
.pb-100 {
 padding-bottom: 100px;
.pb-120 {
 padding-bottom: 120px;
```

```
.pb-150 {
 padding-bottom: 150px;
.pr-30 {
padding-right: 30px;
.pl-30 {
 padding-left: 30px;
.pl-90 {
 padding-left: 90px;
.pr-90 {
 padding-right: 90px;
.pl-60 {
 padding-left: 60px;
.pr-60 {
 padding-right: 60px;
.p-40 {
 padding: 40px;
.float-left {
 float: left;
.float-right {
 float: right;
.text-italic {
 font-style: italic;
```

```
.text-white {
 color: #fff;
.text-black {
 color: #000;
.transition {
 -webkit-transition: all 0.3s ease 0s;
-moz-transition: all 0.3s ease 0s;
-o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.section-full {
 padding: 100px 0;
.section-half {
 padding: 75px 0;
.text-center {
 text-align: center;
.text-left {
 text-align: left;
.text-rigth {
 text-align: right;
.flex {
 display: -webkit-box;
 display: -webkit-flex;
 display: -moz-flex;
 display: -ms-flexbox;
 display: flex;
.inline-flex {
```

```
display: -webkit-inline-box;
 display: -webkit-inline-flex;
 display: -moz-inline-flex;
 display: -ms-inline-flexbox;
 display: inline-flex;
.flex-grow {
 -webkit-box-flex: 1;
 -webkit-flex-grow: 1;
 -moz-flex-grow: 1;
 -ms-flex-positive: 1;
 flex-grow: 1;
.flex-wrap {
 -webkit-flex-wrap: wrap;
 -moz-flex-wrap: wrap;
 -ms-flex-wrap: wrap;
 flex-wrap: wrap;
.flex-left {
 -webkit-box-pack: start;
 -ms-flex-pack: start;
 -webkit-justify-content: flex-start;
 -moz-justify-content: flex-start;
 justify-content: flex-start;
.flex-middle {
 -webkit-box-align: center;
 -ms-flex-align: center;
 -webkit-align-items: center;
 -moz-align-items: center;
 align-items: center;
.flex-right {
 -webkit-box-pack: end;
 -ms-flex-pack: end;
 -webkit-justify-content: flex-end;
 -moz-justify-content: flex-end;
 justify-content: flex-end;
```

```
.flex-top {
 -webkit-align-self: flex-start;
 -moz-align-self: flex-start;
 -ms-flex-item-align: start;
 align-self: flex-start;
.flex-center {
 -webkit-box-pack: center;
 -ms-flex-pack: center;
 -webkit-justify-content: center;
 -moz-justify-content: center;
 justify-content: center;
.flex-bottom {
 -webkit-align-self: flex-end;
 -moz-align-self: flex-end;
 -ms-flex-item-align: end;
 align-self: flex-end;
.space-between {
 -webkit-box-pack: justify;
 -ms-flex-pack: justify;
 -webkit-justify-content: space-between;
 -moz-justify-content: space-between;
 justify-content: space-between;
.space-around {
 -ms-flex-pack: distribute;
 -webkit-justify-content: space-around;
 -moz-justify-content: space-around;
 justify-content: space-around;
.flex-column {
 -webkit-box-direction: normal;
 -webkit-box-orient: vertical;
 -webkit-flex-direction: column;
 -moz-flex-direction: column;
 -ms-flex-direction: column;
 flex-direction: column;
```

```
.flex-cell {
 display: -webkit-box;
 display: -webkit-flex;
 display: -moz-flex;
 display: -ms-flexbox;
 display: flex;
 -webkit-box-flex: 1;
 -webkit-flex-grow: 1;
 -moz-flex-grow: 1;
 -ms-flex-positive: 1;
 flex-grow: 1;
.display-table {
 display: table;
.light {
 color: #fff;
.dark {
 color: #222;
.relative {
 position: relative;
.overflow-hidden {
 overflow: hidden;
.overlay {
 position: absolute;
 left: 0;
 right: 0;
 top: 0;
 bottom: 0;
.container.fullwidth {
 width: 100%;
```

```
.container.no-padding {
  padding-left: 0;
  padding-right: 0;
.no-padding {
  padding: 0;
.section-bg {
  background: #f9fafc;
@media (max-width: 767px) {
  .no-flex-xs {
    display: block !important;
.row.no-margin {
 margin-left: 0;
 margin-right: 0;
.sample-text-area {
 background: #fff;
  padding: 100px 0 70px 0;
.text-heading {
 margin-bottom: 30px;
 font-size: 24px;
b, sup, sub, u, del {
 color: #fab700;
h1 {
 font-size: 36px;
```

```
font-size: 30px;
h3 {
 font-size: 24px;
h4 {
 font-size: 18px;
h5 {
 font-size: 16px;
h6 {
 font-size: 14px;
h1, h2, h3, h4, h5, h6 {
 line-height: 1.5em;
.typography h1, .typography h2, .typography h3, .typography h4, .typography h5, .ty
pography h6 {
 color: #777777;
.button-area {
 background: #fff;
.button-area .border-top-generic {
 padding: 70px 15px;
 border-top: 1px dotted #eee;
.button-group-area .genric-btn {
 margin-right: 10px;
 margin-top: 10px;
.button-group-area .genric-btn:last-child {
 margin-right: 0;
```

```
.genric-btn {
 display: inline-block;
 outline: none;
 line-height: 40px;
 padding: 0 30px;
 font-size: .8em;
 text-align: center;
 text-decoration: none;
 font-weight: 500;
 cursor: pointer;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.genric-btn:focus {
 outline: none;
.genric-btn.e-large {
 padding: 0 40px;
 line-height: 50px;
.genric-btn.large {
 line-height: 45px;
.genric-btn.medium {
 line-height: 30px;
.genric-btn.small {
 line-height: 25px;
.genric-btn.radius {
 border-radius: 3px;
.genric-btn.circle {
 border-radius: 20px;
```

```
.genric-btn.arrow {
 display: -webkit-inline-box;
 display: -ms-inline-flexbox;
 display: inline-flex;
 -webkit-box-align: center;
 -ms-flex-align: center;
 align-items: center;
.genric-btn.arrow span {
 margin-left: 10px;
.genric-btn.default {
 color: #222222;
 background: #f9f9ff;
 border: 1px solid transparent;
.genric-btn.default:hover {
 border: 1px solid #f9f9ff;
 background: #fff;
.genric-btn.default-border {
 border: 1px solid #f9f9ff;
 background: #fff;
.genric-btn.default-border:hover {
 color: #222222;
background: #f9f9ff;
 border: 1px solid transparent;
.genric-btn.primary {
 color: #fff;
background: #fab700;
 border: 1px solid transparent;
.genric-btn.primary:hover {
 color: #fab700;
 border: 1px solid #fab700;
```

```
background: #fff;
.genric-btn.primary-border {
 color: #fab700;
 border: 1px solid #fab700;
 background: #fff;
.genric-btn.primary-border:hover {
 color: #fff;
 background: #fab700;
 border: 1px solid transparent;
.genric-btn.success {
 color: #fff;
 background: #4cd3e3;
 border: 1px solid transparent;
.genric-btn.success:hover {
 color: #4cd3e3;
border: 1px solid #4cd3e3;
 background: #fff;
.genric-btn.success-border {
 color: #4cd3e3;
border: 1px solid #4cd3e3;
 background: #fff;
.genric-btn.success-border:hover {
color: #fff;
background: #4cd3e3;
 border: 1px solid transparent;
.genric-btn.info {
color: #fff;
background: #38a4ff;
 border: 1px solid transparent;
```

```
.genric-btn.info:hover {
 color: #38a4ff;
 border: 1px solid #38a4ff;
 background: #fff;
.genric-btn.info-border {
 color: #38a4ff;
 border: 1px solid #38a4ff;
 background: #fff;
.genric-btn.info-border:hover {
 color: #fff;
 background: #38a4ff;
 border: 1px solid transparent;
.genric-btn.warning {
 color: #fff;
background: #f4e700;
 border: 1px solid transparent;
.genric-btn.warning:hover {
 color: #f4e700;
border: 1px solid #f4e700;
 background: #fff;
.genric-btn.warning-border {
 color: #f4e700;
border: 1px solid #f4e700;
 background: #fff;
.genric-btn.warning-border:hover {
 color: #fff;
background: #f4e700;
 border: 1px solid transparent;
.genric-btn.danger {
 color: #fff;
 background: #f44a40;
```

```
border: 1px solid transparent;
.genric-btn.danger:hover {
 color: #f44a40;
 border: 1px solid #f44a40;
 background: #fff;
.genric-btn.danger-border {
 color: #f44a40;
 border: 1px solid #f44a40;
 background: #fff;
.genric-btn.danger-border:hover {
 color: #fff;
 background: #f44a40;
 border: 1px solid transparent;
.genric-btn.link {
 color: #222222;
background: #f9f9ff;
 text-decoration: underline;
 border: 1px solid transparent;
.genric-btn.link:hover {
 color: #222222;
 border: 1px solid #f9f9ff;
 background: #fff;
.genric-btn.link-border {
 color: #222222;
 border: 1px solid #f9f9ff;
 background: #fff;
text-decoration: underline;
.genric-btn.link-border:hover {
 color: #222222;
 background: #f9f9ff;
 border: 1px solid transparent;
```

```
.genric-btn.disable {
 color: #222222, 0.3;
 background: #f9f9ff;
 border: 1px solid transparent;
 cursor: not-allowed;
.generic-blockquote {
 padding: 30px 50px 30px 30px;
 background: #f9f9ff;
 border-left: 2px solid #fab700;
.progress-table-wrap {
 overflow-x: scroll;
.progress-table {
 background: #f9f9ff;
 padding: 15px 0px 30px 0px;
 min-width: 800px;
.progress-table .serial {
 width: 11.83%;
 padding-left: 30px;
.progress-table .country {
 width: 28.07%;
.progress-table .visit {
 width: 19.74%;
.progress-table .percentage {
 width: 40.36%;
 padding-right: 50px;
.progress-table .table-head {
 display: flex;
```

```
.progress-table .table-head .serial, .progress-table .table-
head .country, .progress-table .table-head .visit, .progress-table .table-
head .percentage {
 color: #222222;
 line-height: 40px;
 text-transform: uppercase;
 font-weight: 500;
.progress-table .table-row {
 padding: 15px 0;
 border-top: 1px solid #edf3fd;
 display: flex;
progress-table .table-row .serial, .progress-table .table-row .country, .progress-
table .table-row .visit, .progress-table .table-row .percentage {
 display: flex;
 align-items: center;
.progress-table .table-row .country img {
 margin-right: 15px;
.progress-table .table-row .percentage .progress {
 width: 80%;
 border-radius: 0px;
 background: transparent;
.progress-table .table-row .percentage .progress .progress-bar {
 height: 5px;
 line-height: 5px;
.progress-table .table-row .percentage .progress .progress-bar.color-1 {
 background-color: #6382e6;
.progress-table .table-row .percentage .progress .progress-bar.color-2 {
 background-color: #e66686;
```

```
.progress-table .table-row .percentage .progress .progress-bar.color-3 {
 background-color: #f09359;
progress-table .table-row .percentage .progress .progress-bar.color-4 {
 background-color: #73fbaf;
.progress-table .table-row .percentage .progress .progress-bar.color-5 {
 background-color: #73fbaf;
.progress-table .table-row .percentage .progress .progress-bar.color-6 {
 background-color: #6382e6;
.progress-table .table-row .percentage .progress .progress-bar.color-7 {
 background-color: #a367e7;
.progress-table .table-row .percentage .progress .progress-bar.color-8 {
 background-color: #e66686;
.single-gallery-image {
 margin-top: 30px;
 background-repeat: no-repeat !important;
 background-position: center center !important;
 background-size: cover !important;
 height: 200px;
.list-style {
 width: 14px;
 height: 14px;
.unordered-list li {
 position: relative;
 padding-left: 30px;
 line-height: 1.82em !important;
.unordered-list li:before {
```

```
content: "";
 position: absolute;
 width: 14px;
 height: 14px;
 border: 3px solid #fab700;
 background: #fff;
 top: 4px;
 left: 0;
 border-radius: 50%;
.ordered-list {
 margin-left: 30px;
.ordered-list li {
list-style-type: decimal-leading-zero;
color: #fab700;
font-weight: 500;
 line-height: 1.82em !important;
.ordered-list li span {
 font-weight: 300;
 color: #777777;
.ordered-list-alpha li {
 margin-left: 30px;
list-style-type: lower-alpha;
 color: #fab700;
font-weight: 500;
 line-height: 1.82em !important;
.ordered-list-alpha li span {
 font-weight: 300;
 color: #777777;
.ordered-list-roman li {
 margin-left: 30px;
 list-style-type: lower-roman;
 color: #fab700;
 font-weight: 500;
```

```
line-height: 1.82em !important;
.ordered-list-roman li span {
 font-weight: 300;
 color: #777777;
.single-input {
 display: block;
 width: 100%;
 line-height: 40px;
 border: none;
 outline: none;
 background: #f9f9ff;
 padding: 0 20px;
.single-input:focus {
 outline: none;
.input-group-icon {
 position: relative;
.input-group-icon .icon {
 position: absolute;
 left: 20px;
top: 0;
 line-height: 40px;
 z-index: 3;
.input-group-icon .icon i {
 color: #797979;
.input-group-icon .single-input {
 padding-left: 45px;
.single-textarea {
 display: block;
 width: 100%;
```

```
line-height: 40px;
 border: none;
 outline: none;
 background: #f9f9ff;
 padding: 0 20px;
 height: 100px;
 resize: none;
.single-textarea:focus {
 outline: none;
.single-input-primary {
 display: block;
 width: 100%;
 line-height: 40px;
 border: 1px solid transparent;
 outline: none;
 background: #f9f9ff;
 padding: 0 20px;
.single-input-primary:focus {
 outline: none;
 border: 1px solid #fab700;
.single-input-accent {
 display: block;
 width: 100%;
 line-height: 40px;
 border: 1px solid transparent;
 outline: none;
 background: #f9f9ff;
 padding: 0 20px;
.single-input-accent:focus {
 outline: none;
 border: 1px solid #eb6b55;
.single-input-secondary {
 display: block;
```

```
width: 100%;
 line-height: 40px;
 border: 1px solid transparent;
 outline: none;
 background: #f9f9ff;
 padding: 0 20px;
.single-input-secondary:focus {
 outline: none;
 border: 1px solid #f09359;
.default-switch {
 width: 35px;
 height: 17px;
 border-radius: 8.5px;
 background: #f9f9ff;
 position: relative;
 cursor: pointer;
.default-switch input {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 opacity: 0;
 cursor: pointer;
.default-switch input + label {
 position: absolute;
 top: 1px;
 left: 1px;
 width: 15px;
 height: 15px;
 border-radius: 50%;
 background: #fab700;
 -webkit-transition: all 0.2s;
 -moz-transition: all 0.2s;
 -o-transition: all 0.2s;
```

```
transition: all 0.2s;
 box-shadow: 0px 4px 5px 0px rgba(0, 0, 0, 0.2);
 cursor: pointer;
.default-switch input:checked + label {
 left: 19px;
.primary-switch {
 width: 35px;
 height: 17px;
border-radius: 8.5px;
 background: #f9f9ff;
 position: relative;
 cursor: pointer;
.primary-switch input {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 opacity: 0;
.primary-switch input + label {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
.primary-switch input + label:before {
 content: "";
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
```

```
bottom: 0;
 width: 100%;
 height: 100%;
 background: transparent;
 border-radius: 8.5px;
 cursor: pointer;
 -webkit-transition: all 0.2s;
 -moz-transition: all 0.2s;
 -o-transition: all 0.2s;
 transition: all 0.2s;
.primary-switch input + label:after {
 content: "";
 position: absolute;
 top: 1px;
 left: 1px;
 width: 15px;
 height: 15px;
 border-radius: 50%;
 background: #fff;
 -webkit-transition: all 0.2s;
 -moz-transition: all 0.2s;
 -o-transition: all 0.2s;
 transition: all 0.2s;
 box-shadow: 0px 4px 5px 0px rgba(0, 0, 0, 0.2);
 cursor: pointer;
.primary-switch input:checked + label:after {
 left: 19px;
.primary-switch input:checked + label:before {
 background: #fab700;
.confirm-switch {
 width: 35px;
 height: 17px;
 border-radius: 8.5px;
 background: #f9f9ff;
 position: relative;
 cursor: pointer;
```

```
.confirm-switch input {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 opacity: 0;
.confirm-switch input + label {
 position: absolute;
 left: 0;
top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
.confirm-switch input + label:before {
 content: "";
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 background: transparent;
 border-radius: 8.5px;
 -webkit-transition: all 0.2s;
 -moz-transition: all 0.2s;
 -o-transition: all 0.2s;
 transition: all 0.2s;
 cursor: pointer;
.confirm-switch input + label:after {
 content: "";
 position: absolute;
 top: 1px;
 left: 1px;
```

```
width: 15px;
 height: 15px;
 border-radius: 50%;
 background: #fff;
 -webkit-transition: all 0.2s;
 -moz-transition: all 0.2s;
 -o-transition: all 0.2s;
 transition: all 0.2s;
 box-shadow: 0px 4px 5px 0px rgba(0, 0, 0, 0.2);
 cursor: pointer;
.confirm-switch input:checked + label:after {
 left: 19px;
.confirm-switch input:checked + label:before {
 background: #4cd3e3;
.primary-checkbox {
 width: 16px;
 height: 16px;
 border-radius: 3px;
 background: #f9f9ff;
 position: relative;
 cursor: pointer;
.primary-checkbox input {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 opacity: 0;
.primary-checkbox input + label {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
```

```
bottom: 0;
 width: 100%;
 height: 100%;
 border-radius: 3px;
 cursor: pointer;
 border: 1px solid #f1f1f1;
.primary-checkbox input:checked + label {
 background: url(../img/elements/primary-check.png) no-repeat center center/cover;
 border: none;
.confirm-checkbox {
 width: 16px;
 height: 16px;
 border-radius: 3px;
 background: #f9f9ff;
 position: relative;
 cursor: pointer;
.confirm-checkbox input {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 opacity: 0;
.confirm-checkbox input + label {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 border-radius: 3px;
 cursor: pointer;
 border: 1px solid #f1f1f1;
```

```
.confirm-checkbox input:checked + label {
 background: url(../img/elements/success-check.png) no-repeat center center/cover;
 border: none;
.disabled-checkbox {
 width: 16px;
 height: 16px;
 border-radius: 3px;
 background: #f9f9ff;
 position: relative;
 cursor: pointer;
.disabled-checkbox input {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 opacity: 0;
.disabled-checkbox input + label {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 border-radius: 3px;
 cursor: pointer;
 border: 1px solid #f1f1f1;
.disabled-checkbox input:disabled {
 cursor: not-allowed;
 z-index: 3;
.disabled-checkbox input:checked + label {
```

```
background: url(../img/elements/disabled-check.png) no-
repeat center center/cover;
 border: none;
.primary-radio {
 width: 16px;
 height: 16px;
 border-radius: 8px;
 background: #f9f9ff;
 position: relative;
 cursor: pointer;
.primary-radio input {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 opacity: 0;
.primary-radio input + label {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 border-radius: 8px;
 cursor: pointer;
 border: 1px solid #f1f1f1;
.primary-radio input:checked + label {
 background: url(../img/elements/primary-radio.png) no-repeat center center/cover;
 border: none;
.confirm-radio {
 width: 16px;
```

```
height: 16px;
 border-radius: 8px;
 background: #f9f9ff;
 position: relative;
 cursor: pointer;
.confirm-radio input {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 opacity: 0;
.confirm-radio input + label {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 border-radius: 8px;
 cursor: pointer;
 border: 1px solid #f1f1f1;
.confirm-radio input:checked + label {
 background: url(../img/elements/success-radio.png) no-repeat center center/cover;
 border: none;
.disabled-radio {
 width: 16px;
height: 16px;
 border-radius: 8px;
 background: #f9f9ff;
 position: relative;
 cursor: pointer;
```

```
.disabled-radio input {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 opacity: 0;
.disabled-radio input + label {
 position: absolute;
 left: 0;
 top: 0;
 right: 0;
 bottom: 0;
 width: 100%;
 height: 100%;
 border-radius: 8px;
 cursor: pointer;
 border: 1px solid #f1f1f1;
.disabled-radio input:disabled {
 cursor: not-allowed;
 z-index: 3;
.disabled-radio input:checked + label {
 background: url(../img/elements/disabled-radio.png) no-
repeat center center/cover;
 border: none;
.default-select .list {
 margin-top: 0;
 border: none;
 border-radius: 0px;
 box-shadow: none;
 width: 100%;
 padding: 10px 0 10px 0px;
.default-select .list .option {
```

```
font-weight: 300;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 line-height: 28px;
 min-height: 28px;
 font-size: 12px;
 padding-left: 20px;
.default-select .list .option.selected {
 color: #fab700;
 background: transparent;
.default-select .list .option:hover {
 color: #fab700;
 background: transparent;
.default-select .current {
 margin-right: 50px;
font-weight: 300;
.default-select ::after {
 right: 20px;
.form-select {
 height: 40px;
 width: 100%;
.form-select {
 border: none;
 border-radius: 0px;
 height: 40px;
 background: #f9f9ff;
 padding-left: 45px;
 padding-right: 40px;
 width: 100%;
```

```
form-select .nice-select .list {
 margin-top: 0;
 border: none;
 border-radius: 0px;
 box-shadow: none;
 width: 100%;
 padding: 10px 0 10px 0px;
.form-select .list .option {
 font-weight: 300;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 line-height: 28px;
 min-height: 28px;
 font-size: 12px;
 padding-left: 45px;
.form-select .list .option.selected {
 color: #fab700;
 background: transparent;
.form-select .list .option:hover {
 color: #fab700;
 background: transparent;
.form-select .current {
 margin-right: 50px;
 font-weight: 300;
.form-select ::after {
 right: 20px;
#header {
 padding: 14px 0px 14px 0;
 position: absolute;
 left: 0;
 top: 0;
```

```
right: 0;
 transition: all 0.5s;
 z-index: 997;
#header hr {
 border-color: rgba(255, 255, 255, 0.3);
 margin-top: 5px;
#scrolled {
 display: block;
 background-color: #fab700;
 width: 50px;
 height: 50px;
 text-align: center;
 border-radius: 6px;
 position: fixed;
 bottom: 30px;
 right: 30px;
 transition: background-color .3s, opacity .5s, visibility .5s;
 opacity: 0;
 visibility: hidden;
 z-index: 1000;
#scrolled::after {
 content: "\f077";
 font-family: FontAwesome;
 font-weight: normal;
 font-style: normal;
 font-size: 2em;
 line-height: 50px;
 color: #fff;
#scrolled.show{
 opacity: 1;
 visibility: visible;
@media (max-width: 673px) {
 #logo {
   margin-left: 20px;
```

```
#logo:hover{
    cursor: pointer;
.menu-has-children ul li a {
 padding: 4px 10px !important;
 text-transform: uppercase !important;
#header #logo h1 {
 font-size: 34px;
 margin: 0;
 padding: 0;
 line-height: 1;
 font-weight: 700;
 letter-spacing: 3px;
#header #logo h1 a, #header #logo h1 a:hover {
 color: #fff;
 padding-left: 10px;
 border-left: 4px solid #fab700;
#header #logo img {
 padding: 0;
 margin: 0;
@media (max-width: 768px) {
 #header #logo h1 {
    font-size: 28px;
 #header #logo img {
   max-height: 40px;
.nav-menu, .nav-menu * {
 margin: 0;
 padding: 0;
 list-style: none;
```

```
.nav-menu ul {
 position: absolute;
 display: none;
 top: 100%;
 left: 0;
 z-index: 99;
.nav-menu li {
 position: relative;
 white-space: nowrap;
.nav-menu > li {
 float: left;
.nav-menu li:hover > ul,
.nav-menu li.sfHover > ul {
 display: block;
.nav-menu ul ul {
 top: 0;
 left: 100%;
.nav-menu ul li {
 min-width: 180px;
 text-align: left;
.nav-menu li:hover a{
   color: #fab700;
.sf-arrows .sf-with-ul {
 padding-right: 30px;
.sf-arrows .sf-with-ul:after {
 content: "\f107";
 position: absolute;
```

```
right: 15px;
 font-family: FontAwesome;
 font-style: normal;
 font-weight: normal;
.sf-arrows ul .sf-with-ul:after {
 content: "\f105";
#nav-menu-container {
 display: flex;
 margin: 0;
 justify-content: space-between;
.nav-menu a {
 padding: 6px 10px;
 text-decoration: none;
 display: inline-block;
 color: #fff;
 font-weight: 400;
 font-size: 16px;
 text-transform: uppercase;
 outline: none;
.nav-menu > li {
 margin-left: 10px;
.nav-menu ul {
 margin: 14px 0 0 0;
 padding: 10px;
 box-shadow: 0px 0px 30px rgba(127, 137, 161, 0.25);
 background: #fff;
.menu-has-children ul li a {
 padding: 4px 10px !important;
 text-transform: uppercase !important;
.nav-menu ul li {
```

```
transition: 0.3s;
.nav-menu ul li a {
  padding: 10px;
 color: #333;
 transition: 0.3s;
 display: block;
 font-size: 12px;
 text-transform: none;
.nav-menu ul li:hover > a {
 color: #fab700;
.nav-menu ul ul {
 margin: 0;
.burger{
 display: none;
 cursor: pointer;
 margin-right: 20px;
.burger i{
 color: #fff;
 font-size: 28px;
 font-weight: 900;
#closeMenu{
 display: none;
 cursor: pointer;
.fatimes{
 display: none;
 cursor: pointer;
 font-size: 30px;
 font-weight: 900;
@media (max-width: 768px) {
```

```
body{
  overflow-x: hidden;
.nav-menu{
 position: absolute;
 top: 0;
  right: 0;
 width: 50%;
 height: 92vh;
  background: rgba(0, 0, 0, 0.8);
  padding-top: 18px;
  display: flex;
  flex-direction: column;
  align-items: center;
 justify-content: space-around;
 transform: translateX(100%);
 transition: 0.4s ease-in;
.nav-menu li a{
 font-size: 22px;
#closeMenu{
 display: block;
 position: absolute;
  top: 0;
 left: 0;
 margin: 10px;
 width: 30px;
 height: 24px;
.fatimes{
 display: block;
 position: absolute;
 top: 0;
 left: 0;
 margin: 10px;
.burger{
  display: block;
```

```
.nav-active{
 transform: translateX(0%);
.section-gap {
 padding: 120px 0;
.section-title {
 padding-bottom: 30px;
.section-title h2 {
 margin-bottom: 20px;
.section-title p {
 font-size: 16px;
 margin-bottom: 0;
@media (max-width: 991.98px) {
 .section-title p br {
    display: none;
.primary-btn {
 background-color: #fab700;
 line-height: 42px;
 padding-left: 40px;
 padding-right: 40px;
 border: none;
 color: #fff;
 display: inline-block;
 font-weight: 500;
 position: relative;
 border: 1px solid transparent;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 cursor: pointer;
```

```
text-transform: uppercase;
 position: relative;
.primary-btn:focus {
 outline: none;
.primary-btn span {
 color: #fff;
 position: absolute;
 top: 50%;
 transform: translateY(-60%);
 right: 30px;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.primary-btn:hover {
 color: #fab700;
 background-color: transparent;
 border-color: #fab700;
.primary-btn.white {
 border: 1px solid #fff;
 color: #fff;
.primary-btn.white span {
 color: #fff;
.primary-btn.white:hover {
 background: #fff;
 color: #fab700;
.primary-btn.white:hover span {
 color: #fab700;
.overlay {
```

```
position: absolute;
 left: 0;
 right: 0;
 top: 0;
 bottom: 0;
.banner-area {
 background: url(../img/header-bg.jpg) center;
 background-size: cover;
 box-shadow: 3px 3px 5px 6px rgb(95, 93, 93);
 padding-top: 2.5rem;
.banner-area .overlay-bg {
 background-color: rgba(0, 0, 0, 0.8);
@media (max-width: 767px) {
 .fullscreen {
   height: 100% !important;
.banner-content {
 text-align: left;
.banner-content h1 {
 font-size: 48px;
 font-weight: 600;
 line-height: 1em;
 margin-top: 20px;
.banner-content h1 span {
 font-weight: 700;
@media (max-width: 991.98px) {
 .banner-content h1 {
   font-size: 36px;
```

```
@media (max-width: 991.98px) {
  .banner-content h1 br {
   display: none;
@media (max-width: 1199.98px) {
 .banner-content h1 {
   font-size: 45px;
@media (max-width: 480px) {
 .banner-content h1 {
    font-size: 32px;
.banner-content h6 {
 font-size: 14px;
 font-weight: 400;
 text-transform: uppercase;
 letter-spacing: 2px;
@media (max-width: 1280px) {
 .banner-content br {
   display: none;
@media (max-width: 763px) {
 .banner-content h6, .banner-content p, .banner-content a {
    display: none;
  .banner-content h1 {
   text-align: center;
   padding-top: 50px;
   display: block !important;
.header-right {
 background-color: rgba(32, 46, 69, 0.4);
 border: 1px solid #4b5263;
```

```
padding: 50px;
@media (max-width: 413px) {
 .header-right {
    padding: 20px;
.header-right .default-select .nice-select {
 width: 100%;
 border-radius: .25rem;
.header-right .form-control {
 font-size: 14px;
 padding: 0.575rem 0.75rem;
.header-right .input-group-text {
 margin-right: 0;
 border-top-right-radius: .25rem !important;
 border-bottom-right-radius: .25rem !important;
 background: #fff;
 border-color: #fff;
.header-right .txt-field {
 margin-bottom: 1rem;
.header-right .lnr {
 color: #222;
.header-right .dates {
 padding: 0.530rem 0.75rem;
@media (max-width: 767px) {
  .header-right .wrap-left {
    padding-right: 15px !important;
  .header-right .wrap-right {
   padding-left: 15px !important;
```

```
.header-right .dates-wrap {
   margin-top: 1rem;
.header-right .btn-lg {
 font-size: 14px;
 color: #fff;
 background-color: #fab700;
@media (max-width: 480px) {
 .header-right {
   margin: 15px;
.wrap-left {
 padding-right: 0.5rem !important;
.wrap-right {
 padding-left: 0.5rem !important;
.facts-area {
 background-color: #fab700;
 box-shadow: 3px 3px 5px 6px rgb(95, 93, 93);
.single-fact h1 {
 font-weight: 700;
 font-size: 48px;
.single-fact p {
 color: #222;
@media (max-width: 800px) {
  .single-fact {
   margin-bottom: 30px;
```

```
.feature-area {
 background-color: #fff;
.feature-area .header-text {
 text-align: center;
.feature-area .header-text h1 {
 margin-bottom: 20px;
.single-feature {
 border-radius: 10px;
 background-color: #f9f9ff;
 padding: 30px;
 margin-bottom: 30px;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.single-feature:hover {
 box-shadow: -14px 14px 20px 0px rgba(157, 157, 157, 0.5);
 cursor: pointer;
.single-feature:hover p {
 color: #222;
.single-feature:hover h4 {
 color: #fab700;
.single-feature h4 {
 transition: all 0.3s ease 0s;
 margin-top: 20px;
 margin-bottom: 20px;
.single-feature h4 .lnr {
 margin-right: 15px;
```

```
@media (max-width: 991.98px) {
 .single-feature {
   margin-bottom: 60px;
.home-about-area{
 box-shadow: 3px 3px 5px 6px rgb(95, 93, 93);
.home-about-area .home-about-left img {
 width: 100%;
.home-about-area .home-about-right {
 padding-right: 20%;
 padding-left: 4%;
.home-about-area .home-about-right h1 {
 margin-bottom: 20px;
.home-about-area .home-about-right p span {
 font-weight: 500;
 color: #222;
.home-about-area .home-about-right .primary-btn {
 background: #fab700;
 color: #fff;
 border: 1px solid #fff;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.home-about-area .home-about-right .primary-btn:hover {
 background: transparent;
 color: #fab700;
 border-color: #fab700;
```

```
@media (max-width: 1366px) {
  .home-about-area .home-about-right {
    padding-right: 5%;
    padding-left: 4%;
@media (max-width: 960px) {
  .home-about-area .home-about-right {
   margin-top: 40px;
   margin-bottom: 30px;
.model-area .owl-dots {
 text-align: center;
 bottom: 5px;
 margin-top: 50px;
 width: 100%;
 -webkit-backface-visibility: hidden;
 -moz-backface-visibility: hidden;
 -ms-backface-visibility: hidden;
 backface-visibility: hidden;
.model-area .owl-dot {
 height: 10px;
 width: 10px;
 display: inline-block;
 background: rgba(127, 127, 127, 0.5);
 margin-left: 5px;
 margin-right: 5px;
.model-area .owl-dot.active {
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 background: #fab700;
.single-model .title {
 margin-bottom: 20px;
```

```
.single-model .title h2 {
 margin-right: 7%;
 color: #fab700;
 font-size: 36px;
.single-model .title h2 span {
 font-size: 14px;
.single-model .primary-btn {
 background-color: #222;
@media (max-width: 960px) {
 .single-model .model-right {
   margin-top: 50px;
.single-review {
 border-radius: 10px;
 padding: 30px;
 margin-bottom: 30px;
 text-align: center;
 background-color: #f9f9ff;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.single-review p {
 margin: 20px 0;
.single-review .star .checked {
 color: orange;
.single-review:hover {
 cursor: pointer;
 border-radius: 10px;
 background-color: white;
```

```
box-shadow: 0px 20px 30px 0px rgba(35, 94, 231, 0.2);
.callaction-area {
 background: url(../img/callaction-bg.jpg) center;
 background-size: cover;
text-align: center;
 color: #fff;
.callaction-area p {
 padding: 20px 0;
.callaction-area .overlay-bg {
 background-color: rgba(4, 9, 30, 0.75);
.callaction-btn {
 background-color: #fab700;
 color: #fff;
 border: 1px solid transparent;
 padding: 10px 40px;
 font-size: 14px;
 font-weight: 600;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.callaction-btn:hover {
 background-color: transparent;
 border-color: #fab700;
 color: #fab700;
.blog-area {
 background-color: #f9f9ff;
.single-blog .thumb {
 overflow: hidden;
```

```
.single-blog .thumb img {
 width: 100%;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.single-blog:hover img {
 transform: scale(1.1);
.single-blog:hover h4 {
 color: #fab700;
.single-blog h4 {
 margin-bottom: 12px;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.single-blog a {
 color: #222;
.single-blog .date {
 background-color: #000;
 color: #fff;
 font-weight: 100;
 padding: 2px 15px;
 width: 115px;
 text-align: center;
 margin-top: 20px;
@media (max-width: 800px) {
 .single-blog {
   margin-bottom: 30px;
.footer-area {
```

```
padding-top: 100px;
 background-color: #04091e;
.footer-area h6 {
 color: #fff;
 margin-bottom: 25px;
 font-size: 18px;
 font-weight: 600;
.copy-right-text i, .copy-right-text a {
 color: #fab700;
.footer-social a {
 padding-right: 25px;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.footer-social a:hover i {
 color: #fab700;
.footer-social i {
 color: #cccccc;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
@media (max-width: 991.98px) {
 .footer-social {
   text-align: left;
.single-footer-widget input {
 border: none;
 width: 80% !important;
 font-weight: 300;
```

```
background: #f9f9ff;
 color: #eee;
 padding-left: 20px;
 border-radius: 0;
 font-size: 14px;
 padding: 9.5px;
.single-footer-widget input:focus {
 background-color: #fff;
.single-footer-widget ul li {
 margin-bottom: 10px;
.single-footer-widget ul li a {
 color: #777777;
.single-footer-widget .bb-btn {
 color: #fab700;
 color: #fff;
 font-weight: 300;
 border-radius: 0;
 z-index: 9999;
 cursor: pointer;
.single-footer-widget .info {
 position: absolute;
 margin-top: 20%;
 color: #fff;
 font-size: 12px;
.single-footer-widget .info.valid {
 color: green;
.single-footer-widget .info.error {
 color: red;
.single-footer-widget .click-btn {
```

```
background-color: #fab700;
 color: #fff;
 border-radius: 0;
 border-top-left-radius: 0px;
 border-bottom-left-radius: 0px;
 padding: 8px 12px;
 border: 0;
.single-footer-widget ::selection {
 background-color: #191919 !important;
 color: #777777;
@media (max-width: 991.98px) {
 .single-footer-widget {
   margin-bottom: 30px;
@media (max-width: 800px) {
 .social-widget {
   margin-top: 30px;
.footer-text {
 text-align: center;
 padding-top: 20px;
.footer-text a, .footer-text i {
 color: #fab700;
.whole-wrap {
 background-color: #fff;
.generic-banner {
 background-color: #fab700;
 text-align: center;
.generic-banner .height {
```

```
height: 600px;
@media (max-width: 767.98px) {
 .generic-banner .height {
   height: 400px;
.generic-banner .generic-banner-content h2 {
 line-height: 1.2em;
 margin-bottom: 20px;
@media (max-width: 991.98px) {
  .generic-banner .generic-banner-content h2 br {
   display: none;
 }
.generic-banner .generic-banner-content p {
 text-align: center;
 font-size: 16px;
@media (max-width: 991.98px) {
 .generic-banner .generic-banner-content p br {
   display: none;
.generic-content h1 {
 font-weight: 600;
.about-generic-area {
 background: #f9f9ff;
.about-generic-area p {
 margin-bottom: 20px;
.white-bg {
 background: #fff;
```

```
.section-top-border {
 padding: 70px 0;
 border-top: 1px dotted #eee;
.switch-wrap {
 margin-bottom: 10px;
.switch-wrap p {
 margin: 0;
.link-nav {
 margin-top: 10px;
.about-content {
 padding: 120px 0px;
 text-align: center;
.about-content h1 {
 font-size: 48px;
 font-weight: 600;
.about-content a {
 color: #fff;
 font-weight: 300;
 font-size: 14px;
.about-content .lnr {
 margin: 0px 10px;
 font-weight: 600;
.team-area .single-team {
 margin-bottom: 10px;
.team-area .thumb {
```

```
position: relative;
.team-area .thumb div {
 position: absolute;
 width: 100%;
 height: 100%;
 top: 0;
 left: 0;
 background-color: inherit;
 color: #fff;
 opacity: 0;
 transition: opacity 0.5s;
.team-area .thumb div i {
 color: #fff;
font-size: 20px;
padding: 10px;
 z-index: 9999;
.team-area .thumb img {
 display: block;
 width: 100%;
.team-area .thumb div span {
 display: block;
 position: absolute;
 bottom: 30px;
 left: 20px;
 text-transform: uppercase;
 font-size: 18px;
 font-weight: 600;
 letter-spacing: 3px;
.team-area .thumb div p {
 display: block;
 position: absolute;
 bottom: 10px;
 left: 20px;
 font-weight: 100;
```

```
@media (max-width: 768px) {
  .team-area .thumb div p {
    bottom: -15px;
.thumb div h4{
 font-size: 20px;
 font-weight: 700;
.team-area .thumb{
  padding-left: 10px;
  padding-right: 10px;
.team-area .thumb:hover div {
 cursor: pointer;
  opacity: 1;
.contact-page-area {
  background: #091543;
.contact-page-area .map-wrap {
 margin-bottom: 120px;
@media (max-width: 960px) {
  .contact-page-area .map-wrap {
    margin-bottom: 50px;
.contact-page-area .contact-btns {
 font-size: 18px;
 font-weight: 600;
 text-align: center;
 padding: 40px;
 color: #fff;
  margin-bottom: 30px;
```

```
.contact-page-area .contact-btns:hover {
 color: #fff;
.contact-page-area .form-area input {
 padding: 15px;
.contact-page-area .form-area input, .contact-page-area .form-area textarea {
 border-radius: 0;
 font-size: 12px;
.contact-page-area .form-area textarea {
 height: 180px;
 margin-top: 0px;
.contact-page-area .form-area .primary-btn {
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.contact-page-area .form-area .primary-btn:hover {
 border: 1px solid #fab700;
 color: #fab700 !important;
@media (max-width: 960px) {
 .contact-page-area .address-wrap {
   margin-bottom: 50px;
.contact-page-area .single-contact-address {
 margin-bottom: 20px;
.contact-page-area .single-contact-address h5 {
 font-weight: 300;
 font-size: 16px;
 margin-bottom: 5px;
```

```
.contact-page-area .single-contact-address .lnr {
 font-size: 30px;
 font-weight: 500;
 color: #fab700;
 margin-right: 30px;
################
              Start Blog Home Page style
################
.blog-banner-area {
 background: url(../img/elements/blog/blog-banner.jpg) center;
 background-size: cover;
.blog-banner-area .overlay-bg {
 background: rgba(0, 0, 0, 0.55);
.blog-banner-wrap {
 text-align: center;
.blog-post-list .single-post {
 background: transparent;
 padding: 0px 30px;
.single-post {
 margin-bottom: 30px;
.single-post .tags {
 margin-top: 40px;
.single-post .tags li {
 display: inline-block;
.single-post .tags li a {
 color: #222;
```

```
.single-post .tags li:hover a {
 color: #fab700;
.single-post h1 {
 margin-top: 20px;
 margin-bottom: 20px;
.single-post .title h4 {
 margin-bottom: 10px;
.single-post .comment-wrap ul li, .single-post .social-wrap ul li {
 display: inline-block;
 margin-right: 15px;
@media (max-width: 414px) {
  .single-post .comment-wrap, .single-post .social-wrap {
    margin-top: 10px;
.single-post .comment-wrap ul li a {
 color: #777777;
.single-post .social-wrap ul {
 text-align: right;
.single-post .social-wrap ul li a i {
 color: #777777;
.single-post .social-wrap ul li a i:hover {
 color: #222;
@media (max-width: 768px) {
 .single-post .social-wrap ul {
   text-align: left;
```

```
.single-widget {
 border: 1px solid #eee;
 padding: 40px 30px;
 margin-bottom: 30px;
.single-widget .title {
 font-weight: 600;
 margin-bottom: 30px;
.search-widget i {
 color: #fab700;
.search-widget form.example {
 border: 1px solid #eee;
.search-widget form.example input[type=text] {
 padding: 10px;
 font-size: 14px;
 border: none;
 float: left;
 width: 80%;
 background: #eee;
.search-widget form.example button {
 float: left;
 width: 20%;
 padding: 10px;
 background: #eee;
 color: white;
 font-size: 17px;
 border: none;
 cursor: pointer;
button[type="submit"]:hover{
 color: #fab700;
 background-color: transparent;
```

```
border-color: #fab700;
.search-widget form.example::after {
 content: "";
clear: both;
display: table;
.protfolio-widget {
 text-align: center;
.protfolio-widget h4 {
 padding: 20px 0;
.protfolio-widget ul li {
 padding: 15px;
 display: inline-block;
.protfolio-widget ul li a i {
 color: #222;
.protfolio-widget ul li a i:hover {
 color: #fab700;
.category-widget ul li {
 border-bottom: 1px solid #eee;
padding: 10px 20px;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.category-widget ul li h6 {
 font-weight: 300;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
```

```
.category-widget ul li span {
 color: #222;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.category-widget ul li:hover {
 border-color: #fab700;
.category-widget ul li:hover h6, .category-widget ul li:hover span {
 color: #fab700;
.tags-widget ul li {
 display: inline-block;
 background: #fff;
 border: 1px solid #eee;
 padding: 8px 10px;
 margin-bottom: 8px;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.tags-widget ul li a {
 font-weight: 300;
 color: #222;
.tags-widget ul li:hover {
 background-color: #fab700;
.tags-widget ul li:hover a {
 color: #fff;
.recent-posts-widget .single-recent-post .recent-details {
 margin-left: 20px;
```

```
.recent-posts-widget .single-recent-post .recent-details h4 {
 line-height: 1.5em !important;
 font-size: 14px;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.recent-posts-widget .single-recent-post .recent-details p {
 margin-top: 10px;
.recent-posts-widget .single-recent-post:hover h4 {
 color: #fab700;
@media (max-width: 960px) {
 .recent-posts-widget .single-recent-post {
   margin-bottom: 20px;
################
              End Blog Home Page style
################
#################
               Start Blog Details Page style
################
.nav-area {
 border-bottom: 1px solid #eee;
.nav-area a {
 color: #222;
.nav-area .nav-left .thumb {
 padding-right: 20px;
```

```
.nav-area .nav-right {
 text-align: right;
.nav-area .nav-right .thumb {
 padding-left: 20px;
@media (max-width: 768px) {
 .nav-area .post-details h4 {
   font-size: 14px;
@media (max-width: 466px) {
 .nav-area .nav-right {
   margin-top: 50px;
.comment-sec-area {
 border-bottom: 1px solid #eee;
 padding-bottom: 50px;
.comment-sec-area a {
 color: #222;
.comment-sec-area .comment-list {
 padding-bottom: 30px;
.comment-sec-area .comment-list.left-padding {
 padding-left: 25px;
.comment-sec-area .thumb {
 margin-right: 20px;
.comment-sec-area .date {
 font-size: 13px;
```

```
color: #cccccc;
.comment-sec-area .comment {
 color: #777777;
.comment-sec-area .btn-reply {
 background-color: #222;
 color: #fff;
 border: 1px solid #222;
 padding: 8px 30px;
 display: block;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.comment-sec-area .btn-reply:hover {
 background-color: transparent;
 color: #222;
.commentform-area {
 padding-bottom: 100px;
.commentform-area h5 {
 font-weight: 600 !important;
.commentform-area .form-control {
 border-radius: 0;
 font-size: 14px;
 font-weight: 400;
.commentform-area .primary-btn {
 padding-left: 50px;
 padding-right: 50px;
 background-color: #fab700 !important;
 border: 1px solid transparent;
 color: #fff;
```

```
.commentform-area .primary-btn:hover {
 border-color: #fab700 !important;
.commentform-area textarea {
 height: 90%;
.commentform-area .form-control {
 border: none;
 background: #f9f9ff;
input.form-control:focus{
 border-color: #fab700;
 outline: none;
footer li:hover a{
 color: #fab700;
.slideshow-container {
 max-width: 100%;
 position: relative;
 margin: auto;
 padding: 0px 10px 0px 10px;
.mySlides {
 display: none;
.prev, .next {
 cursor: pointer;
 position: absolute;
 top: 50%;
 width: auto;
 margin-top: -22px;
 padding: 16px;
 color: white;
 font-weight: bold;
 font-size: 18px;
```

```
transition: 0.6s ease;
 border-radius: 0 3px 3px 0;
 user-select: none;
.next {
 right: 0;
 border-radius: 3px 0 0 3px;
.prev:hover, .next:hover {
 background-color: rgba(0,0,0,0.8);
.dot {
 cursor: pointer;
 height: 15px;
 width: 15px;
 margin: 0 2px;
 background-color: #ffcf4d;
 border-radius: 15%;
 display: inline-block;
 transition: background-color 0.6s ease;
.active, .dot:hover {
 background-color: #fab700;
.fadeInto {
 animation-name: fadeInto;
 animation-duration: 2s;
.valid{
 color: #008000;
 font-size: 20px;
 font-weight: 700;
.error{
 color: #ff0000;
 font-size: 20px;
 font-weight: 700;
```

```
.contact-details h5{
 color: #fab700;
.text-yellow{
 color: #fab700
#textAbout{
 display: none;
#from-text{
 color: #fff;
 font-size: 15px;
.text-danger{
 width: 100%;
 height: 22px;
.border-yellow{
 border: 3px solid #fab700;
#carFilter button{
 border-radius: 10px;
.carCaption{
 width: 100%;
 height: 2px;
 background-color: #fab700;
```

## 3.3 Javascript

```
window.onload = function(){
    document.guerySelector("#booker").addEventListener("click", checkForm);
    document.getElementById("phone-number").addEventListener("keyup", addLine);
    document.getElementById("datepicker").addEventListener("keyup", Slasher);
    document.getElementById("datepicker2").addEventListener("keyup", Slasher);
    document.querySelector("#contactBtn").addEventListener("click", checkCont);
    document.getElementById("datepicker2").addEventListener("keyup", checker);
    document.querySelector("#all").addEventListener("click", carFilter);
    document.guerySelector("#sedan").addEventListener("click", carFilter);
    document.querySelector("#suv").addEventListener("click", carFilter);
    document.querySelector("#coupe").addEventListener("click", carFilter);
    document.querySelector("#pickup").addEventListener("click", carFilter);
    document.querySelector("#convertible").addEventListener("click", carFilter);
    $.ajax({
        url : "data/cars.json",
        method : "GET",
        type : "json",
        success : function(cars) {
            var printing = "";
            for(let c of cars) {
                    printing +=
                    <div class="col-md-3 single-team">
                        <div class="thumb">
                                <img class="img-fluid" src="${c.src}" alt="">
                                <hr class="carCaption" />
                            <a href="#book">
                            <div class="align-items-center justify-content-</pre>
center d-flex">
                                <h4 class="${c.style}">${c.status}</h4>
                            </div>
                            </a>
                        <div class="meta-text mt-30 text-center">
                            <h4>${c.car}</h4>
                            ${c.desc}
                        </div>
                    </div>
```

```
document.getElementById("carPrint").innerHTML = printing;
       },
       error : function(xhr, error, status) {
            alert(status);
    });
    function printFeature(){
       var printing = "";
       printing =
       <div class="col-lg-4 col-md-6">
       <div class="single-feature">
            <h4><span class="lnr lnr-user"></span>Expert Technicians</h4>
               Our Technicians are always focused to maintain best performance and
 reliability of our cars.
            </div>
    </div>
    <div class="col-lg-4 col-md-6">
        <div class="single-feature">
            <h4><span class="lnr lnr-license"></span>Professional Service</h4>
               Our Services will always be here for you, ready to help you on any
way possible.
            </div>
    </div>
    <div class="col-lg-4 col-md-6">
       <div class="single-feature">
            <h4><span class="lnr lnr-phone"></span>Great Support</h4>
                Our Support is always available for our customers. We always take c
are of you.
           </div>
    </div>
    <div class="col-lg-4 col-md-6">
        <div class="single-feature">
            <h4><span class="lnr lnr-rocket"></span>Technical Skills</h4>
```

```
We have a big skill in Technical services, that is why our cars are
more reliable.
           </div>
   </div>
   <div class="col-lg-4 col-md-6">
       <div class="single-feature">
            <h4><span class="lnr lnr-diamond"></span>Highly Recomended</h4>
               We are Acknowledged and Recomended all over the world by many compa
nies.
           </div>
   </div>
   <div class="col-lg-4 col-md-6">
       <div class="single-feature">
            <h4><span class="lnr lnr-bubble"></span>Positive Reviews</h4>
               Most of our Reviews are positive to the roof and our customers come
back.
           </div>
   </div>
       document.querySelector("#featurePrint").innerHTML = printing;
   printFeature();
   function printAbout(){
       var printing = "";
       printing =
                    <div class="row border-yellow justify-content-center align-</pre>
items-center">
                        <div class="col-lg-6 no-padding home-about-left">
                            <img class="img-fluid" src="img/about-img.jpg" alt="">
                        </div>
                        <div class="col-lg-6 no-padding home-about-right">
                            <h1>Globally Connected <br>
                            by Large Network</h1>
                                <span>We are here to listen from you deliver exelle
nce</span>
```

```
We have centers all our the globe which gives you o
portunity to rent our cars wherever you are.
                            <a class="text-uppercase primary-</pre>
btn" href="#service">get details</a>
                        </div>
                    </div>
         document.querySelector("#about").innerHTML = printing;
   printAbout();
    const nav = document.querySelector('.nav-menu');
    const navMenu = document.querySelectorAll('.nav-menu li');
    document.querySelector('.burger').addEventListener('click', function(){
        nav.classList.add('nav-active');
        navMenu.forEach((element, index) => {
            if(element.style.animation){
                element.style.animation = '';
            else{
                element.style.animation = `navLinkFade 0.5s ease forwards ${index /
 7 + 0.5s
        });
    });
    document.querySelector('#closeMenu').addEventListener('click', function(){
        nav.classList.remove('nav-active');
    });
function checkForm(e){
    var name, email, number, takingDate, returningDate, isValid;
    sel = document.querySelector("#selection").value;
    name = document.querySelector("#name").value.trim();
    email = document.querySelector("#mail").value.trim();
    number = document.querySelector("#phone-number").value.trim();
   takingDate = document.querySelector("#datepicker").value.trim();
    returningDate = document.querySelector("#datepicker2").value.trim();
```

```
var rename, reemail, renumber, retakingDate, rereturningDate;
    rename = /^[A-Z] \setminus \{2,14\} (\setminus s[A-Z] \setminus \{2,14\}) * \frac{1}{3}
    reemail = /^\w+([\.\-]\w+)*@\w+([\.\-]\w+)*(\.\w{2,4})+$/;
    retakingDate = /^([0-2][0-9]|(3)[0-1])(\/)((0)[0-9])|((1)[0-2]))(\/)\d{4};
    rereturningDate = /^([0-2][0-9]|(3)[0-1])(\/)(((0)[0-9])|((1)[0-1)[0-1])
2]))(\/)\d{4}$/;
    renumber = /^06[01234569]\/[\d]{3}\-[\d]{2}-[\d]{1,2}$/;
    var nameError, emailError, tdateError, rdateError, phoneError;
    selError = document.querySelector("#sel-error");
    nameError = document.querySelector("#name-error");
    emailError = document.querySelector("#email-error");
    tdateError = document.querySelector("#date-error");
    rdateError = document.querySelector("#date-error2");
    phoneError = document.querySelector("#phone-number-error");
    noError = document.querySelector("#good");
    if(sel == "0"){
        selError.innerHTML = "Choose one option";
        isValid = false;
    else{
        selError.innerHTML = "";
    if(name == ""){
        nameError.innerHTML = "Name field is empty";
        isValid = false;
    }
    else{
        if(!rename.test(name)){
            nameError.innerHTML = "This is not a good format";
            isValid = false;
        }else{
            nameError.innerHTML = "";
    if(email == ""){
        emailError.innerHTML = "Email field is empty";
        isValid = false;
```

```
else{
    if(!reemail.test(email)){
        emailError.innerHTML = "This is not a good format";
        isValid = false;
    }else{
        emailError.innerHTML = "";
if(takingDate == ""){
    tdateError.innerHTML = "Date field is empty";
   isValid = false;
else{
    if(!retakingDate.test(takingDate)){
        tdateError.innerHTML = "This is not a good format";
        isValid = false;
    }else{
        tdateError.innerHTML = "";
if(returningDate == ""){
    rdateError.innerHTML = "Date field is empty";
    isValid = false;
else{
    if(!rereturningDate.test(returningDate)){
        rdateError.innerHTML = "This is not a good format";
        isValid = false;
    }else{
        rdateError.innerHTML = "";
if(number == ""){
    phoneError.innerHTML = "Number field is empty";
    isValid = false;
else{
    if(!renumber.test(number)){
        phoneError.innerHTML = "This is not a good format";
        isValid = false;
    }else{
```

```
phoneError.innerHTML = "";
   if(isValid == false){
       e.preventDefault();
function Slasher() {
   var vald = document.getElementById("datepicker").value.trim();
   if(vald.length == 2 || vald.length == 5)
       vald += "/";
   document.getElementById("datepicker").value = vald;
   var vald2 = document.getElementById("datepicker2").value.trim();
   if(vald2.length == 2 || vald2.length == 5)
       vald2 += "/";
   document.getElementById("datepicker2").value = vald2;
function checker(){
   var d1 = document.getElementById("datepicker").value;
   var d2 = document.getElementById("datepicker2").value;
   var er = document.getElementById("date-error2");
   if(d1 > d2){
       er.innerHTML = "Drop off date can't be before Pickup date";
   else{
       er.innerHTML = "";
function addLine() {
   var val = document.getElementById("phone-number").value.trim();
   if(val.length == 3)
       val += "/";
```

```
}
   if(val.length == 7 || val.length == 10){
        val += "-";
   document.getElementById("phone-number").value = val;
function checkCont(e){
   var name, email, sub, isValid;
   name = document.querySelector("#namec").value.trim();
   email = document.querySelector("#mailc").value.trim();
   sub = document.querySelector("#subc").value.trim();
   var rename, reemail;
   rename = /^[A-Z]\setminus \{2,14\}(\setminus s[A-Z]\setminus \{2,14\})*$/;
   reemail = /^\w+([\.\-]\w+)*@\w+([\.\-]\w+)*(\.\w{2,4})+$/;
   var nameError, emailError, subError;
   nameError = document.querySelector("#name-error1");
   emailError = document.querySelector("#email-error1");
   subError = document.querySelector("#sub-error");
   if(name == ""){
        nameError.innerHTML = "Name field is empty";
        isValid = false;
   else{
        if(!rename.test(name)){
            nameError.innerHTML = "This is not a good format";
            isValid = false;
        }else{
            nameError.innerHTML = "";
   if(email == ""){
        emailError.innerHTML = "Email field is empty";
        isValid = false;
   else{
```

```
if(!reemail.test(email)){
            emailError.innerHTML = "This is not a good format";
            isValid = false;
        }else{
            emailError.innerHTML = "";
    if(sub == ""){
        subError.innerHTML = "Subject field is empty";
        isValid = false;
    else{
        subError.innerHTML = "";
    if(isValid == false){
        e.preventDefault();
var slideIndex = 1;
showSlides(slideIndex);
function plusSlides(n) {
  showSlides(slideIndex += n);
function currentSlide(n) {
 showSlides(slideIndex = n);
function showSlides(n) {
 var i;
 var slides = document.getElementsByClassName("mySlides");
 var dots = document.getElementsByClassName("dot");
 if (n > slides.length) {slideIndex = 1}
 if (n < 1) {slideIndex = slides.length}</pre>
 for (i = 0; i < slides.length; i++) {</pre>
      slides[i].style.display = "none";
 for (i = 0; i < dots.length; i++) {</pre>
     dots[i].className = dots[i].className.replace(" active", "");
```

```
slides[slideIndex-1].style.display = "flex";
 dots[slideIndex-1].className += " active";
function carFilter(){
   var button = this.id;
   var arr;
   if(button == "all"){
           $.ajax({
                url : "data/cars.json",
                method : "GET",
                type : "json",
                success : function(cars) {
            var printing = "";
            for(let c of cars) {
                printing +=
                <div class="col-md-3 single-team">
                    <div class="thumb">
                            <img class="img-fluid" src="${c.src}" alt="">
                            <hr class="carCaption" />
                        <a href="#book">
                        <div class="align-items-center justify-content-center d-</pre>
flex">
                            <h4 class="${c.style}">${c.status}</h4>
                        </div>
                        </a>
                    </div>
                    <div class="meta-text mt-30 text-center">
                        <h4>${c.car}</h4>
                        ${c.desc}
                    </div>
                </div>
                }
                document.getElementById("carPrint").innerHTML = printing;
           },
           error : function(xhr, error, status) {
                alert(status);
       });
```

```
else{
        $.ajax({
            url : "data/cars.json",
            method : "GET",
            type : "json",
            success : function(cars) {
                arr = cars.filter(el => el.desc.toLowerCase().indexOf(button) !==
-1);
                var printing = "";
                for(let c of arr) {
                    printing +=
                    <div class="col-md-3 single-team">
                        <div class="thumb">
                                <img class="img-fluid" src="${c.src}" alt="">
                                <hr class="carCaption" />
                            <a href="#book">
                            <div class="align-items-center justify-content-</pre>
center d-flex">
                                <h4 class="${c.style}">${c.status}</h4>
                            </div>
                            </a>
                        </div>
                        <div class="meta-text mt-30 text-center">
                            <h4>${c.car}</h4>
                            ${c.desc}
                        </div>
                    </div>
                document.getElementById("carPrint").innerHTML = printing;
            },
                error : function(xhr, error, status) {
                    alert(status);
        });
```

```
console.log(button);
}

function initMap() {
   var pancevo = {lat: 44.861135, lng: 20.650154};

   var map = new google.maps.Map(
        document.getElementById('map'), {zoom: 10, center: pancevo});

   var marker = new google.maps.Marker({position: pancevo, map: map});
}
```

## 3.4 Jquery

```
var btn = $('#scrolled');
$(window).scroll(function() {
if ($(window).scrollTop() > 300) {
    btn.addClass('show');
    } else {
    btn.removeClass('show');
});
$(document).ready(function(){
    $('#tBtn').click(function(){
      $('#textAbout').slideToggle('slow');
   });
 });
var $root = $('html, body');
$('a[href^="#"]').click(function () {
   $root.animate({
        scrollTop: $( $.attr(this, 'href') ).offset().top
    }, 500);
    return false;
});
```

```
$('#carPrint').on('mouseenter', '.thumb', function(){
   $(this).animate({
       'padding-left': '-10px',
       'padding-right': '-10px',
    }, 500)
}).on('mouseleave', '.thumb', function(){
   $(this).animate({
       'padding-left': '10px',
       'padding-right': '10px',
    }, 200)
});
```