

http://niture.epizy.com/



Visoka ICT škola

Akademija tehničko-umetničkih strukovnih studija, Beograd

Smer: Internet tehnologije

Modul: Web programiranje

Predmet: Web programiranje 2

Uglješa Đorđević 249/18

Contents

1.	Uvo	d	3
	1.1	Korišćeni programski jezici/tehnologije	3
	1.2	Opis funkcionalnosti	3
	1.3	Template	4
2.	Orga	anizacija	4
	2.1	Organizaciona šema	4
	2.2	Mapa sajta	4
	2.3	Slike stranica i opisi funkcionalnosti	6
	2.3.2	1 index.html	6
	2.3.2	2 product.html	9
	2.3.3	3 about.html	9
	2.3.4	4 add_to_cart.html	10
3.	Kode	ovi	10
	3.1	HTML	11
	3.1.2	1 index.html	11
	3.1.2	2 about.html	22
	3.1.3	3 contact.html	29
	3.1.4	4 add_to_cart.html	37
:	3.2	CSS	43
	3.2.2	1 style.css	44
	3.2.2	2 responsive.html	114
:	3.3	JavaScript	123
	3.3.2	1 custom.js	123
	3.3.2	2 cart.js	133
	3.3.3	3 jquery.js	139
	3.4	JSON	139
	3.4.2	1 brands.json	139
	3.4.2	2 categories.json	140
	3.4.3	3 products.json	141

1. Uvod

1.1 Korišćeni programski jezici/tehnologije

Za potrebe sajta korišćene su sledeće tehnologije:

- HTML
- CSS
- Bootstrap + Font Awesome
- JavaScript
- JSON
- jQuery
- jQuery UI
- XML (sitemap)
- Visual Studio Code
- Photoshop

1.2 Opis funkcionalnosti

Funkcionalnosti sajta se mogu svrstati u sledeće kategorije:

- **Upotreba AJAX-a** za svako čitanje iz JSON fajla, ovo se realizuje asinhronim funkcijama, i ukoliko dođe do grešaka, iste se obrađuju.
- **Dinamičko prikazivanje navigacije** a takođe naznačena je stranica na kojoj korisnik trenutno nalazi.
- **Dinamički slajder sa slikama** realizovano pomoću slick plugina.
- **Dinamička prodavnica** gde su proizvodi, kategorije, brendovi učitani iz JSON fajla, a dostupno je razno filtriranje i sortiranje proizvoda.
- Strana za korpu gde se isti popunjava na osnovu toga šta je smešteno u Local Storage.
- Korpa sa količinom i ukupnim iznosom kako se proizvodi dodaju menja se broj iznad ikone za korpu koji označava koliko je proizvoda dodato, količina se može promeniti u stranici za korpu i time se menja cena i broj proizvoda.
- Kontakt stranica sa regularnim izrazima korisnik se obaveštava o greškama i krajnjem ishodu.
- Strelica koja vodi do navigacionog menija posle odredjenih piksela skrolanja pojavljuje se strelica koja kada se klikne vodi do navigacionog menija.

• Trending proizvodi i kategorije – postoji opcija da se na index stranici klikne željeni proizvod ili kategorija koja vodi do izabranog proizvoda.


1.3 Template

Za izradu sajta nije korišćeno gotovo rešenje, sve funkcionalnosti i kod su napisani ispočetka.

2. Organizacija

2.1 Organizaciona šema

Sve stranice su međusbno dostupne jedne drugim.




2.2 Mapa sajta

```
<loc>http://niture.epizy.com/product.html</loc>
       <lastmod>2021-05-07</lastmod>
       <changefreq>daily</changefreq>
       <priority>1</priority>
   </url>
   <url>
       <loc>http://niture.epizy.com/contact.html</loc>
       <lastmod>2021-05-01</lastmod>
       <changefreq>yearly</changefreq>
       <priority>0.6</priority>
   </url>
   <url>
       <loc>http://niture.epizy.com/about.html</loc>
       <lastmod>2021-05-02
       <changefreq>yearly</changefreq>
       <priority>0.4</priority>
   </url>
   <url>
       <loc>http://niture.epizy.com/add_to_cart.html</loc>
       <lastmod>2021-05-07</lastmod>
       <changefreq>yearly</changefreq>
       <priority>0.6</priority>
   </url>
</urlset>
```

2.3 Slike stranica i opisi funkcionalnosti


2.3.1 index.html



Meni je u formi "burgera" i data mu je funkcionalnost kroz Javascript. Stranica na kojoj se korisnik nalazi je obeležena.



Klikom na log in ikonu, izlazi prikazana forma za loginovanje ili registrovanje. Druge dve ikone su wish list i cart koje u odnosu na to koliko izabranih proizvoda imate za svaku prikazuju broj sa gornje leve strane.



Prvo što se na ovoj stranici nalazi je slajder realizovan preko slick plugina.

Trending Categories









Beds

Chairs

Ovde su dinamički prikazane prve tri kategorije koje su preuzete iz JSON fajla putem AJAX-a. Klikom na njih odvešće vas do stranice sa proizvodima gde su prikazani samo proizvodi sa izabranom kategorijom.




Ovde su dinamički prikazana prva četiri proizvoda sa njihovim brendovima koji su preuzeti iz JSON fajla putem AJAX-a. Klikom na njih odvešće vas do prodavnice gde su prikazani samo proizvodi tog brenda.



Na ovoj stranici nalaze se kontakt forma. Klikom na dugme za slanje poruke svi uneti podaci se prethodno proveravaju regularnim izrazima. Ako neko polje nije dobro popunjeno, korisniku se ispisuju detaljne informacije o tome šta nije u redu.

Takođe se ova funkcionalnost nalazi i na contact.html.

2.3.2 product.html




Na ovoj stranici nalaze se svi proizvodi, kao i razne opcije za filtriranje i sortiranje. Svi proizvodi, kategorije, brendovi preuzimaju se iz JSON fajlova upotrebom AJAX-a.

Prelaskom miša preko proizvoda nalazi se dugme uz pomoć kojeg se proizvod dodaje u korpu.


Filtriranje putem cene je odradjeno uz pomoć jQuery UI.

2.3.3 about.html



Na ovoj stranici ne postoje nikakve posebne funkcionalnosti, samo mogućnost dodatnog prikaza informacija klikom na dugme "Read more".

2.3.4 add_to_cart.html



Ulaskom u korpu, prikazuju se dodati proizvodi sa opcijama brisanja i izmene količine, kao i ukupan iznos svih proizvoda.

3. Kodovi

3.1 HTML

3.1.1 index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <!-- mobile metas -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="initial-scale=1, maximum-scale=1">
    <!-- site metas -->
    <title>niture | Home</title>
    <meta name="keywords" content="">
    <meta name="description" content="">
    <meta name="author" content="">
    <!-- bootstrap css -->
    <link rel="stylesheet" href="css/bootstrap.min.css">
    <!-- style css -->
    <link rel="stylesheet" href="css/style.css">
    <!-- Responsive-->
    <link rel="stylesheet" href="css/responsive.css">
    <!-- icon -->
    <link rel="icon" href="images/android-icon-48x48.png" type="image/gif" />
    <!-- Scrollbar Custom CSS -->
    <link rel="stylesheet" href="css/jquery.mCustomScrollbar.min.css">
    <!-- Tweaks for older IEs-->
    <link rel="stylesheet" href="https://netdna.bootstrapcdn.com/font-</pre>
awesome/4.0.3/css/font-awesome.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fancybox/</pre>
2.1.5/jquery.fancybox.min.css" media="screen">
    <!--[if lt IE 9]>
      <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></scr</pre>
ipt>
      <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->
</head>
<body class="main-layout">
```

```
<div class="loader bg">
       <div class="loader"><img src="images/loading.gif" alt="#" /></div>
   </div>
    <!-- end loader -->
   <div class="wrapper">
       <div class="sidebar">
          <nav id="sidebar">
              <div id="dismiss">
                  <i class="fa fa-arrow-left"></i></i>
              </div>
               <a href="index.html">Home</a>
                 <a href="about.html">About our author</a>
                 <a href="product.html">Product</a>
                 <a href="contact.html">Contact us</a>
              </nav>
       </div>
       <div id="content">
          <header>
              <div class="header">
                 <div class="container-fluid">
                     <div class="row">
                         <div class="col-lg-3 logo_section">
                            <div class="full">
                                <div class="center-desk">
                                   <div class="logo">
                                       <a href="index.html"><img src="images</pre>
/logo.jpg" alt="#"></a>
                                   </div>
```

```
</div>
                                 </div>
                             </div>
                             <div class="col-lg-9">
                                 <div class="right_header_info">
                                     <u1>
                                         <1i>>
                                             <a href="#" id="loginBtn"><img style=</pre>
'margin-right: 15px;" src="icon/1.png" /></a>
                                         <1i>>
                                             <a href="add to cart.html"><img style</pre>
="margin-right: 15px;" src="icon/3.png" alt="" /><span id="cart-
span" class="cart-number"></span></a>
                                         <1i>>
                                             <button type="button" id="sidebarColl</pre>
apse">
                                                  <img src="images/menu icon.png" a</pre>
lt="#" />
                                             </button>
                                         </div>
                             </div>
                             <div class="wrapper-log hidden">
                                 <div class="title-text">
                                     <div class="title login">Login Form</div>
                                     <div class="title signup">Signup Form</div>
                                 </div>
                                 <div class="form-container">
                                     <div class="slide-controls">
                                         <input type="radio" name="slide" id="logi</pre>
n" checked>
                                         <input type="radio" name="slide" id="sign</pre>
up">
                                         <label for="login" class="slide login">Lo
gin</label>
                                         <label for="signup" class="slide signup">
Signup</label>
                                         <div class="slider-tab"></div>
                                     </div>
                                     <div class="form-inner">
                                         <form action="#" class="login">
```

```
<div class="field">
                                                   <input type="text" placeholder="E</pre>
mail Address" required>
                                               </div>
                                               <div class="field">
                                                   <input type="password" placeholde</pre>
r="Password" required>
                                               </div>
                                               <div class="pass-link">
                                                   <a href="#">Forgot password?</a>
                                               </div>
                                               <div class="field btn">
                                                   <div class="btn-layer"></div>
                                                   <input type="submit" value="Login</pre>
                                               </div>
                                               <div class="signup-
link">Not a member? <a href="">Click Signup button!</a></div>
                                           </form>
                                           <form action="#" class="signup">
                                               <div class="field">
                                                   <input type="text" placeholder="E</pre>
mail Address" required>
                                               </div>
                                               <div class="field">
                                                   <input type="password" placeholde</pre>
r="Password" required>
                                               </div>
                                               <div class="field">
                                                   <input type="password" placeholde</pre>
r="Confirm password" required>
                                               </div>
                                               <div class="field btn">
                                                   <div class="btn-layer"></div>
                                                   <input type="submit" value="Signu</pre>
p">
                                               </div>
                                           </form>
                                      </div>
                                  </div>
                              </div>
                         </div>
                     </div>
                 </div>
```

```
<!-- end header inner -->
          </header>
          <!-- end header -->
          <section class="slider section">
              <div class="banner main">
                 <div class="container-fluid">
                     <div class="row">
                        <div class="col-x1-6 col-lg-6 col-md-6 col-sm-</pre>
12 mapimg">
                            <div class="text-bg">
                               <h1>The latest <br> <strong class="black_bold"
">furniture Design</strong><br></h1>
                               <a href="product.html">Shop Now <i class='fa</pre>
fa-angle-right'></i></a>
                           </div>
                        </div>
                        <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
                            <div class="text-img">
                               <figure><img src="images/bg.jpg" /></figure>
                           </div>
                        </div>
                    </div>
                 </div>
             </div>
          </section>
          <!-- discount -->
          <div class="container">
              <div id="myCarousel" class="carousel slide banner Client" data-</pre>
ride="carousel">
                 to="0" class="active">
                     <div class="carousel-inner">
                     <div class="carousel-item active">
                        <div class="container">
                           <div class="carousel-caption text">
                               <div class="row">
                                  <div class="col-x1-8 col-lg-8 col-md-</pre>
8 col-sm-12">
                                      <div class="img bg">
```

```
<h3>50% DISCOUNT<br> <strong clas
s="black nolmal">the latest collection</strong></h3>
                                              </div>
                                          </div>
                                          <div class="col-xl-4 col-lg-4 col-md-</pre>
4 col-sm-12">
                                              <div class="img bg">
                                                  <figure><img src="images/discount"
</pre>
.jpg" /></figure>
                                              </div>
                                          </div>
                                      </div>
                                 </div>
                             </div>
                         </div>
                         <div class="carousel-item">
                             <div class="container">
                                 <div class="carousel-caption text">
                                      <div class="row">
                                          <div class="col-x1-8 col-lg-8 col-md-</pre>
8 col-sm-12">
                                              <div class="img_bg">
                                                  <h3>50% DISCOUNT<br> <strong clas
s="black_nolmal">the latest collection</strong></h3>
                                              </div>
                                          </div>
                                          <div class="col-x1-4 col-lg-4 col-md-</pre>
4 col-sm-12">
                                              <div class="img bg">
                                                  <figure><img src="images/discount"
.jpg" /></figure>
                                              </div>
                                          </div>
                                      </div>
                                 </div>
                             </div>
                         </div>
                         <div class="carousel-item">
                             <div class="container">
                                 <div class="carousel-caption text">
                                      <div class="row">
                                          <div class="col-x1-8 col-lg-8 col-md-
8 col-sm-12">
```

```
<div class="img_bg">
                                                  <h3>50% DISCOUNT<br> <strong clas
s="black_nolmal">the latest collection</strong></h3>
                                              </div>
                                         </div>
                                         <div class="col-xl-4 col-lg-4 col-md-</pre>
4 col-sm-12">
                                             <div class="img_bg">
                                                  <figure><img src="images/discount")</pre>
.jpg" /></figure>
                                             </div>
                                         </div>
                                     </div>
                                 </div>
                             </div>
                         </div>
                    </div>
                </div>
            </div>
            <!-- end discount -->
            <a href="#header" id="scrolled"></a>
            <!-- trending -->
            <div class="trending">
                <div class="container-fluid">
                    <div class="row">
                         <div class="col-md-8 offset-md-2">
                             <div class="title">
                                 <h2>Trending <strong class="black">Categories</st
rong></h2>
                             </div>
                         </div>
                    </div>
                    <div id="categories-home" class="row"></div>
                </div>
            </div>
            <!-- end trending -->
            <!-- our brand -->
            <div class="brand">
                <div class="container">
                    <div class="row">
                         <div class="col-md-12">
                            <div class="title">
```

```
<h2>Featured <strong class="black">Brands</strong
></h2>
                             </div>
                         </div>
                     </div>
                </div>
            </div>
            <div class="container-fluid">
                 <div id="brands" class="brand-bg row"></div>
            </div>
            <!-- end our brand -->
            <div class="contact">
                <div class="container-fluid padddd">
                    <div class="row">
                         <div class="col-md-8 offset-md-2">
                             <div class="title">
                                 <h2>Contact <strong class="black">Us</strong></h2
                             </div>
                         </div>
                     </div>
                     <div class="row">
                         <div class="col-xl-6 col-lg-6 col-md-12 col-sm-
12 padddd">
                             <div class="map_section">
                                 <div id="map"></div>
                             </div>
                         </div>
                         <div class="col-xl-6 col-lg-6 col-md-12 col-sm-</pre>
12 padddd">
                             <form class="main form">
                                 <div class="row">
                                     <div class="col-xl-12 col-lg-12 col-md-</pre>
12 col-sm-12">
                                          <input class="form-</pre>
control" placeholder="Name" type="text" id="name" name="Name">
                                          <div id="name-error"></div>
                                      </div>
                                      <div class="col-xl-12 col-lg-12 col-md-</pre>
12 col-sm-12">
                                          <input class="form-</pre>
control" placeholder="Email" type="text" id="email" name="Email">
```

```
<div id="email-error"></div>
                                    </div>
                                    <div class="col-xl-12 col-lg-12 col-md-</pre>
12 col-sm-12">
                                         <input class="form-</pre>
control" placeholder="Phone" type="text" id="phone" name="Phone">
                                        <div id="phone-error"></div>
                                    </div>
                                    <div class="col-xl-12 col-lg-12 col-md-</pre>
12 col-sm-12">
                                        <textarea class="textarea" placeholder="M
essage" type="text" id="message" name="Message"></textarea>
                                    </div>
                                    <div class="col-xl-12 col-lg-12 col-md-</pre>
12 col-sm-12">
                                        <button class="send">Send</button>
                                    </div>
                                    <div class="mt-2">
                                        <div id="good"></div>
                                    </div>
                                </div>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
            <!-- footer -->
            <footer>
                <div class="footer">
                    <div class="container-fluid">
                        <div class="border1">
                            <div class="row">
                                <div class="col-xl-3 col-lg-3 col-md-3 col-sm-
12">
                                    <img class="logo1" src="images/logo1.jpg" />
                                </div>
                                <div class="col-x1-6 col-lg-6 col-md-6 col-sm-</pre>
12">
                                    <a href="index.html">Home</a>
```

```
<a href="about.html">About our autho</a>
r</a>
                                       <a href="product.html">Product</a></
li>
                                       <a href="contact.html">Contact us</a</li>
>
                                   </div>
                               <div class="col-xl-3 col-lg-3 col-md-3 col-sm-</pre>
12">
                                   <a href="https://www.facebook.com/">
<i class="fa fa-facebook"></i></a>
                                       <a href="https://twitter.com/"><i cl</ri>
ass="fa fa-twitter"></i></a>
                                       <a href="https://www.instagram.com/"</a>
><i class="fa fa-instagram"></i></i>
                                       <a href="https://www.linkedin.com/in">https://www.linkedin.com/in</a>
/ugljesa-djordjevic-44ab121b9/"><i class="fa fa-linkedin"></i></a>
                                      <a href="dokumentacija.pdf"><i class</li>
="fa fa-file"></i></a>
                                       <a href="sitemap.xml"><i class="fa f</li>
a-sitemap"></i></a>
                                   </div>
                           </div>
                       </div>
                   </div>
                   <div class="container">
                       <div class="row">
                           <div class="col-md-12">
                               <div class="new">
                                   <h3>Newsletter</h3>
                                   <form class="newtetter">
                                       <input class="tetter" placeholder="Your e</pre>
mail" type="text" id="subEmail" name="Your email">
                                       <button class="submit">Subscribe</button>
                                   </form>
                               </div>
                           </div>
                           <div class="col-md-12">
                              <div class="newtt">
```

```
It is a long established fact that a reade
r will be distracted by the readable content of a page when looking at its layout
.
                                </div>
                            </div>
                        </div>
                   </div>
                    <div class="copyright">
                        © Copyright 2021 Made as a school project By <a h
ref="https://www.linkedin.com/in/ugljesa-djordjevic-
44ab121b9/" target="_blank">Uglješa Đorđević</a>
                    </div>
            </div>
            </footer>
            <!-- end footer -->
       </div>
   </div>
   <div class="overlay"></div>
    <!-- Javascript files-->
    <script src="js/jquery.min.js"></script>
    <script src="js/popper.min.js"></script>
    <script src="js/bootstrap.bundle.min.js"></script>
    <script src="js/jquery-3.0.0.min.js"></script>
    <script src="js/jquery.js"></script>
    <script src="js/jquery.mCustomScrollbar.concat.min.js"></script>
    <script src="js/custom.js"></script>
    <script src="js/cart.js"></script>
    <script src="https:cdnjs.cloudflare.com/ajax/libs/fancybox/2.1.5/jquery.fancy</pre>
box.min.js"></script>
    <script>
     function initMap() {
       var map = new google.maps.Map(document.getElementById('map'), {
          zoom: 11,
          center: {lat: 44.868389, lng: 20.643868},
         });
     var image = 'images/maps-and-flags.png';
```

```
var beachMarker = new google.maps.Marker({
        position: {lat: 44.868389, lng: 20.643868},
        map: map,
        icon: image
     });
   }
   </script>
   <!-- google map js -->
        <script src="https://maps.googleapis.com/maps/api/js?key=AIzaSyA8eaHt9Dh5H57Zh0xVTqxVdBFCvFMqFjQ&callback=initMap"></script>
        <!-- end google map js -->
   </body>
   </html>
```

3.1.2 about.html

```
<!DOCTYPE html>
<html lang="en">
     <meta charset="utf-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <!-- mobile metas -->
     <meta name="viewport" content="width=device-width, initial-scale=1">
     <meta name="viewport" content="initial-scale=1, maximum-scale=1">
     <!-- site metas -->
     <title>niture | About</title>
     <meta name="keywords" content="">
     <meta name="description" content="">
     <meta name="author" content="">
     <!-- bootstrap css -->
     <link rel="stylesheet" href="css/bootstrap.min.css">
     <!-- style css -->
     <link rel="stylesheet" href="css/style.css">
     <!-- Responsive-->
     <link rel="stylesheet" href="css/responsive.css">
     <link rel="icon" href="images/android-icon-48x48.png" type="image/gif" />
     <!-- Scrollbar Custom CSS -->
```

```
<link rel="stylesheet" href="css/jquery.mCustomScrollbar.min.css">
     <link rel="stylesheet" href="https://netdna.bootstrapcdn.com/font-</pre>
awesome/4.0.3/css/font-awesome.css">
     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fancybo</pre>
x/2.1.5/jquery.fancybox.min.css" media="screen">
     <!--[if lt IE 9]>
     <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></scr</pre>
ipt>
     <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->
  </head>
  <body class="main-layout">
     <div class="loader bg">
        <div class="loader"><img src="images/loading.gif" alt="#" /></div>
     </div>
    <div class="wrapper">
     <!-- end loader -->
     <div class="sidebar">
       <nav id="sidebar">
           <div id="dismiss">
               <i class="fa fa-arrow-left"></i></i>
           </div>
           <1i>>
                   <a href="index.html">Home</a>
               class="active">
                   <a href="about.html">About our author</a>
               <1i>>
                   <a href="product.html">Product</a>
               <1i>>
                   <a href="contact.html">Contact Us</a>
```

```
</div>
     <div id="content">
      <header>
        <div class="header">
        <div class="container-fluid">
            <div class="row">
               <div class="col-lg-3 logo section">
                  <div class="full">
                     <div class="center-desk">
                        <div class="logo"> <a href="index.html"><img src="images/</pre>
logo.jpg" alt="#"></a> </div>
                     </div>
                  </div>
              </div>
               <div class="col-lg-9">
                  <div class="right_header_info">
                     <u1>
                        <
                           <a href="#" id="loginBtn"><img style="margin-</pre>
right: 15px;" src="icon/1.png" alt="#" /></a>
                        <1i>>
                           <a href="add_to_cart.html"><img style="margin-</pre>
right: 15px; src="icon/3.png" alt="" /><span id="cart-span" class="cart-
number"></span></a>
                       <1i>>
                           <button type="button" id="sidebarCollapse">
                              <img src="images/menu_icon.png" alt="#" />
                           </button>
                        </div>
               </div>
               <div class="wrapper-log hidden">
                  <div class="title-text">
                     <div class="title login">Login Form</div>
```

```
<div class="title signup">Signup Form</div>
                  </div>
                  <div class="form-container">
                       <div class="slide-controls">
                           <input type="radio" name="slide" id="login" checked>
                           <input type="radio" name="slide" id="signup">
                           <label for="login" class="slide login">Login</label>
                           <label for="signup" class="slide signup">Signup</label>
                           <div class="slider-tab"></div>
                       </div>
                       <div class="form-inner">
                           <form action="#" class="login">
                               <div class="field">
                                   <input type="text" placeholder="Email Address"</pre>
required>
                               </div>
                               <div class="field">
                                   <input type="password" placeholder="Password" r</pre>
equired>
                               </div>
                               <div class="pass-link">
                                   <a href="#">Forgot password?</a>
                               <div class="field btn">
                                   <div class="btn-layer"></div>
                                   <input type="submit" value="Login">
                               </div>
                               <div class="signup-
link">Not a member? <a href="">Click Signup button!</a></div>
                           </form>
                           <form action="#" class="signup">
                               <div class="field">
                                   <input type="text" placeholder="Email Address"</pre>
required>
                               </div>
                               <div class="field">
                                   <input type="password" placeholder="Password" r</pre>
equired>
                               </div>
                               <div class="field">
                                   <input type="password" placeholder="Confirm pas</pre>
sword" required>
                               </div>
                               <div class="field btn">
                                   <div class="btn-layer"></div>
```

```
<input type="submit" value="Signup">
                           </div>
                        </form>
                    </div>
                </div>
            </div>
           </div>
        </div>
           </div>
        <!-- end header inner -->
     </header>
     <!-- end header -->
     <a href="#header" id="scrolled"></a>
     <div class="contactus">
        <div class="container-fluid">
              <div class="row">
                <div class="col-md-8 offset-md-2">
                   <div class="title">
                      <h2>About</h2>
                   </div>
                </div>
             </div>
           </div>
     </div>
     <div class="about">
        <div class="container">
           <div class="row">
              <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
                <div class="abouting">
                   <h3>About our author</h3>
                   Hey! My name is Uglješa Đorđević.
                   Index number: 249/18
                   Date of birth: 08.07.1999
                   I am a third year student at "Visoka šk
ola strukovnih studija za informacione i komunikacione tehnologije" in Belgrade.
This presents school project.
                   <button id="aboutBtn">Read More</button>
                </div>
             </div>
```

```
<div class="col-x1-6 col-lg-6 col-md-6 col-sm-12">
                <div class="abouting">
                   <figure><img src="images/author.JPG"/></figure>
                </div>
             </div>
           </div>
        </div>
     </div>
     <a href="#header" id="scrolled"></a>
     <!-- footer -->
     <footer>
        <div class="footer">
           <div class="container-fluid">
             <div class="border1">
             <div class="row">
                <div class="col-xl-3 col-lg-3 col-md-3 col-sm-12">
                  <img class="logo1" src="images/logo1.jpg"/>
                </div>
                 <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
                   <a href="index.html">Home</a>
                      <a href="about.html">About our author</a>
                      <a href="product.html">Product</a>
                      <a href="contact.html">Contact us</a>
                   </div>
                <div class="col-xl-3 col-lg-3 col-md-3 col-sm-12">
                   <a href="https://www.facebook.com/"><i class="fa fa-
facebook"></i></a>
                      <a href="https://twitter.com/"><i class="fa fa-</li>
twitter"></i></a>
                      <a href="https://www.instagram.com/"><i class="fa fa"></a>
-instagram"></i></a>
                      <a href="https://www.linkedin.com/in/ugljesa-</a>
djordjevic-44ab121b9/"><i class="fa fa-linkedin"></i></a>
                      <a href="dokumentacija.pdf"><i class="fa fa-</a>
file"></i></a>
                      <a href="sitemap.xml"><i class="fa fa-</pre>
sitemap"></i></a>
```

```
</div>
            </div>
          </div>
         </div>
         <div class="container">
            <div class="row">
               <div class="col-md-12">
                  <div class="new">
                     <h3>Newsletter</h3>
                     <form class="newtetter">
                        <input class="tetter" placeholder="Your email" type="text</pre>
 name="Your email">
                        <button class="submit">Subscribe</button>
                     </form>
                  </div>
               </div>
                <div class="col-md-12">
                  <div class="newtt">
                     It is a long established fact that a reader will be distr
acted by the readable content of a page when looking at its layout.
                  </div>
               </div>
            </div>
         </div>
            <div class="copyright">
               © Copyright 2021 Made as a school project By <a href="http">http</a>
s://www.linkedin.com/in/ugljesa-djordjevic-
44ab121b9/" target="_blank">Uglješa Đorđević</a>
            </div>
         </div>
      </footer>
      <!-- end footer -->
   </div>
</div>
   <div class="overlay"></div>
     <!-- Javascript files-->
```

3.1.3 contact.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
     <meta charset="utf-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <!-- mobile metas -->
     <meta name="viewport" content="width=device-width, initial-scale=1">
     <meta name="viewport" content="initial-scale=1, maximum-scale=1">
     <!-- site metas -->
     <title>niture | Contact</title>
     <meta name="keywords" content="">
     <meta name="description" content="">
     <meta name="author" content="">
     <!-- bootstrap css -->
     <link rel="stylesheet" href="css/bootstrap.min.css">
     <!-- style css -->
     <link rel="stylesheet" href="css/style.css">
     <!-- Responsive-->
     <link rel="stylesheet" href="css/responsive.css">
     <link rel="icon" href="images/android-icon-48x48.png" type="image/gif" />
     <!-- Scrollbar Custom CSS -->
     <link rel="stylesheet" href="css/jquery.mCustomScrollbar.min.css">
     <!-- Tweaks for older IEs-->
```

```
<link rel="stylesheet" href="https://netdna.bootstrapcdn.com/font-</pre>
awesome/4.0.3/css/font-awesome.css">
     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fancybo</pre>
x/2.1.5/jquery.fancybox.min.css" media="screen">
     <!--[if lt IE 9]>
     <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></scr</pre>
     <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->
  </head>
  <body class="main-layout contact page">
     <!-- loader -->
     <div class="loader bg">
        <div class="loader"><img src="images/loading.gif" alt="#" /></div>
     </div>
    <div class="wrapper">
     <!-- end loader -->
     <div class="sidebar">
       <nav id="sidebar">
           <div id="dismiss">
               <i class="fa fa-arrow-left"></i></i></i>
           </div>
           <1i>>
                  <a href="index.html">Home</a>
               <1i>>
                  <a href="about.html">About our author</a>
               <
                   <a href="product.html">Product</a>
               <a href="contact.html">Contact Us</a>
               </nav>
```

```
</div>
     <div id="content">
      <header>
        <div class="header">
        <div class="container-fluid">
            <div class="row">
               <div class="col-lg-3 logo section">
                  <div class="full">
                     <div class="center-desk">
                        <div class="logo"> <a href="index.html"><img src="images/</pre>
logo.jpg" alt="#"></a> </div>
                     </div>
                  </div>
               </div>
               <div class="col-lg-9">
                  <div class="right_header_info">
                     <l
                        <1i>>
                           <a href="#" id="loginBtn"><img style="margin-</pre>
right: 15px;" src="icon/1.png" alt="#" /></a>
                        <1i>>
                           <a href="add to cart.html"><img style="margin-</pre>
right: 15px; "src="icon/3.png" alt=""/><span id="cart-span" class="cart-
number"></span></a>
                       <1i>>
                           <button type="button" id="sidebarCollapse">
                              <img src="images/menu icon.png" alt="#" />
                           </button>
                        </div>
               </div>
               <div class="wrapper-log hidden">
                  <div class="title-text">
                      <div class="title login">Login Form</div>
                      <div class="title signup">Signup Form</div>
                  </div>
                  <div class="form-container">
```

```
<div class="slide-controls">
                           <input_type="radio" name="slide" id="login" checked>
                           <input type="radio" name="slide" id="signup">
                           <label for="login" class="slide login">Login</label>
                           <label for="signup" class="slide signup">Signup</label>
                           <div class="slider-tab"></div>
                       </div>
                       <div class="form-inner">
                           <form action="#" class="login">
                               <div class="field">
                                   <input type="text" placeholder="Email Address"</pre>
required>
                               </div>
                               <div class="field">
                                    <input type="password" placeholder="Password" r</pre>
equired>
                               </div>
                               <div class="pass-link">
                                   <a href="#">Forgot password?</a>
                               </div>
                               <div class="field btn">
                                   <div class="btn-layer"></div>
                                   <input type="submit" value="Login">
                               </div>
                               <div class="signup-
link">Not a member? <a href="">Click Signup button!</a></div>
                           </form>
                           <form action="#" class="signup">
                               <div class="field">
                                   <input type="text" placeholder="Email Address"</pre>
required>
                               </div>
                               <div class="field">
                                   <input type="password" placeholder="Password" r</pre>
equired>
                               </div>
                               <div class="field">
                                   <input type="password" placeholder="Confirm pas</pre>
sword" required>
                               </div>
                               <div class="field btn">
                                   <div class="btn-layer"></div>
                                   <input type="submit" value="Signup">
                               </div>
                           </form>
```

```
</div>
                  </div>
              </div>
            </div>
         </div>
            </div>
         <!-- end header inner -->
      </header>
      <!-- end header -->
      <a href="#header" id="scrolled"></a>
<div class="contactus">
   <div class="container-fluid">
            <div class="row">
               <div class="col-md-8 offset-md-2">
                  <div class="title">
                      <h2>Contact Us</h2>
                  </div>
               </div>
            </div>
          </div>
</div>
   <div class="contact">
         <div class="container-fluid padddd">
            <div class="row">
               <div class="col-xl-6 col-lg-6 col-md-12 col-sm-12 padddd mt-5 mb-</pre>
5">
                <div class="map_section">
                      <div id="map">
                      </div>
                   </div>
               <div class="col-xl-6 col-lg-6 col-md-12 col-sm-12 padddd mt-5 mb-</pre>
5">
                  <form class="main form">
                      <div class="row">
                          <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                              <input class="form-</pre>
control" placeholder="Name" type="text" id="name" name="Name">
```

```
<div id="name-error"></div>
                         </div>
                         <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                             <input class="form-</pre>
control" placeholder="Email" type="text" id="email" name="Email">
                             <div id="email-error"></div>
                         </div>
                         <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                             <input class="form-</pre>
control" placeholder="Phone" type="text" id="phone" name="Phone">
                            <div id="phone-error"></div>
                         </div>
                         <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                             <textarea class="textarea" placeholder="Message" typ
e="text" id="message" name="Message"></textarea>
                         </div>
                         <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12">
                             <button class="send">Send</button>
                         </div>
                         <div class="mt-2">
                             <div id="good"></div>
                         </div>
                     </div>
                 </form>
               </div>
            </div>
        </div>
      </div>
      <!-- footer -->
      <footer>
         <div class="footer">
            <div class="container-fluid">
               <div class="border1">
               <div class="row">
                  <div class="col-xl-3 col-lg-3 col-md-3 col-sm-12">
                    <img class="logo1" src="images/logo1.jpg"/>
                  </div>
                   <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
                     <a href="index.html">Home</a>
```

```
<a href="about.html">About our author</a>
                       <a href="product.html">Product</a>
                      <a href="contact.html">Contact us</a>
                   </div>
                 <div class="col-xl-3 col-lg-3 col-md-3 col-sm-12">
                    <a href="https://www.facebook.com/"><i class="fa fa-
facebook"></i></a>
                      <a href="https://twitter.com/"><i class="fa fa-</li>
twitter"></i></a>
                      <a href="https://www.instagram.com/"><i class="fa fa"</pre>
-instagram"></i></a>
                      <a href="https://www.linkedin.com/in/ugljesa-</a>
djordjevic-44ab121b9/"><i class="fa fa-linkedin"></i></i></a>
                      <a href="dokumentacija.pdf"><i class="fa fa-</li>
file"></i></a>
                      <a href="sitemap.xml"><i class="fa fa-</li>
sitemap"></i></a>
                  </div>
           </div>
         </div>
        </div>
        <div class="container">
           <div class="row">
              <div class="col-md-12">
                 <div class="new">
                   <h3>Newsletter</h3>
                   <form class="newtetter">
                      <input class="tetter" placeholder="Your email" type="text</pre>
 name="Your email">
                      <button class="submit">Subscribe</button>
                    </form>
                </div>
              </div>
               <div class="col-md-12">
                <div class="newtt">
                   It is a long established fact that a reader will be distr
acted by the readable content of a page when looking at its layout.
                </div>
```

```
</div>
            </div>
         </div>
            <div class="copyright">
               © Copyright 2021 Made as a school project By <a href="http">http</a>
s://www.linkedin.com/in/ugljesa-djordjevic-
44ab121b9/" target="_blank">Uglješa Đorđević</a>
            </div>
         </div>
      </footer>
      <!-- end footer -->
   </div>
</div>
   <div class="overlay"></div>
      <!-- Javascript files-->
      <script src="js/jquery.min.js"></script>
      <script src="js/popper.min.js"></script>
      <script src="js/bootstrap.bundle.min.js"></script>
      <script src="js/jquery-3.0.0.min.js"></script>
      <script src="js/jquery.js"></script>
      <!-- sidebar -->
      <script src="js/jquery.mCustomScrollbar.concat.min.js"></script>
      <script src="js/custom.js"></script>
      <script src="js/cart.js"></script>
      <script src="https:cdnjs.cloudflare.com/ajax/libs/fancybox/2.1.5/jquery.fan</pre>
cybox.min.js"></script>
      <script>
         function initMap() {
           var map = new google.maps.Map(document.getElementById('map'), {
             center: {lat: 44.868389, lng: 20.643868},
             });
         var image = 'images/maps-and-flags.png';
         var beachMarker = new google.maps.Marker({
             position: {lat: 44.868389, lng: 20.643868},
             map: map,
             icon: image
           });
```

3.1.4 add to cart.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <!-- basic -->
   <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <!-- mobile metas -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="viewport" content="initial-scale=1, maximum-scale=1">
    <!-- site metas -->
    <title>niture</title>
    <meta name="keywords" content="">
    <meta name="description" content="">
    <meta name="author" content="">
    <!-- bootstrap css -->
    <link rel="stylesheet" href="css/bootstrap.min.css">
   <!-- style css -->
    <link rel="stylesheet" href="css/style.css">
    <!-- Responsive-->
   <link rel="stylesheet" href="css/responsive.css">
    <link rel="icon" href="images/android-icon-48x48.png" type="image/gif" />
    <!-- Scrollbar Custom CSS -->
    <link rel="stylesheet" href="css/jquery.mCustomScrollbar.min.css">
    <!-- Tweaks for older IEs-->
```

```
<link rel="stylesheet" href="https://netdna.bootstrapcdn.com/font-</pre>
awesome/4.0.3/css/font-awesome.css">
    <script src="https://kit.fontawesome.com/8da50ca8e0.js" crossorigin="anonymou</pre>
s"></script>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fancybox/</pre>
2.1.5/jquery.fancybox.min.css" media="screen">
    <!--[if lt IE 9]>
     <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></scr</pre>
ipt>
     <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->
</head>
<body class="main-layout">
   <div class="loader bg">
       <div class="loader"><img src="images/loading.gif" alt="#" /></div>
   </div>
   <div class="wrapper">
       <!-- end loader -->
       <div class="sidebar">
              <nav id="sidebar">
                  <div id="dismiss">
                      <i class="fa fa-arrow-left"></i></i>
                  </div>
                  <a href="index.html">Home</a>
                      <a href="about.html">About our author</a>
                      <a href="product.html">Product</a>
                      <a href="contact.html">Contact us</a>
                  </nav>
          </div>
       <div id="content">
```

```
<header>
            <div class="header">
                <div class="container-fluid">
                    <div class="row">
                        <div class="col-lg-3 logo_section">
                            <div class="full">
                                 <div class="center-desk">
                                     <div class="logo">
                                         <a href="index.html"><img src="images/log</pre>
o.jpg" alt="#"></a>
                                     </div>
                                </div>
                            </div>
                        </div>
                        <div class="col-lg-9">
                            <div class="right header info">
                                <u1>
                                     <1i>>
                                        <a href="#" id="loginBtn"><img style="mar</pre>
gin-right: 15px;" src="icon/1.png" /></a>
                                     <1i>>
                                        <a href="add to cart.html"><img style="ma">
rgin-right: 15px;" src="icon/3.png" alt="" /><span id="cart-span" class="cart-
number"></span></a>
                                     <1i>>
                                        <button type="button" id="sidebarCollapse</pre>
                                             <img src="images/menu_icon.png" alt="</pre>
                                         </button>
                                    </div>
                        </div>
                        <div class="wrapper-log hidden">
                            <div class="title-text">
                                <div class="title login">Login Form
                                 <div class="title signup">Signup Form</div>
                            </div>
                            <div class="form-container">
```

```
<div class="slide-controls">
                                      <input type="radio" name="slide" id="login" c</pre>
hecked>
                                      <input type="radio" name="slide" id="signup">
                                      <label for="login" class="slide login">Login
/label>
                                      <label for="signup" class="slide signup">Sign
up</label>
                                      <div class="slider-tab"></div>
                                 </div>
                                 <div class="form-inner">
                                      <form action="#" class="login">
                                          <div class="field">
                                              <input type="text" placeholder="Email</pre>
 Address" required>
                                          </div>
                                          <div class="field">
                                              <input type="password" placeholder="P</pre>
assword" required>
                                          </div>
                                          <div class="pass-link">
                                              <a href="#">Forgot password?</a>
                                          <div class="field btn">
                                              <div class="btn-layer"></div>
                                              <input type="submit" value="Login">
                                          </div>
                                          <div class="signup-
link">Not a member? <a href="">Click Signup button!</a></div>
                                      </form>
                                      <form action="#" class="signup">
                                          <div class="field">
                                              <input type="text" placeholder="Email</pre>
 Address" required>
                                          </div>
                                          <div class="field">
                                              <input type="password" placeholder="P</pre>
assword" required>
                                          </div>
                                          <div class="field">
                                              <input type="password" placeholder="C</pre>
onfirm password" required>
                                          </div>
                                          <div class="field btn">
                                              <div class="btn-layer"></div>
```

```
<input type="submit" value="Signup">
                               </div>
                           </form>
                       </div>
                   </div>
               </div>
           </div>
       </div>
    </div>
    <!-- end header inner -->
</header>
<!-- end header -->
<div class="product-container">
    <div class="product-header">
       <h5 class="product-title">PRODUCT</h5>
       <h5 class="price">PRICE</h5>
       <h5 class="quantity">QUANTITY</h5>
       <h5 class="total">TOTAL</h5>
    </div>
    <div class="products">
    </div>
</div>
  <!-- footer -->
  <footer>
   <div class="footer">
       <div class="container-fluid">
           <div class="border1">
                <div class="row">
                    <div class="col-xl-3 col-lg-3 col-md-3 col-sm-12">
                        <img class="logo1" src="images/logo1.jpg" />
                   </div>
                   <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
```

```
<a href="index.html">Home</a>
                                   <a href="about.html">About our author</a</li>
>
                                   <a href="product.html">Product</a>
                                   <a href="contact.html">Contact us</a></l
                               </div>
                           <div class="col-xl-3 col-lg-3 col-md-3 col-sm-12">
                               <a href="https://www.facebook.com/"><i c</li>
lass="fa fa-facebook"></i></a>
                                  <a href="https://twitter.com/"><i class=</li>
"fa fa-twitter"></i></a>
                                   <a href="https://www.instagram.com/"><i</a>
class="fa fa-instagram"></i></a>
                                   <a href="https://www.linkedin.com/in/ugl">https://www.linkedin.com/in/ugl</a>
jesa-djordjevic-44ab121b9/"><i class="fa fa-linkedin"></i></i>
                                   <a href="dokumentacija.pdf"><i class="fa"></a>
fa-file"></i></a>
                                   <a href="sitemap.xml"><i class="fa fa-</a>
sitemap"></i></a>
                               </div>
                       </div>
                   </div>
               </div>
               <div class="container">
                   <div class="row">
                       <div class="col-md-12">
                           <div class="new">
                               <h3>Newsletter</h3>
                               <form class="newtetter">
                                   <input class="tetter" placeholder="Your email</pre>
 type="text" id="subEmail" name="Your email">
                                   <button class="submit">Subscribe</button>
                               </form>
                           </div>
                       </div>
                       <div class="col-md-12">
                           <div class="newtt">
```

```
It is a long established fact that a reader wi
ll be distracted by the readable content of a page when looking at its layout.</p
                            </div>
                        </div>
                    </div>
                </div>
                <div class="copyright">
                    © Copyright 2021 Made as a school project By <a href=</p>
'https://www.linkedin.com/in/ugljesa-djordjevic-
44ab121b9/" target="_blank">Uglješa Đorđević</a>
                </div>
        </div>
        </footer>
        <!-- end footer -->
        </div>
    </div>
    <div class="overlay"></div>
    <!-- Javascript files-->
    <script src="js/jquery.min.js"></script>
    <script src="js/popper.min.js"></script>
    <script src="js/bootstrap.bundle.min.js"></script>
    <script src="js/jquery-3.0.0.min.js"></script>
    <script src="js/jquery.js"></script>
    <script src="js/jquery.mCustomScrollbar.concat.min.js"></script>
    <script src="js/custom.js"></script>
    <script src="js/cart.js"></script>
    <script src="https:cdnjs.cloudflare.com/ajax/libs/fancybox/2.1.5/jquery.fancy</pre>
box.min.js"></script>
    <script src="https://unpkg.com/ionicons@5.4.0/dist/ionicons.js"></script>
</body>
</html>
```

3.2 CSS

```
File Name: style.css
    import Fonts
@import url('https://fonts.googleapis.com/css?family=Rajdhani:300,400,500,600
,700');
@import url('https://fonts.googleapis.com/css?family=Poppins:100,100i,200,200
i,300,300i,400,400i,500,500i,600,600i,700,700i,800,800i,900,900i');
     1) font-family: 'Rajdhani', sans-serif;
     2) font-family: 'Poppins', sans-serif;
@font-face{
    font-family: Aclonica;
    src: url(../fonts/Aclonica-Regular.ttf);
@font-face{
    font-family: PermanentMarker;
    src: url(../fonts/PermanentMarker-Regular.ttf);
@font-face{
    font-family: Pangolin;
    src: url(../fonts/Pangolin-Regular.ttf);
@font-face{
    font-family: Itim;
    src: url(../fonts/Itim-Regular.ttf);
    import Files
@import url(animate.min.css);
```

```
@import url(normalize.css);
@import url(meanmenu.css);
@import url(owl.carousel.min.css);
@import url(slick.css);
@import url(jquery-ui.css);
@import url(nice-select.css);
    skeleton
    box-sizing: border-box !important;
html {
    scroll-behavior: smooth;
body {
    color: #666666;
    font-size: 14px;
    font-family: 'poppins', sans-serif;
    line-height: 1.80857;
    font-weight: normal;
    overflow-x: hidden;
a {
    color: #1f1f1f;
    text-decoration: none !important;
    outline: none !important;
    -webkit-transition: all .3s ease-in-out;
    -moz-transition: all .3s ease-in-out;
    -ms-transition: all .3s ease-in-out;
    -o-transition: all .3s ease-in-out;
    transition: all .3s ease-in-out;
h1,
h2,
h3,
h4,
h5,
```

```
letter-spacing: 0;
    font-weight: normal;
    position: relative;
    padding: 0 0 10px 0;
    font-weight: normal;
    line-height: normal;
    color: #111111;
    margin: 0
h1 {
   font-size: 24px
h2 {
   font-size: 22px
h3 {
   font-size: 18px
h4 {
   font-size: 16px
h5 {
    font-size: 14px
h6 {
   font-size: 13px
*::after,
*::before {
    -webkit-box-sizing: border-box;
    -moz-box-sizing: border-box;
    box-sizing: border-box;
h1 a,
h2 a,
h3 a,
```

```
h4 a,
h5 a,
h6 a {
    color: #212121;
    text-decoration: none!important;
    opacity: 1
button:focus {
    outline: none;
ul,
li,
ol {
    margin: 0px;
    padding: 0px;
    list-style: none;
p {
    margin: 0px;
    font-weight: 300;
    font-size: 15px;
    line-height: 24px;
a {
    color: #222222;
    text-decoration: none;
    outline: none !important;
а,
.btn {
    text-decoration: none !important;
    outline: none !important;
    -webkit-transition: all .3s ease-in-out;
    -moz-transition: all .3s ease-in-out;
    -ms-transition: all .3s ease-in-out;
    -o-transition: all .3s ease-in-out;
    transition: all .3s ease-in-out;
```

```
max-width: 100%;
    height: auto;
:focus {
    outline: 0;
.btn-custom {
   margin-top: 20px;
    background-color: transparent !important;
    border: 2px solid #ddd;
    padding: 12px 40px;
    font-size: 16px;
.lead {
    font-size: 18px;
    line-height: 30px;
    color: #767676;
    margin: 0;
    padding: 0;
.form-control:focus {
    border-color: #ffffff !important;
    box-shadow: 0 0 0 .2rem rgba(255, 255, 255, .25);
.navbar-form input {
    border: none !important;
.badge {
    font-weight: 500;
blockquote {
   margin: 20px 0 20px;
    padding: 30px;
button {
    border: 0;
   margin: 0;
```

```
padding: 0;
   cursor: pointer;
.full {
   float: left;
   width: 100%;
.layout_padding {
   padding-top: 90px;
   padding-bottom: 90px;
.layout_padding_2 {
   padding-top: 75px;
   padding-bottom: 75px;
.light_silver {
   background: #f9f9f9;
.theme_bg {
   background: #38c8a8;
.margin_top_30 {
   margin-top: 30px !important;
.full {
   width: 100%;
   float: left;
   margin: 0;
   padding: 0;
/**-- heading section --**/
.main_heading {
   text-align: center;
   display: flex;
   justify-content: center;
```

```
position: relative;
   margin-bottom: 50px;
.main_heading h2 {
   padding: 0;
   font-size: 48px;
   line-height: 60px;
   font-weight: 400;
   position: relative;
   letter-spacing: -0.5px;
   color: #114c7d;
   border-left: solid #38c8a8 10px;
   padding-left: 15px;
.main_heading h2 strong {
   background: #38c8a8;
   color: #fff;
   font-weight: 600;
   padding: 0 15px;
   line-height: 68px;
.white_heading_main h2 {
   color: #fff;
.small main heading {
   margin-top: 25px;
   float: left;
   width: 100%;
   border-bottom: solid rgba(0, 0, 0, 0.07) 1px;
   margin-bottom: 25px;
.small_main_heading h2 {
   padding: 2px 0 20px 0;
   color: #114c7d;
   font-weight: 400;
   font-size: 28px;
   background-image: url('../images/fevicon.png');
   background-repeat: no-repeat;
   padding-left: 55px;
   letter-spacing: -0.5px;
```

```
.small_main_heading h2 strong {
    color: #38c8a8;
    font-weight: 600;
.main_bt {
    background: #000;
    color: #fff;
    padding: 10px 60px 10px 60px;
    float: left;
    font-size: 15px;
    font-weight: 400;
    border: solid #000 5px;
    border-radius: 0;
    margin-right: 30px;
a.readmore_bt {
    color: #fff;
    font-weight: 300;
    text-decoration: underline !important;
.main_bt:hover,
.main_bt:focus {
    background: #ad2101;
    border: solid #ad2101 5px;
    color: #fff;
.ul_list_info_icon ul {
    list-style: none;
.ul_list_info_icon ul li {
    display: inline;
    float: left;
    width: 100%;
```

```
.ul_list_info_icon ul li img {
   width: 75px;
.loader_bg {
   position: fixed;
   z-index: 9999999;
   background: #fff;
   width: 100%;
   height: 100%;
.loader {
   height: 100%;
   width: 100%;
   position: absolute;
   left: 0;
   top: 0;
   display: flex;
   justify-content: center;
   align-items: center;
.loader img {
   width: 280px;
.scrollup {
   float: right;
   position: absolute;
   color: #fff;
   right: 20px;
   padding: 0px 5px;
   text-transform: uppercase;
   font-weight: 600;
```

```
background: #38c8a8;
   position: fixed;
   bottom: 20px;
   z-index: 99;
   text-align: center;
   color: #fff;
   cursor: pointer;
   border-radius: 0px;
   opacity: 0;
   backface-visibility: hidden;
   -webkit-backface-visibility: hidden;
   transform: scale(1);
   -moz-transform: scale(1);
   -o-transform: scale(1);
    -webkit-transform: scale(1);
   transition: .2s all ease;
   -moz-transition: .2s all ease;
   -o-transition: .2s all ease;
   -webkit-transition: .2s all ease;
   width: 50px;
   height: 50px;
   border-radius: 100%;
   line-height: 48px;
   font-size: 16px;
.scrollup.b-show_scrollBut {
   opacity: 1;
   visibility: visible;
.top awro {
   background: #ee4a79 none repeat scroll 0 0;
   cursor: pointer;
   padding: 6px 8px;
   position: fixed;
   bottom: 59px;
   right: 20px;
   display: none;
   height: 45px;
   width: 45px;
   border-radius: 50%;
   text-align: center;
   line-height: 30px;
   transition: all 0.5s ease;
```

```
.sale_pro {
    background: #f25252 !important;
.margin_top_50 {
    margin-top: 50px;
.margin_bottom_30_all {
    margin-bottom: 30px;
.text_align_center {
   text-align: center;
.logo_section {
    text-align: center;
.logo {
   float: left;
nav.main-menu {
    float: right;
    margin-left: 0;
.menu-area-main li:hover a,
.menu-area-main li:focus a {
    color: #ffc221;
.menu-area-main li.active a {
    color: #ffc221;
```

```
.right_cart_section {
   float: right;
   width: auto;
.right_cart_section ul {
   float: left;
   min-height: auto;
   margin: 0;
   padding: 12px 0 0;
.right_cart_section .cart_icons {
   padding: 18px 0 0;
.main-menu ul>li nth:child(5) a {
   padding-right: 0px;
.right_cart_section ul li {
   float: left;
   font-size: 17px;
   font-weight: 400;
   color: #fff;
   margin-right: 30px;
.right_cart_section ul.cart_update li {
   font-size: 13px;
   color: #ccc;
   line-height: normal;
   margin: 0;
   font-weight: 300;
.right_cart_section ul.cart_update li span {
   font-size: 18px;
   font-weight: 300;
   color: #fff;
   line-height: 21px;
.right_cart_section ul li i {
   margin-right: 10px;
```

```
margin-top: 5px;
   float: left;
   color: #fff;
   font-size: 21px;
.right_cart_section ul li a {
   color: #fff;
.top-bar-info {
   background: #111111;
   padding: 5px 0px;
.top-menu-left {
   float: left;
.top-menu-left li {
   position: relative;
   display: inline-block;
   margin-right: 11px;
   padding-right: 12px;
.top-menu-left li::before {
   content: '';
   position: absolute;
   right: 0;
   top: 9px;
   height: 10px;
   border-right: 1px dotted #999;
.top-menu-left li:last-child::before {
   display: none;
.top-menu-left li:last-child {
   padding: 0px;
   margin: 0px;
```

```
.top-menu-left li a {
   color: #ffffff;
   font-size: 12px;
   text-transform: uppercase;
   text-decoration: none;
.top-menu-left li a:hover {
   color: #38c8a8;
.right-dropdown-language {
   float: right;
   margin-left: 12px;
.dropdown-bar .dropdown-link {
   position: absolute;
   z-index: 1009;
   top: 40px;
   left: 0;
   right: auto;
   min-width: 50px;
   padding: 15px;
   background: #ffffff;
   list-style: none;
   border: 2px solid #38c8a8;
   opacity: 0;
   visibility: hidden;
    -webkit-box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
   box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
   -webkit-transition: opacity 0.2s ease 0s, visibility 0.2s linear 0s;
    -o-transition: opacity 0.2s ease 0s, visibility 0.2s linear 0s;
   transition: opacity 0.2s ease 0s, visibility 0.2s linear 0s;
   text-align: left;
.dropdown-bar:hover .dropdown-link {
   opacity: 1;
   visibility: visible;
   top: 25px;
```

```
.dropdown-bar.right-dropdown-language>a::after {
   font-family: 'FontAwesome';
   content: "\f107";
   text-decoration: none;
   padding-left: 4px;
   color: #ffffff;
.right-dropdown-language>a {
   line-height: 10px;
   padding: 5px 5px;
   cursor: pointer;
.dropdown-bar .dropdown-link li a {
   color: #111111;
   display: block;
   font-size: 12px;
   line-height: 15px;
   padding: 5px 0;
.dropdown-bar .dropdown-link li a:hover {
   color: #38c8a8;
.dropdown-bar .dropdown-link li a img {
   margin-right: 7px;
.dropdown-bar .dropdown-link li.active {
   font-weight: bold;
.right-dropdown-language .dropdown-link {
   min-width: 100px;
   padding: 7px 10px;
   color: #111111;
.dropdown-bar {
   position: relative;
   padding: 0 5px;
   font-size: 13px;
```

```
.dropdown-bar .dropdown-link.right-sd {
    left: auto;
    right: 0;
.right-dropdown-currency {
    float: right;
    margin-left: 12px;
.dropdown-bar.right-dropdown-currency>a::after {
    font-family: 'FontAwesome';
    content: "\f107";
    text-decoration: none;
    padding-left: 4px;
    color: #ffffff;
.right-dropdown-currency>a {
    line-height: 10px;
    padding: 5px 5px;
    cursor: pointer;
    color: #ffffff;
.right-dropdown-currency .dropdown-link {
    min-width: 100px;
    padding: 7px 10px;
    color: #111111;
.right-dropdown-currency .dropdown-link {
    min-width: 55px;
    padding: 7px 10px;
.right-dropdown-currency .dropdown-link li a span.symbol {
    margin-right: 7px;
#login-modal .modal-content {
    border-radius: 0px;
```

```
#login-modal .modal-content .modal-header {
    background: #38c8a8;
    border-radius: 0;
#login-modal .modal-content .modal-body .form-group input {
    background: #ffffff;
    border: 1px solid #c8c8c8;
    border-radius: 0px;
#login-modal .modal-content .modal-body .form-group input:focus {
    border: 1px solid #c8c8c8 !important;
#login-modal .modal-content form {
    margin-bottom: 10px;
.modal-title {
    padding: 0px;
    color: #ffffff;
    font-size: 18px;
    text-transform: uppercase;
.btn-template-outlined {
    background: #111111;
    color: #ffffff;
    border: none;
    border-radius: 0px;
.btn-template-outlined i {
    padding-right: 10px;
.text-muted {
    padding: 10px 0px;
.slogan-line {
    float: right;
    color: #ffffff;
   font-size: 13px;
```

```
.middle-area {
   padding: 30px 0px;
.header-search {
   padding: 3px 0px;
.header-search form {
   position: relative;
   -webkit-box-shadow: 0px 1px 10px -1px rgba(0, 0, 0, 0.2);
   box-shadow: 0px 1px 10px -1px rgba(0, 0, 0, 0.2);
.header-search .btn-group.bootstrap-select {
   position: absolute;
   left: 0px;
   top: 0px;
.header-search input {
   width: 100%;
   min-height: 45px;
   border-radius: 0px;
   border: none;
   padding-left: 15px;
   border: 1px solid #e0e7ed;
.header-search form .search-btn {
   position: absolute;
   right: 0;
   top: 0;
   border: 0;
   color: #fff;
   font-size: 20px;
   padding: 4px 15px;
   border-radius: 0px;
   background-color: #38c8a8;
   cursor: pointer;
.header-search form .search-btn:hover {
```

```
background: #111111;
.cart-box {
   float: right;
   margin-left: 10px;
   position: relative;
.cart-content-box {
   position: absolute;
   z-index: 1009;
   top: 40px;
   left: auto;
   right: 0;
   min-width: 250px;
   max-width: 250px;
   padding: 15px;
   background: #ffffff;
   list-style: none;
   border: 2px solid #38c8a8;
   opacity: 0;
   visibility: hidden;
   -webkit-box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
   box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
   text-align: left;
   -webkit-transform: scaleY(0);
   transform: scaleY(0);
   -webkit-transform-origin: 0 0 0;
   transform-origin: 0 0 0;
   -webkit-transition: all 0.3s ease 0s;
   transition: all 0.3s ease 0s;
   transition: all 0.3s ease 0s;
.cart-box:hover .cart-content-box {
   opacity: 1;
   visibility: visible;
   top: 100%;
   -webkit-transform: scaleY(1);
   transform: scaleY(1);
.inner-cart {
   background: #38c8a8;
```

```
border-radius: 2px;
    padding: 0px;
    color: #ffffff;
    position: relative;
    width: 40px;
    height: 40px;
    text-align: center;
.cart-box .inner-cart:hover {
    color: #ffffff;
.line-cart {
    float: left;
    line-height: 40px;
    margin-right: 9px;
.cart-box a {
    display: inline-block;
.cart-box a:hover {
    color: #38c8a8;
.cart-box a span.icon {
    background: #38c8a8;
    width: 30px;
    height: 40px;
    display: inline-block;
    line-height: 40px;
    text-align: center;
    color: #ffffff;
    position: relative;
    border-radius: 2px;
.cart-box a .p-up {
    position: absolute;
    right: -8px;
    top: -8px;
    line-height: initial;
    background: #38c8a8;
```

```
padding: 3px;
   border-radius: 50%;
   width: 17px;
   height: 17px;
   font-size: 12px;
   text-align: center;
   line-height: 10px;
.wish-box {
   float: right;
.wish-box a {
   display: inline-block;
.wish-box a:hover {
   color: #38c8a8;
.wish-box a span.icon {
   background: #38c8a8;
   width: 40px;
   height: 40px;
   display: inline-block;
   line-height: 40px;
   text-align: center;
   color: #ffffff;
   position: relative;
   border-radius: 2px;
.wish-box a span.icon:hover {
   background: #111111;
.cart-content-right {
   padding: 5px 0px;
.cart-content-box .items {
   text-align: center;
```

```
.product-media {
   width: 60px;
   float: left;
   position: relative;
.cart-content-box .items:hover .product-media::before {
   transform: scale(1);
   -webkit-transform: scale(1);
   -moz-transform: scale(1);
   -ms-transform: scale(1);
   -o-transform: scale(1);
.product-media::before {
   position: absolute;
   content: '';
   z-index: 2;
   top: 0;
   left: 0;
   width: 100%;
   height: 100%;
   background-color: #38c8a8;
   opacity: 0.4;
   transform: scale(0);
   -webkit-transform: scale(0);
   -moz-transform: scale(0);
   -ms-transform: scale(0);
   -o-transform: scale(0);
   transition: all 0.5s ease;
   -webkit-transition: all 0.5s ease;
   -moz-transition: all 0.5s ease;
   -o-transition: all 0.5s ease;
.cart-content-box .items .item .remove {
   position: absolute;
   right: 0px;
   top: 0px;
   background: #38c8a8;
   color: #ffffff;
   width: 20px;
   height: 20px;
   line-height: 18px;
   border-radius: 2px;
```

```
.cart-content-box .items .item {
   margin-bottom: 10px;
   padding-bottom: 10px;
   border-bottom: 1px solid #e0e7ed;
   position: relative;
.cart-content-box .items .item .product-info {
   padding-top: 10px;
   padding-left: 71px;
   text-align: left;
.cart-content-box .items .item .remove:hover {
   background: #111111;
.subtotal {
   text-align: left;
   text-transform: capitalize;
   color: #38c8a8;
   font-weight: 500;
   margin-bottom: 15px;
.subtotal span {
   font-weight: bold;
   color: #111111;
   padding-left: 15px;
   float: right;
.actions .btn-process {
   padding: 5px 16px;
   color: #ffffff;
   font-family: 'Roboto', sans-serif;
   font-size: 14px;
   border-radius: 2px;
   overflow: hidden;
.actions .btn-process:hover {
   color: #ffffff;
```

```
.line-cart {
   position: relative;
.wish-box a span.icon span {
   position: absolute;
   right: -8px;
   top: -8px;
   line-height: initial;
   background: #38c8a8;
   padding: 3px;
   border-radius: 50%;
   width: 17px;
   height: 17px;
   font-size: 12px;
.main-menu {
   text-align: center;
.main-menu ul {
   margin: 0;
   list-style-type: none;
.main-menu ul>li {
   display: inline-block;
   position: relative;
.main-menu ul>li a {
   padding: 30px 23px 0 23px;
   line-height: 20px;
   font-size: 16px;
   display: block;
   font-weight: 500;
   color: #010005;
   text-transform: uppercase;
.main-menu ul li:last-child a {
   padding-right: 0;
```

```
.sub-down li {
   background: #ffffff;
.main-menu ul>li .sub-down li a {
   color: #114c7d;
   font-size: 15px;
   text-transform: capitalize;
   font-weight: 300;
   padding: 12px 5px;
   position: relative;
   border-bottom: solid #eee 1px;
.main-menu ul>li .sub-down li a:hover {
   color: #111111;
.main-menu ul li:first-child {
   margin-left: 0;
.main-menu ul>li>ul {
   opacity: 0;
   position: absolute;
   text-align: left;
   top: 100%;
   -webkit-transform: scaleY(0);
   transform: scaleY(0);
   -webkit-transform-origin: 0 0 0;
   transform-origin: 0 0 0;
   -webkit-transition: all 0.3s ease 0s;
   transition: all 0.3s ease 0s;
   visibility: hidden;
   width: 240px;
   z-index: 999;
   background: #fff;
   -webkit-box-shadow: 0 6px 12px rgba(0, 0, 0, .175);
   box-shadow: 0 6px 12px rgba(0, 0, 0, .175);
.main-menu>ul>li:hover>ul {
   -webkit-transform: scaleY(1);
```

```
transform: scaleY(1);
   visibility: visible;
   opacity: 1;
.main-menu ul>li>ul>li {
   margin: 0px;
   position: relative;
   display: block;
.main-menu ul>li>ul>li:hover>ul {
   -webkit-transform: scaleY(1);
   transform: scaleY(1);
   visibility: visible;
   opacity: 1;
   left: 100%;
   top: 10px;
.main-menu ul>li>ul>li>a {
   background: none !important;
.mean-container .mean-nav {
   margin-top: 0px;
   position: absolute;
   top: 100%;
.main-menu ul>li {
   position: inherit;
   display: inline-block;
   vertical-align: middle;
.main-menu ul>li:nth-child(6) {
   padding-right: 0px;
.nav>li {
   position: inherit;
   display: inline-block;
   vertical-align: middle;
```

```
.megamenu .sub-down {
   max-width: 1140px;
   width: 100%;
   left: 0;
   margin: 0 auto;
   right: 0;
   padding: 15px 0px;
.simple-down {
   padding: 15px;
.megamenu-categories {
   padding: 10px 0px;
.sub-full.megamenu-categories li {
   display: block;
.megamenu .sub-full.megamenu-categories ol li a {
   padding: 5px 0px;
   font-size: 15px !important;
   font-weight: 500;
.sub-full.megamenu-categories ol li .category-title {
   padding: 15px 0px;
   font-size: 16px;
   font-weight: 600;
   text-transform: uppercase;
.sub-full.megamenu-categories ol li .category-box a {
   padding: 5px 0px;
.menu-add {
   padding: 30px 15px;
.menu-add img {
   width: 100%;
```

```
.main-w img {
    width: 100%;
.women-box {
    position: relative;
.women-box::before {
   content: "";
    position: absolute;
    background: rgba(0, 0, 0, 0.3);
    width: 100%;
    height: 100%;
.banner-up-text {
    position: absolute;
    bottom: 10px;
   left: 0px;
    right: 0px;
    text-align: center;
.text-a {
    color: #fff;
   text-transform: uppercase;
   font-size: 40px;
    line-height: 40px;
   font-weight: 700;
.text-b {
   color: #fff;
    font-size: 28px;
    text-transform: uppercase;
    line-height: 30px;
    padding: 20px 0px;
.text-c {
    color: #ffffff;
    font-size: 31px;
```

```
font-weight: 300;
   text-transform: uppercase;
   line-height: 30px;
   padding-bottom: 20px;
.megamenu .sub-full.megamenu-categories .women-box .banner-up-text a {
   background: #111111;
   color: #ffffff !important;
   display: inline-block;
   padding: 10px 16px;
   border-radius: 2px;
   overflow: hidden;
   font-size: 16px;
.sticky-wrapper .sticky-wrapper-header {
   z-index: 20 !important;
   background: #ffffff;
.is-sticky .sticky-wrapper-header .middle-area {
   padding: 10px 0px
.sticky-wrapper:not(.is-sticky) {
   height: auto !important;
.hover-btn {
   display: inline-block;
   vertical-align: middle;
   -webkit-transform: perspective(1px) translateZ(0);
   transform: perspective(1px) translateZ(0);
   box-shadow: 0 0 1px rgba(0, 0, 0, 0);
   position: relative;
   background: #111111;
   -webkit-transition-property: color;
   transition-property: color;
   -webkit-transition-duration: 0.3s;
   transition-duration: 0.3s;
.hover-btn::before {
   content: "";
```

```
position: absolute;
   z-index: -1;
   top: 0;
   bottom: 0;
   left: 0;
   right: 0;
   background: #38c8a8;
    -webkit-transform: scaleX(0);
   transform: scaleX(0);
    -webkit-transform-origin: 50%;
   transform-origin: 50%;
    -webkit-transition-property: transform;
   transition-property: transform;
    -webkit-transition-duration: 0.3s;
   transition-duration: 0.3s;
    -webkit-transition-timing-function: ease-out;
   transition-timing-function: ease-out;
   display: block !important;
.hover-btn:hover::before,
.hover-btn:focus::before,
.hover-btn:active::before {
    -webkit-transform: scaleX(1);
   transform: scaleX(1);
.hover-btn:hover,
.hover-btn:focus,
.hover-btn:active {
   color: white;
   box-shadow: none;
.btn-secondary.focus,
.btn-secondary:focus {
   box-shadow: none;
.img-responsive {
   max-width: 100%;
.padding_right_15_inner {
   padding-right: 15px;
```

```
.padding_left_15_inner {
   padding-left: 15px;
.dark bg {
   background: #114c7d;
   top banner area
.top-banner-slider {
   overflow: hidden;
   clear: both;
   height: 600px;
.top-banner-slider .heroslider {
   margin: 0px;
   padding: 0px;
   border: none;
   position: relative;
   border-radius: 0;
.swiper-overlay {
   height: 100%;
   position: relative;
.swiper-overlay {
   background: rgba(0, 0, 0, 0.5);
   content: "";
   width: 100%;
   height: 100%;
   left: 0px;
   top: 0px;
.heroslider .container {
   position: relative;
```

```
height: 100%;
   padding-left: 0;
   padding-right: 0;
   z-index: 5;
.swiper-container {
   width: 100%;
   height: 100%;
.heroslider .slider-01 {
   width: 100%;
   background-image: url(../images/slider-01.jpg);
   background-size: cover;
   background-position: center;
.heroslider .slider-02 {
   width: 100%;
   background-image: url(../images/slider-02.jpg);
   background-size: cover;
   background-position: center;
.heroslider .slider-03 {
   width: 100%;
   background-image: url(../images/slider-03.jpg);
   background-size: cover;
   background-position: center;
.heroslider .slides li {
   height: 600px;
.top-banner-slider .heroslider .slides li::before {
   content: "";
   position: absolute;
   background: rgba(0, 0, 0, 0.4);
   height: 100%;
   width: 100%;
   left: 0px;
   top: 0px;
```

```
.top-banner-slider .flex_caption3 {
    position: absolute;
    z-index: 30;
    left: 0;
    right: 0;
    bottom: 50px;
    margin: 0 -15px;
    display: flex;
a.slide banner {
    position: relative;
    display: inline-block;
    margin: 0 12px 0 15px;
.slide1_banner1 {
    width: 570px;
.slide1_banner2 {
    width: 270px;
.slide1_banner3 {
    width: 270px;
.top-banner-slider .flex_caption1 {
    text-align: center;
    position: absolute;
    z-index: 30;
    left: 0;
    right: 0;
    margin: 0 auto;
    top: 31%;
    max-width: 720px;
    width: 100%;
    text-transform: uppercase;
    color: #333;
.top-banner-slider .flex_caption1 .title1 {
   font-size: 36px;
```

```
font-weight: 300;
   color: #ffffff;
.top-banner-slider .flex_caption1 .title2 {
   font-size: 60px;
   font-weight: 900;
   color: #ffffff;
.top-banner-slider .flex_caption2 {
   text-align: center;
.top-banner-slider .flex_caption2 {
   position: absolute;
   z-index: 30;
   left: 0;
   top: 20%;
   display: table;
   width: 177px;
   height: 177px;
   background-color: #242424;
.top-banner-slider .flex caption2 .middle {
   display: table-cell;
   vertical-align: middle;
   text-transform: uppercase;
   text-align: center;
   font-weight: 700;
   line-height: 31px;
   font-size: 26px;
   color: #fff;
   transition: all 0.1s ease-in-out;
   -webkit-transition: all 0.1s ease-in-out;
.top-banner-slider .flex_caption2 .middle:hover {
   background: #38c8a8;
.top-banner-slider .flex_caption2 span {
   display: block;
   font-weight: 100;
```

```
line-height: 36px;
    font-size: 34px;
a.slide_banner::before {
    content: '';
    position: absolute;
    left: 0;
    top: 0;
    right: 0;
    bottom: 0;
    opacity: 0;
    border: 2px solid #ffffff;
    transition: all 0.1s ease-in-out;
    -webkit-transition: all 0.1s ease-in-out;
a.slide_banner:hover::before {
    left: -7px;
    top: -7px;
    right: -7px;
    bottom: -7px;
    opacity: 1;
.flex-control-nav {
    background: #38c8a8;
    bottom: 0px;
    position: relative;
.flex-control-nav li {
    line-height: 10px;
.flex-control-paging li a {
    background: rgba(255, 255, 255, 1);
    border: 2px solid #ffffff;
.flex-control-paging li a.flex-active {
    border: 2px solid #ffffff;
.flex-direction-nav a {
```

```
background: #111111;
   text-align: center;
.heroslider:hover .flex-direction-nav .flex-prev:hover {
   background: #38c8a8;
.heroslider:hover .flex-direction-nav .flex-next:hover {
   background: #38c8a8;
.flex-direction-nav a::before {
   color: #ffffff;
.top-banner-slider .swiper-pagination {
   padding: 10px 0px;
.heroslider .swiper-pagination {
   bottom: 0px;
   background: #38c8a8;
.heroslider .swiper-pagination .swiper-pagination-bullet-active {
   background: #fff;
.heroslider .swiper-pagination::before {
   content: "";
   width: 22px;
   height: 22px;
   position: absolute;
   left: -10px;
   top: 4px;
   z-index: -1;
   background: #e12d4f;
   -webkit-transform: rotate(45deg);
   transform: rotate(45deg);
.heroslider .swiper-pagination::after {
   content: "";
   width: 22px;
```

```
height: 22px;
    position: absolute;
    right: -10px;
    top: 4px;
    z-index: -1;
    background: #e12d4f;
    -webkit-transform: rotate(45deg);
    transform: rotate(45deg);
.heroslider .swiper-pagination.swiper-pagination-bullets-dynamic {
    overflow: visible;
    width: 110px !important;
.heroslider .swiper-pagination .swiper-pagination-bullet {
    opacity: 1;
input[type="checkbox"].styled:checked+label:after,
input[type="radio"].styled:checked+label:after {
    font-family: 'FontAwesome';
    content: "\f00c";
input[type="checkbox"] .styled:checked+label::before,
input[type="radio"] .styled:checked+label::before {
    color: #fff;
input[type="checkbox"] .styled:checked+label::after,
input[type="radio"] .styled:checked+label::after {
    color: #fff;
input[type="submit"]{
    height: 35px;
    cursor: pointer;
    transition: all .1s linear;
    color: #0F1111;
    outline: 0;
    overflow: visible;
```

```
layout new css
.right_header_info {
    width: 100%;
    float: left;
    padding: 8px 0 0;
.right_header_info ul {
    list-style: none;
    padding: 0;
    margin: 0;
    float: right;
.right_header_info ul li {
    display: inline;
    font-size: 18px;
    margin-left: 20px;
.right_header_info ul li a {
    color: #fff;
    font-weight: 300;
.slider_cont_section h4 {
    color: #f36b2a;
    text-transform: uppercase;
    font-size: 48px;
    font-weight: 700;
    padding: 0;
    line-height: normal;
.slider_cont_section h3 {
    color: #fff;
    text-transform: uppercase;
    font-size: 135px;
    font-weight: 700;
    padding: 0;
    line-height: 125px;
    margin-bottom: 35px;
```

```
.slider_cont_section p {
   color: #fff;
   font-size: 18px;
   font-weight: 300;
   padding: 0;
   line-height: normal;
   margin-bottom: 50px;
.button_section a {
   width: 190px;
   height: 50px;
   background: #f36b2a;
   float: left;
   margin-right: 15px;
   line-height: 50px;
   border-radius: 100px;
   font-size: 17px;
   color: #fff;
   text-align: left;
   padding: 0 25px;
   font-weight: 400;
   position: relative;
   letter-spacing: 0.1px;
.button_section a:hover,
.button section a:focus {
   background: #040f45;
.button_section a::after {
   width: 60px;
   content: ">";
   background: #ddd;
   position: absolute;
   right: -2px;
   top: 0;
   color: #040f45;
   height: 100%;
   border-radius: 0 100px 100px 0;
   text-align: center;
   font-size: 22px;
```

```
.full.slider cont section {
    padding-top: 120px;
    padding-left: 340px;
    right: 70px;
.center {
    display: flex;
    justify-content: center;
#slider main {
    padding-top: 205px;
.top_section div.button_section {
    display: flex;
.right_header_info ul li {position: relative;}
.header {
    background: #e8e9e9;
    padding: 35px 0px;
.logo a {
   font-size: 40px;
    font-weight: bold;
    text-transform: uppercase;
    color: #fff;
    line-height: 40px;
.relative {
    position: absolute;
    top: 50%;
    transform: translateY(-50%);
    bottom: auto;
    text-align: left;
.banner main {
```

```
position: relative;
   background: #e8e9e9;
.text-img figure {margin: 0px;}
.banner_main .text-bg h1 {
   color: #0fbbad;
   font-size: 85px;
   line-height: 95px;
   text-transform: uppercase;
   padding: 80px 0px;
   font-weight: 600;
   margin-top: 40px;
.banner main .text-bg a {
   width: 191px;
   background: #fff;
   padding: 9px 0px;
   color: #000;
   font-size: 17px;
   display: inline-block;
   text-align: center;
   margin-top: 20px;
   text-transform: uppercase;
   font-weight: 500;
   box-shadow: #000 -7px 7px 0px -1px;
.banner main .text-bg a:hover {
   background: #0fbbad;
   color: #fff;
.banner_Client {
   position: relative;
.text {
   position: inherit; text-align: left; background: #0fbbad; width: 100%;
   bottom: auto;
   padding: 0;
```

```
margin-top: 90px
.img_bg {
   text-align: center;
    margin: 0 auto;
    align-items: center;
    width: 100%;
    display: flex;
    height: 100%;
    text-align: center;
    justify-content: center;
    flex-wrap: wrap;
.img_bg figure {margin: 0px; }
.img_bg figure img {width: 100%;}
.img_bg h3 {
text-align: center;
font-size: 50px;
line-height: 58px;
color: #fff;
.black_nolmal {font-weight: normal; color: #000;}
.carousel-indicators li {
   width: 25px;
    height: 25px;
    border-radius: 30px;
.carousel-indicators {margin-bottom: -50px;}
.carousel-indicators .active {
    background-color: #0fbbad;
.carousel-indicators li {
    background: #0c0505;
.black_bold {color: #0a0101;}
.fa.fa-angle-right {
```

```
padding-left: 10px;
.title {
    text-align:center;
    padding-bottom: 60px;
.title h2 {
    font-size: 50px;
line-height: 45px;
color: #25f7e6;
font-weight: normal;
margin-bottom: 0px;
padding-bottom: 0px;
.black {
    font-weight: 500;
    color:#000404;
/** trending section **/
.trending {
    background: #fff;
    padding-top: 130px;
.trending .trending-box {
    text-align: center;
.margitop {margin-top: 70px;}
.margitop:nth-child(even){
    margin: 0;
.trending .trending-box figure {margin: 0px; margin-bottom: 10px;}
.trending .trending-box h3 {
    font-weight: 500;
    font-size: 30px;
    line-height: 28px;
    color: #050000;
    padding: 20px 20px;
```

```
.col-xl-4 .trending-box:hover {
    cursor: pointer;
    opacity: .7;
    transition: .3s ease-in-out;
/** end trending section **/
/** brand section **/
.brand {
    background: #fff;
    padding-top: 90px;
.brand .title {
    text-align:center;
    padding-bottom: 60px;
.brand .title h2 {
    font-size: 50px;
line-height: 45px;
color: #25f7e6;
font-weight: normal;
margin-bottom: 0px;
padding: 0;
 .brand-bg {
box-shadow: #ddd 0px 0px 19px 8px;
margin-bottom: 29px;
 .brand-bg .brand-box {
    background: #fff;
    text-align: center;
    padding: 25px 20px 25px 20px;
    text-align: center;
```

```
.brand-bg .brand-box:hover {
    background: #f0efef;
    cursor: pointer;
    transition: .1s ease-in-out;
.brand-bg .brand-box i {
    height: 290px;
    float: left;
    width: 100%;
    display: flex;
    justify-content: center;
    align-items: center;
    margin-bottom: 20px;
.brand-bg .brand-box img {
    max-height: 290px;
 .brand-bg .brand-box h3 {
    color: #020000;
font-weight: 500;
font-size: 20px;
line-height: 20px;
padding-top: 15px;
text-transform: uppercase;
 .brand-bg .brand-box span {
    color: #020000;
    font-weight: 500;
    font-size: 22px;
    line-height: 22px;
/** end brand section **/
/** map section **/
.map img {
    width: 100%;
    padding:0px;
```

```
.padddd {
   padding: 20px ;
.contact{
   background: #f0efef;
.contact .main form {
    padding-left: 40px;
   padding-right: 50px;
   padding-bottom: 40px;
   padding-top: 39px;
   background: #f0efef;
.form-control {
    border: #fff solid 2px;
    border-radius: inherit;
    margin-bottom: 20px;
    padding: 13px 20px;
    box-shadow: #ddd 0px 0px 11px 4px;
    font-family: poppins;
.form-control:focus {
    box-shadow: inherit;
    border: #fff solid 2px !important;
    box-shadow: #ddd 0px 0px 11px 4px;
.textarea {
    font-family: poppins;
   border: #fff solid 2px;
    margin-bottom: 20px;
    padding: 13px 20px;
    width: 100%;
    padding-top: 40px;
    box-shadow: #ddd 0px 0px 11px 4px;
.send {
    font-family: poppins;
```

```
margin: 0 auto;
    display: block;
    background: #000;
    color: #fff;
    max-width: 158px;
    padding: 10px 0px;
    width: 100%;
    font-size: 17px;
.send:hover {
     background: #4eddd2;
.footer {
    background: #01312e;
    padding-top: 90px;
ul.sociel {
    display: flex;
    flex-wrap: wrap;
    justify-content:center;
    margin: 0 auto;
ul.sociel li {
    display: inline-block;
    padding:0px 10px;
ul.sociel li a {
color: #fff;
width: 40px;
height: 40px;
float: left;
text-align: center;
line-height: 50px;
border-radius: 100%;
font-size: 18px;
```

```
ul.sociel li a:hover {color: #d2390a;}
.contact {
    margin-top: 90px;
.contact h3 {
    color: #fff;
    font-weight: 500;
    font-size: 28px;
            line-height: 30px;
    padding-bottom: 30px;
    text-transform: uppercase;
.contact span {
    color: #fff;
    font-size: 17px;
    line-height: 27px;
ul.lik {text-align: center; margin-top: 10px;}
ul.lik li {display: inline-block; }
ul.lik li a {
    color: #fff;
    font-size: 17px;
    line-height: 27px;
    padding: 0px 15px;
    text-transform: uppercase;
ul.lik li a:hover {
    color: #4eddd2;
.logo1 {
    margin-bottom: 10px;
.border1 {border-bottom: #ddd solid 1px;}
.new {text-align: center; margin-top: 40px;}
.new h3 {color: #fff; font-size:20px; display:inline-block; padding-
right: 15px;}
.newtt p {color: #fff; text-align: center; margin-top: 35px;}
.newtetter {display: inline-block;}
.newtetter .tetter {
    width: 231px;
    padding: 7px 20px;
border-radius: inherit;
```

```
border: indianred}
.submit {
background: #d2390a;
margin-left: -3px;
padding: 7px 26px;
color: #fff;
.submit:hover {background: #4eddd2;}
.copyright {
    background-color: #023f3b;
    padding: 20px 0px;
    margin-top: 90px;
.copyright p {
    color: #fff;
    font-size: 18px;
    line-height: 22px;
    text-align: center;
.copyright a {
    color: #fff;
.copyright a:hover {
    color: #4eddd2;
#map {
    height: 100%;
    min-height: 480px;
   ener page css
.contact_page .contact {margin-top: 0px;}
.contactus .title h2 {
   font-weight: bold;
    color: #fff;
font-weight: 500;
```

```
.contactus {
     background-color: #01312e;
     padding: 50px 0px;
.contactus .title {
 padding-bottom: 0px;
text-align: center;
.brand_color .abouttitle h2 {
    color: #fff;
    text-transform: uppercase;
     font-size: 40px;
     line-height: 45px;
     padding: 40px 0;
     font-weight: 500;
     text-align: center;
.about {padding: 90px 0;}
.about .aboutimg figure {margin: 0;}
.about .aboutimg h3 {
    font-size: 45px;
    line-height: 50px;
    padding-top: 105px;
    font-weight: 500;
    font-family: PermanentMarker;
.about .aboutimg p {
    color: #4eddd2;
    font-size: 20px;
    font-weight: 600;
    line-height: 23px;
    padding-top: 10px;
.about .aboutimg button {
    max-width: 152px;
    background: #000;
    width: 100%;
    display: inline-block;
    text-align: center;
    padding: 10px 0px;
```

```
color: #fff;
   margin-top: 35px;
.about .aboutimg button:hover {
   background: #4eddd2;
   color: #000;
.textAbout{
   color: #000 !important;
   display: none;
/** product **/
.product {
   padding: 0 0 30px;
.product_style_3 .product_img {
   float: left;
   width: 100%;
   min-height: 370px;
   padding: 25px;
   position: relative;
   background: #f3f3f3;
   display: flex;
   align-items: center;
.center {
   width: 100%;
   display: flex;
   justify-content: center;
.product_style_3 .overlay_hover {
   top: 0;
   border-radius: 0;
.overlay_hover {
   position: absolute;
   width: 100%;
   height: 100%;
   display: flex;
   justify-content: center;
```

```
align-items: center;
   background: rgba(255, 255, 255, .8);
   border-radius: 10px;
   transition: ease all 0.5s;
   opacity: 0;
   visibility: hidden;
   top: 0;
.product:hover .overlay_hover, .product:focus .overlay_hover {
   opacity: 1;
   visibility: visible;
.add-bt {
   min-width: 130px;
   text-align: center;
   background: #fff;
   height: 45px;
   line-height: 46px;
   color: #0fbbad !important;
   text-transform: uppercase;
   font-weight: 500;
   font-size: 13px;
   box-shadow: 0 0 10px -8px #000;
   border-radius: 5px;
   padding: 0 20px;
.add-bt:hover {
   color: #000 !important;
   cursor: pointer;
.light red .add-bt {
   background: #ff9999;
   color: #fff;
.product_style_3 .product_detail {
   background: #fff;
   border: solid #e1e1e1 1px;
   width: 80%;
   margin: -40px 10% 0;
   position: relative;
.product detail {
```

```
float: left;
   width: 100%;
   padding: 20px 5px;
.product_style_3 .product_img .center img {height: 250px;}
.text_align_center {
   text-align: center;
.light_red .product_price {
   color: #ff9999;
.product_price {
   font-size: 18px;
   font-weight: 600;
   color: #0fbbad;
   margin: 0;
.old price {
   text-decoration: line-through;
   font-weight: 400;
   font-size: 14px;
   color: #707070;}
.product_style_3 .product_descr {
   margin: 5px 0 0;
   padding: 0 10px;
   line-height: 18px;
   color: #000;
   font-weight: 400;
.tab_bar_section ul.nav.nav-tabs li a:hover {color: #0fbbad;}
.layout_padding-2 {margin: 90px 0px 45px 0px;}
.img box {
```

```
border: solid #ddd 3px;
width: 98.2%;
display: flex;
flex-wrap: wrap;
justify-content: center;
padding: 60px 0px;
.product style 3 {
    margin: auto;
.product_detail_side {margin-top: 10px;}
.product-heading {
    text-align: left;
    border-bottom: 1px solid #f0f0f0;
.product-heading h2 {
    font-size: 28px;
    color: #181818;
    padding-bottom: 23px;
    margin: 0;
    font-weight: 500;
.product-detail-side {
    border-bottom: 1px solid #f0f0f0;
    text-align: left;
    padding: 15px 0;
.product-detail-side span {
    font-size: 24px;
    font-weight: 300;
    margin-right: 15px;
.product-detail-side span.new-price {
    color: #222;
    font-weight: 400;
.product-detail-side span.rating {
    margin-right: 5px;
```

```
.rating i {
   color: #eabe12;
   font-size: 18px;
   margin: 0 -2px;
.rating i {
   color: #eabe12;
   font-size: 18px;
.product-detail-side span.review {
   font-size: 13px;
.detail-contant {
   text-align: left;
   padding: 25px 0;
   float: left;
   width: 100%;
.detail-contant p {
   color: #707070;
   font-size: 14px;
   line-height: 21px;
   font-weight: 300;
.cart .quantity {
   float: left;
   margin-top: -65px;
.input-text.qty.text {
   background: #fff;
   padding: 5px 10px 5px 15px;
   border: solid #ccc 1px;
   font-size: 20px;
   font-weight: 400;
   width: 65px;
   color: #272727;
   border-radius: 0;
.bt_main {
   background: #000;
```

```
padding: 10px 22px;
   color: #fff;
.cart button {
   margin-left: 10px;
   margin-top: 26px;
   transition: ease all 0.5s;
.bt main:hover, .bt main:focus {
   color: #000;
   background: #0fbbad;
.tab_bar_section {
   float: left;
   width: 100%;
.tab bar section {
   float: left;
   width: 100%;
   margin-top: 50px;
 .tab_bar_section .nav.nav-tabs {
   float: left;
   width: 100%;
   display: block;
   justify-content: center;
   border-bottom: solid #ddd 1px;
.product_detail_page .tab_bar_section .nav-tabs .nav-item {
   margin-bottom: 0;
   float: left;
.tab bar section ul.nav.nav-tabs li a.active {
   background-color: #0fbbad;
   color: #fff;
.tab_bar_section ul.nav.nav-tabs li a {
   font-family: 'Poppins', sans-serif;
```

```
font-size: 16px;
   font-weight: 400;
   padding: 0 30px;
   height: 50px;
   border: none !important;
   line-height: 52px;
   background: #f3f3f3;
   border-radius: 0;
.tab_bar_section .tab-content {
   float: left;
   width: 100%;
   padding: 35px 0;
.tab-content > .active {
   display: block;
.product_desc p {
   color: #707070;
   font-size: 14px;
   line-height: 21px;
   font-weight: 300;
.tab-content > .active {
   display: block;
.commant-text {
   border-bottom: solid #ddd 1px;
   padding-bottom: 25px;
   padding-top: 25px;
.commant-text .profile {
   text-align: center;}
.img-responsive {
   max-width: 100%;
```

```
.product_review h5 {
    text-transform: none;
    font-weight: 500;
    font-size: 15px;
    margin-bottom: 5px;
.product_review p {
    margin-bottom: 0;
.float-right {
    float: right !important;
    margin-top: 30px;
.commant_box textarea {
    border-radius: 0;
    padding: 20px 20px;
    font-weight: 300;
    font-size: 14px;
    min-height: 150px;
/** product detail3 **/
#sidebar {
```

```
width: 280px;
    position: fixed;
    top: 0;
    left: -280px;
    height: 100vh;
    z-index: 999;
    background: #fff;
    color: #fff;
    transition: all 0.3s;
    overflow-y: scroll;
    box-shadow: 3px 3px rgba(0, 0, 0, 0.2);
#sidebar.active {
    left: 0;
#dismiss {
    width: 35px;
    height: 35px;
    line-height: 34px;
    text-align: center;
    background: #111;
    position: absolute;
    top: 10px;
    right: 10px;
    cursor: pointer;
    -webkit-transition: all 0.3s;
    -o-transition: all 0.3s;
    transition: all 0.3s;
#dismiss:hover {
    background: #111;
    color: #fff;
.overlay {
    display: none;
    position: fixed;
    width: 100vw;
    height: 100vh;
    background: rgba(0, 0, 0, 0.7);
    z-index: 998;
    opacity: 0;
```

```
transition: all 0.5s ease-in-out;
.overlay.active {
    display: block;
    opacity: 1;
#sidebarCollapse {
    background: transparent;
    padding: 0;
    border: none;
#sidebar .sidebar-header {
    padding: 20px;
    background: #6d7fcc;
#sidebar ul.components {
    padding: 55px 0;
#sidebar ul p {
    color: #fff;
    padding: 10px;
#sidebar ul li a {
    padding: 10px 25px;
    font-size: 1.3em;
    display: block;
    font-weight: 300;
#sidebar ul li a:hover {
    color: #0fbbad;
    background: #fff;
#sidebar ul li.active > a, a[aria-expanded="true"] {
    color: #fff;
    background: #0fbbad;
a[data-toggle="collapse"] {
```

```
position: relative;
.dropdown-toggle::after {
    display: block;
    position: absolute;
    top: 50%;
    right: 20px;
    transform: translateY(-50%);
ul ul a {
    font-size: 0.9em !important;
    padding-left: 30px !important;
    background: #6d7fcc;
ul.CTAs {
    padding: 20px;
ul.CTAs a {
    text-align: center;
    font-size: 0.9em !important;
    display: block;
    border-radius: 5px;
    margin-bottom: 5px;
a.download {
    background: #fff;
    color: #7386D5;
a.article,
a.article:hover {
    background: #6d7fcc !important;
    color: #fff !important;
#content {
    width: 100%;
    min-height: auto;
    transition: all 0.3s;
    position: relative;
```

```
top: 0;
    right: 0;
#scrolled {
    display: block;
    background-color: #0fbbad;
    width: 50px;
    height: 50px;
    text-align: center;
    border-radius: 6px;
    position: fixed;
    bottom: 30px;
    right: 30px;
    transition: background-color .3s, opacity .5s, visibility .5s;
    opacity: 0;
    visibility: hidden;
    z-index: 1000;
#scrolled::after {
    content: "\f062";
    font-family: FontAwesome;
    font-weight: normal;
    font-style: normal;
    font-size: 2em;
    line-height: 50px;
    color:#000;
#scrolled.show{
    opacity: 1;
    visibility: visible;
.error{
    border: 1px solid #ff0000;
@import url('https://fonts.googleapis.com/css?family=Poppins:400,500,600,700&
display=swap');
::selection{
 background: #0fbbad;
  color: #fff;
```

```
.wrapper-log{
 position: absolute;
 top: 6rem;
 right: 50px;
 overflow: hidden;
 max-width: 390px;
 background: #fff;
 padding: 30px;
 border-radius: 5px;
 box-shadow: 0px 15px 20px rgba(0,0,0,0.1);
 z-index: 10;
 overflow: hidden;
 transition: all 0.6s ease;
.wrapper-log .title-text{
 display: flex;
 width: 200%;
.wrapper-log .title{
 width: 50%;
 font-size: 35px;
 font-weight: 600;
 text-align: center;
 transition: all 0.6s cubic-bezier(0.68,-0.55,0.265,1.55);
.wrapper-log .slide-controls{
 position: relative;
 display: flex;
 height: 50px;
 width: 100%;
 overflow: hidden;
 margin: 30px 0 10px 0;
 justify-content: space-between;
 border: 1px solid lightgrey;
 border-radius: 5px;
.slide-controls .slide{
 height: 100%;
 width: 100%;
 color: #fff;
 font-size: 18px;
 font-weight: 500;
 text-align: center;
 line-height: 48px;
 cursor: pointer;
```

```
z-index: 1;
  transition: all 0.6s ease;
.slide-controls label.signup{
  color: #000;
.slide-controls .slider-tab{
  position: absolute;
  height: 100%;
 width: 50%;
  left: 0;
  z-index: 0;
 border-radius: 5px;
  background: rgb(0,29,77);
  background: linear-
gradient(90deg, rgba(0,29,77,1) 0%, rgba(15,187,173,1) 41%, rgba(42,255,224,1
) 100%);
  transition: all 0.6s cubic-bezier(0.68,-0.55,0.265,1.55);
input[type="radio"]{
  display: none;
#signup:checked ~ .slider-tab{
  left: 50%;
#signup:checked ~ label.signup{
  color: #fff;
  cursor: default;
  user-select: none;
#signup:checked ~ label.login{
  color: #000;
#login:checked ~ label.signup{
  color: #000;
#login:checked ~ label.login{
  cursor: default;
  user-select: none;
.wrapper-log .form-container{
 width: 100%;
  overflow: hidden;
.form-container .form-inner{
```

```
display: flex;
 width: 200%;
form-container .form-inner form{
 width: 50%;
 transition: all 0.6s cubic-bezier(0.68,-0.55,0.265,1.55);
.form-inner form .field{
 height: 50px;
 width: 100%;
 margin-top: 20px;
.form-inner form .field input{
 height: 100%;
 width: 100%;
 outline: none;
 padding-left: 15px;
 border-radius: 5px;
 border: 1px solid lightgrey;
 border-bottom-width: 2px;
 font-size: 17px;
 transition: all 0.3s ease;
form-inner form .field input:focus{
 border-color: #0fbbad;
 /* box-shadow: inset 0 0 3px #fb6aae; */
.form-inner form .field input::placeholder{
 color: #999;
 transition: all 0.3s ease;
form .field input:focus::placeholder{
 color: #b3b3b3;
.form-inner form .pass-link{
 margin-top: 5px;
.form-inner form .signup-link{
 text-align: center;
 margin-top: 30px;
.form-inner form .pass-link a,
.form-inner form .signup-link a{
 color: #0fbbad;
 text-decoration: none;
```

```
.form-inner form .pass-link a:hover,
.form-inner form .signup-link a:hover{
  text-decoration: underline;
form .btn{
 height: 50px;
 width: 100%;
 border-radius: 5px;
 position: relative;
 overflow: hidden;
form .btn .btn-layer{
 height: 100%;
 width: 300%;
 position: absolute;
 left: -100%;
 background: rgb(0,29,77);
 background: linear-
gradient(90deg, rgba(0,29,77,1) 0%, rgba(15,187,173,1) 41%, rgba(42,255,224,1
) 100%);
 border-radius: 5px;
 transition: all 0.4s ease;
form .btn:hover .btn-layer{
  left: 0;
form .btn input[type="submit"]{
 height: 100%;
 width: 100%;
 z-index: 1;
 position: relative;
 background: none;
 border: none;
 color: #fff;
 padding-left: 0;
 border-radius: 5px;
 font-size: 20px;
 font-weight: 500;
  cursor: pointer;
.hidden{
    display: none;
    overflow: hidden;
```

```
transition: all 0.6s ease;
#priceRefinements{
    border-right: 3px solid #c8c8c8;
    padding-left: 2rem;
.refinements{
    padding-left: 9px;
    position: absolute;
    margin-top: 6.5px;
    line-height: 30px;
    font-size: 100%;
.ref-price{
    padding-left: 18px;
    width: 70px;
    height: 35px;
    margin-top: 3px!important;
#priceTitle h3{
    color: #020000;
    font-weight: 500;
    font-size: 30px;
    line-height: 20px;
    padding-top: 15px;
    font-family: PermanentMarker;
#sort{
    position: absolute;
    right: 2%;
    width: 20%;
    cursor: pointer;
.list-item{
    color: #0F1111;
    font-size: 17px;
    font-weight: 400;
    cursor: pointer;
```

```
.checkbox-list{
   margin-top: 5px;
   border-bottom: 1px solid #c8c8c8;
.checkbox-list label{
   margin: 0;
.checkbox-list label:hover{
   text-decoration: underline;
.cbBrand{
   height: 16px;
   width: 16px;
   cursor: pointer;
.cbCat{
   height: 16px;
   width: 16px;
   cursor: pointer;
/******* Cart page *******/
.product-container{
   display: flex;
   flex-wrap: wrap;
   max-width: 1000px;
   justify-content: space-around;
   margin: 0 auto;
   margin-top: 50px;
   padding-bottom: 6rem;
.product-container ion-icon{
   font-size: 30px;
   color: #0fbbad;
   margin: 0px 10px;
   cursor: pointer;
```

```
.product-header{
   width: 100%;
   max-width: 1000px;
   display: flex;
   justify-content: flex-start;
   border-bottom: 4px solid #c8c8c8;
   margin: 0 auto;
.product-title{
   width: 45%;
   border-bottom: 1px solid #c8c8c8;
.price{
   width: 15%;
   border-bottom: 1px solid #c8c8c8;
   display: flex;
   align-items: center;
.quantity{
   width: 30%;
   border-bottom: 1px solid #c8c8c8;
   display: flex;
   align-items: center;
.decrease,
.increase{
   padding-top: 6px;
.total{
   width: 10%;
   display: flex;
   justify-content: space-around;
   align-items: center;
   padding: 10px 0;
   border-bottom: 1px solid #c8c8c8;
.cart-product{
   width: 45%;
   display: flex;
```

```
justify-content: space-around;
   align-items: center;
   padding: 10px 0;
   border-bottom: 1px solid #c8c8c8;
.products{
   width: 100%;
   display: flex;
   flex-wrap: wrap;
.product-wrap{
   width: 100%;
   display: flex;
   flex-wrap: wrap;
.product-wrap img{
   max-width: 50%;
   max-height: 200px;
.basket-total-container{
   display: flex;
   justify-content: flex-end;
   width: 100%;
   padding: 10px 0;
.basket-total-title{
   width: 30%;
.basket-total{
   width: 10%;
.cart-number{
   text-align: center;
   position: absolute;
   line-height: 20px;
   width: 20px;
   height: 20px;
   background: #FD2521;
```

```
background-repeat: no-repeat;
   border-radius: 3rem;
   left: -8px;
   font-family: Itim;
   visibility: hidden;
.emptyCart{
   font-family: Itim;
   font-size: 30px;
   color: #0fbbad;
   margin: auto;
   margin-top: 20px;
.ui-slider-range{
   background: #0fbbad;
.ui-slider .ui-slider-handle{
   background: #0fbbad;
   border-radius: 2rem;
```

3.2.2 responsive.html

```
.logo {
   text-align: center;
.cart-content-right {
    padding-bottom: 5px;
.mg {
   margin: 0px 0px;
.menu-area-main {
   height: 256px;
   overflow-y: auto;
.megamenu>.row [class*="col-"] {
    padding: 0px;
.menu-area-main .megamenu .men-cat {
    padding: 0px 15px;
.menu-area-main .megamenu .women-cat {
    padding: 0px 15px;
.menu-area-main .megamenu .el-cat {
    padding: 0px 15px;
.mean-container .mean-nav ul li a.mean-expand {
   height: 19px;
.category-box.women-box {
    display: none;
.cart-box {
    display: inline-block;
   margin: 0px 30px;
.wish-box {
   float: none;
   margin: 0px 30px;
   display: inline-block;
.menu-add {
   display: none;
.category-box {
   display: none;
```

```
.mean-container .mean-nav ul li ol {
       padding: 0px;
    .mean-container .mean-nav ul li a {
       padding: 10px 20px;
       width: 94.8%;
    .mean-container .mean-nav ul li li a {
       width: 92%;
       padding: 1em 4%;
    .mean-container .mean-nav ul li li li a {
       width: 100%;
    .header-search {
       padding: 15px 0px;
   #collapseFilter.d-md-block {
       padding: 30px 0px;
599px x 280px -----
@media only screen and (min-width: 280px) and (max-width: 599px) {
    .cart-content-right {
       padding-bottom: 5px;
    .megamenu>.row [class*="col-"] {
       padding: 0px;
    .menu-area-main .megamenu .men-cat {
       padding: 0px 15px;
    .menu-area-main .megamenu .women-cat {
       padding: 0px 15px;
    .menu-area-main .megamenu .el-cat {
       padding: 0px 15px;
    .mean-container .mean-nav ul li a {
       padding: 1em 4%;
       width: 92%;
```

```
.mean-container .mean-nav ul li li a {
       width: 90%;
        padding: 1em 5%;
    .mean-container .sub-full.megamenu-categories ol li a {
        padding: 5px 0px;
        text-transform: capitalize;
       width: 100%;
    .megamenu .sub-full.megamenu-categories .women-box .banner-up-text a {
       width: auto;
       border: none;
       float: none;
    .menu-area-main {
       height: 290px;
        overflow-y: auto;
    .mean-container .mean-nav ul li a.mean-expand {
        top: 0;
@media (min-width: 1200px) and (max-width: 1500px) {
    .banner-main .carousel-caption {
        background: transparent;
@media (min-width: 992px) and (max-width: 1199px) {
    .main-menu ul>li a {
        padding: 26px 20px 0 20px;
    .full-slider cont h1 {
        font-size: 51px;
        line-height: 61px;
    .mean-last {
        display: none !important;
    .banner_main .text-bg h1 {
       font-size: 61px;
        line-height: 88px;
    .trending .trending-box h3 {
       font-size: 26px;
```

```
.brand-bg .brand-box h3 {
       font-size: 13px;
        line-height: 18px;
   ul.lik li a {
       padding: 0px 11px;
   ul.sociel li {
       padding: 0px 7px;
    .contact h3 {
       font-size: 24px;
    .about .aboutimg h3 {
      padding-top: 82px;
    .product_style_3 .product_descr {
       font-size: 13px;
@media (min-width: 768px) and (max-width: 991px) {
    .right_header_info {
       margin-top: -50px;
        padding:0;
    .main-menu ul>li a {
        padding: 13px 12px 0 12px;
    .banner main .text-bg h1 {
       font-size: 46px;
        padding: 45px 0px;
        line-height: 59px;
    .title h2 {
       font-size: 46px;
    .img_bg h3 {
       font-size: 39px;
    .trending .trending-box h3 {
       font-size: 19px;
    .margintop {
       margin-bottom: 30px;
```

```
.contact .main_form {
       padding-left: 0px;
        padding-right: 0px;
    .padddd {
       padding: 0px 15px;
   ul.lik {
       display: none;
   ul.sociel li {
       padding: 0px 0px;
    .about .aboutimg h3 {
       padding-top: 0px;
    .blog .news-box figure img {
       height: 300px;
    .product-heading h2 {
       font-size: 18px;
    .product-detail-side span {
       font-size: 19px;
    .product_style_3 .product_descr {
       font-size: 14px;
@media (min-width: 576px) and (max-width: 767px) {
    .right_header_info {
       margin-top: -50px;
        padding:0;
    .header {
       padding-bottom: 25px;
        padding-top: 35px;
    .mean-container .mean-bar {
        margin-top: 0px;
    .mapimg {
      margin-bottom: 30px;
    .banner_main .text-bg h1 {
```

```
font-size: 76px;
    line-height: 116px;
    padding: 63px 0px;
.img_bg h3 {
    padding: 30px 10px;
    font-size: 24px;
    line-height: 29px;
.margitop {
    margin-top: 0px;
.contact {
   margin-top: 60px;
.padddd {
    padding: 0px 15px;
.contact .main_form {
    padding-left: 0px;
    padding-right: 0px;
    width: 100%;
ul.lik {
   display: none;
ul.contant_icon {
    margin-bottom: 20px;
.logo1 {
    margin: 0 auto;
    text-align: center;
    display: flex;
    flex-wrap: wrap;
ul.sociel {
   margin-top: 20px;
ul.sociel li{
    margin-bottom: 30px;
.about .aboutimg h3 {
   padding-top: 0px;
.about .aboutimg a {
```

```
margin-bottom: 30px;
    .product-heading h2 {
       font-size: 18px;
    .product-detail-side span {
       font-size: 19px;
@media (max-width: 575px) {
    .header {
        padding-bottom: 25px;
        padding-top: 25px;
    .logo {
        text-align: center !important;
        padding-bottom: 25px;
        float: inherit;
   .mapimg {
       margin-bottom: 30px;
    .banner_main .text-bg h1 {
       font-size: 40px;
        padding: 45px 0px;
        line-height: 58px;
    .img_bg h3 {
        padding: 30px 10px;
        font-size: 24px;
        line-height: 29px;
    .title h2 {
        font-size: 27px;
        line-height: 39px;
    .margitop {
        margin-top: 0px;
    .trending .trending-box h3 {
       font-size: 27px;
    .brand .title h2 {
       font-size: 32px;
        line-height: 38px;
```

```
.brand-bg .brand-box {
    margin-bottom: 20px;
.brand-bg .brand-box h3 {
   font-size: 17px;
.contact {
   margin-top: 60px;
.padddd {
    padding: 0px 15px;
.contact .main_form {
    padding-left: 0px;
    padding-right: 0px;
    width: 100%;
.logo1 {
    margin: 0 auto;
    text-align: center;
    display: flex;
    flex-wrap: wrap;
ul.lik {
   display: none;
ul.contant_icon {
    margin-bottom: 20px;
ul.sociel {
   margin-top: 20px;
ul.sociel li{
    margin-bottom: 30px;
.newtetter .tetter {
   width: 161px;
.copyright p {
   font-size: 17px;
.about .aboutimg h3 {
   padding-top: 0px;
```

```
.about .aboutimg a {
    margin-bottom: 30px;
}
.blog .news-box figure img {
    height: 250px;
}
.product-heading h2 {
    font-size: 16px;
}
.tab_bar_section ul.nav.nav-tabs li a {
    padding: 0 24px;
}
.product-detail-side span {
    font-size: 19px;
}
.product_style_3 .product_descr {
    font-size: 11px;
}
```

3.3 JavaScript

3.3.1 custom.js

```
$(function () {
    let productArr = []
    "use strict";

setTimeout(function () {
        $('.loader_bg').fadeToggle();
    }, 500);

$("#sidebar").mCustomScrollbar({
        theme: "minimal"
    });

$('#dismiss, .overlay').on('click', function () {
        $('#sidebar').removeClass('active');
        $('.overlay').removeClass('active');
}
```

```
});
$('#sidebarCollapse').on('click', function () {
    if($('#sidebar').hasClass('active')){
        $('#sidebar').removeClass('active');
        $('.overlay').removeClass('active');
    else{
        $('#sidebar').addClass('active');
        $('.overlay').addClass('active');
    $('.collapse.in').toggleClass('in');
    $('a[aria-expanded=true]').attr('aria-expanded', 'false');
});
const slider = document.querySelector('#priceSlider');
if(slider){
    $('#priceSlider').slider({max: 800, rande: true, values: [0, 800],
        slide:function(event, ui){
            getDetails(ui.values[0], ui.values[1]);
            printProducts(productArr); console.log(productArr);
    });
$(".fancybox").fancybox({
    openEffect: "none",
    closeEffect: "none"
});
$(".zoom").hover(function(){
$(this).addClass('transition');
}, function(){
$(this).removeClass('transition');
});
$('.send').click(formValidate);
/***** Login form *****/
$('#loginBtn').click(()=>{
    $('.wrapper-log').toggleClass("hidden");
});
const loginText = document.querySelector(".title-text .login");
```

```
const loginForm = document.querySelector("form.login");
const loginBtn = document.querySelector("label.login");
const signupBtn = document.querySelector("label.signup");
const signupLink = document.querySelector("form .signup-link a");
signupBtn.onclick = (()=>{}
    loginForm.style.marginLeft = "-50%";
    loginText.style.marginLeft = "-50%";
});
loginBtn.onclick = (()=>{
    loginForm.style.marginLeft = "0%";
    loginText.style.marginLeft = "0%";
});
signupLink.onclick = (()=>{
    signupBtn.click();
    return false;
});
/***** Print callers *****/
callAjax("products", printProducts);
callAjax("products", printBrands);
callAjax("brands", printBrandsList);
callAjax("categories", printCategoriesList);
callAjax("categories", printCategoriesHome);
$("#sort").change(resetPrinting);
pushToLS();
/***** Validation functions *****/
function formValidate(e){
    e.preventDefault();
    var name, email, number, isValid;
    name = document.querySelector("#name").value.trim();
    email = document.querySelector("#email").value.trim();
    number = document.querySelector("#phone").value.trim();
    var rename, reemail, renumber;
    rename = /^[A-Z] w{2,14}(\s[A-Z] w{2,14})*$/;
    reemail = /^\w+([\.\-]\w+)*@\w+([\.\-]\w+)*(\.\w{2,4})+$/;
    renumber = /^06[01234569][\d]{6,8}$/;
    var nameError, emailError, phoneError;
    nameError = document.querySelector("#name-error");
```

```
emailError = document.querySelector("#email-error");
phoneError = document.querySelector("#phone-error");
noError = document.querySelector("#good");
if(name == ""){
    nameError.innerHTML = "Name field is empty";
    $(nameError).addClass("alert alert-danger");
    $("#name").addClass("error");
    isValid = false;
else{
    if(!rename.test(name)){
        nameError.innerHTML = "This is not a good format";
        $(nameError).addClass("alert alert-danger");
        $("#name").addClass("error");
        isValid = false;
    }else{
        nameError.innerHTML = "";
        $(nameError).removeClass("alert alert-danger");
        $("#name").removeClass("error");
if(email == ""){
    emailError.innerHTML = "Email field is empty";
    $(emailError).addClass("alert alert-danger");
    $("#email").addClass("error");
    isValid = false;
else{
    if(!reemail.test(email)){
        emailError.innerHTML = "This is not a good format";
        $(emailError).addClass("alert alert-danger");
        $("#email").addClass("error");
        isValid = false;
    }else{
        emailError.innerHTML = "";
        $(emailError).removeClass("alert alert-danger");
        $("#email").removeClass("error");
if(number == ""){
```

```
phoneError.innerHTML = "Number field is empty";
        $(phoneError).addClass("alert alert-danger");
        $("#phone").addClass("error");
        isValid = false;
   else{
        if(!renumber.test(number)){
            phoneError.innerHTML = "This is not a good format";
            $(phoneError).addClass("alert alert-danger");
            $("#phone").addClass("error");
            isValid = false;
        }else{
            phoneError.innerHTML = "";
            $(phoneError).removeClass("alert alert-danger");
            $("#phone").removeClass("error");
   if(isValid == false){
        e.preventDefault();
   else{
        noError.innerHTML = "Form submited successfully!";
        $(noError).addClass("alert alert-success");
        $('.main_form').submit();
/***** Ajax call function *****/
function callAjax(file, callback){
        $.ajax({
            url: "data/" + file + ".json",
            method: "GET",
            dataType: "json",
            success: function(data){
                callback(data);
            },
            error: function(err){
                console.log(err);
        });
/***** Print functions *****/
```

```
function printProducts(data){
        const slider = document.querySelector('#priceSlider');
        let currentValue;
        if(slider){
            currentValue = $('#priceSlider').slider("option", "values");
            getDetails(currentValue[0], currentValue[1]);
        data = categoryFilter(data);
        data = brandFilter(data);
        data = sort(data);
        html = "";
        data.forEach(el => {
            if(el.price.currentPrice >= currentValue[0] && el.price.currentPrice
<= currentValue[1]){</pre>
                html += 
                <div class="col-xl-4 col-lg-4 col-md-6 col-sm-12">
                <div class="full product border1 mb-1">
                  <div class="product img">
                    <div class="center"> <img src="${el.picture.src}" alt="${el.p}</pre>
icture.alt}"/>
                          <div class="overlay hover">
                              <a class="add-bt" data-</pre>
id="${el.id}">+ Add to cart</a>
                        </div>
                    </div>
                  </div>
                  <div class="product_detail text_align_center">
                    ${displayPrice(el.price)}
                    ${el.desc}
                  </div>
                </div>
              </div>
        });
        productArr = data;
        document.getElementById("product").innerHTML = html;
    function printCategoriesHome(data){
        let div = document.getElementById("categories-home");
        if(div) {
            let html = "";
```

```
data = data.slice(0, 3);
            data.forEach(el => {
                html +=
                <div class="col-xl-4 col-lg-4 col-md-4 col-sm-12 margitop">
                <a href="product.html">
                    <div class="trending-box" data-id="${el.id}">
                         <figure><img src="${el.picture.src}" alt="${el.picture.al</pre>
t}" /></figure>
                        <h3>${el.name}</h3>
                    </div>
                </a>
                </div>
            });
            div.innerHTML = html;
            $('.trending-box').click(pushToLS);
    function printBrands(data){
        let div = document.getElementById("brands");
        if(div) {
            let html = "";
            data = data.slice(0, 4);
            data.forEach(el => {
                html +=
                    <div class="col-xl-3 col-lg-3 col-md-6 col-sm-12 margintop">
                    <a href="product.html">
                        <div class="brand-box" data-id="${el.id}">
                             <i><img src="${el.picture.src}" alt="${el.picture.alt</pre>
}"/></i>
                             <h3>${el.brand}</h3>
                             <span>$${el.price.currentPrice}</span>
                         </div>
                    </a>
                    </div>
            });
            div.innerHTML = html;
            $('.brand-box').click(pushToLS);
```

```
function displayPrice(price){
       let html = "";
       if(price.hasOwnProperty("oldPrice")){
           html =
            `$${price.currentPrice}
           <span class="old price">$${price.oldPrice}</span>`;
       else{
           html =
           `$${price.currentPrice}`;
       return html;
    }
    function printBrandsList(data){
       html = "";
       data.forEach(el => {
           html += 
               <div class="checkbox-list">
                   <input type="checkbox" class="cbBrand mr-</pre>
1" name="brand" value="${el.id}"><label class="brandTrigger list-</pre>
item">${(el.brand).toUpperCase()}</label>
               </div>
       });
       document.getElementById("brands-list").innerHTML = html;
       $(".cbBrand").change(resetPrinting);
       $(".brandTrigger").click(listItemChecker);
   function printCategoriesList(data){
       html = "";
       data.forEach(el => {
           html +=
               <div class="checkbox-list">
                   <input type="checkbox" class="cbCat mr-</pre>
1" name="cat" value="${el.id}"><label class="ctTrigger list-</pre>
item">${(el.name).toUpperCase()}</label>
               </div>
       });
       document.getElementById("category-list").innerHTML = html;
       $(".cbCat").change(resetPrinting);
       $(".ctTrigger").click(listItemChecker);
```

```
/***** Filter functions ******/
   function categoryFilter(data){
       let selectedCategory = [];
       $('.cbCat:checked').each(function(){
           selectedCategory.push(parseInt($(this).val()));
       });
       if(selectedCategory.length != 0){
           return data.filter(el => selectedCategory.includes(el.category));
       return data;
   }
   function brandFilter(data){
       let selectedBrand = [];
       $('.cbBrand:checked').each(function(){
           selectedBrand.push(parseInt($(this).val()));
       });
       if(selectedBrand.length != 0){
           return data.filter(el => selectedBrand.includes(el.brandId));
       return data;
   function sort(data){
       const sortType = document.getElementById("sort").value;
       if(sortType == 'asc'){
           return data.sort((a,b) => parseInt(a.price.currentPrice) > parseInt(b
.price.currentPrice) ? 1 : -1);
       else{
           return data.sort((a,b) => parseInt(a.price.currentPrice) < parseInt(b</pre>
price.currentPrice) ? 1 : -1);
   function listItemChecker(){
       if($(this).prev()[0].checked){
           $(this).prev()[0].checked = false;
           resetPrinting();
       else{
           $(this).prev()[0].checked = true;
           resetPrinting();
```

```
}
    /****** jQuery UI price slider ******/
    function getDetails(min, max){
        $("#minRange").text("$" + min);
        $("#maxRange").text("$" + max);
    }
    function resetPrinting(){
        callAjax("products", printProducts);
    }
    /***** Local storage for home page ******/
    function pushToLS(){
        const div = $(this);
        const id = $(this).data("id");
        if(div[0].classList == "trending-box") {
            console.log("Category was clicked", id);
            localStorage.setItem("CategoryID", id);
        else if(div[0].classList == "brand-box") {
            console.log("Brand was clicked", id);
            localStorage.setItem("BrandID", id);
        callAjax("products", pageChecking);
    }
    function pageChecking(data){
        const div = document.querySelector('#product');
        let categoryID = localStorage.getItem("CategoryID");
        let brandID = localStorage.getItem("BrandID");
        if(div) {
            let filtered;
            if(categoryID) {
                filtered = data.filter(el => categoryID == el.category);
                $(`input[type=checkbox][name=cat][value=${categoryID}]`).prop('ch
ecked', true);
            else if(!categoryID) {
                $(`input[type=checkbox][name=cat][value=${categoryID}]`).prop('ch
ecked', false);
```

3.3.2 cart.js

```
method: "GET",
                    dataType: "json",
                    success: function(products){
                        products = sort(products);
                        productsArr = products;
                        cartNumber(products[i]);
                        totalCost(products[i]);
                    },
                    error: function(err){
                        console.log(err);
                });
            });
    }
    reset();
            function sort(data){
                const sortType = document.getElementById("sort").value;
                if(sortType == 'asc'){
                    return data.sort((a,b) => parseInt(a.price.currentPrice) > pa
rseInt(b.price.currentPrice) ? 1 : -1);
                else{
                    return data.sort((a,b) => parseInt(a.price.currentPrice) < pa</pre>
rseInt(b.price.currentPrice) ? 1 : -1);
    displayCart();
function cartNumber(product) {
    const span = document.querySelector('#cart-span');
    let productNumber = localStorage.getItem('cartNumber');
    productNumber = parseInt(productNumber);
    if( productNumber ) {
        localStorage.setItem('cartNumber', productNumber + 1);
        span.textContent = productNumber + 1;
        span.style.visibility = "visible";
    else {
```

```
localStorage.setItem('cartNumber', 1);
        span.textContent = 1;
        span.style.visibility = "visible";
    setItem(product);
function setItem(product) {
    let cartItems = localStorage.getItem("productInCart");
    cartItems = JSON.parse(cartItems);
    if(cartItems != null) {
        if(cartItems[product.id] == undefined) {
            cartItems = {
                ...cartItems,
                [product.id]: product
        cartItems[product.id].inCart += 1;
    else {
        product.inCart = 1;
        cartItems = {
            [product.id]: product
    localStorage.setItem("productInCart", JSON.stringify(cartItems));
function totalCost(product) {
    let cartCost = localStorage.getItem("totalPrice");
    if(cartCost != null) {
        cartCost = parseFloat(cartCost);
        localStorage.setItem("totalPrice", parseFloat(cartCost + parseFloat(produ
ct.price.currentPrice)).toFixed( 2 ));
    else {
```

```
localStorage.setItem("totalPrice", product.price.currentPrice);
function cartCheck(){
    let productNumber = localStorage.getItem('cartNumber');
    const span = document.querySelector('#cart-span');
    if(productNumber == 0) {
        emptyCart();
        console.log(productNumber);
    if(productNumber && span) {
        span.textContent = productNumber;
        span.style.visibility = "visible";
function displayCart() {
    let cartItems = localStorage.getItem("productInCart");
    cartItems = JSON.parse(cartItems);
    let productContainer = document.querySelector(".products");
    let cartCost = localStorage.getItem("totalPrice");
    if(cartItems && productContainer) {
        productContainer.innerHTML = '';
        Object.values(cartItems).map(item => {
            productContainer.innerHTML += `
                <div class="product-wrap" data-id="${item.id}">
                    <div class="cart-product">
                    <span class="del-product"><ion-icon name="close-</pre>
circle"></ion-icon></span>
                         <img src="${item.picture.src}">
                        <span>${item.desc}</span>
                    </div>
                    <div class="price">
                        $${item.price.currentPrice}
                    </div>
                    <div class="quantity">
                        <span class="decrease"><ion-icon name="caret-back-</pre>
circle"></ion-icon></span>
                        <span>${item.inCart}</span>
                        <span class="increase"><ion-icon name="caret-forward-</pre>
circle"></ion-icon></span>
                    </div>
                    <div class="total">
```

```
$${item.inCart * item.price.currentPrice}
                    </div>
                </div>
        });
        productContainer.innerHTML += `
            <div class="basket-total-container">
                <h4 class="basket-total-title">Basket Total</h4>
                <h4 class="basket-total">$${cartCost}</h4>
            </div>
   $(".decrease").click(changeInCartNumber);
   $(".increase").click(changeInCartNumber);
   $(".del-product").click(deleteCart);
function changeInCartNumber(){
    const product = $(this).parent().parent().data("id");
    let storage = localStorage.getItem("productInCart");
    let productNumber = localStorage.getItem('cartNumber');
    let cartCost = localStorage.getItem("totalPrice");
    cartCost = JSON.parse(cartCost);
    cartCost = parseFloat(cartCost);
    productNumber = JSON.parse(productNumber);
    storage = JSON.parse(storage);
    let storageArr = Object.values(storage);
    let className = $(this).attr("class");
    if(className == "decrease") {
        storageArr.forEach(el => {
            if(product == el.id) {
                el.inCart--;
                localStorage.setItem('cartNumber', productNumber - 1);
                localStorage.setItem('totalPrice', parseFloat(cartCost - parseFlo
at(el.price.currentPrice)).toFixed( 2 ));
        });
    if(className == "increase") {
        storageArr.forEach(el => {
           if(product == el.id) {
```

```
el.inCart++;
               localStorage.setItem('cartNumber', productNumber + 1);
               localStorage.setItem('totalPrice', parseFloat(cartCost + parseFlo
at(el.price.currentPrice)).toFixed( 2 ));
        });
    localStorage.setItem("productInCart", JSON.stringify(storageArr));
    displayCart();
    cartCheck();
function deleteCart(){
    const product = $(this).parent().parent().data("id");
    let storage = localStorage.getItem("productInCart");
    let productNumber = 0;
    let cartCost = 0;
    cartCost = JSON.parse(cartCost);
    cartCost = parseFloat(cartCost);
    productNumber = JSON.parse(productNumber);
    storage = JSON.parse(storage);
    let storageArr = Object.values(storage);
    storageArr = storageArr.filter(el => el.id != product);
    storageArr.forEach(el => {
        productNumber += el.inCart;
        cartCost += parseFloat(el.price.currentPrice);
        parseFloat(cartCost).toFixed( 2 );
    });
    console.log(storageArr);
    localStorage.setItem("productInCart", JSON.stringify(storageArr));
    localStorage.setItem("cartNumber", productNumber);
    localStorage.setItem('totalPrice', cartCost);
    displayCart();
    cartCheck();
function emptyCart(){
    let productContainer = document.querySelector(".products");
    productContainer.innerHTML = `Your shopping cart is empt
y. If you want to order something <a href="product.html">click here</a>.`;
    console.log("Entered");
```

3.3.3 jquery.js

```
$(function () {
    var btn = $('#scrolled');
    $(window).scroll(function() {
        if ($(window).scrollTop() > 300) {
          btn.addClass('show');
        else {
          btn.removeClass('show');
    });
    var $root = $('html, body');
    $('a[href^="#"]').click(function () {
        $root.animate({
            scrollTop: $( $.attr(this, 'href') ).offset().top
        }, 100);
        return false;
    });
    $('#aboutBtn').click(function(){
      $('.textAbout').slideToggle('slow');
    });
```

3.4 JSON

3.4.1 brands.json

```
},
{
    "id": 3,
    "brand": "Jane Lauren"
},
{
    "id": 4,
    "brand": "Chesterfield"
},
{
    "id": 5,
    "brand": "Adams tables"
},
{
    "id": 6,
    "brand": "Castlery"
},
{
    "id": 7,
    "brand": "Dasa furniture"
}
```

3.4.2 categories.json

3.4.3 products.json

```
4. [
5.
6.
           "id" : 1,
7.
           "picture" :
8.
               "src" : "images/product1.png",
9.
10.
               "alt" : "Product 1"
11.
           },
12.
            "price" :
13.
14.
                "currentPrice" : "679.89",
15.
               "oldPrice" : "769.89"
16.
17.
           "desc" : "Queen Size Bed With Storage",
18.
           "brandId" : 1,
           "brand" : "RICCARDA",
19.
           "category" : 1,
20.
           "inCart" : 0
21.
22.
       },
23.
24.
           "id" : 2,
25.
           "picture" :
26.
27.
               "src": "images/product2.png",
               "alt" : "Product 2"
28.
29.
```

```
30.
            "price" :
31.
32.
                "currentPrice": "690.99",
                "oldPrice" : "800.99"
33.
34.
           },
            "desc": "Queen Size Bed",
35.
36.
            "brandId" : 2,
37.
           "brand" : "KARLSTAD",
38.
           "category" : 1,
39.
           "inCart" : 0
40.
       },
41.
           "id" : 3,
42.
43.
           "picture" :
44.
                "src": "images/product3.png",
45.
46.
                "alt" : "Product 3"
47.
48.
            "price" :
49.
50.
                "currentPrice" : "50.89"
51.
           },
           "desc" : "Wooden Chair",
52.
53.
           "brandId" : 3,
54.
           "brand" : "JANE LAUREN",
55.
           "category" : 2,
56.
           "inCart" : 0
57.
       },
58.
           "id" : 4,
59.
60.
           "picture" :
61.
                "src" : "images/product4.png",
62.
63.
               "alt" : "Product 4"
64.
           },
65.
            "price" :
66.
67.
                "currentPrice" : "300.99"
68.
           "desc" : "Standard Sofa",
69.
70.
            "brandId" : 4,
71.
           "brand" : "CHESTERFIELD",
           "category" : 4,
72.
           "inCart" : 0
73.
74.
```

```
75.
76.
           "id" : 5,
77.
            "picture" :
78.
                "src": "images/product5.png",
79.
                "alt" : "Product 5"
80.
81.
           },
82.
            "price" :
83.
84.
                "currentPrice": "100.89",
                "oldPrice" : "120.89"
85.
86.
           "desc" : "Standard Chair",
87.
88.
           "brandId" : 3,
89.
            "brand" : "JANE LAUREN",
           "category" : 2,
90.
91.
           "inCart" : 0
92.
       },
93.
           "id" : 6,
94.
95.
            "picture" :
96.
                "src" : "images/product6.png",
97.
98.
                "alt" : "Product 6"
99.
           },
                  "price" :
100.
101.
102.
                      "currentPrice": "200.89",
103.
                      "oldPrice" : "250.89"
104.
                  },
                  "desc" : "Modern Chair",
105.
106.
                  "brandId" : 3,
107.
                  "brand" : "JANE LAUREN",
108.
                  "category" : 2,
                  "inCart" : 0
109.
110.
              },
111.
                  "id" : 7,
112.
113.
                  "picture" :
114.
                      "src": "images/product7.png",
115.
116.
                      "alt" : "Product 7"
117.
                  },
118.
                  "price" :
119.
```

```
120.
                      "currentPrice" : "276.89",
121.
                      "oldPrice" : "290.89"
122.
                  "desc" : "Wooden table",
123.
124.
                  "brandId" : 5,
125.
                  "brand" : "Adams tables",
126.
                  "category" : 3,
127.
                  "inCart" : 0
128.
              },
129.
130.
                  "id" : 8,
131.
                  "picture" :
132.
133.
                      "src": "images/product8.png",
                      "alt" : "Product 8"
134.
135.
                  },
136.
                  "price":
137.
                      "currentPrice": "349.89",
138.
139.
                      "oldPrice": "370.89"
140.
                  },
141.
                  "desc" : "Lightweight Down Puffer Coat",
                  "brandId" : 6,
142.
                  "brand" : "CASTLERY",
143.
144.
                  "category" : 3,
145.
                  "inCart" : 0
146.
147.
                  "id" : 9,
148.
149.
                  "picture" :
150.
151.
                      "src": "images/product9.png",
152.
                      "alt" : "Product 9"
153.
                  },
154.
                  "price":
155.
156.
                      "currentPrice" : "650.99"
157.
                  },
                  "desc": "Modern Sofa",
158.
                  "brandId" : 7,
159.
160.
                  "brand" : "DASA FURNITURE",
161.
                  "category" : 4,
162.
                  "inCart" : 0
163.
              },
164.
```

```
"id" : 10,
165.
                 "picture" :
166.
167.
168.
                     "src": "images/product10.png",
                     "alt" : "Product 10"
169.
170.
                 },
                 "price" :
171.
172.
                     "currentPrice" : "209.89",
173.
                     "oldPrice" : "250.89"
174.
175.
                 },
                 "desc" : "Lightweight Modern Lamp",
176.
                 "brandId" : 7,
177.
                 "brand" : "DASA FURNITURE",
178.
179.
                 "category" : 5,
                 "inCart" : 0
180.
181.
182.
```