NATIONAL AI HACKATHON 2026

Making Sense of Logs

Ask your logs in plain words. Every number in the answer links to the SQL that produced it.

SchubKI × SereneDB

152,229

fatal entries · one node · one evening

4.7 million

log lines · seven months


Templating

Drain3 + SereneDB regex

4.6 million lines → 320 templates

```
T1   data TLB error interrupt
T95  data storage interrupt
T28  instruction address: <HEX>
T83  program interrupt: <*> <*>
```

Source: Loghub-2.0, BGL: 4,631,261 annotated lines, 320 templates


Templating
You
question
Claude
tool call
MCP tools
SQL
SereneDB
[Q46]
Q46
show_evidence
Evidence Q46

Each of them gets a different answer



Engineer

What failed?

One node · 17.8%



Team lead

What keeps coming back?

22 of 31 days



Manager

What should we fix first?

#1 job launches +91%

/engineer What failed on BGL on 11 June 2005, and what happened just before?

/team-lead Which problems keep recurring across BGL and OpenStack, and what should we look at first?

/manager What should we prioritise from these logs?

Why you can trust the numbers

[Q46] count_logs

```
SELECT k0, count(*) AS n FROM (
  SELECT … "level" AS k0 FROM extractor.lt_bgl
  WHERE "message" ILIKE '%data TLB error interrupt%'
) GROUP BY k0
```

152,734 = 152,734

full-text count = BGL's own labels

Same questions, graded blind



Claude Opus 5.5 · 30 sealed questions (our own) on Loghub BGL + OpenStack logs · 5 runs each · graded blind by Claude Sonnet

Root cause in microservices

RCAEVAL · LOGS, METRICS AND TRACES


96.3%

right root cause, first guess

99.1% in the top three

116 held-out incidents (RE2 + RE3-SS) · 3 runs each

FIRST GUESS RIGHT · 48-CASE TEST SET



RCAEval (Pham et al., WWW 2025) · Claude Sonnet · the test set is at its ceiling: 100% means parity with the best

Back to that phone call

Engineer	a cause to check, not a scroll bar
Team lead	the pattern
Manager	the priority

Every number is traceable to a query.

`github.com/ugnmura/serenedb-extractor`

SchubKI × SereneDB