

Création d'une VM

Create: Virtual Machine

General

OS

System

Disks

CPU

Memory

Network

Confirm

Node:

SRVDEPLOY-S4P2

VM ID:

101

Name:

SRV-AD1EX

Add to HA:

☐

Resource Pool:

Start at boot:

☐

Start/Shutdown order:

any

Startup delay:

default

Shutdown timeout:

default

Tags

No Tags +

Help

Advanced ☒

Back

Next

Create: Virtual Machine

General

OS

System

Disks

CPU

Memory

Network

Confirm

☒ Use CD/DVD disc image file (iso)

Storage:

local

ISO image:

26100.1742.240906-0

Guest OS:

Type: Microsoft Windows

Version: 11/2022/2025

☐ Use physical CD/DVD Drive

☐ Do not use any media

☐ Add additional drive for VirtIO drivers

Advanced ☒

Back

Next

Create: Virtual Machine

General

OS

System

Disks

CPU

Memory

Network

Confirm

Graphic card:

Default

SCSI Controller:

VirtIO SCSI single

Machine:

q35

Qemu Agent:

☐

Firmware

BIOS:

OVMF (UEFI)

Add TPM:

☒

Add EFI Disk:

☒

TPM Storage:

local-lvm

EFI Storage:

local-lvm

Format:

Raw disk image (raw)

Version:

v2.0

Pre-Enroll keys:

☒

Help

Advanced ☒

Back

Next

Create: Virtual Machine

General

OS

System

Disks

CPU

Memory

Network

Confirm

sata0

Disk

Bandwidth

Bus/Device:

SATA

0

Cache:

Default (No cache)

Storage:

local-lvm

Discard:

☐

Disk size (GiB):

120

IO thread:

☐

Format:

Raw disk image (raw)

SSD emulation:

☒

Backup:

☒

Read-only:

☐

Skip replication:

☐

Async IO:

Default (io_uring)

Add

Import

Help

Advanced ☒

Back

Next

Create: Virtual Machine

General

OS

System

Disks

CPU

Memory

Network

Confirm

Sockets:

1

Cores:

2

Type:

x86-64-v2-AES

Total cores:

2

VCPUs:

2

CPU units:

100

CPU limit:

unlimited

Enable NUMA:

☐

CPU Affinity:

All Cores

Extra CPU Flags:

Default

-

nested-virt

Controls nested virtualization, namely 'svm' for AMD CPUs and 'vmx' for Intel CPUs. Live migration still only works if it's the same flag on both sides. For Windows, use a CPU model similar to the host, with the same vendor!

Default

-

md-clear

Required to let the guest OS know if MDS is mitigated correctly.

Default

-

pcid

Meltdown fix cost reduction on Westmere, Sandy-, and IvyBridge Intel CPUs.

Default

-

spec-ctrl

Allows improved Spectre mitigation with Intel CPUs.

Default

-

ssbd

Protection for 'Speculative Store Bypass' for Intel models.

Help

Advanced

☒

Back

Next

Create: Virtual Machine

General

OS

System

Disks

CPU

Memory

Network

Confirm

Memory (MiB):

16000

Minimum memory (MiB):

16000

Shares:

Default (1000)

Ballooning Device:

☒

Allow KSM:

☒

Help

Advanced

☒

Back

Next

Create: Virtual Machine

General

OS

System

Disks

CPU

Memory

Network

Confirm

☐ No network device

Bridge:

vmbrSIO1

Model:

Intel E1000

VLAN Tag:

no VLAN

MAC address:

auto

Firewall:

☒

Disconnect:

☐

Rate limit (MB/s):

unlimited

MTU:

Same as bridge

Multiqueue:

Help

Advanced ☒

Back

Next