Fahnenkorrektur (Text): Teil I (Part A)

One-parameter Semigroups of Positive Operators, 2. Aufl. (Springer LNM 1184), Proof-PDF vom 14.10.2026.

Auszug aus `Fahnenkorrektur_Springer_LNM1184.md`. **Seitenangaben** = gedruckte Seitenzahl (PDF-Seite = gedruckte Seite + 18). **Sicherheit:** ● hoch · ◐ mittel · ○ niedrig.

Stand der Umsetzung (Branch `fahnenkorrektur`): Alle ●-Punkte sind umgesetzt und im Kommentar mit „Umgesetzt“ markiert (Abweichungen siehe `Umgesetzte_Korrekturen_LNM1184.md`). ◐ und ○ sind offen, außer wo „Umgesetzt“ steht. Insgesamt **121 Punkte**: 31 ●, 39 ◐, 51 ○; davon umgesetzt: 32.

Übergreifende Punkte (Inhaltsverzeichnis, Kolumnentitel, Schreibweisen) und der Index stehen in `korrekturen-text-allgemein.md`.

Teil I, Kap. 1 – Basic Results on Semigroups on Banach Spaces

S.		Ist	Soll	Art	Kommentar
4	◐	is continuous for the strong operator topology on L(E), e.g., lim ‖T(t)f − T(t0)f‖ = 0	is continuous for the strong operator topology on L(E), i.e., lim …	Grammatik	Definition, kein Beispiel: 'i.e.' statt 'e.g.'.
5	○	the generator is everywhere defined and therefore bounded (use Proposition 1.1.9 (ii))	(use Proposition 1.1.9 (i))	Querverweis	Beschränktheit folgt aus Abgeschlossenheit = 1.1.9 (i); bitte prüfen.
10	◐	As summary we obtain	In summary we obtain	Grammatik	
12	●	Let E to be one of the following function spaces	Let E be one of the following function spaces	Grammatik	**Umgesetzt.**
17	●	generator on a core of its domain (see Proposition 1.1.9 (ii). In particular	(see Proposition 1.1.9 (ii)). In particular	Satz	**Umgesetzt.** Schließende Klammer fehlt.
17	○	(Reed & Simon [10, p.28])	(Reed & Simon [10, p. 28])	Satz	Ebenso S. 42 'p.252', S. 66 'pp.18-22 … p.55', S. 67 'p.77'; sonst 'p. 6'.
18	○	There is an easy way how to obtain different (but isomorphic) semigroups	There is an easy way to obtain different (but isomorphic) semigroups	Grammatik	
20	◐	the translation semigroup (T(t))t≥0 where T(t)f(x) := f(x+t) (see Example 1.2.4)	(see Section 1.2.4)	Querverweis	1.2.4 ist ein Abschnitt, kein Beispiel.
20	○	By Sections 1.2.4 and 1.3.2, the generator A|F acts as	By Sections 1.2.4 and 1.3.3, the generator A|F acts as	Querverweis	Restriktion auf Unterraum = Abschnitt 1.3.3 (Subspace Semigroup), nicht 1.3.2 (Rescaled). Bitte prüfen.
21	◐	it is natural to associate (T(t)	it is natural to associate with (T(t)')t≥0 its weak*-	Grammatik	

		')t≥0 its weak*-generator	generator		
23	•	form a strongly-continuos semigroup with respect to the sup-norm	form a strongly continuous semigroup with respect to the sup-norm	Tippfehler	**Umgesetzt.** 'continuos' -> 'continuous'; außerdem kein Bindestrich (sonst überall 'strongly continuous').
26	•	In most cases F will be either the Frechét filter or some free ultra filter	In most cases F will be either the Fréchet filter or some free ultrafilter	Tippfehler	**Umgesetzt.** Eine Zeile vorher richtig 'Fréchet filter'.
26	◐	(i.e., the filter of sets with finite complement. In most cases F will be ... ultra filter).	(i.e., the filter of sets with finite complement). In most cases F will be ... ultrafilter.	Satz	Klammer schließt an falscher Stelle.
26	○	For the proof we refer to Lemma 1.4. of Derndinger [2].	For the proof we refer to Lemma 1.4 of Derndinger [2].	Satz	

Teil I, Kap. 2 – Characterization of Semigroups on Banach Spaces

S.		Ist	Soll	Art	Kommentar
32	•	(which might not be known explicitely)	(which might not be known explicitly)	Tippfehler	**Umgesetzt.**
32	◐	2.1.1 The abstract Cauchy problem / 2.1.2 One-parameter groups / 2.1.4 Holomorphic semigroups ... vs. 2.1.3 The Hille-Yosida Theorem, 2.1.8 Perturbation of Generators, 2.1.9 Domains of Uniqueness	Einheitliche Groß-/Kleinschreibung der Unterabschnittsüberschriften (wie in Kap. 1 Title Case, z.B. 'The Abstract Cauchy Problem')	Konsistenz	Betroffen: 2.1.1, 2.1.2, 2.1.4, 2.1.5 (Differentiable semigroups), 2.1.6 (Norm continuous semigroups), 2.1.7 (Compact semigroups).
35	◐	(continuous dependence from the initial value)	(continuous dependence on the initial value)	Grammatik	S. 37 korrekt 'dependence on the initial values'.
36	•	So by Theorem 1.1.9 (ii) D(A) is a core of B.	So by Proposition 1.1.9 (ii) D(A) is a core of B.	Querverweis	**Umgesetzt.** 1.1.9 ist eine Proposition.
36	◐	It is surprising that from condition (b) and (c) in the corollary	It is surprising that from conditions (b) and (c) in the corollary	Grammatik	
			it follows that T(·)f is		

38	•	it follows that T(·)f is measureable.	measurable.	Tippfehler	**Umgesetzt.**
39	◐	(see Davies [11], Goldstein [15] or Pazy [31])	(see Davies [11], Goldstein [16] or Pazy [31])	Literatur	[15] ist die Bibliographie, das Lehrbuch ist [16] (so auch S. 32, 53, 68).
40	◐	if and only if it is weakly holomorphic Yosida [40, V.3].	if and only if it is weakly holomorphic (Yosida [40, V.3]).	Satz	
40	○	There exists r > 0 and β ∈ (−β1, β1)	There exist r > 0 and β ∈ (−β1, β1)	Grammatik	
43	○	We now prove the following extension of Corollary 2.1.12	We now prove the following extension of Corollary 2.1.12.	Satz	
45	•	(this follows from Theorem 1.1.6 (ii))	(this follows from Proposition 1.1.6 (ii))	Querverweis	**Umgesetzt.** 1.1.6 ist eine Proposition.
45	○	Pazy [31, Chapter 3, Theorem 4.7 and 4.8]	Pazy [31, Chapter 3, Theorems 4.7 and 4.8]	Grammatik	
45	○	the function t ↦ T(t)f is right sided differentiable at t0	the function t ↦ T(t)f is right-sided differentiable at t0	Konsistenz	S. 48 und 51: 'right-sided'.
46	○	Proof of Theorem 2.1.19 . It is enough	Proof of Theorem 2.1.19. It is enough	Satz	Leerzeichen vor Punkt, im PDF sichtbar.
47	•	All together we obtain for |r| ⩾ r0, All together we obtain for |r| ⩾ r0,	All together we obtain for |r| ⩾ r0,	Satz	**Umgesetzt.** Satz doppelt gesetzt (im PDF bestätigt).
50	○	(see e.g., Part-II, Corollary 3.2.12)	(see, e.g., Part-II, Corollary 3.2.12)	Satz	Komma nach 'see' fehlt.
51	•	if and only if the following equivalent assertions holds.	if and only if the following equivalent assertions hold.	Grammatik	**Umgesetzt.**
54	◐	Let λ > s(A) be so large such that ‖SR(λ,A)‖ < 1.	Let λ > s(A) be so large that ‖SR(λ,A)‖ < 1.	Grammatik	
57	○	Moreover, it follows from Eq. (2.2.1) on the preceding page p(f) + p(−f) ⩾ p(0) = 0	Moreover, it follows from Eq. (2.2.1) on the preceding page that p(f) + p(−f) ⩾ p(0) = 0	Grammatik	
58	•	Consequently it posseses a σ(E',E)-limit point	Consequently it possesses a σ(E',E)-limit point	Tippfehler	**Umgesetzt.**
					Umgesetzt. Fehlendes

59	•	p(λR(λ,A)g) ⩽ p(g)for all g ∈ E	p(λR(λ,A)g) ⩽ p(g) for all g ∈ E	Satz	Leerzeichen, im PDF sichtbar.
60	•	(2t c‖g − Af‖ + t² c‖Ag‖) (by (2.3))	(by Eq. (2.2.2))	Querverweis	Verweis '(2.3)' existiert nicht; gemeint ist offenbar die Abschätzung |p(f)| **Umgesetzt.** ⩽ c‖f‖ (2.2.2).
60	○	A continuous sublinear function p : E → R is called half-norm if	is called a half-norm if	Grammatik	Analog folgt 'is called a strict half-norm'.
60	○	(by Eq. (2.2.5) on page 58)	(by Eq. (2.2.5) on page 58)	Satz	Leerzeichen vor Klammer, im PDF sichtbar.
61	◐	(this is equivalent to the fact that … such that ϕ = ϕ1 − ϕ2 (see Batty & Robinson [3] or Schaefer [37, Chapter V]).	(this is equivalent to the fact that … such that ϕ = ϕ1 − ϕ2; see Batty & Robinson [3] or Schaefer [37, Chapter V]).	Satz	Klammern nicht ausgeglichen.
62	◐	Finally, from 2.2.6 it follows that (T(t)) is p-contractive.	Finally, from Theorem 2.2.6 it follows that (T(t)) is p-contractive.	Querverweis	
63	○	We conclude this section indicating the results for the complex case.	We conclude this section by indicating the results for the complex case.	Grammatik	
64	◐	Therefore T is not uniformly continuous however, (T(t) − Id)² = 0	Therefore T is not uniformly continuous; however, (T(t) − Id)² = 0	Satz	
65	○	Then there exists a bounded sequence (xn) in E and a bounded sequence (x'n) in E'	Then there exist a bounded sequence (xn) in E and a bounded sequence (x'n) in E'	Grammatik	
67	◐	Notes … Section 1: The abstract Cauchy problem is treated …	Section 2.1: …	Konsistenz	In den Notes zu Kap. 2 heißen die Abschnitte 'Section 1/2/3' (S. 67/68), im Buch sonst 2.1, 2.2, 2.3.
67	○	is a Cauchy-sequence for this norm	is a Cauchy sequence for this norm	Tippfehler	

67	○	In Bourgain [7] it is shown, that H∞(D) is a Grothendieck space	In Bourgain [7] it is shown that H∞(D) is a Grothendieck space	Grammatik	
68	◐	The observation that eventually norm continuity is preserved	The observation that eventual norm continuity is preserved	Grammatik	
68	○	in the book of Pazy [31] who discovered Theorem 2.1.16 and 2.1.17.	who discovered Theorems 2.1.16 and 2.1.17.	Grammatik	
68	○	has the advantage to yield the same permanence	has the advantage of yielding the same permanence	Grammatik	
68	○	A complete information on the general theory can be obtained	Complete information on the general theory can be obtained	Grammatik	
68	○	Bénilan & Picard [5] and Picard [34], where the two last consider non-linear semigroups	where the last two consider non-linear semigroups	Grammatik	
69	◐	[5] P. Bénilan & C. Picard: “Quelques aspects non lineaires du principe du maximum”. Séminaire de Théorie du Potentiel. Vol. 713. Springer 1979.	… “Quelques aspects non linéaires du principe du maximum”. … Springer (1979).	Literatur	Akzent fehlt; Jahr ohne Klammern (sonst '(Jahr)'); ggf. 'Lecture Notes in Math.' statt 'Vol.'.
69	○	[7] J. Bourgain: H∞ is a Grothendieck space. Studia Math. 75 (1982) 192–226.	[7] J. Bourgain: H∞ is a Grothendieck space. Studia Math. 75 (1983) 193–216.	Literatur	Jahr/Seiten nach meiner Kenntnis 1983, 193–216; bitte prüfen.
69	○	Proceedings of the Special year in analysis. Springer (1983).	Proceedings of the Special Year in Analysis. Springer (1983).	Literatur	
70	•	[30] J. J. Moreau: Fonctionelles convexes. Séminaire sur les équations aux derivées partielles.	[30] J. J. Moreau: Fonctionnelles convexes. Séminaire sur les équations aux dérivées partielles.	Literatur	**Umgesetzt.**
70	◐	[34] C. Picard: Opérateurs ϕ-accretifs et génération des semi-groupes non linéaires.	[34] C. Picard: Opérateurs ϕ-accrétifs et génération des semi-groupes non linéaires.	Literatur	
70	◐	Ed. by K. D. Bierstedt & E. Fuchssteiner. North Holland 1984.	Ed. by K. D. Bierstedt & B. Fuchssteiner. North-Holland	Literatur	Herausgeber ist Benno Fuchssteiner; Jahresangabe

			(1984).		sonst in Klammern.
70	○	[25] H. P. Lotz: “Uniform convergence of operators on L∞”. 1982.	Unvollständiger Eintrag (z.B. 'Preprint (1982)' ergänzen)	Literatur	

Teil I, Kap. 3 – Spectral Theory

S.		Ist	Soll	Art	Kommentar
71	○	called spectral mapping theorem.	called the spectral mapping theorem.	Grammatik	
71	○	These — or similar — relations will be of great use	These—or similar—relations will be of great use	Konsistenz	Sonst Geviertstrich ohne Leerzeichen (S. 9 'are—at least in many aspects—', S. 28, S. 72).
76	◐	= (dist(x, $\sigma(A)$))^−1 (see Proposition 3.2.5 (ii))	(see Proposition 3.2.5 (i))	Querverweis	Die Formel r(R(λ0)) = dist^−1 steht in 3.2.5 (i), nicht (ii).
77	◐	using the notion essential range, see Goldstein [8]	using the notion of essential range	Grammatik	
79	•	we recall the well known resolvent equation .	we recall the well-known resolvent equation.	Satz	**Umgesetzt.** Leerzeichen vor dem Punkt (im PDF sichtbar).
82	•	the spectral mapping theorem for the resolvent (Theorem 3.2.5)	(Proposition 3.2.5)	Querverweis	**Umgesetzt.** 3.2.5 ist eine Proposition; ebenso in den Notes S. 108 'Theorem 3.2.5'.
83	◐	Only by adding appropriate hypotheses we will achieve spectral decompositions	Only by adding appropriate hypotheses will we achieve spectral decompositions	Grammatik	Inversion nach 'Only by …'.
83	○	follows from the Spectral Inclusion Theorem (see 3.6.2) below.	follows from the Spectral Inclusion Theorem (see Proposition 3.6.2 below).	Querverweis	
86	◐	We review these constructions under the spectral theoretical point of view	from the spectral theoretical point of view	Grammatik	
87	◐	it follows that ($\lambda - A$/) $f\hat{}$ = $g\hat{}$ = 0, i.e., $\lambda \in \sigma(A/)$	…, i.e., $\lambda \in \sigma(A/)$.	Satz	Schlusspunkt fehlt (im PDF geprüft).
88	○	either well known or has been stated in	stated in Proposition	Querverweis	

		3.2.2(ii).	3.2.2 (ii).		
92	○	the representations Eq. (3.5.3) on the previous page and Eq. (3.5.4) on the preceding page	the representations (3.5.3) and (3.5.4) on the previous page	Satz	Automatische varioref-Zusätze wirken doppelt/unbeholfen; tritt im Bereich häufig auf (z. B. S. 128 sechsmal 'Eq. (4.2.1) on the previous/preceding page').
96	◐	Since $R\sigma(A) = P\sigma(A_*)$ and $R\sigma(T(t)) = P\sigma(T(t)_*)$ (see Proposition 3.4.4)	(see Section 3.4.1)	Querverweis	Proposition 3.4.4 behandelt das F-Produkt; die Aussage über den adjungierten Halbgruppen steht in 3.4.1.
98	◐	on Banach spaces $E1$, $E2$ with generator $A1$, $A2$.	with generators $A1$, $A2$.	Grammatik	
99	◐	(see Theorem 2.1.19). By taking	(see Theorem 2.1.19). By taking	Satz	Leerzeichen vor ')' bzw. ','; gleiches Muster im PDF bestätigt auf S. 121 ('Corollary 3.6.7)', 'Theorem 2.1.6)'), außerdem S. 123 'Theorem 3.6.3)', S. 124 'Corollary 3.6.4 ,', S. 125 'Corollary 2.1.12)'.
100	•	a "multiplication operator"	a “multiplication operator”	Satz	**Umgesetzt.** Gerade Anführungszeichen statt typografischer (sonst überall “...”).
102	○	That $T(\varphi)$ is well-defined follows	well defined (einheitlich)	Konsistenz	Wechsel zwischen 'well defined' (S. 85, 87) und 'well-defined' (S. 102, 128) bzw. 'well known' / 'well-known' (S. 84, 138).
104	•	(cf. Formula Eq. (1.3.1) on page 19)	(cf. Eq. (1.3.1) on page 19)	Tippfehler	**Umgesetzt.** 'Formula' und 'Eq.' doppelt.
104	◐	By the rescaling procedure Section 1.3.2 we may assume	By the rescaling procedure (see Section 1.3.2) we may assume	Grammatik	Ebenso S. 107: 'use the rescaling procedure Section 1.3.2'.
105	○	is Cesàro-summable ... Fourier series is Cesàro summable	einheitlich 'Cesàro summable' (oder durchgehend mit Bindestrich)	Konsistenz	S. 104/105 wechseln 'Cesàro summable' und 'Cesàro-summable'; ebenso 'Fejér’s Theorem' (S. 104) vs. 'Fejér’s theorem' (S. 105) und 'Hahn-Banach theorem' (S. 76, 91) vs. 'Hahn-Banach Theorem' (S. 93).
107	•	for some $k \in$ Z otherwise if $(\|R(\mu k, A)\|)k\in$Z is unbounded.	for some $k \in$ Z or if $(\|R(\mu k, A)\|)k\in$Z is unbounded.	Grammatik	**Umgesetzt.** 'either ... or' statt 'either ... otherwise'.
107	•	The Example 3.1.3 above in combination with Corollary 3.1.3 shows	Example 3.1.3 above in combination with Corollary 3.1.2 (?) shows	Querverweis	**Umgesetzt, abweichend (siehe Umgesetzte_Korrekturen_LNM1184.md).** Ein 'Corollary 3.1.3' gibt es nicht (3.1.3 ist das Example). Bitte richtiges Ziel prüfen.
107	◐	(use the rescaling procedure Section 1.3.2)	(use the rescaling procedure, see Section 1.3.2)	Grammatik	
108	•	The spectral mapping theorem for the resolvent (Theorem 3.2.5) is well known	(Proposition 3.2.5)	Querverweis	**Umgesetzt.**

108	•	can be found in Kato [16], Chap.III,§ 6.4].	can be found in Kato [16, Chap. III, § 6.4].	Satz	**Umgesetzt.** Klammer falsch gesetzt (öffnende eckige Klammer fehlt), Leerzeichen fehlen.
108	•	Applications to isolated singularities like Example 3.6 are discussed	like Example 3.3.6 are discussed	Querverweis	**Umgesetzt.** Example 3.6 existiert nicht; gemeint ist Example 3.3.6 (Isolated singularities and poles).
108	○	may be violated in various ways [l.c.,Sec.23.16]	[l.c., Sec. 23.16]	Satz	Fehlende Leerzeichen; ähnlich 'Chap.VII' (S. 108), 'Chap.I' (S. 83), 'Chap.8.1' (S. 93), 'Sec.23.16' (S. 101), 'Sec.8' (S. 108) – uneinheitlich zu 'Chap. III, §6.5'.
108	○	Matrix valued multiplication semigroups appear as solution, via Fourier transformation, of systems	appear as solutions, via Fourier transformation, of systems	Grammatik	
109	◐	F. Combes & C. Delaroche: Representations des groupes localement compacts	Représentations des groupes localement compacts	Literatur	Akzent fehlt im französischen Titel.
109	◐	G. Greiner: Some applications of Fejer's theorem to one-parameter semigroups	Some applications of Fejér's theorem	Literatur	Im Text 'Fejér' mit Akzent.
109	◐	G. Greiner, J. Voigt & M. Wolff: On the spectral bound … J. Operator Theory (1981) 245–256.	J. Operator Theory 5 (1981) 245–256.	Literatur	**Umgesetzt.** Bandnummer fehlt; gleicher Eintrag in Kap. 4, Ref. [10] (S. 132).
109	○	Semesterbericht Funktionalanalysis. Universität Tübingen, 1985 pp. 33–49.	Semesterbericht Funktionalanalysis. Universität Tübingen, 1985, pp. 33–49.	Literatur	
110	◐	M. P. H. Wolff: "A remark on the spectral bound … Proceedings of the Conference in Oberwolfach 1980". Functional Analysis and Approximation. … Birkhäuser 1981 pp. 39–50.	M. P. H. Wolff: A remark on the spectral bound … In: Functional Analysis and Approximation (Proc. Conf. Oberwolfach 1980), ed. by P. L. Butzer, B. Sz.-Nagy & E. Görlich. Birkhäuser (1981) 39–50.	Literatur	Anführungszeichen umschließen Titel samt Tagungsangabe; Format weicht von den übrigen Einträgen ab. Gleicher Eintrag Kap. 4, Ref. [26] (S. 133).

Teil I, Kap. 4 – Asymptotics of Semigroups on Banach Spaces

S.		Ist	Soll	Art	Kommentar
114	●	for all $f \in C0(\mathrm{R}n)$; see also Example 3.1.7.	Verweisziel prüfen (z. B. Example 3.2.3/3.2.4)	Querverweis	**Umgesetzt, abweichend (siehe Umgesetzte_Korrekturen_LNM1184.md).** In Abschnitt 3.1 gibt es nur 3.1.1–3.1.4; 'Example 3.1.7' existiert nicht.
114	○	beyond the class of eventually norm-continuous semigroups	eventually norm continuous semigroups	Konsistenz	Kap. 3 schreibt durchgehend 'norm continuous' ohne Bindestrich; Kap. 4 mit (auch S. 121).
114	○	(ii) Note that the condition … (iii) Rescaling this semigroup	(ii) Note that … / (iii) Rescaling … (ohne Einzug)	Satz	Unbeabsichtigter Einzug vor den Aufzählungspunkten (im PDF sichtbar); ähnlich S. 79, 87, 121 ('Due to the difficulty').
117	○	which implies that $g \in \ker(A) = \{0\}$ or $g = 0$.	which implies that $g \in \ker(A) = \{0\}$, i.e., $g = 0$.	Grammatik	'or' im Sinne von 'bzw./d.h.' (Germanismus); ähnlich S. 126: 'Therefore, $D \subseteq G$ or $G = E$'.
118	○	Proof. (Proof of Theorem 4.1.4) The equality	Proof of Theorem 4.1.4. The equality	Satz	Doppeltes 'Proof'.
119	●	Example 4.1.2(c) shows that uniform exponential stability is not equivalent to	Example 4.1.2 (ii) shows	Querverweis	**Umgesetzt.** Example 4.1.2 hat die Teile (i)–(iii); gemeint ist (ii). Ebenso S. 121: 'Example 4.1.2(c) produces a semigroup'.
121	●	On the other hand, Example 4.1.2(c) produces a semigroup	Example 4.1.2 (ii) produces a semigroup	Querverweis	**Umgesetzt.**
121	◐	holomorphic, or nilpotent ones— the spectral mapping theorem	holomorphic, or nilpotent ones— the spectral mapping theorem	Satz	Leerzeichen nach Geviertstrich, davor keins (im PDF sichtbar).
122	○	see Widder [24, p.66]; see also the notes in this section.	see also the notes at the end of this chapter.	Querverweis	
124	○	By a classical theorem of Laplace transform theory, (for a proof of the vector-valued version one may follow Widder [25, p.196]), we conclude	By a classical theorem of Laplace transform theory (for a proof … Widder [25, p. 196]), we conclude	Satz	Überzähliges Komma vor der Klammer.
		The Laplacian Δ generates a bounded	generates a bounded		

125	●	holomorphic semigroups on Lp(Rn)	holomorphic semigroup on	Tippfehler	**Umgesetzt.**
125	○	Furthermore the following statements are equivalent,	Furthermore, the following statements are equivalent.	Satz	
126	○	Therefore, $D \subseteq G$ or $G = E$ since D is dense in E.	Therefore, $D \subseteq G$, and hence $G = E$ since D is dense in E.	Grammatik	
127	○	to be weakly stable if ... or as weakly uniformly stable if the above holds	to be weakly stable if ... or weakly uniformly stable if the above holds	Grammatik	
128	○	(see Pazy [17, Chapter 4,2.4])	(see Pazy [17, Chapter 4, 2.4])	Satz	
131	◐	Theorem 4.1.3 (ii) is a semigroup version of Theorem 1.2.7 and 1.2.8 in Doetsch [7].	of Theorems 1.2.7 and 1.2.8 in Doetsch [7].	Grammatik	
131	○	was observed by many authors, see for example, Balakrishnan [1, p.178], or Benchimol [2].	see, for example, Balakrishnan [1, p. 178] or Benchimol [2].	Satz	
132	◐	A. Balakrishnan: Applied Functional Analysis. Application of Mathematics. Springer (1976).	A. V. Balakrishnan: Applied Functional Analysis. Applications of Mathematics. Springer (1976).	Literatur	Reihenname lautet 'Applications of Mathematics'.
132	◐	G. Doetsch: Handbuch der Laplace Transformation, Band I.	Handbuch der Laplace-Transformation, Band I.	Literatur	
132	○	R. Datko: Extending a theorem of A.M. Liapunov to Hilbert space.	Extending a theorem of A. M. Liapunov to Hilbert space.	Literatur	

132	○	Exponential stability of positive semigroups in a linear topological space I,II.	… in a linear topological space I, II.	Literatur	
132	○	F. Neubrander: Laplace transform and asymptotic behavior of strongly continuous semigroups. Houston J. Math. 12 (1985) 549–561.	Houston J. Math. 12 (1986) 549–561.	Literatur	Band 12 der Houston J. Math. ist meines Wissens von 1986 – bitte prüfen.
133	◐	M. Slemrod: Asymptotic behavior of $C0$-semigroups … Indiana Univ. Math. J. 25 (1976) 783–892.	Indiana Univ. Math. J. 25 (1976) 783–792.	Literatur	Seitenumfang 110 Seiten unplausibel; der Artikel umfasst 783–792.

Updated Notes, Part I

S.		Ist	Soll	Art	Kommentar
468	•	to the spectral theory of $C0$-semigroups, as in Chapter 3.6.6, was started	as in Part-I, Section 3.6.6	Querverweis	**Umgesetzt, abweichend (siehe Umgesetzte_Korrekturen_LNM1184.md).** 'Chapter' statt 'Section'
468	•	Using this, El-Mennaoui & Engel [30] gives a characterization	El-Mennaoui & Engel [30] give a characterization	Grammatik	**Umgesetzt.**
469	◐	(i.e., stability of the semigroup induced on an ultra power of the underlying Banach space)	ultrapower	Konsistenz	Sonst immer 'ultrapower'
470	•	Quantative estimates of the decay of the semigroup	Quantitative estimates	Tippfehler	**Umgesetzt.**
471	•	[16] J. Diestel: A survey of results related to the Dunford-Pettis property. … Contemp. Math. 2, 15-60 (1980). 1980.	… Contemp. Math. 2 (1980) 15–60.	Literatur	**Umgesetzt.** Jahr doppelt, Format weicht ab, Bindestrich statt Halbgeviertstrich
471	○	[15] R. Derndinger: Über das Spektrum positiver Generatoren. Math. Z. 172 (1980).	Math. Z. 172 (1980) 281–293.	Literatur	Seitenangaben fehlen (bitte prüfen)
471	○	Institute of Mathematics 2007 pp. 71–109 Available from:	… 2007 pp. 71–109. Available from:	Literatur	Punkt fehlt; ebenso bei Groh [13] S. 491 ('C∗-Algebras. 2026 Available from')