Fahnenkorrektur (Text): Teil II (Part B)

One-parameter Semigroups of Positive Operators, 2. Aufl. (Springer LNM 1184), Proof-PDF vom 14.10.2026.

Auszug aus `Fahnenkorrektur_Springer_LNM1184.md`. **Seitenangaben** = gedruckte Seitenzahl (PDF-Seite = gedruckte Seite + 18). **Sicherheit:** ● hoch · ◐ mittel · ○ niedrig.

Stand der Umsetzung (Branch `fahnenkorrektur`): Alle ●-Punkte sind umgesetzt und im Kommentar mit „Umgesetzt" markiert (Abweichungen siehe `Umgesetzte_Korrekturen_LNM1184.md`). ◐ und ○ sind offen, außer wo „Umgesetzt" steht. Insgesamt **120 Punkte**: 36 ●, 56 ◐, 28 ○; davon umgesetzt: 38.

Übergreifende Punkte (Inhaltsverzeichnis, Kolumnentitel, Schreibweisen) und der Index stehen in `korrekturen-text-allgemein.md`.

Teil II, Kap. 1 – Basic Results on Spaces $C_0(X)$

S.		Ist	Soll	Art	Kommentar
137	○	Basic Results of Spaces $C0(X)$	Basic Results on Spaces $C0(X)$	Grammatik	Präposition; betrifft auch den Kolumnentitel.
137	○	1.1 Algebraic and Order-Structure: Ideals and Quotients	1.1 Algebraic and Order Structure: Ideals and Quotients	Satz	
139	●	This identification is a topological isomorphisms with respect to the weak*-topology	This identification is a topological isomorphism with respect to the weak* topology	Tippfehler	**Umgesetzt.**
139	●	(i) positive (notation: $T \geqslant 0$) if $T f$ is a positive whenever f is positive,	if Tf is positive whenever f is positive,	Tippfehler	**Umgesetzt.**
139	◐	(iii) Markov-operator if X and Y are compact	(iii) Markov operator if X and Y are compact	Konsistenz	Auf S. 140 'Markov operator' ohne Bindestrich.

Teil II, Kap. 2 – Characterization of Positive Semigroups on $C_0(X)$

S.		Ist	Soll	Art	Kommentar
142	◐	similar to a derivation perturbated by a multiplication operator	similar to a derivation perturbed by a multiplication operator	Tippfehler	
143	●	It will be essential that K is compact for all what follows	It will be essential that K is compact for all that follows	Grammatik	**Umgesetzt.**
146	◐	is not positive (see Greiner et al. [16]).	is not positive (see Greiner et al. [16]).	Satz	Leerzeichen vor schließender Klammer
		The next result is a	The next result is a		**Umgesetzt.** Nicht verlinkter Altverweis;

148	•	strengthened form of Theorem 1.6.	strengthened form of Theorem 2.1.6.	Querverweis	gemeint ist Theorem 2.1.6 (S. 144)
148	◐	Thus (P) is not a "metric" condition	Thus (P) is not a “metric” condition	Satz	Gerade statt typografische Anführungszeichen (sonst “…” verwendet)
150	◐	then by Part-I, Section 1.3.2, the operator m · A = ‖m‖∞ B also generates a positive semigroup).	… also generates a positive semigroup.	Satz	Schließende Klammer ohne öffnende (Satz geht auf S. 151 weiter)
152	•	preceding page succesively to B = m^{1/k} · A	preceding page successively to …	Tippfehler	**Umgesetzt.**
154	•	Then A is the generator of positive semigroup.	Then A is the generator of a positive semigroup.	Grammatik	**Umgesetzt.**
155	◐	A semigroup (T(t))t≥0 is called lattice semigroup if	A semigroup (T(t))t≥0 is called a lattice semigroup if	Grammatik	
155	◐	a concrete representation of lattice-semigroups	a concrete representation of lattice semigroups	Konsistenz	Sonst durchgehend ohne Bindestrich
156	◐	right-sided Gateaux-differentiable at every point f ∈ G (vs. 'right-sided Gateaux differentiable' im selben Absatz)	einheitlich 'Gateaux differentiable' (bzw. ggf. 'Gâteaux')	Konsistenz	Auf S. 155/156 gemischt mit und ohne Bindestrich (auch in Prop. 2.2.3)
159	○	For A = Δ (the Laplacian) this is a version of the classical Kato’s inequality.	… this is a version of the classical Kato inequality.	Grammatik	
160	◐	Remark Although we assume that (T(t))t≥0 is a real semigroup, i.e., T(t)C(K,R) ⊆ C(K,R) for all t ≥ 0. It is important for the proof	… for all t ≥ 0, it is important for the proof	Grammatik	Nebensatz mit 'Although' als eigener Satz abgetrennt
161	•	hence T(t) is so as well (cf. Remark 2.1).	hence T(t) is so as well (cf. Remark 2.2.1).	Querverweis	**Umgesetzt.** Remark 2.1 existiert nicht; gemeint Remark 2.2.1 (S. 155)
161	•	we denote by dϕ he linear form on C[−1, 0]	we denote by dϕ the linear form on C[−1, 0]	Tippfehler	**Umgesetzt.**
161	◐	The operator Amax on the (real or complex space) C[−1, 0]	The operator Amax on the (real or complex) space C[−1, 0]	Grammatik	
162	◐	Let A on (the real or complex) space C[−1, 0] be given by	Let A on the (real or complex) space C[−1, 0] be given by	Grammatik	
162	◐	A satisfies Kato’s Equality Eq. (2.2.9)	A satisfies Kato’s equality Eq. (2.2.9)	Konsistenz	Sonst 'Kato’s equality' klein
		this will enable us, to give a	this will enable us to give a		

163	•	detailed description	detailed description	Satz	**Umgesetzt.**
163	◐	A mapping ϕ : [0, ∞) × K → K is called semiflow if	… is called a semiflow if	Grammatik	
163	○	the space of all real valued continuous functions on K	the space of all real-valued continuous functions on K	Konsistenz	Sonst 'real-valued'
164	◐	An operator δ on C(K) is called derivation if	An operator δ on C(K) is called a derivation if	Grammatik	
166	◐	Theorem 2.3.6 An operator A is generator of a lattice semigroup	An operator A is the generator of a lattice semigroup	Grammatik	
166	○	In fact, by Eq. (2.1.6) T0(t)f = lim e^{−t/n·h} · T(t/n)f	Verweis prüfen (Eq. (2.1.6) ist ϕx ∈ dpu(f); gemeint vermutlich die Trotter-Produktformel aus Part I)	Querverweis	
167	•	is closable (by Corollary 2.1.11); but	is closable (by Corollary 2.1.11); but	Satz	**Umgesetzt.** Im PDF bestätigt
169	◐	Given a compact neighbourhood V of x0	neighbourhood/neighborhood vereinheitlichen	Konsistenz	S. 169, 179: neighbourhood; S. 180 (3x): neighborhood; außerdem 'behavior' (S. 187) amerikanisch
174	◐	by Part I, Proposition 1.1.9 (or Part I, Corollary 2.1.33)	by Part-I, Proposition 1.1.9 (or Part-I, Corollary 2.1.33)	Konsistenz	**Umgesetzt.** Im Fließtext sonst durchgehend „Part-I“ mit Bindestrich, siehe Merkposten A.4.
178	◐	This does no longer hold for functions which are not admissible	This no longer holds for functions which are not admissible	Grammatik	
179	•	is closed in (a, b) Thus (a, b) ⧹ K is the union	is closed in (a, b). Thus (a, b) ⧹ K is the union	Satz	**Umgesetzt.** Punkt fehlt, im PDF bestätigt
179	◐	Thus αn is strictly monotonous.	Thus αn is strictly monotone.	Tippfehler	'monotonous' = eintönig; mathematisch 'monotone'/'monotonic'
183	•	It is easy to verify, that the generator of this group is	It is easy to verify that the generator of this group is	Satz	**Umgesetzt.**
183	◐	The operator δ̃m is generator of an automorphism group on C[a, b]	The operator δ̃m is the generator of an automorphism group	Grammatik	
184	•	we refer to the corresponding notes in Part-III, Chapter 2, Theorem 2.1.6 and 2.1.8 are due to Arendt et al. [4]	… in Part-III, Chapter 2. Theorems 2.1.6 and 2.1.8 are due to Arendt et al. [4]	Satz	**Umgesetzt.** Komma statt Punkt; außerdem Plural 'Theorems'

184	•	Infinite-dimensional Systems, Retahof 1983.	Infinite-dimensional Systems, Retzhof 1983.	Literatur	**Umgesetzt.** Tagungsort Retzhof (LNM 1076)
184	◐	as perturbation of a derivation (Theorem 2.3.5 and 2.3.6)	(Theorems 2.3.5 and 2.3.6)	Grammatik	
184	◐	positive groups on C0(X) (Theorem 2.3.14) was obtained	(Theorem 2.3.14) was obtained	Satz	
184	◐	to satisfy the "generalized Osgood condition"	to satisfy the “generalized Osgood condition”	Satz	Gerade Anführungszeichen
184	◐	Uhlig [30] determined all semi-flows on an interval.	Uhlig [30] determined all semiflows on an interval.	Konsistenz	Im Kapitel sonst 'semiflow'
184	◐	has been obtained by Kurose in a series of papers Kurose [21, 22, 23].	has been obtained by Kurose in a series of papers [21, 22, 23].	Grammatik	Name doppelt
184	○	(see Part-III, Section 2.5), for general Banach spaces and C0(X) in particular the problem has been considered	(see Part-III, Section 2.5); for general Banach spaces …	Satz	
184	○	Our approach is inspired by Laubenfels [24]	Our approach is inspired by de Laubenfels [24]	Konsistenz	Im Literaturverzeichnis 'R. de Laubenfels'
184	○	In the sequel of Batty’s work (loc.cit.)	(loc. cit.)	Satz	
184	○	[2] W. Arendt: “Generators of positive semigroups”. … Vol. 1076. Springer 1984 pp. 1–15. / [30] H. Uhlig: “Derivationen und Verbandshalbgruppen”.	Titel ohne Anführungszeichen, Jahr in Klammern wie bei den übrigen Einträgen (z. B. Lecture Notes in Math. 1076, Springer (1984) 1–15)	Literatur	Formatierung uneinheitlich
185	•	[11] P. Collatz: Einschließungssatz für die charakteristischen Zahlen von Matrizen.	[11] L. Collatz: Einschließungssatz …	Literatur	**Umgesetzt.** Lothar Collatz
185	◐	[16] G. Greiner, J. Voigt & M. Wolff: … J. Operator Theory (1981) 245–256.	J. Operator Theory 5 (1981) 245–256.	Literatur	**Umgesetzt.** Bandangabe fehlt
185	◐	[24] R. de Laubenfels: Well behaved derivation on C[0,1].	R. de Laubenfels: Well-behaved derivations on C[0,1].	Literatur	
185	○	[19] E. Kamke: Über die partielle Differentialgleichung. Math. Z. 41 (1932) 56–66.	Titel/Angaben prüfen (Titel wirkt unvollständig)	Literatur	
185	○	[20] T. Kato: Schrödinger operators with singular	Israel J. Math. 13 (1972) 135–148	Literatur	Band 13 erschien 1972

		potentials. Israel J. Math. 13 (1973) 135–148.			– bitte prüfen
186	○	[27] G. Lumer: Problème de Cauchy pour opérateurs locaux et “changement de temps”. Ann. Inst. Fourier (Grenoble) 23 (1974) 409–466.	Ann. Inst. Fourier (Grenoble) 25 (1975) 409–446	Literatur	Band/Jahr/Seiten wohl aus [26] übernommen – bitte prüfen; [26] ist Bd. 23 (1973)

Teil II, Kap. 3 – Spectral Theory of Positive Semigroups on $C_0(X)$

S.		Ist	Soll	Art	Kommentar
187	◐	Krein, Krasnoselski’i, Lotz	Krein, Krasnosel’skii, Lotz	Tippfehler	
187	◐	(see Chapt.V of Schaefer [27]) … (Schaefer [27, V.Proposition 4.1])	(see Chap. V of Schaefer [27]) … (Schaefer [27, V, Proposition 4.1])	Satz	Leerzeichen fehlen; Abkürzung uneinheitlich (Chapt./Chap./Chapter, vgl. S. 150 'Chapter I', S. 209 'Chap.I')
188	○	We may assume λ0 > ω0(A) then R(λ0, A) ⩾ 0, and iterating	We may assume λ0 > ω0(A); then R(λ0, A) ⩾ 0, and iterating	Satz	
192	○	equation Eq. (3.1.16) implies that	Eq. (3.1.16) implies that	Satz	Doppelung 'equation Eq.'
202	•	A real spectral value λ0 of a generator A is called a dominant provided that	… is called dominant provided that	Grammatik	**Umgesetzt.**
204	•	unless ϕ = r0δ0 for some r0 ∈ R.)	unless ϕ = r0δ0 for some r0 ∈ R.	Satz	**Umgesetzt.** Schließende Klammer ohne öffnende, im PDF bestätigt
204	◐	It follows from Eq. (3.2.25) and Eq. (3.2.26) that for λ > ‖ϕ‖, the resolvent R(λ, Aϕ) exists	It follows from Eq. (3.2.27) and Eq. (3.2.28) that …	Querverweis	Die Abschätzung folgt aus (3.2.27)/(3.2.28), nicht aus (3.2.25)/(3.2.26)
205	◐	hence it maps the unit ball in an order interval	hence it maps the unit ball into an order interval	Grammatik	
206	◐	can be extended to systems of functional differential equations even the infinite dimensional case.	… functional differential equations, even to the infinite-dimensional case.	Grammatik	Wort fehlt
206	◐	Then the ideal I generated by {T(t)f : t ⩾ 0} satisfy T ≠ {0}	Then the ideal I generated by {T(t)f : t ⩾ 0} satisfies I ≠ {0}	Grammatik	Verbform; zudem T statt I (auch in der Folgezeile)

207	◐	(e) =⇒ (f): If I is a R(λ, A)-invariant ideal	(e) =⇒ (d): If I is an R(λ, A)-invariant ideal	Querverweis	Beweiskette a⇒b⇒c⇒f⇒e⇒d⇒a; '(e) ⇒ (f)' doppelt bzw. falsch
207	○	The rotation semigroup (see Part-I, Example 1.2.5)	Verweis vereinheitlichen (S. 190, 197, 202: 'Part-I, Example 3.5.6')	Konsistenz	Auch S. 212 'Part-I, Example 1.2.5'; einer der Verweise ist vermutlich falsch
209	◐	(iv) If ker(s(A) − A') contains a positive element (e.g., if X is compact (cf. Theorem 3.1.6), then	(e.g., if X is compact (cf. Theorem 3.1.6)), then	Satz	Klammer nicht geschlossen
209	◐	Protter & Weinberger [20, Chap.I, Theorem 3]	Protter & Weinberger [20, Chap. I, Theorem 3]	Satz	
210	○	a ϕ ⩾ 0 satisfying A'ϕ = 0 always exists (see Theorem 3.1.6)	... always exists (see Theorem 3.1.6).	Satz	Satzpunkt fehlt
210	○	(i) Pσ(A) ∩ iR is a (additive) subgroup of iR.	(i) Pσ(A) ∩ iR is an (additive) subgroup of iR.	Grammatik	
212	•	such that Pσ(A) = H). Here (H_d)^ denotes	such that Pσ(A) = H. Here (H_d)^ denotes	Satz	**Umgesetzt.** Überzählige Klammer, im PDF bestätigt
212	◐	For details see Greiner [15, p.62].	For details see Greiner [15, p. 62].	Satz	
215	•	A complete proof of this results requires	A complete proof of this result requires	Grammatik	**Umgesetzt.**
216	◐	described explicitly by a semi-flow ϕ (S. 216); semi-flows associated with ordinary differential equations (S. 222); dagegen sonst durchgehend 'semiflow'	semiflow / semiflows (einheitlich)	Konsistenz	auch S. 226 'construct semi-flows associated with (T(t))'
218	◐	it is enough to prove assertion (i), (ii) and (iii) respectively	it is enough to prove assertions (i), (ii) and (iii) respectively	Grammatik	
219	◐	(i) By the definition given in Eq. (3.4.1) on page 216 there exists a τ > 0 such that c_t(h,ϕ) ⩾ ...	(i) By the definition given in Eq. (3.4.4) on page 217 ...	Querverweis	c(h,ϕ) ist in (3.4.4) definiert, nicht in (3.4.1)
220	•	by Part-I, Proposition 3.6.2 Since every boundary point	by Part-I, Proposition 3.6.2. Since every boundary point	Satz	**Umgesetzt.** Punkt fehlt

220	◐	there is a x_f ∈ K such that	there is an x_f ∈ K such that	Grammatik	
221	•	by Lemma 3.4.2 (b) there exists y ∈ K∞	by Lemma 3.4.2 (ii) there exists y ∈ K∞	Querverweis	**Umgesetzt.** Lemma 3.4.2 hat Teile (i)-(iii), kein (b)
221	•	For details see Sect.18.2 of Dieudonné [11].	For details see Section 18.2 of Dieudonné [11].	Satz	**Umgesetzt.** Leerzeichen fehlt; sonst wird 'Section' ausgeschrieben (im PDF geprüft)
221	◐	ϕ0 and $\tilde{\phi}$0 satisfy condition Theorem 3.4.4 (iii).	ϕ0 and $\tilde{\phi}$0 satisfy condition (iii) of Theorem 3.4.4.	Grammatik	
222	•	(iii) We consider Ω as in (b) and assume	(iii) We consider Ω as in (ii) and assume	Querverweis	**Umgesetzt.** Teile des Beispiels 3.4.6 sind (i)-(iii) nummeriert
222	•	by remarking that the ideas of (b) and (c) can be combined	by remarking that the ideas of (ii) and (iii) can be combined	Querverweis	**Umgesetzt.**
225	◐	for every x ∈ K there exists a r = r_x with	for every x ∈ K there exists an r = r_x with	Grammatik	
227	•	The dichotomy stated in (Eq.(3.2.19) on page 202) is probably	The dichotomy stated in Eq. (3.2.19) on page 202 is probably	Satz	**Umgesetzt.** Leerzeichen fehlt, überflüssige Klammern (im PDF geprüft)
227	○	introduced by Derndinger [8] (and Schaefer (1980) respectively)	Zitat im Literaturformat, z. B. 'Schaefer [n]', oder Eintrag ergänzen	Literatur	Schaefer (1980) steht nicht im Literaturverzeichnis des Kapitels
228	◐	[3] J.-M. Bony, P. Courrège & P. Priouret: Semi-groups de Feller sur une variété à bord compact	Semi-groupes de Feller sur une variété à bord compact	Literatur	französischer Originaltitel
229	•	[22] J. P. Roth: “Les operateurs elliptiques comme générateurs infinitésimaux de semigroups de Feller”. Séminaire de Théorie du Potential	“Les opérateurs elliptiques comme générateurs infinitésimaux de semi-groupes de Feller”. Séminaire de Théorie du Potentiel	Literatur	**Umgesetzt.** Akzent fehlt, 'semigroups' englisch, 'Potential' statt 'Potentiel'
		[28] H. H. Schaefer: “Some recent results on	“Some recent results on positive groups and semi-		

229	◐	positive groups and semi-groups. Proceedings of the Symposium in Honour of A.C. Zaanen". From A to Z. ... Vol. 149. Mathematical Centre 1982	groups". From A to Z: Proceedings of a Symposium in Honour of A.C. Zaanen. Ed. by ... Mathematical Centre Tracts 149. Mathematisch Centrum, Amsterdam (1982) pp. 69–79.	Literatur	Tagungsbandtitel steckt im Aufsatztitel; Reihe fehlt
229	○	[18] K. Kuhn: ... Semesterbericht Funktionalanalysis. 1984 pp. 125–142.	Semesterbericht Funktionalanalysis. Universität Tübingen, 1984 pp. 125–142.	Literatur	im Literaturverzeichnis von Kap. 4 (Greiner [13]) mit 'Universität Tübingen'

Teil II, Kap. 4 – Asymptotics of Positive Semigroups on $C_0(X)$

S.		Ist	Soll	Art	Kommentar
232	◐	Proof. Eq. (4.1.2) follows directly from Section 3.4.1 and the results from Chapter 2	vermutlich: Theorem 3.4.1 (oder ein anderer gemeinter Verweis)	Querverweis	Einen Abschnitt 3.4.1 gibt es nicht
233	○	Γ{1} is a homoclinic orbit i.e.,	Γ{1} is a homoclinic orbit, i.e.,	Satz	
234	◐	(2) Assume, that T(t)f = e^{iαt}f	(2) Assume that T(t)f = e^{iαt}f	Grammatik	kein Komma vor 'that'
234	◐	(T(t)f)(z) → 0 μ-a.e.. Lebesgue's	(T(t)f)(z) → 0 μ-a.e. Lebesgue's	Satz	doppelter Punkt
235	○	(see Schaefer [29, II.Theorem 5.9])	(see Schaefer [29, II. Theorem 5.9])	Satz	vgl. S. 240 'II. Proposition 9.4'
236	○	(see Asimow & Ellis [1], p.39)	(see Asimow & Ellis [1], p. 39)	Satz	
240	•	is a countable additive set function	is a countably additive set function	Grammatik	**Umgesetzt.**
240	○	(see e.g., Schaefer [29, II. Proposition 9.4])	(see e.g., Schaefer [29, II. Proposition 9.4])	Satz	Leerzeichen vor schließender Klammer
242	•	Then ω_ess(T) < 0 by Eq. (3.3.10) on	Then ω_ess(T) < 0 by Eq. (3.3.10) on	Satz	**Umgesetzt.** überzählige schließende Klammer

		page 85).	page 85.		
245	◐	the asymptotic behavior as t → ∞ of certain semigroups if only its generator is known	… of certain semigroups if only their generator is known	Grammatik	
251	•	as developed in Part-I, Section 4.1, Section 4.1	as developed in Part-I, Section 4.1.	Tippfehler	**Umgesetzt, abweichend (siehe Umgesetzte_Korrekturen_LNM1184.md).** Verweis doppelt, Satzpunkt fehlt
251	◐	Again we use the assertion that dim F < ∞	Again we use the assumption that dim F < ∞	Tippfehler	
251	◐	by the Theorem of Arzela-Ascoli	by the Theorem of Arzelà–Ascoli	Tippfehler	
252	○	Proof. By Formula Eq. (4.3.2) on page 248	Proof. By Eq. (4.3.2) on page 248	Satz	ebenso S. 258: 'see Formula Eq. (4.3.3)'
253	•	then σ(A) = ∅ by Proposition 3.4.	then σ(A) = ∅ by Proposition 4.3.4.	Querverweis	**Umgesetzt.**
253	◐	by Part-III, Theorem 3.1.1. (i), we obtain	by Part-III, Theorem 3.1.1 (i), we obtain	Satz	
256	○	since, even a scalar valued delay differential equation may be stable	since even a scalar-valued delay differential equation may be stable	Satz	
257	•	Then (3.11) takes the abstract form	Then Eq. (4.3.10) takes the abstract form	Querverweis	**Umgesetzt, abweichend (siehe Umgesetzte_Korrekturen_LNM1184.md).** Alter Gleichungsverweis '(3.11)'; gemeint ist die Gleichung aus Example 4.3.11 (bitte Nummer prüfen)
257	○	It is well-known that B̃ generates	It is well known that B̃ generates	Konsistenz	sonst 'well known' (S. 247, 259)
259	•	showed the translation property (T)for the solution	showed the translation property (T) for the solution	Satz	**Umgesetzt.** im PDF geprüft

		semigroup	semigroup		
259	•	(see Part-III, Section 3.4 can be used to derive	(see Part-III, Section 3.4) can be used to derive	Satz	**Umgesetzt.** schließende Klammer fehlt
259	◐	Section 2: ... Theorem 4.1.1 seems to be folklore.	Theorem 4.2.1 seems to be folklore.	Querverweis	In den Notizen zu Abschnitt 2 ist wohl Theorem 4.2.1 (eventuell kompakte Halbgruppen) gemeint; 4.1.1 wird schon in Section 1 genannt
259	◐	This relation more detailed than in Example 4.2.6, can be found	This relation, in more detail than in Example 4.2.6, can be found	Grammatik	
259	○	in Chapter 2 of Casteren [3]	in Chapter 2 of van Casteren [3]	Literatur	Literatureintrag lautet 'J. van Casteren'; ebenso S. 241

Updated Notes, Part II

S.		Ist	Soll	Art	Kommentar
474	•	As examples for the rich litterature we mention	the rich literature	Tippfehler	**Umgesetzt.**
474	◐	by the work of I. Mezic [36] in the context of numerical problems using the dynamical mode decomposition	I. Mezić [36] ... dynamic mode decomposition	Konsistenz	Im Literaturverzeichnis 'Mezić'; der übliche Fachbegriff lautet 'dynamic mode decomposition'
475	•	persistent irreducibilty implies that the generator	persistent irreducibility	Tippfehler	**Umgesetzt.**
475	•	In Gerlach [21] strong convergence of Feller semigoups is studied.	Feller semigroups	Tippfehler	**Umgesetzt.**
475	○	whose positive cone has non empty interior	non-empty interior	Konsistenz	sonst 'non-empty'
477	◐	[29] N. Jacob: Pseudo Differential Operators and Markov Processes. Vol. 1: ... [30] N. Jacob: Pseudo Differential Operators and Markov Processes. Vol III:	Pseudo-Differential Operators and Markov Processes. Vol. I: ... / Vol. III:	Literatur	Uneinheitlich gegenüber [28] 'Pseudo-Differential ... Vol. II'; Punkt nach 'Vol' fehlt bei [30]