Intune Documentation

SAMPLE REPORT, FICTIONAL TENANT

Technical Evidence Report: Intune Configuration

NIST SP 800-53

Revision 5


Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

Contoso Ltd

Report date **2026-10-08**

Classification **Internal**



Controls with supporting technical evidence

Supporting evidence only, not a compliance score

AT A GLANCE

Supporting or partial evidence	10
No recognized evidence	1
Mixed policy evidence	1

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.6. Organizational aspects of each control are listed separately for review.

DOCUMENT CONTROL

Framework **NIST SP 800-53 Revision 5**		Tenant **Contoso Ltd**	Prepared for **Information Security**
Prepared by **Endpoint Engineering**	Report ID **IDOC-N53-20261008-CTSO**	Revision **1.0**	Ruleset version **2026.10.6**
Classification **Internal**	Report date **2026-10-08**		

01 EXECUTIVE SUMMARY

Summary


83%

CONTROLS WITH TECHNICAL EVIDENCE

10 of 12 assessable controls have supporting technical evidence in the Intune configuration.

40 of 59 technical safeguards are set up and switched on in Intune.

0 of 12 selected controls with configuration evidence (10 partial)
12 in scope; 0 outside scope; 0 not assessed; 1 mixed policy evidence. Entries are selected mappings, not full framework coverage.



WITH TECHNICAL EVIDENCE	SAFEGUARDS IN PLACE	NO RECOGNIZED EVIDENCE	MIXED POLICY EVIDENCE
10	40	1	1
0 configuration, 10 supporting or partial	of 59 mapped, set up and switched on	controls without recognized evidence	controls with mixed policy evidence

Status distribution

12 controls



10 Supporting or partial evidence, 83% **1** No recognized evidence, 8% **1** Mixed policy evidence, 8%

Coverage by family

controls with technical evidence

AC	Access Control	**2** of 2
CM	Configuration Management	**3** of 3

3 more families are listed in the results overview.

Assigned deviating configurations: 4.
At least one assigned policy explicitly contradicts the target configuration.

Configured settings without assignment: 3.
The detected target configuration is not effective until it is assigned.

Key findings

ordered by severity, then control

Assigned deviation CM-6
Diagnostic data minimized (Windows)
Assigned deviating configuration affects CM-6.

Assigned deviation SI-3
Office macro runtime scanning for all documents
Assigned deviating configuration affects SI-3.

Assigned deviation SI-2 **Quality update timing within 14 days: Assigned deviating configuration affects SI-2.**

Assigned deviation IA-5 **SMS, voice call and email one-time passcode disabled (Entra ID): Assigned deviating configuration affects IA-5.**

Not assigned SC-7 **Host firewall (Windows Firewall): Configured setting without assignment affects SC-7.** See page 4

2 further findings are listed in the full report.

SCOPE NOTE

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification or an IT Grundschutz check and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

02 RESULTS

Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

CONTROL	STATUS	CAPABILITIES	EVIDENCE	PAGE
AC Access Control				2 of 2 with evidence
AC-2 Account Management	Supporting or partial evidence	1 of 1	1 evidence item	n/a
AC-11 Device Lock	Supporting or partial evidence	3 of 4	3 evidence items	n/a
CM Configuration Management				3 of 3 with evidence
CM-6 Configuration Settings	Supporting or partial evidence	7 of 11	9 evidence items	n/a
CM-7 Least Functionality	Supporting or partial evidence	8 of 11	9 evidence items	n/a
CM-11 User-Installed Software	Supporting or partial evidence	1 of 4	2 evidence items	n/a
IA Identification and Authentication				2 of 2 with evidence
IA-2 Identification and Authentication (Organizational Users)	Supporting or partial evidence	3 of 5	3 evidence items	n/a
IA-5 Authenticator Management	Supporting or partial evidence	8 of 10	9 evidence items	n/a
SC System and Communications Protection				1 of 2 with evidence
SC-7 Boundary Protection	No recognized evidence	0 of 2	E-001 E-002 E-003	4
SC-28 Protection of Information at Rest	Supporting or partial evidence	3 of 3	E-004 E-005 +4	5
SI System and Information Integrity				2 of 3 with evidence
SI-2 Flaw Remediation	Mixed policy evidence	5 of 6	8 evidence items	n/a
SI-3 Malicious Code Protection	Supporting or partial evidence	5 of 6	9 evidence items	n/a
SI-7 Software, Firmware, and Information Integrity	Supporting or partial evidence	3 of 7	5 evidence items	n/a

10 Supporting or partial evidence **1** No recognized evidence **1** Mixed policy evidence

Sample report: detail pages are included for selected controls only (SC-7, SC-28). A full report includes a detail page for every control.

03 CONTROL DETAIL

SC-7

No recognized evidence

Boundary Protection

3 match, 1 missing, 0 different

0 of 2 capabilities

3 evidence references

Host firewall (Windows Firewall) Windows

Setting configured, but not assigned

CHECK	EXPECTED	ACTUAL	RESULT
Enable Domain Network Firewall vendor_msft_firewall_mdmstore_domainprofile_enablefirewall WIN - Defender Firewall - All profiles	True "vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true"	**True** "vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true"	Matches expected value
Enable Private Network Firewall vendor_msft_firewall_mdmstore_privateprofile_enablefirewall WIN - Defender Firewall - All profiles	True "vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true"	**True** "vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true"	Matches expected value
Enable Public Network Firewall vendor_msft_firewall_mdmstore_publicprofile_enablefirewall WIN - Defender Firewall - All profiles	True "vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true"	**True** "vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true"	Matches expected value

POLICY **WIN - Defender Firewall - All profiles** Not assigned

EVIDENCE E-001 E-002 E-003

Host firewall (macOS) macOS

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
Host firewall (macOS) macos-firewall	true true; alternative: true	*Not found*	Missing

No supported setting was found after checking the collected policies.

POLICY No matching policy found

EVIDENCE None recorded

Additional verification: not assessed by technical evidence

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

SC-28

Supporting or partial evidence

Protection of Information at Rest

6 match, 0 missing, 0 different

3 of 3 capabilities

6 evidence references

Disk encryption (BitLocker) Windows

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Require Device Encryption device_vendor_msft_bitlocker_requiredeviceencryption WIN - Baseline - BitLocker	Enabled "device_vendor_msft_bitlocker_requiredeviceencryption_1"	**Enabled** "device_vendor_msft_bitlocker_requiredeviceencryption_1"	Matches expected value
BitLocker Enabled bitLockerEnabled WIN - Compliance - Baseline	true	**true**	Matches expected value

POLICY **WIN - Baseline - BitLocker** Assigned: Group: All Corporate Devices, Excluded: Group: Kiosk Devices

POLICY **WIN - Compliance - Baseline** Assigned: Group: All Corporate Devices

EVIDENCE E-004 E-005

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Disk encryption (FileVault) macOS

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Enable com.apple.mcx.filevault2_enable MAC - FileVault enforcement	On "com.apple.mcx.filevault2_enable_0"	**On** "com.apple.mcx.filevault2_enable_0"	Matches expected value
Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant MAC - FileVault enforcement	True "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	**True** "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	Matches expected value
Storage Require Encryption storageRequireEncryption MAC - Compliance - Baseline	true	**true**	Matches expected value

POLICY **MAC - FileVault enforcement** Assigned: Group: Corporate Mac Devices

POLICY **MAC - Compliance - Baseline** Assigned: Group: Corporate Mac Devices

EVIDENCE E-006 E-007 E-008

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Storage encryption (Android) Android

Compliance requirement assigned

CHECK	EXPECTED	ACTUAL	RESULT
Storage Require Encryption storageRequireEncryption AND - Compliance - Work profile	true	**true**	Matches expected value

POLICY **AND - Compliance - Work profile** Assigned: Group: Corporate Mobile Devices

EVIDENCE E-009

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

SC-28 (continued)

▲ Additional verification: not assessed by technical evidence

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

HOW TO READ THIS REPORT

● Configuration evidence	Technical configuration evidence detected
◐ Supporting or partial evidence	Technical configuration evidence partially detected
○ No recognized evidence	No supported technical configuration evidence detected
▲ Mixed policy evidence	Mixed policy evidence
▲ Not assessed	Not assessed
○ Outside selected scope	Outside selected scope

1. Status is shown by marker shape and label, never by colour alone.
2. A control rolls up from its capabilities. A capability rolls up from its checks.
3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.
4. Evidence references point to rows of the evidence register in Appendix A.

APPENDIX A

Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

REF	POLICY	TYPE	SETTING	VALUE	ASSIGNMENT
E-001	WIN - Defender Firewall - All profiles 0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z	Settings Catalog	Enable Domain Network Firewall vendor_msft_firewall_mdmstore_domainprofile_enablefirewall	**True** vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true	Not assigned
E-002	WIN - Defender Firewall - All profiles 0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z	Settings Catalog	Enable Private Network Firewall vendor_msft_firewall_mdmstore_privateprofile_enablefirewall	**True** vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true	Not assigned
E-003	WIN - Defender Firewall - All profiles 0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z	Settings Catalog	Enable Public Network Firewall vendor_msft_firewall_mdmstore_publicprofile_enablefirewall	**True** vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true	Not assigned
E-004	WIN - Baseline - BitLocker 0c0e7050-0000-4000-8000-000000000101; configuration; version unknown; modified 2026-08-19T14:30:00Z	Settings Catalog	Require Device Encryption device_vendor_msft_bitlocker_requireddeviceencryption	**Enabled** device_vendor_msft_bitlocker_requiredeviceencryption_1	Group: All Corporate Devices, Excluded: Group: Kiosk Devices
E-005	WIN - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z	Compliance Policy	BitLocker Enabled bitLockerEnabled	**true**	Group: All Corporate Devices
E-006	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Enable com.apple.mcx.filevault2_enable	**On** com.apple.mcx.filevault2_enable_0	Group: Corporate Mac Devices
E-007	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant	**True** com.apple.mcx.filevault2_forceenableinsetupassistant_true	Group: Corporate Mac Devices
E-008	MAC - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000302; complianceRequirement; version 3; modified 2026-06-18T11:00:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	**true**	Group: Corporate Mac Devices

Appendix A (continued)

REF	POLICY	TYPE	SETTING	VALUE	ASSIGNMENT
E-009	AND - Compliance - Work profile 0c0e7050-0000-4000-8000-000000000305; complianceRequirement; version 3; modified 2026-07-30T09:45:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	**true**	Group: Corporate Mobile Devices

Referenced assessment points for each item of evidence are listed in the relevant sections.

ANNEX

Policy device status

Device counts as summarised by Intune for the device policies cited in this report. Context only: no status in this report depends on them, and they do not show the state of an individual device. Errors include devices reported as not compliant. No status reported means the Intune summary has no row for the policy, not a count of zero.

Status summaries read on 2026-10-08T09:00:00Z. Configuration report: collected. Compliance report: collected. Profile status overview: collected.

POLICY	SOURCE	SUCCEEDED	ERRORS	CONFLICTS	NOT APPLICABLE	PENDING
WIN - Defender Firewall - All profiles	Configuration report	**415**	**2**	**1**	**5**	**n/a**
WIN - Baseline - BitLocker	Configuration report	**412**	**6**	**2**	**3**	**n/a**
WIN - Compliance - Baseline	Compliance report	**401**	**22**	**0**	**0**	**n/a**
MAC - FileVault enforcement	Configuration report	**58**	**3**	**0**	**0**	**n/a**
MAC - Compliance - Baseline	Compliance report	**57**	**4**	**0**	**0**	**n/a**
AND - Compliance - Work profile	Compliance report	**87**	**5**	**0**	**0**	**n/a**

APPENDIX B

Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

Note: Device-management evidence for a subset of technical controls. Organizational and procedural aspects of each control are out of scope for an Intune tenant export.