Intune Documentation

SAMPLE REPORT, FICTIONAL TENANT

Technical Evidence Report: Intune Configuration

# Essential Eight ML1

November 2023; target Maturity Level 1

Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

## Contoso Ltd

Report date **2026-10-08**

Classification **Internal**




**Controls with supporting technical evidence**

Supporting evidence only, not a compliance score

### AT A GLANCE

| | |
|---|---|
| Supporting or partial evidence | 11 |
| No recognized evidence | 3 |
| Mixed policy evidence | 1 |

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.5. Organizational aspects of each control are listed separately for review.

### DOCUMENT CONTROL

| | | | |
|---|---|---|---|
| Framework | | Tenant | Prepared for |
| ASD Essential Eight November 2023; target Maturity Level 1 | | Contoso Ltd | Information Security |
| Prepared by | Report ID | Revision | Ruleset version |
| Endpoint Engineering | IDOC-E8-20261008-CTSO | 1.0 | 2026.10.5 |
| Classification | Report date | | |
| Internal | 2026-10-08 | | |

01 EXECUTIVE SUMMARY

# Summary

**73%**

CONTROLS WITH TECHNICAL EVIDENCE

**11 of 15 assessable controls have supporting technical evidence in the Intune configuration.**

9 of 15 technical safeguards are set up and switched on in Intune.

0 of 15 selected controls with configuration evidence (11 partial)
15 in scope; 0 outside scope; 0 not assessed; 1 mixed policy evidence. Entries are selected mappings, not full framework coverage.




| WITH TECHNICAL EVIDENCE | SAFEGUARDS IN PLACE | NO RECOGNIZED EVIDENCE | MIXED POLICY EVIDENCE |
|---|---|---|---|
| 11 | 9 | 3 | 1 |
| 0 configuration, 11 supporting or partial | of 15 mapped, set up and switched on | controls without recognized evidence | controls with mixed policy evidence |

## Status distribution

15 controls

**11** Supporting or partial evidence, 73% **3** No recognized evidence, 20% **1** Mixed policy evidence, 7%

## Coverage by family

controls with technical evidence

| | |
|---|---|
| Application control | **0** of 2 |
| Multi-factor authentication | **4** of 4 |
| Patch operating systems | **0** of 1 |
| Restrict Microsoft Office macros | **3** of 4 |

*1 more family is listed in the results overview.*

**Assigned deviating configurations: 2.**
At least one assigned policy explicitly contradicts the target configuration.

**Configured settings without assignment: 1.**
The detected target configuration is not effective until it is assigned.

## Key findings

ordered by severity, then control

Assigned deviation ML1-MAC-03

**Office macro runtime scanning for all documents**
Assigned deviating configuration affects ML1-MAC-03.

Assigned deviation ML1-PO-07 See page 5

**Quality update timing within 14 days**
Assigned deviating configuration affects ML1-PO-07.

Not assigned ML1-AC-01 **Application control in enforcement mode: Configured setting without assignment affects ML1-AC-01.**

SCOPE NOTE

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification or an IT Grundschutz check and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

48 published requirement entries; showing 15 with Intune or Conditional Access policy checks. Operational-only requirements are excluded. Target level only; achieved maturity is not assessed.

02 RESULTS

# Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

| CONTROL | STATUS | CAPABILITIES | EVIDENCE | PAGE |
|---|---|---|---|---|
| **Application control** | | | | 0 of 2 with evidence |
| ML1-AC-01 Application control | No recognized evidence | 0 of 1 | 1 evidence item | n/a |
| ML1-AC-03 Application control | No recognized evidence | 0 of 1 | None recorded | n/a |
| **Multi-factor authentication** | | | | 4 of 4 with evidence |
| ML1-MFA-01 Multi-factor authentication | Supporting or partial evidence | 1 of 1 | 1 evidence item | n/a |
| ML1-MFA-02 Multi-factor authentication | Supporting or partial evidence | 1 of 1 | 1 evidence item | n/a |
| ML1-MFA-03 Multi-factor authentication | Supporting or partial evidence | 1 of 1 | 1 evidence item | n/a |
| ML1-MFA-07 Multi-factor authentication | Supporting or partial evidence | 1 of 1 | 1 evidence item | n/a |
| **Patch operating systems** | | | | 0 of 1 with evidence |
| ML1-PO-07 Patch operating systems | Mixed policy evidence | 0 of 1 | E-003 E-004 | 5 |
| **Restrict Microsoft Office macros** | | | | 3 of 4 with evidence |
| ML1-MAC-01 Restrict Microsoft Office macros | Supporting or partial evidence | 1 of 2 | E-001 E-002 | 4 |
| ML1-MAC-02 Restrict Microsoft Office macros | Supporting or partial evidence | 1 of 1 | 3 evidence items | n/a |
| ML1-MAC-03 Restrict Microsoft Office macros | No recognized evidence | 0 of 1 | 1 evidence item | n/a |
| ML1-MAC-04 Restrict Microsoft Office macros | Supporting or partial evidence | 1 of 1 | 5 evidence items | n/a |
| **User application hardening** | | | | 4 of 4 with evidence |
| ML1-UAH-01 User application hardening | Supporting or partial evidence | 1 of 1 | 1 evidence item | n/a |
| ML1-UAH-02 User application hardening | Supporting or partial evidence | 1 of 1 | 1 evidence item | n/a |
| ML1-UAH-03 User application hardening | Supporting or partial evidence | 1 of 2 | 1 evidence item | n/a |
| ML1-UAH-04 User application hardening | Supporting or partial evidence | 1 of 1 | 2 evidence items | n/a |

**11** Supporting or partial evidence **3** No recognized evidence **1** Mixed policy evidence

Sample report: detail pages are included for selected controls only (ML1-MAC-01, ML1-PO-07). A full report includes a detail page for every control.

03 CONTROL DETAIL

ML1-MAC-01

Supporting or partial evidence | Target Maturity Level 1

# Restrict Microsoft Office macros

2 match, 1 missing, 0 different

Microsoft Office macros are disabled for users that do not have a demonstrated business requirement.

1 of 2 capabilities

2 evidence references

## Office VBA macros disabled Windows

Setting configured and assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| user_vendor_msft_policy_config_excel16v2~policy~l_microsoftofficeexcel~l_exceloptions~l_security~l_trustcenter_l_vbawarningspolicy_l_empty4<br>WIN - Office - Macro security | "Disable all without notification"; requires VBA Macro Notification Settings (User): Enabled | **"Disable all without notification"** | Matches expected value |
| user_vendor_msft_policy_config_word16v2~policy~l_microsoftofficeword~l_wordoptions~l_security~l_trustcenter_l_vbawarningspolicy_l_empty19<br>WIN - Office - Macro security | "Disable all without notification"; requires VBA Macro Notification Settings (User): Enabled | **"Disable all without notification"** | Matches expected value |

POLICY **WIN - Office - Macro security** Assigned: Group: All Corporate Users

EVIDENCE E-001 E-002

## Office VBA macros disabled on macOS macOS

No evidence

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Office VBA macros disabled on macOS<br>macos-office-macros-disabled | "True"; alternative: "Disable all macros" | *Not found* | Missing |

*No supported setting was found after checking the collected policies.*

POLICY No matching policy found

EVIDENCE None recorded

### ▲ Additional verification: not assessed by technical evidence

Review business exceptions, assigned users and coverage of every Office application; only the detected settings are evidenced.

Review macOS profile coverage, business exceptions and installed Office applications.

ML1-PO-07

Mixed policy evidence | Target Maturity Level 1

# Patch operating systems

1 match, 0 missing, 1 different

Patches, updates or other vendor mitigations for vulnerabilities in operating systems of workstations, non-internet-facing servers and non-internet-facing network devices are applied within one month of release.

**0 of 1 capabilities**

2 evidence references

## Quality update timing within 14 days Windows

Mixed policy evidence

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Quality update timing within 14 days<br>qualityUpdateDeadline<br>WIN - Update ring Pilot | Automatic installation; not paused; deferral + deadline + grace at most 14 days (supporting threshold) | **Quality update deferral 0d + deadline 2d + grace 1d = 3d; paused: true** | Different value |
| Quality update timing within 14 days<br>qualityUpdateDeadline<br>WIN - Update ring Broad | Automatic installation; not paused; deferral + deadline + grace at most 14 days (supporting threshold) | **Quality update deferral 7d + deadline 5d + grace 2d = 14d; paused: false** | Matches expected value |

POLICY **WIN - Update ring Pilot** Assigned: Group: Pilot Devices

POLICY **WIN - Update ring Broad** Assigned: Group: All Corporate Devices

EVIDENCE E-003 E-004

**Risk E-003: WIN - Update ring Pilot sets qualityUpdateDeadline to Quality update deferral 0d + deadline 2d + grace 1d = 3d; paused: true (assigned).**
**Deviating configuration detected and assigned (risk).**

### Additional verification: not assessed by technical evidence

Windows update settings support scheduling only. Release-to-install timing, vulnerability scans, servers and network devices are unassessed.

Mixed policy evidence. Review profile settings and targeting overlap; a device conflict has not been established.

## HOW TO READ THIS REPORT

| | |
|---|---|
| Configuration evidence | Technical configuration evidence detected |
| Supporting or partial evidence | Technical configuration evidence partially detected |
| No recognized evidence | No supported technical configuration evidence detected |
| Mixed policy evidence | Mixed policy evidence |
| Not assessed | Not assessed |
| Outside selected scope | Outside selected scope |

1. Status is shown by marker shape and label, never by colour alone.
2. A control rolls up from its capabilities. A capability rolls up from its checks.
3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.
4. Evidence references point to rows of the evidence register in Appendix A.

APPENDIX A

# Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

| REF | POLICY | TYPE | SETTING | VALUE | ASSIGNMENT |
|---|---|---|---|---|---|
| E-001 | WIN - Office - Macro security<br>0c0e7050-0000-4000-8000-000000000105; configuration; version unknown; modified 2026-08-27T15:20:00Z | Settings Catalog | user_vendor_msft_policy_config_excel16v2~policy~l_microsoftofficeexcel~l_exceloptions~l_security~l_trustcenter_l_vbawarningspolicy_l_empty4 | **Disable all without notification**<br>user_vendor_msft_policy_config_excel16v2~policy~l_microsoftofficeexcel~l_exceloptions~l_security~l_trustcenter_l_vbawarningspolicy_l_empty4_4 | Group: All Corporate Users |
| E-002 | WIN - Office - Macro security<br>0c0e7050-0000-4000-8000-000000000105; configuration; version unknown; modified 2026-08-27T15:20:00Z | Settings Catalog | user_vendor_msft_policy_config_word16v2~policy~l_microsoftofficeword~l_wordoptions~l_security~l_trustcenter_l_vbawarningspolicy_l_empty19 | **Disable all without notification**<br>user_vendor_msft_policy_config_word16v2~policy~l_microsoftofficeword~l_wordoptions~l_security~l_trustcenter_l_vbawarningspolicy_l_empty19_4 | Group: All Corporate Users |
| E-003 | WIN - Update ring Pilot<br>0c0e7050-0000-4000-8000-000000000401; configuration; version 9; modified 2026-10-06T07:40:00Z | Windows Update Ring | Quality update timing within 14 days<br>qualityUpdateDeadline | **Quality update deferral 0d + deadline 2d + grace 1d = 3d; paused: true** | Group: Pilot Devices |
| E-004 | WIN - Update ring Broad<br>0c0e7050-0000-4000-8000-000000000402; configuration; version 4; modified 2026-08-20T10:00:00Z | Windows Update Ring | Quality update timing within 14 days<br>qualityUpdateDeadline | **Quality update deferral 7d + deadline 5d + grace 2d = 14d; paused: false** | Group: All Corporate Devices |

*Referenced assessment points for each item of evidence are listed in the relevant sections.*

ANNEX

# Policy device status

Device counts as summarised by Intune for the device policies cited in this report. Context only: no status in this report depends on them, and they do not show the state of an individual device. Errors include devices reported as not compliant. No status reported means the Intune summary has no row for the policy, not a count of zero.

Status summaries read on 2026-10-08T09:00:00Z. Configuration report: collected. Compliance report: collected. Profile status overview: collected.

| POLICY | SOURCE | SUCCEEDED | ERRORS | CONFLICTS | NOT APPLICABLE | PENDING |
|---|---|---|---|---|---|---|
| WIN - Office - Macro security | Configuration report | **398** | **0** | **4** | **21** | **n/a** |
| WIN - Update ring Pilot | Profile status overview | *No status reported* | | | | |
| WIN - Update ring Broad | Profile status overview | *No status reported* | | | | |

APPENDIX B

# Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

Note: Evidence against target Maturity Level 1; no achieved maturity level is calculated. Only entries with Intune or Conditional Access policy checks are displayed. Operational-only requirements are excluded. Local ML identifiers identify rows within the published appendix and are not official ISM control IDs. Australian Signals Directorate, © Commonwealth of Australia 2026. CC BY 4.0. Requirement text reproduced from Appendices A to C; local identifiers added by IntuneDocumentation and are not official ISM identifiers. Licence: https://creativecommons.org/licenses/by/4.0/ Configuration evidence does not prove implementation effectiveness, patch installation, backup recovery or operational processes. The model targets enterprise IT; mobile and operational technology coverage must be assessed separately.