Intune Documentation

SAMPLE REPORT, FICTIONAL TENANT

Technical Evidence Report: Intune Configuration

HIPAA Security Rule

45 CFR Part 164, Subpart C


Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

Contoso Ltd

Report date **2026-10-08**

Classification **Internal**



Controls with supporting technical evidence

Supporting evidence only, not a compliance score

AT A GLANCE

Supporting or partial evidence	8
No recognized evidence	1

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.5. Organizational aspects of each control are listed separately for review.

DOCUMENT CONTROL

Framework **HIPAA Security Rule 45 CFR Part 164, Subpart C**		Tenant **Contoso Ltd**	Prepared for **Information Security**
Prepared by **Endpoint Engineering**	Report ID **IDOC-HIPAA-20261008-CTSO**	Revision **1.0**	Ruleset version **2026.10.5**
Classification **Internal**	Report date **2026-10-08**		

01 EXECUTIVE SUMMARY

Summary

88%

CONTROLS WITH TECHNICAL EVIDENCE

8 of 9 assessable controls have supporting technical evidence in the Intune configuration.

21 of 35 technical safeguards are set up and switched on in Intune.

0 of 9 selected controls with configuration evidence (8 partial)
9 in scope; 0 outside scope; 0 not assessed; 0 mixed policy evidence. Entries are selected mappings, not full framework coverage.

0% 50% 100%

WITH TECHNICAL EVIDENCE	SAFEGUARDS IN PLACE	NO RECOGNIZED EVIDENCE	MIXED POLICY EVIDENCE
8	21	1	0
0 configuration, 8 supporting or partial	of 35 mapped, set up and switched on	controls without recognized evidence	controls with mixed policy evidence

Status distribution

9 controls



8 Supporting or partial evidence, 89% **1** No recognized evidence, 11%

Coverage by family

controls with technical evidence

§ 164.308	Administrative safeguards	**2** of 2
§ 164.310	Physical safeguards	**2** of 2
§ 164.312	Technical safeguards	**4** of 5

Assigned deviating configurations: 1.
At least one assigned policy explicitly contradicts the target configuration.

Configured settings without assignment: 2.
The detected target configuration is not effective until it is assigned.

Key findings

ordered by severity, then control

Assigned deviation 164.308(a)(5)(ii)(B)

Office macro runtime scanning for all documents
Assigned deviating configuration affects 164.308(a)(5)(ii)(B).

Not assigned 164.312(c)(1)

System Integrity Protection
Configured setting without assignment affects 164.312(c)(1).

Not assigned 164.310(b) **Application control in enforcement mode: Configured setting without assignment affects 164.310(b).**

SCOPE NOTE

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification or an IT Grundschutz check and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

9 of 54 published requirements have Intune evidence mappings. Supporting evidence only; this is not a full assessment or compliance score.

02 RESULTS

Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

CONTROL	STATUS	CAPABILITIES	EVIDENCE	PAGE
§ 164.308 Administrative safeguards				2 of 2 with evidence
164.308(a)(5)(ii)(B) Protection from Malicious Software	Supporting or partial evidence	5 of 6	9 evidence items	n/a
164.308(a)(5)(ii)(D) Password Management	Supporting or partial evidence	1 of 1	1 evidence item	n/a
§ 164.310 Physical safeguards				2 of 2 with evidence
164.310(b) Workstation Use	Supporting or partial evidence	1 of 4	2 evidence items	n/a
164.310(c) Workstation Security	Supporting or partial evidence	7 of 7	10 evidence items	n/a
§ 164.312 Technical safeguards				4 of 5 with evidence
164.312(a)(1) Access Control	Supporting or partial evidence	2 of 3	2 evidence items	n/a
164.312(a)(2)(iv) Encryption and Decryption	Supporting or partial evidence	3 of 3	E-001 E-002 +4	4
164.312(b) Audit Controls	No recognized evidence	0 of 4	None recorded	5
164.312(c)(1) Integrity	Supporting or partial evidence	5 of 9	9 evidence items	n/a
164.312(d) Person or Entity Authentication	Supporting or partial evidence	6 of 7	6 evidence items	n/a

8 Supporting or partial evidence **1** No recognized evidence

Sample report: detail pages are included for selected controls only (164.312(a)(2)(iv), 164.312(b)). A full report includes a detail page for every control.

HOW TO READ THIS REPORT

Configuration evidence	Technical configuration evidence detected
Supporting or partial evidence	Technical configuration evidence partially detected
No recognized evidence	No supported technical configuration evidence detected
Mixed policy evidence	Mixed policy evidence
Not assessed	Not assessed
Outside selected scope	Outside selected scope

1. Status is shown by marker shape and label, never by colour alone.
2. A control rolls up from its capabilities. A capability rolls up from its checks.
3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.
4. Evidence references point to rows of the evidence register in Appendix A.

03 CONTROL DETAIL

164.312(a)(2)(iv)

Supporting or partial evidence | Addressable

Encryption and Decryption

6 match, 0 missing, 0 different

3 of 3 capabilities

6 evidence references

Disk encryption (BitLocker) Windows

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Require Device Encryption device_vendor_msft_bitlocker_requiredeviceencryption WIN - Baseline - BitLocker	Enabled "device_vendor_msft_bitlocker_requiredeviceencryption_1"	**Enabled** "device_vendor_msft_bitlocker_requiredeviceencryption_1"	Matches expected value
BitLocker Enabled bitLockerEnabled WIN - Compliance - Baseline	true	**true**	Matches expected value

POLICY **WIN - Baseline - BitLocker** Assigned: Group: All Corporate Devices, Excluded: Group: Kiosk Devices

POLICY **WIN - Compliance - Baseline** Assigned: Group: All Corporate Devices

EVIDENCE E-001 E-002

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Disk encryption (FileVault) macOS

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Enable com.apple.mcx.filevault2_enable MAC - FileVault enforcement	On "com.apple.mcx.filevault2_enable_0"	**On** "com.apple.mcx.filevault2_enable_0"	Matches expected value
Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant MAC - FileVault enforcement	True "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	**True** "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	Matches expected value
Storage Require Encryption storageRequireEncryption MAC - Compliance - Baseline	true	**true**	Matches expected value

POLICY **MAC - FileVault enforcement** Assigned: Group: Corporate Mac Devices

POLICY **MAC - Compliance - Baseline** Assigned: Group: Corporate Mac Devices

EVIDENCE E-003 E-004 E-005

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Storage encryption (Android) Android

Compliance requirement assigned

CHECK	EXPECTED	ACTUAL	RESULT
Storage Require Encryption storageRequireEncryption AND - Compliance - Work profile	true	**true**	Matches expected value

POLICY **AND - Compliance - Work profile** Assigned: Group: Corporate Mobile Devices

EVIDENCE E-006

164.312(a)(2)(iv) (continued)

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Additional verification: not assessed by technical evidence

Effective encryption state on each device, key management, encryption of ePHI on servers and removable media, and the documented decision for this addressable specification are unassessed.

164.312(b)

No recognized evidence | Required

Audit Controls

0 match, 4 missing, 0 different

0 of 4 capabilities

0 evidence references

Process creation auditing with command lines Windows

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
Process creation auditing with command lines windows-process-creation-logging	"Success" or "Success+ Failure"; alternative: "Enabled"	*Not found*	Missing

No supported setting was found after checking the collected policies.

POLICY No matching policy found

EVIDENCE None recorded

PowerShell logging for all modules Windows

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
PowerShell logging for all modules windows-powershell-module-logging	"*"; requires Turn on Module Logging: Enabled	*Not found*	Missing

No supported setting was found after checking the collected policies.

POLICY No matching policy found

EVIDENCE None recorded

PowerShell script block logging enabled Windows

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
PowerShell script block logging enabled windows-powershell-scriptblock-logging	"Enabled"	*Not found*	Missing

No supported setting was found after checking the collected policies.

POLICY No matching policy found

EVIDENCE None recorded

164.312(b) (continued)

PowerShell transcription enabled Windows — No evidence

CHECK	EXPECTED	ACTUAL	RESULT
PowerShell transcription enabled windows-powershell-transcription	"Enabled"	*Not found*	Missing

No supported setting was found after checking the collected policies.

POLICY	No matching policy found
EVIDENCE	None recorded

Gap: Audit Controls

No technical evidence was found. Possible implementation through these Intune settings:

- device_vendor_msft_policy_config_audit_detailedtracking_auditprocesscreation
- device_vendor_msft_policy_config_admx_auditsettings_includecmdline
- device_vendor_msft_policy_config_admx_powershellexecutionpolicy_enablemodulelogging_listbox_modulenames
- device_vendor_msft_policy_config_windowspowershell_turnonpowershellscriptblocklogging

Additional verification: not assessed by technical evidence

Audit logging in systems that contain or use ePHI, log collection, retention and the regular examination of recorded activity require separate assessment.

APPENDIX A

Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

REF	POLICY	TYPE	SETTING	VALUE	ASSIGNMENT
E-001	WIN - Baseline - BitLocker 0c0e7050-0000-4000-8000-000000000101; configuration; version unknown; modified 2026-08-19T14:30:00Z	Settings Catalog	Require Device Encryption device_vendor_msft_bitlocker_requireddeviceencryption	**Enabled** device_vendor_msft_bitlocker_requiredeviceencryption_1	Group: All Corporate Devices, Excluded: Group: Kiosk Devices
E-002	WIN - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z	Compliance Policy	BitLocker Enabled bitLockerEnabled	**true**	Group: All Corporate Devices
E-003	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Enable com.apple.mcx.filevault2_enable	**On** com.apple.mcx.filevault2_enable_0	Group: Corporate Mac Devices
E-004	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant	**True** com.apple.mcx.filevault2_forceenableinsetupassistant_true	Group: Corporate Mac Devices
E-005	MAC - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000302; complianceRequirement; version 3; modified 2026-06-18T11:00:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	**true**	Group: Corporate Mac Devices
E-006	AND - Compliance - Work profile 0c0e7050-0000-4000-8000-000000000305; complianceRequirement; version 3; modified 2026-07-30T09:45:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	**true**	Group: Corporate Mobile Devices

Referenced assessment points for each item of evidence are listed in the relevant sections.

ANNEX

Policy device status

Device counts as summarised by Intune for the device policies cited in this report. Context only: no status in this report depends on them, and they do not show the state of an individual device. Errors include devices reported as not compliant. No status reported means the Intune summary has no row for the policy, not a count of zero.

Status summaries read on 2026-10-08T09:00:00Z. Configuration report: collected. Compliance report: collected. Profile status overview: collected.

POLICY	SOURCE	SUCCEEDED	ERRORS	CONFLICTS	NOT APPLICABLE	PENDING
WIN - Baseline - BitLocker	Configuration report	**412**	**6**	**2**	**3**	**n/a**
WIN - Compliance - Baseline	Compliance report	**401**	**22**	**0**	**0**	**n/a**
MAC - FileVault enforcement	Configuration report	**58**	**3**	**0**	**0**	**n/a**
MAC - Compliance - Baseline	Compliance report	**57**	**4**	**0**	**0**	**n/a**
AND - Compliance - Work profile	Compliance report	**87**	**5**	**0**	**0**	**n/a**

APPENDIX B

Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

Note: Selected standards and implementation specifications from Appendix A to 45 CFR Part 164, Subpart C (18 standards and 36 implementation specifications). These mappings provide supporting Intune configuration evidence for safeguards on managed endpoints, not a HIPAA risk analysis or a complete assessment. Administrative and physical safeguards, ePHI scope and the documented decision for each addressable specification require separate review. The proposed rule of January 2025 is not final and is not reflected.