Intune Documentation

SAMPLE REPORT, FICTIONAL TENANT

Technical Evidence Report: Intune Configuration

# NIST SP 800-53

## Revision 5

Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

## Contoso Ltd

Report date **2026-10-08**

Classification **Internal**




**Controls with supporting technical evidence**

Supporting evidence only, not a compliance score

### AT A GLANCE

| | |
|---|---|
| Supporting or partial evidence | 10 |
| No recognized evidence | 1 |
| Mixed policy evidence | 1 |

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.22. Organizational aspects of each control are listed separately for review.

### DOCUMENT CONTROL

| | | | |
|---|---|---|---|
| Framework<br>**NIST SP 800-53 Revision 5** | | Tenant<br>**Contoso Ltd** | Prepared for<br>**Information Security** |
| Prepared by<br>**Endpoint Engineering** | Report ID<br>**IDOC-N53-20261008-CTSO** | Revision<br>**1.0** | Ruleset version<br>**2026.10.22** |
| Classification<br>**Internal** | Report date<br>**2026-10-08** | | |

01 EXECUTIVE SUMMARY

# Summary


**83%**

CONTROLS WITH TECHNICAL EVIDENCE

**10 of 12 assessable controls have supporting technical evidence in the Intune configuration.**

40 of 59 technical safeguards are set up and switched on in Intune and Entra.

0 of 12 selected controls with configuration evidence (10 partial)
12 in scope; 0 outside the selected scope; 0 not assessed; 1 mixed policy evidence. Entries are selected mappings, not full framework coverage.




| WITH TECHNICAL EVIDENCE | SAFEGUARDS IN PLACE | NO RECOGNIZED EVIDENCE | MIXED POLICY EVIDENCE |
|---|---|---|---|
| 10 | 40 | 1 | 1 |
| 0 configuration, 10 supporting or partial | of 59 mapped, set up and switched on | controls without recognized evidence | controls with mixed policy evidence |

## Status distribution

12 controls



**10** Supporting or partial evidence, 83% **1** No recognized evidence, 8% **1** Mixed policy evidence, 8%

## Coverage by family

controls with technical evidence

| | | |
|---|---|---|
| AC | Access Control | **2** of 2 |
| CM | Configuration Management | **3** of 3 |

*3 more families are listed in the results overview.*

**Assigned deviating configurations: 4.**
At least one assigned policy explicitly contradicts the target configuration.

**Configured settings without assignment: 3.**
The detected target configuration is not effective until it is assigned.

## Key findings

ordered by severity, then control

Assigned deviation CM-6
**Diagnostic data minimized (Windows)**
Assigned deviating configuration affects CM-6.

Assigned deviation SI-3
**Office macro runtime scanning for all documents**
Assigned deviating configuration affects SI-3.

Assigned deviation SI-2 **Quality update timing within 14 days: Assigned deviating configuration affects SI-2.**

Assigned deviation IA-5 **SMS, voice call and email one-time passcode not enabled for users (Entra ID): Assigned deviating configuration affects IA-5.**

Not assigned SC-7 **Host firewall (Windows Firewall): Configured setting without assignment affects SC-7.** See page 4

*2 further findings are listed in the full report.*

**SCOPE NOTE**

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

02 RESULTS

# Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

| CONTROL | STATUS | CAPABILITIES | EVIDENCE | PAGE |
|---|---|---|---|---|
| **AC Access Control** | | | | 2 of 2 with evidence |
| AC-2 Account Management | Supporting or partial evidence | 1 of 1 | 1 evidence item | n/a |
| AC-11 Device Lock | Supporting or partial evidence | 3 of 4 | 3 evidence items | n/a |
| **CM Configuration Management** | | | | 3 of 3 with evidence |
| CM-6 Configuration Settings | Supporting or partial evidence | 7 of 11 | 9 evidence items | n/a |
| CM-7 Least Functionality | Supporting or partial evidence | 8 of 11 | 9 evidence items | n/a |
| CM-11 User-Installed Software | Supporting or partial evidence | 1 of 4 | 2 evidence items | n/a |
| **IA Identification and Authentication** | | | | 2 of 2 with evidence |
| IA-2 Identification and Authentication (Organizational Users) | Supporting or partial evidence | 3 of 4 | 3 evidence items | n/a |
| IA-5 Authenticator Management | Supporting or partial evidence | 8 of 10 | 9 evidence items | n/a |
| **SC System and Communications Protection** | | | | 1 of 2 with evidence |
| SC-7 Boundary Protection | No recognized evidence | 0 of 2 | E-001 E-002 E-003 | 4 |
| SC-28 Protection of Information at Rest | Supporting or partial evidence | 3 of 3 | E-004 E-005 +4 | 5 |
| **SI System and Information Integrity** | | | | 2 of 3 with evidence |
| SI-2 Flaw Remediation | Mixed policy evidence | 5 of 6 | 8 evidence items | n/a |
| SI-3 Malicious Code Protection | Supporting or partial evidence | 5 of 6 | 9 evidence items | n/a |
| SI-7 Software, Firmware, and Information Integrity | Supporting or partial evidence | 3 of 7 | 5 evidence items | n/a |

**10** Supporting or partial evidence **1** No recognized evidence **1** Mixed policy evidence

Sample report: detail pages are included for selected controls only (SC-7, SC-28). A full report includes a detail page for every control.

03 CONTROL DETAIL

SC-7

No recognized evidence

# Boundary Protection

3 match, 1 missing, 0 different

**0 of 2 capabilities**

3 evidence references

## Host firewall (Windows Firewall) Windows

Setting configured, but not assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Enable Domain Network Firewall<br>vendor_msft_firewall_mdmstore_domainprofile_enablefirewall<br>WIN - Defender Firewall - All profiles | True<br>"vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true" | **True**<br>"vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true" | Matches expected value |
| Enable Private Network Firewall<br>vendor_msft_firewall_mdmstore_privateprofile_enablefirewall<br>WIN - Defender Firewall - All profiles | True<br>"vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true" | **True**<br>"vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true" | Matches expected value |
| Enable Public Network Firewall<br>vendor_msft_firewall_mdmstore_publicprofile_enablefirewall<br>WIN - Defender Firewall - All profiles | True<br>"vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true" | **True**<br>"vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true" | Matches expected value |

POLICY **WIN - Defender Firewall - All profiles** Not assigned

EVIDENCE E-001 E-002 E-003

## Host firewall (macOS) macOS

No evidence

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Host firewall (macOS)<br>macos-firewall | true<br>true; alternative: true | *Not found* | Missing |

*No supported setting was found after checking the collected policies.*

POLICY No matching policy found

EVIDENCE None recorded

**Additional verification: not assessed by technical evidence**

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

SC-28

Supporting or partial evidence

# Protection of Information at Rest

6 match, 0 missing, 0 different

**3 of 3** capabilities

6 evidence references

## Disk encryption (BitLocker) Windows

Setting configured and assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Require Device Encryption<br>device_vendor_msft_bitlocker_requiredeviceencryption<br>WIN - Baseline - BitLocker | Enabled<br>"device_vendor_msft_bitlocker_requiredeviceencryption_1" | **Enabled**<br>"device_vendor_msft_bitlocker_requiredeviceencryption_1" | Matches expected value |
| BitLocker Enabled<br>bitLockerEnabled<br>WIN - Compliance - Baseline | true | **true** | Matches expected value |

POLICY **WIN - Baseline - BitLocker** Assigned: Group: All Corporate Devices, Excluded: Group: Kiosk Devices

POLICY **WIN - Compliance - Baseline** Assigned: Group: All Corporate Devices

EVIDENCE E-004 E-005

*Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.*

## Disk encryption (FileVault) macOS

Setting configured and assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Enable<br>com.apple.mcx.filevault2_enable<br>MAC - FileVault enforcement | On<br>"com.apple.mcx.filevault2_enable_0" | **On**<br>"com.apple.mcx.filevault2_enable_0" | Matches expected value |
| Force Enable In Setup Assistant<br>com.apple.mcx.filevault2_forceenableinsetupassistant<br>MAC - FileVault enforcement | True<br>"com.apple.mcx.filevault2_forceenableinsetupassistant_true" | **True**<br>"com.apple.mcx.filevault2_forceenableinsetupassistant_true" | Matches expected value |
| Storage Require Encryption<br>storageRequireEncryption<br>MAC - Compliance - Baseline | true | **true** | Matches expected value |

POLICY **MAC - FileVault enforcement** Assigned: Group: Corporate Mac Devices

POLICY **MAC - Compliance - Baseline** Assigned: Group: Corporate Mac Devices

EVIDENCE E-006 E-007 E-008

*Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.*

## Storage encryption (Android) Android

Compliance requirement assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Storage Require Encryption<br>storageRequireEncryption<br>AND - Compliance - Work profile | true | **true** | Matches expected value |

POLICY **AND - Compliance - Work profile** Assigned: Group: Corporate Mobile Devices

EVIDENCE E-009

*Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.*

*SC-28 (continued)*

**▲ Additional verification: not assessed by technical evidence**

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

HOW TO READ THIS REPORT

| | |
|---|---|
| ● Configuration evidence | Technical configuration evidence detected |
| ◐ Supporting or partial evidence | Technical configuration evidence partially detected |
| ○ No recognized evidence | No supported technical configuration evidence detected |
| ▲ Mixed policy evidence | Mixed policy evidence |
| ▲ Not assessed | Not assessed |
| ○ Outside selected scope | Outside selected scope |

1. Status is shown by marker shape and label, never by colour alone.
2. A control rolls up from its capabilities. A capability rolls up from its checks.
3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.
4. Evidence references point to rows of the evidence register in Appendix A.

APPENDIX A

# Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

| REF | POLICY | TYPE | SETTING | VALUE | ASSIGNMENT |
|---|---|---|---|---|---|
| E-001 | WIN - Defender Firewall - All profiles<br>0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z | Settings Catalog | Enable Domain Network Firewall<br>vendor_msft_firewall_mdmstore_domainprofile_enablefirewall | **True**<br>vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true | Not assigned |
| E-002 | WIN - Defender Firewall - All profiles<br>0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z | Settings Catalog | Enable Private Network Firewall<br>vendor_msft_firewall_mdmstore_privateprofile_enablefirewall | **True**<br>vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true | Not assigned |
| E-003 | WIN - Defender Firewall - All profiles<br>0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z | Settings Catalog | Enable Public Network Firewall<br>vendor_msft_firewall_mdmstore_publicprofile_enablefirewall | **True**<br>vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true | Not assigned |
| E-004 | WIN - Baseline - BitLocker<br>0c0e7050-0000-4000-8000-000000000101; configuration; version unknown; modified 2026-08-19T14:30:00Z | Settings Catalog | Require Device Encryption<br>device_vendor_msft_bitlocker_requireddeviceencryption | **Enabled**<br>device_vendor_msft_bitlocker_requiredeviceencryption_1 | Group: All Corporate Devices, Excluded: Group: Kiosk Devices |
| E-005 | WIN - Compliance - Baseline<br>0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z | Compliance Policy | BitLocker Enabled<br>bitLockerEnabled | **true** | Group: All Corporate Devices |
| E-006 | MAC - FileVault enforcement<br>0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z | Settings Catalog | Enable<br>com.apple.mcx.filevault2_enable | **On**<br>com.apple.mcx.filevault2_enable_0 | Group: Corporate Mac Devices |
| E-007 | MAC - FileVault enforcement<br>0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z | Settings Catalog | Force Enable In Setup Assistant<br>com.apple.mcx.filevault2_forceenableinsetupassistant | **True**<br>com.apple.mcx.filevault2_forceenableinsetupassistant_true | Group: Corporate Mac Devices |
| E-008 | MAC - Compliance - Baseline<br>0c0e7050-0000-4000-8000-000000000302; complianceRequirement; version 3; modified 2026-06-18T11:00:00Z | Compliance Policy | Storage Require Encryption<br>storageRequireEncryption | **true** | Group: Corporate Mac Devices |

*Appendix A (continued)*

| REF | POLICY | TYPE | SETTING | VALUE | ASSIGNMENT |
|---|---|---|---|---|---|
| E-009 | AND - Compliance - Work profile<br>0c0e7050-0000-4000-8000-000000000305; complianceRequirement; version 3; modified 2026-07-30T09:45:00Z | Compliance Policy | Storage Require Encryption<br>storageRequireEncryption | **true** | Group: Corporate Mobile Devices |

*Referenced assessment points for each item of evidence are listed in the relevant sections.*

ANNEX

# Policy device status

Device counts as summarised by Intune for the device policies cited in this report. Context only: no status in this report depends on them, and they do not show the state of an individual device. Errors include devices reported as not compliant. No status reported means the Intune summary has no row for the policy, not a count of zero.

Status summaries read on 2026-10-08T09:00:00Z. Configuration report: collected. Compliance report: collected. Profile status overview: collected.

| POLICY | SOURCE | SUCCEEDED | ERRORS | CONFLICTS | NOT APPLICABLE | PENDING |
|---|---|---|---|---|---|---|
| WIN - Defender Firewall - All profiles | Configuration report | **415** | **2** | **1** | **5** | **n/a** |
| WIN - Baseline - BitLocker | Configuration report | **412** | **6** | **2** | **3** | **n/a** |
| WIN - Compliance - Baseline | Compliance report | **401** | **22** | **0** | **0** | **n/a** |
| MAC - FileVault enforcement | Configuration report | **58** | **3** | **0** | **0** | **n/a** |
| MAC - Compliance - Baseline | Compliance report | **57** | **4** | **0** | **0** | **n/a** |
| AND - Compliance - Work profile | Compliance report | **87** | **5** | **0** | **0** | **n/a** |

APPENDIX B

# Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

Note: Device-management evidence for a subset of technical controls. Organizational and procedural aspects of each control are out of scope for an Intune tenant export.