Intune Documentation

Intune Configuration Export

Microsoft Intune

Configuration Documentation


Comprehensive export of Intune policies, profiles, and assignments

TENANT

Contoso Ltd

Data collected **8 Oct 2026 · 09:00**

Generated **8 Oct 2026 · 09:00**



Assigned configurations

Share of the configurations that take assignments

AT A GLANCE

CONFIGURATIONS COLLECTED

24

6 policy types

ASSIGNED

17

With at least one assignment

NOT ASSIGNED

3

No assignment found

ASSIGNMENT UNKNOWN

0

Assignments could not be read

Unknown assignments are not counted as assigned.

Collection: no collection warnings recorded.

DOCUMENT CONTROL

Tenant	Version
Contoso Ltd	v2026.10.08

Table of Contents

Tenant Overview 3

Compliance Evidence Preview 4

Settings Catalog Policies 7

Device Configurations 12

Compliance Policies 15

App Protection Policies 20

Windows Update Policies 21

Conditional Access Policies 22

TENANT OVERVIEW

Executive Summary

Counts read from the collected configuration. Unknown assignments are not counted as assigned.

Configurations by family

24 configurations in 6 policy types

Settings Catalog Policies	8 assigned, 1 not assigned, 0 unknown	9
Device Configurations	2 assigned, 1 not assigned, 0 unknown	3
Compliance Policies	4 assigned, 1 not assigned, 0 unknown	5
App Protection Policies	1 assigned, 0 not assigned, 0 unknown	1
Windows Update Policies	2 assigned, 0 not assigned, 0 unknown	2
Conditional Access Policies	Assignment not applicable	4

Assignment not applicable: 4 configurations; excluded from the assigned share.
Not modified in 90 days or more: 5 configurations.
Collection: no collection warnings recorded.

Configuration Inventory

POLICY TYPE	TOTAL	ASSIGNED	NOT ASSIGNED	UNKNOWN
Settings Catalog	9	8	1	0
Device Configurations	3	2	1	0
Compliance Policies	5	4	1	0
App Protection Policies	1	1	0	0
Windows Update Policies	2	2	0	0
Conditional Access Policies	4	n/a	n/a	n/a

Platform Coverage

Configurations per platform

Windows	13 configs
macOS	4 configs
iOS	2 configs
Android	1 config

Top Assigned Groups

RANK	GROUP	ASSIGNMENTS
1	All Corporate Devices	9
2	Corporate Mac Devices	3
3	All Corporate Users	2
4	Corporate Mobile Devices	2
5	Pilot Devices	1

COMPLIANCE EVIDENCE

Compliance Evidence Preview

This preview maps the exported configuration to technical evidence for each supported compliance framework. Supporting evidence may describe configuration or a compliance requirement. Device state, effective access and the remaining control requirements are assessed separately.

NIST SP 800-53 (Revision 5)

0 with evidence, 10 partial, 1 without evidence (12 entries in scope; 0 outside scope; 0 not assessed; 1 mixed evidence)

- ▲ SI-2 Flaw Remediation: Mixed policy evidence
- ○ SC-7 Boundary Protection: No recognized evidence
- ◐ AC-2 Account Management: Supporting or partial evidence
- ◐ AC-11 Device Lock: Supporting or partial evidence
- ◐ CM-6 Configuration Settings: Supporting or partial evidence
- ◐ CM-7 Least Functionality: Supporting or partial evidence
- ◐ CM-11 User-Installed Software: Supporting or partial evidence
- ◐ IA-2 Identification and Authentication (Organizational Users): Supporting or partial evidence

…and 4 more controls in the full report.

NIST Cybersecurity Framework (2.0)

0 with evidence, 6 partial, 1 without evidence (8 entries in scope; 0 outside scope; 0 not assessed; 1 mixed evidence)

- ▲ PR.PS-02 Software is maintained commensurate with risk: Mixed policy evidence
- ○ PR.IR-01 Networks and environments are protected: No recognized evidence
- ◐ DE.CM-09 Computing hardware and software are monitored: Supporting or partial evidence
- ◐ PR.AA-01 Identities and credentials are managed: Supporting or partial evidence
- ◐ PR.AA-03 Users, services, and hardware are authenticated: Supporting or partial evidence
- ◐ PR.DS-01 Data-at-rest is protected: Supporting or partial evidence
- ◐ PR.PS-01 Configuration management practices are applied: Supporting or partial evidence
- ◐ PR.PS-05 Unauthorized software is prevented: Supporting or partial evidence

BSI IT-Grundschutz (Kompendium Edition 2023)

1 with evidence, 16 partial, 4 without evidence (22 entries in scope; 0 outside scope; 0 not assessed; 1 mixed evidence)

- ▲ OPS.1.1.3 Patch- und Änderungsmanagement: Mixed policy evidence
- ○ NET.3.2 Firewall: No recognized evidence
- ○ SYS.2.2.3.A4 Telemetrie und Datenschutzeinstellungen unter Windows (Basis-Anforderung): No recognized evidence
- ○ SYS.2.4.A10 Aktivierung der Personal Firewall unter macOS (Standard-Anforderung): No recognized evidence
- ○ SYS.3.2.1.A8 Installation von Apps (Basis-Anforderung): No recognized evidence
- ◐ CON.1 Kryptokonzept: Supporting or partial evidence
- ◐ OPS.1.1.4 Schutz vor Schadprogrammen: Supporting or partial evidence
- ◐ ORP.4 Identitäts- und Berechtigungsmanagement: Supporting or partial evidence

…and 14 more controls in the full report.

ISO/IEC 27001 (2022, Annex A)

0 with evidence, 6 partial, 1 without evidence (8 entries in scope; 0 outside scope; 0 not assessed; 1 mixed evidence)

- ▲ 8.8 Technical vulnerability management: Mixed policy evidence
- ○ 8.20 Network security: No recognized evidence
- ◐ 8.1 User endpoint devices: Supporting or partial evidence
- ◐ 8.5 Secure authentication: Supporting or partial evidence
- ◐ 8.7 Protection against malware: Supporting or partial evidence
- ◐ 8.9 Configuration management: Supporting or partial evidence

- ◐ 8.19 Software installation control: Supporting or partial evidence
- ◐ 8.24 Use of cryptography: Supporting or partial evidence

SOC 2 (Trust Services Criteria)

0 with evidence, 3 partial, 1 without evidence (5 entries in scope; 0 outside scope; 0 not assessed; 1 mixed evidence)

- ▲ CC7.1 Vulnerability and configuration monitoring: Mixed policy evidence
- ○ CC6.6 Protection against external threats: No recognized evidence
- ◐ CC6.1 Logical access controls: Supporting or partial evidence
- ◐ CC6.7 Restricted data movement: Supporting or partial evidence
- ◐ CC6.8 Unauthorized software prevention: Supporting or partial evidence

UK MOD Def Stan 05-138 (Issue 4)

0 with evidence, 7 partial, 1 without evidence (8 entries in scope; 0 outside scope; 0 not assessed; 0 mixed evidence)

- ○ 2401 Platform integrity protections (Level 1 to Level 3): No recognized evidence
- ◐ 2202 Trusted managed devices (Level 2 to Level 3): Supporting or partial evidence
- ◐ 2309 Data on mobile devices (Level 2 to Level 3): Supporting or partial evidence
- ◐ 2317 Full disk encryption on endpoints (Level 1 to Level 3): Supporting or partial evidence
- ◐ 2322 Mobile device management (Level 1 to Level 3): Supporting or partial evidence
- ◐ 2405 Operating system update enforcement (Level 1 to Level 3): Supporting or partial evidence
- ◐ 2418 Managed hardening baselines (Level 1 to Level 3): Supporting or partial evidence
- ◐ 2426 Real-time anti-malware protection (Level 1 to Level 3): Supporting or partial evidence

NCSC Cyber Essentials (Requirements for IT infrastructure v3.3 (April 2026))

0 with evidence, 3 partial, 1 without evidence (5 entries in scope; 0 outside scope; 0 not assessed; 1 mixed evidence)

- ▲ Security update management Security update management: Mixed policy evidence
- ○ Firewalls Firewalls: No recognized evidence
- ◐ Malware protection Malware protection: Supporting or partial evidence
- ◐ Secure configuration Secure configuration: Supporting or partial evidence
- ◐ User access control User access control: Supporting or partial evidence

NIST SP 800-171 (Rev. 2 (CMMC 2.0 Level 2))

13 of 110 published requirements have Intune evidence mappings. Supporting evidence only; this is not a full assessment or compliance score.
0 with evidence, 11 partial, 1 without evidence (13 entries in scope; 0 outside scope; 0 not assessed; 1 mixed evidence)

- ▲ 3.14.1 Flaw remediation: Mixed policy evidence
- ○ 3.13.1 Boundary protection: No recognized evidence
- ◐ 3.1.10 Session lock after inactivity: Supporting or partial evidence
- ◐ 3.1.19 Encrypt CUI on mobile devices: Supporting or partial evidence
- ◐ 3.4.1 Baseline configurations: Supporting or partial evidence
- ◐ 3.4.2 Security configuration settings: Supporting or partial evidence
- ◐ 3.4.6 Least functionality: Supporting or partial evidence
- ◐ 3.4.9 User-installed software restrictions: Supporting or partial evidence

…and 5 more controls in the full report.

NIST SP 800-171 (Rev. 3 (May 2024))

12 of 97 published requirements have Intune evidence mappings. Supporting evidence only; this is not a full assessment or compliance score.
0 with evidence, 9 partial, 2 without evidence (12 entries in scope; 0 outside scope; 0 not assessed; 1 mixed evidence)

- ▲ 03.14.01 Flaw Remediation: Mixed policy evidence
- ○ 03.04.08 Authorized Software: Allow by Exception: No recognized evidence
- ○ 03.13.01 Boundary Protection: No recognized evidence

- 03.01.10 Device Lock: Supporting or partial evidence
- 03.01.18 Access Control for Mobile Devices: Supporting or partial evidence
- 03.04.01 Baseline Configuration: Supporting or partial evidence
- 03.04.02 Configuration Settings: Supporting or partial evidence
- 03.04.06 Least Functionality: Supporting or partial evidence

…and 4 more controls in the full report.

ASD Essential Eight (November 2023; target Maturity Level 1)

48 published requirement entries; showing 15 with Intune or Conditional Access policy checks. Operational-only requirements are excluded.
Target level only; achieved maturity is not assessed.
0 with evidence, 11 partial, 3 without evidence (15 entries in scope; 0 outside scope; 0 not assessed; 1 mixed evidence)

- ML1-PO-07 Patch operating systems (Target Maturity Level 1): Mixed policy evidence
  Patches, updates or other vendor mitigations for vulnerabilities in operating systems of workstations, non-internet-facing servers and non-internet-facing network devices are applied within one month of release.
- ML1-AC-01 Application control (Target Maturity Level 1): No recognized evidence
  Application control is implemented on workstations.
- ML1-AC-03 Application control (Target Maturity Level 1): No recognized evidence
  Application control restricts the execution of executables, software libraries, scripts, installers, compiled HTML, HTML applications and control panel applets to an organisation-approved set.
- ML1-MAC-03 Restrict Microsoft Office macros (Target Maturity Level 1): No recognized evidence
  Microsoft Office macro antivirus scanning is enabled.
- ML1-MAC-01 Restrict Microsoft Office macros (Target Maturity Level 1): Supporting or partial evidence
  Microsoft Office macros are disabled for users that do not have a demonstrated business requirement.
- ML1-MAC-02 Restrict Microsoft Office macros (Target Maturity Level 1): Supporting or partial evidence
  Microsoft Office macros in files originating from the internet are blocked.
- ML1-MAC-04 Restrict Microsoft Office macros (Target Maturity Level 1): Supporting or partial evidence
  Microsoft Office macro security settings cannot be changed by users.
- ML1-MFA-01 Multi-factor authentication (Target Maturity Level 1): Supporting or partial evidence
  Multi-factor authentication is used to authenticate users to their organisation's online services that process, store or communicate their organisation's sensitive data.

…and 7 more controls in the full report.

HIPAA Security Rule (45 CFR Part 164, Subpart C)

9 of 54 published requirements have Intune evidence mappings. Supporting evidence only; this is not a full assessment or compliance score.
0 with evidence, 8 partial, 1 without evidence (9 entries in scope; 0 outside scope; 0 not assessed; 0 mixed evidence)

- 164.312(b) Audit Controls (Required): No recognized evidence
- 164.308(a)(5)(ii)(B) Protection from Malicious Software (Addressable): Supporting or partial evidence
- 164.308(a)(5)(ii)(D) Password Management (Addressable): Supporting or partial evidence
- 164.310(b) Workstation Use (Required): Supporting or partial evidence
- 164.310(c) Workstation Security (Required): Supporting or partial evidence
- 164.312(a)(1) Access Control (Standard): Supporting or partial evidence
- 164.312(a)(2)(iv) Encryption and Decryption (Addressable): Supporting or partial evidence
- 164.312(c)(1) Integrity (Standard): Supporting or partial evidence

…and 1 more controls in the full report.

This assessment reports technical evidence found in the Intune tenant configuration. It is not a compliance certification and does not replace an audit. Absence of evidence means no matching Intune policy was detected, not that a requirement is unmet through other means.

Generate the full requirement-level compliance report from the Compliance view in your dashboard: intunedocumentation.com/dashboard

DEVICE CONFIGURATION

Settings Catalog Policies

WIN - Baseline - BitLocker

Created: 4 Nov 2025 · 10:12 Last Modified: 19 Aug 2026 · 14:30
Assigned to: Group: All Corporate Devices, Excluded: Kiosk Devices

OS and fixed drive encryption for corporate Windows devices.

SETTING	VALUE	DESCRIPTION
Require Device Encryption	Enabled	
device_vendor_msft_bitlocker_fixeddrivesencryptiontype	device_vendor_msft_bitlocker fixeddrivesencryptiontype_1	
device_vendor_msft_bitlocker_fixeddrivesencryptiontype_fdvencryptiontypedropdown_name	device_vendor_msft_bitlocker fixeddrivesencryptiontype fdvencryptiontypedropdown_name_2	

WIN - Defender Antivirus

Created: 4 Nov 2025 · 10:20 Last Modified: 2 Sep 2026 · 08:45
Assigned to: Group: All Corporate Devices

Microsoft Defender Antivirus protection settings.

SETTING	VALUE	DESCRIPTION
Allow Realtime Monitoring	Allowed. Turns on and runs the real-time monitoring service.	
device_vendor_msft_policy_config_defender_allowbehaviormonitoring	device_vendor_msft_policy_config_defender allowbehaviormonitoring_1	
device_vendor_msft_policy_config_defender_allowcloudprotection	device_vendor_msft_policy_config_defender allowcloudprotection_1	
device_vendor_msft_policy_config_defender_allowioavprotection	device_vendor_msft_policy_config_defender allowioavprotection_1	
device_vendor_msft_policy_config_defender_allowscriptscanning	device_vendor_msft_policy_config_defender allowscriptscanning_1	
device_vendor_msft_policy_config_defender_cloudblocklevel	device_vendor_msft_policy_config_defender cloudblocklevel_2	
device_vendor_msft_policy_config_defender_enablenetworkprotection	device_vendor_msft_policy_config_defender enablenetworkprotection_1	
device_vendor_msft_policy_config_defender_puaprotection	device_vendor_msft_policy_config_defender puaprotection_1	
device_vendor_msft_policy_config_defender_signatureupdateinterval	4	

WIN - Attack surface reduction - Block

Created: 15 Jan 2026 · 09:00 Last Modified: 10 Sep 2026 · 16:05
Assigned to: Group: All Corporate Devices

Attack surface reduction rules in block mode.

SETTING	VALUE	DESCRIPTION
device_vendor_msft_policy_config_defender_attacksurfacereductionrules	7 setting(s) configured	
device_vendor_msft_policy_config_defender_attacksurfacereductionrules_blockwin32apicallsfromofficemacros	device_vendor_msft_policy_config_defender attacksurfacereductionrules blockwin32apicallsfromofficemacros_block	
device_vendor_msft_policy_config_defender_attacksurfacereductionrules_blockallofficeapplicationsfromcreatingchildprocesses	device_vendor_msft_policy_config_defender attacksurfacereductionrules blockallofficeapplicationsfromcreatingchildprocesses block	
device_vendor_msft_policy_config_defender_attacksurfacereductionrules_blockofficeapplicationsfromcreatingexecutablecontent	device_vendor_msft_policy_config_defender attacksurfacereductionrules blockofficeapplicationsfromcreatingexecutablecontent block	
device_vendor_msft_policy_config_defender_attacksurfacereductionrules_blockofficeapplicationsfrominjectingcodeintootherprocesses	device_vendor_msft_policy_config_defender attacksurfacereductionrules blockofficeapplicationsfrominjectingcodeintootherprocesses block	
device_vendor_msft_policy_config_defender_attacksurfacereductionrules_blockadobereaderfromcreatingchildprocesses	device_vendor_msft_policy_config_defender attacksurfacereductionrules blockadobereaderfromcreatingchildprocesses block	
device_vendor_msft_policy_config_defender_attacksurfacereductionrules_blockcredentialstealingfromwindowslocalsecurityauthoritysubsystem	device_vendor_msft_policy_config_defender attacksurfacereductionrules blockcredentialstealingfromwindowslocalsecurityauthoritysubsystem block	
device_vendor_msft_policy_config_defender_attacksurfacereductionrules_blockexecutionofpotentiallyobfuscatedscripts	device_vendor_msft_policy_config_defender attacksurfacereductionrules blockexecutionofpotentiallyobfuscatedscripts audit	

WIN - Defender Firewall - All profiles

Created: 21 Sep 2026 · 13:40 Last Modified: 29 Sep 2026 · 11:15
Assigned to: Not assigned

Firewall on for domain, private and public profiles. Awaiting change approval before assignment.

SETTING	VALUE	DESCRIPTION
Enable Domain Network Firewall	True	
vendor_msft_firewall_mdmstore_domainprofile_defaultinboundaction	vendor_msft_firewall_mdmstore_domainprofile defaultinboundaction_1	
vendor_msft_firewall_mdmstore_domainprofile_defaultoutboundaction	vendor_msft_firewall_mdmstore_domainprofile defaultoutboundaction_0	
vendor_msft_firewall_mdmstore_domainprofile_disableinboundnotifications	vendor_msft_firewall_mdmstore_domainprofile disableinboundnotifications_true	
vendor_msft_firewall_mdmstore_domainprofile_logmaxfilesize	16384	

WIN - Defender Firewall - All profiles (continued)

SETTING	VALUE	DESCRIPTION
Enable Private Network Firewall	True	
vendor_msft_firewall_mdmstore_privateprofile_defaultinboundaction	vendor_msft_firewall_mdmstore_privateprofile defaultinboundaction_1	
vendor_msft_firewall_mdmstore_privateprofile_defaultoutboundaction	vendor_msft_firewall_mdmstore_privateprofile defaultoutboundaction_0	
vendor_msft_firewall_mdmstore_privateprofile_disableinboundnotifications	vendor_msft_firewall_mdmstore_privateprofile disableinboundnotifications_true	
vendor_msft_firewall_mdmstore_privateprofile_logmaxfilesize	16384	
Enable Public Network Firewall	True	
vendor_msft_firewall_mdmstore_publicprofile_defaultinboundaction	vendor_msft_firewall_mdmstore_publicprofile defaultinboundaction_1	
vendor_msft_firewall_mdmstore_publicprofile_defaultoutboundaction	vendor_msft_firewall_mdmstore_publicprofile defaultoutboundaction_0	
vendor_msft_firewall_mdmstore_publicprofile_disableinboundnotifications	vendor_msft_firewall_mdmstore_publicprofile disableinboundnotifications_true	
vendor_msft_firewall_mdmstore_publicprofile_logmaxfilesize	16384	

WIN - Office - Macro security

Created: 3 Feb 2026 · 08:30 Last Modified: 27 Aug 2026 · 15:20
Assigned to: Group: All Corporate Users

VBA macro restrictions for Microsoft 365 Apps.

SETTING	VALUE	DESCRIPTION
user_vendor_msft_policy_config_word16v2~policy~l_microsoftofficeword~l_wordoptions~l_security~l_trustcenter_l_vbawarningspolicy	user_vendor_msft_policy_config word16v2~policy~l_microsoftofficeword~l wordoptions~l_security~l_trustcenter_l vbawarningspolicy_1	
user_vendor_msft_policy_config_word16v2~policy~l_microsoftofficeword~l_wordoptions~l_security~l_trustcenter_l_vbawarningspolicy_l_empty19	user_vendor_msft_policy_config word16v2~policy~l_microsoftofficeword~l wordoptions~l_security~l_trustcenter_l vbawarningspolicy_l_empty19_4	
user_vendor_msft_policy_config_excel16v2~policy~l_microsoftofficeexcel~l_exceloptions~l_security~l_trustcenter_l_vbawarningspolicy	user_vendor_msft_policy_config excel16v2~policy~l_microsoftofficeexcel~l exceloptions~l_security~l_trustcenter_l vbawarningspolicy_1	
user_vendor_msft_policy_config_excel16v2~policy~l_microsoftofficeexcel~l_exceloptions~l_security~l_trustcenter_l_vbawarningspolicy_l_empty4	user_vendor_msft_policy_config excel16v2~policy~l_microsoftofficeexcel~l exceloptions~l_security~l_trustcenter_l vbawarningspolicy_l_empty4_4	
user_vendor_msft_policy_config_word16v2~policy~l_microsoftofficeword~l_wordoptions~l_security~l_trustcenter_l_blockmacroexecutionfrominternet	user_vendor_msft_policy_config word16v2~policy~l_microsoftofficeword~l wordoptions~l_security~l_trustcenter_l blockmacroexecutionfrominternet_1	

WIN - Office - Macro security (continued)

SETTING	VALUE	DESCRIPTION
user_vendor_msft_policy_config_excel16v2~policy~l_microsoftofficeexcel~l_exceloptions~l_security~l_trustcenter_l_blockmacroexecutionfrominternet	user_vendor_msft_policy_config excel16v2~policy~l_microsoftofficeexcel~l exceloptions~l_security~l_trustcenter_l blockmacroexecutionfrominternet_1	
user_vendor_msft_policy_config_ppt16v2~policy~l_microsoftofficepowerpoint~l_powerpointoptions~l_security~l_trustcenter_l_blockmacroexecutionfrominternet	user_vendor_msft_policy_config ppt16v2~policy~l_microsoftofficepowerpoint~l powerpointoptions~l_security~l_trustcenter_l blockmacroexecutionfrominternet_1	
user_vendor_msft_policy_config_office16v2~policy~l_microsoftofficesystem~l_securitysettings_l_macroruntimescanscope	user_vendor_msft_policy_config office16v2~policy~l_microsoftofficesystem~l securitysettings_l_macroruntimescanscope_1	
user_vendor_msft_policy_config_office16v2~policy~l_microsoftofficesystem~l_securitysettings_l_macroruntimescanscope_l_macroruntimescanscopeenum	user_vendor_msft_policy_config office16v2~policy~l_microsoftofficesystem~l securitysettings_l_macroruntimescanscope_l macroruntimescanscopeenum_1	

WIN - Browser - Edge and IE hardening

Created: 10 Feb 2026 · 12:00 Last Modified: 14 Jul 2026 · 09:10
Assigned to: Group: All Corporate Devices

Retires Internet Explorer and hardens Microsoft Edge.

SETTING	VALUE	DESCRIPTION
device_vendor_msft_policy_config_internetexplorer_disableinternetexplorerapp	device_vendor_msft_policy_config internetexplorer_disableinternetexplorerapp_1	
device_vendor_msft_policy_config_internetexplorer_internetzonejavapermissions	device_vendor_msft_policy_config internetexplorer_internetzonejavapermissions_1	
device_vendor_msft_policy_config_internetexplorer_internetzonejavapermissions_iz_partname1c00	device_vendor_msft_policy_config internetexplorer_internetzonejavapermissions_iz partname1c00_0	
device_vendor_msft_policy_config_microsoft_edgev78diff~policy~microsoft_edge_adssettingforintrusiveadssites	device_vendor_msft_policy_config_microsoft edgev78diff~policy~microsoft_edge adssettingforintrusiveadssites_1	
device_vendor_msft_policy_config_microsoft_edgev78diff~policy~microsoft_edge_adssettingforintrusiveadssites_adssettingforintrusiveadssites	device_vendor_msft_policy_config_microsoft edgev78diff~policy~microsoft_edge adssettingforintrusiveadssites adssettingforintrusiveadssites_2	

WIN - Credential protection

Created: 2 Mar 2026 · 10:00 Last Modified: 15 Sep 2026 · 10:30
Assigned to: Group: All Corporate Devices, Excluded: Kiosk Devices

Credential Guard, LSA protection and memory integrity.

SETTING	VALUE	DESCRIPTION

WIN - Credential protection (continued)

SETTING	VALUE	DESCRIPTION
device_vendor_msft_policy_config_deviceguard_lsacfgflags	device_vendor_msft_policy_config_deviceguard lsacfgflags_1	
device_vendor_msft_policy_config_localsecurityauthority_configurelsaprotectedprocess	device_vendor_msft_policy_config localsecurityauthority configurelsaprotectedprocess_1	
device_vendor_msft_policy_config_virtualizationbasedtechnology_hypervisorenforcedcodeintegrity	device_vendor_msft_policy_config virtualizationbasedtechnology hypervisorenforcedcodeintegrity_1	

WIN - LAPS - Entra backup

Created: 1 Dec 2025 · 09:00 Last Modified: 6 May 2026 · 13:00
Assigned to: Group: All Corporate Devices

Windows LAPS with password backup to Microsoft Entra ID.

SETTING	VALUE	DESCRIPTION
device_vendor_msft_laps_policies_backupdirectory	device_vendor_msft_laps_policies backupdirectory_1	
device_vendor_msft_laps_policies_passwordagedays_aad	30	

MAC - FileVault enforcement

Created: 12 Nov 2025 · 15:00 Last Modified: 18 Jun 2026 · 10:45
Assigned to: Group: Corporate Mac Devices

FileVault with personal recovery key escrow to Intune.

SETTING	VALUE	DESCRIPTION
com.apple.mcx.filevault2_com.apple.mcx.filevault2	3 setting(s) configured	
Enable	On	
Force Enable In Setup Assistant	True	
com.apple.mcx.filevault2_recoverykeyrotationinmonths	com.apple.mcx.filevault2 recoverykeyrotationinmonths_6	
com.apple.security.fderecoverykeyescrow_com.apple.security.fderecoverykeyescrow	1 setting(s) configured	
com.apple.security.fderecoverykeyescrow_location	Retrieve your personal recovery key from the Contoso Company Portal.	

DEVICE CONFIGURATION

Device Configurations

WIN - Device restrictions - Corporate

Created: 4 Nov 2025 · 11:00 Last Modified: 5 Aug 2026 · 09:25
Assigned to: Group: All Corporate Devices

General device restrictions and Defender scan schedule.

General

SETTING	VALUE	DESCRIPTION
Microsoft Account Blocked	Enabled	
Cortana Blocked	Enabled	
Diagnostics Data Submission Mode	basic	

Password

SETTING	VALUE	DESCRIPTION
Password Required	Enabled	Require a password to unlock device
Password Minimum Length	8	Minimum number of characters required for device password
Password Required Type	alphanumeric	

Microsoft Defender

SETTING	VALUE	DESCRIPTION
Defender Require Real Time Monitoring	Enabled	
Defender Require Behavior Monitoring	Enabled	
Defender Require Network Inspection System	Enabled	
Defender Scan Type	quick	
Defender System Scan Schedule	everyday	
Defender Scheduled Scan Time	12:00:00.0000000	
Defender Scheduled Quick Scan Time	12:00:00.0000000	

WIN - Application control - Enforce (staged)

Created: 1 Sep 2026 · 09:00 Last Modified: 24 Sep 2026 · 14:00
Assigned to: Not assigned

Enforce mode for Windows components and Store apps. Pilot in audit mode first.

Applications

SETTING	VALUE	DESCRIPTION
App Locker Application Control	enforceComponentsAndStoreApps	

WIN - Application control - Enforce (staged) (continued)

Device

SETTING	VALUE	DESCRIPTION
Bit Locker Encrypt Device	Disabled	
Device Guard Enable Virtualization Based Security	Disabled	
Device Guard Local System Authority Credential Guard Settings	notConfigured	

Microsoft Defender

SETTING	VALUE	DESCRIPTION
Defender Office Macro Code Allow Win32 Imports Type	userDefined	
Defender Allow Behavior Monitoring	Disabled	
Defender Allow Intrusion Prevention System	Disabled	
Defender Prevent Credential Stealing Type	userDefined	
Defender Office Apps Launch Child Process Type	userDefined	
Defender Office Apps Executable Content Creation Or Launch Type	userDefined	
Defender Office Apps Other Process Injection Type	userDefined	
Defender Adobe Reader Launch Child Process	userDefined	
Defender Scan Type	userDefined	
Defender Scheduled Scan Day	userDefined	

MAC - Endpoint protection - Gatekeeper

Created: 12 Nov 2025 · 15:30 Last Modified: 22 Apr 2026 · 08:00
Assigned to: Group: Corporate Mac Devices

Allow apps from the App Store and identified developers.

Applications

SETTING	VALUE	DESCRIPTION
Gatekeeper Allowed App Source	macAppStoreAndIdentifiedDevelopers	

General

SETTING	VALUE	DESCRIPTION
Gatekeeper Block Override	Enabled	
File Vault Enabled	Disabled	

MAC - Endpoint protection - Gatekeeper (continued)

Firewall

SETTING	VALUE	DESCRIPTION
Firewall Enabled	Disabled	Enable Windows Firewall for all network profiles
Firewall Block All Incoming	Disabled	
Firewall Enable Stealth Mode	Disabled	

DEVICE COMPLIANCE

Compliance Policies

WIN - Compliance - Baseline

Created: 4 Nov 2025 · 12:00 Last Modified: 12 Aug 2026 · 10:00
Assigned to: Group: All Corporate Devices

SETTING	VALUE	DESCRIPTION
Password Required	Disabled (Action: Mark device noncompliant after 1 day)	
Password Block Simple	Disabled (Action: Mark device noncompliant after 1 day)	
Password Required To Unlock From Idle	Disabled (Action: Mark device noncompliant after 1 day)	
Password Required Type	deviceDefault (Action: Mark device noncompliant after 1 day)	
Require Healthy Device Report	Disabled (Action: Mark device noncompliant after 1 day)	
Os Minimum Version	10.0.22631 (Action: Mark device noncompliant after 1 day)	
Early Launch Anti Malware Driver Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Bit Locker Enabled	Enabled (Action: Mark device noncompliant after 1 day)	
Secure Boot Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Code Integrity Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Memory Integrity Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Kernel Dma Protection Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Virtualization Based Security Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Firmware Protection Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Storage Require Encryption	Disabled (Action: Mark device noncompliant after 1 day)	
Active Firewall Required	Disabled (Action: Mark device noncompliant after 1 day)	
Defender Enabled	Enabled (Action: Mark device noncompliant after 1 day)	
Signature Out Of Date	Enabled (Action: Mark device noncompliant after 1 day)	
Rtp Enabled	Enabled (Action: Mark device noncompliant after 1 day)	
Antivirus Required	Enabled (Action: Mark device noncompliant after 1 day)	

WIN - Compliance - Baseline (continued)

SETTING	VALUE	DESCRIPTION
Anti Spyware Required	Enabled (Action: Mark device noncompliant after 1 day)	
Device Threat Protection Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Device Threat Protection Required Security Level	unavailable (Action: Mark device noncompliant after 1 day)	
Configuration Manager Compliance Required	Disabled (Action: Mark device noncompliant after 1 day)	
Tpm Required	Enabled (Action: Mark device noncompliant after 1 day)	

MAC - Compliance - Baseline

Created: 4 Nov 2025 · 12:00 Last Modified: 18 Jun 2026 · 11:00
Assigned to: Group: Corporate Mac Devices

SETTING	VALUE	DESCRIPTION
Password Required	Enabled (Action: Mark device noncompliant after 1 day)	
Password Block Simple	Enabled (Action: Mark device noncompliant after 1 day)	
Password Minimum Length	8 (Action: Mark device noncompliant after 1 day)	
Password Minutes Of Inactivity Before Lock	5 (Action: Mark device noncompliant after 1 day)	
Password Required Type	alphanumeric (Action: Mark device noncompliant after 1 day)	
Os Minimum Version	14.6 (Action: Mark device noncompliant after 1 day)	
System Integrity Protection Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Device Threat Protection Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Device Threat Protection Required Security Level	unavailable (Action: Mark device noncompliant after 1 day)	
Advanced Threat Protection Required Security Level	unavailable (Action: Mark device noncompliant after 1 day)	
Storage Require Encryption	Enabled (Action: Mark device noncompliant after 1 day)	
Gatekeeper Allowed App Source	notConfigured (Action: Mark device noncompliant after 1 day)	
Firewall Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Firewall Block All Incoming	Disabled (Action: Mark device noncompliant after 1 day)	
Firewall Enable Stealth Mode	Disabled (Action: Mark device noncompliant after 1 day)	

MAC - Compliance - Device health (draft)

Created: 4 Nov 2025 · 12:00 Last Modified: 30 Sep 2026 · 16:00
Assigned to: Not assigned

SETTING	VALUE	DESCRIPTION
Password Required	Disabled (Action: Mark device noncompliant after 1 day)	
Password Block Simple	Disabled (Action: Mark device noncompliant after 1 day)	
Password Required Type	deviceDefault (Action: Mark device noncompliant after 1 day)	
System Integrity Protection Enabled	Enabled (Action: Mark device noncompliant after 1 day)	
Device Threat Protection Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Device Threat Protection Required Security Level	unavailable (Action: Mark device noncompliant after 1 day)	
Advanced Threat Protection Required Security Level	unavailable (Action: Mark device noncompliant after 1 day)	
Storage Require Encryption	Disabled (Action: Mark device noncompliant after 1 day)	
Gatekeeper Allowed App Source	notConfigured (Action: Mark device noncompliant after 1 day)	
Firewall Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Firewall Block All Incoming	Disabled (Action: Mark device noncompliant after 1 day)	
Firewall Enable Stealth Mode	Disabled (Action: Mark device noncompliant after 1 day)	

iOS - Compliance - Baseline

Created: 4 Nov 2025 · 12:00 Last Modified: 30 Jul 2026 · 09:30
Assigned to: Group: Corporate Mobile Devices

SETTING	VALUE	DESCRIPTION
Passcode Block Simple	Enabled (Action: Mark device noncompliant after 1 day)	
Passcode Minimum Length	6 (Action: Mark device noncompliant after 1 day)	
Passcode Minutes Of Inactivity Before Lock	5 (Action: Mark device noncompliant after 1 day)	
Passcode Minutes Of Inactivity Before Screen Timeout	2 (Action: Mark device noncompliant after 1 day)	
Passcode Required Type	numeric (Action: Mark device noncompliant after 1 day)	
Passcode Required	Enabled (Action: Mark device noncompliant after 1 day)	
Os Minimum Version	17.6 (Action: Mark device noncompliant after 1 day)	

iOS - Compliance - Baseline (continued)

SETTING	VALUE	DESCRIPTION
Security Block Jailbroken Devices	Enabled (Action: Mark device noncompliant after 1 day)	
Device Threat Protection Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Device Threat Protection Required Security Level	unavailable (Action: Mark device noncompliant after 1 day)	
Advanced Threat Protection Required Security Level	unavailable (Action: Mark device noncompliant after 1 day)	
Managed Email Profile Required	Disabled (Action: Mark device noncompliant after 1 day)	

AND - Compliance - Work profile

Created: 4 Nov 2025 · 12:00 Last Modified: 30 Jul 2026 · 09:45
Assigned to: Group: Corporate Mobile Devices

SETTING	VALUE	DESCRIPTION
Password Required	Enabled (Action: Mark device noncompliant after 1 day)	
Password Minimum Length	6 (Action: Mark device noncompliant after 1 day)	
Password Required Type	numericComplex (Action: Mark device noncompliant after 1 day)	
Password Minutes Of Inactivity Before Lock	5 (Action: Mark device noncompliant after 1 day)	
Security Prevent Install Apps From Unknown Sources	Enabled (Action: Mark device noncompliant after 1 day)	
Security Disable Usb Debugging	Enabled (Action: Mark device noncompliant after 1 day)	
Security Require Verify Apps	Enabled (Action: Mark device noncompliant after 1 day)	
Device Threat Protection Enabled	Disabled (Action: Mark device noncompliant after 1 day)	
Device Threat Protection Required Security Level	unavailable (Action: Mark device noncompliant after 1 day)	
Advanced Threat Protection Required Security Level	unavailable (Action: Mark device noncompliant after 1 day)	
Security Block Jailbroken Devices	Enabled (Action: Mark device noncompliant after 1 day)	
Os Minimum Version	13.0 (Action: Mark device noncompliant after 1 day)	
Min Android Security Patch Level	2026-06-01 (Action: Mark device noncompliant after 1 day)	
Storage Require Encryption	Enabled (Action: Mark device noncompliant after 1 day)	
Security Require Safety Net Attestation Basic Integrity	Enabled (Action: Mark device noncompliant after 1 day)	

AND - Compliance - Work profile (continued)

SETTING	VALUE	DESCRIPTION
Security Require Safety Net Attestation Certified Device	Enabled (Action: Mark device noncompliant after 1 day)	
Security Require Google Play Services	Enabled (Action: Mark device noncompliant after 1 day)	
Security Require Up To Date Security Providers	Disabled (Action: Mark device noncompliant after 1 day)	
Security Require Company Portal App Integrity	Enabled (Action: Mark device noncompliant after 1 day)	

APP MANAGEMENT

App Protection Policies

iOS - APP - Corporate data

Created: 20 Jan 2026 · 10:00 Last Modified: 1 Jul 2026 · 12:00
Assigned to: Group: All Corporate Users

Keeps corporate data inside managed apps.

Platform:

iOS

Protection Settings:

SETTING	VALUE	DESCRIPTION
Allowed Inbound Data Transfer Sources	managedApps	
Allowed Outbound Data Transfer Destinations	managedApps	
Allowed Outbound Clipboard Sharing Level	managedAppsWithPasteIn	
Block Data Backup	Enabled	
Block Save As	Enabled	
Block Printing	Disabled	
Device Compliance Required	Enabled	
PIN Required	Enabled	
Is Assigned	Enabled	
Resource Type	iosManagedAppProtection	
Role Scope Tag Ids	0	
Version	"0c0e7050-0000-4000-8000-0000000005a1"	
Data Backup Blocked	Enabled	
Save As Blocked	Enabled	
Pin Required	Enabled	
Minimum Pin Length	6	
Simple Pin Blocked	Enabled	
Print Blocked	Disabled	
Targeted App Management Levels	unspecified	
App Data Encryption Type	whenDeviceLocked	
Platform	iOS	
Platform Type	iOS	

UPDATES

Windows Update Policies

WIN - Update ring Pilot

Created: 5 Nov 2025 · 09:00 Last Modified: 6 Oct 2026 · 07:40
Assigned to: Group: Pilot Devices

Quality updates on release day for the pilot group. Paused after a line-of-business regression.

SETTING	VALUE	DESCRIPTION
Delivery Optimization Mode	userDefined	
Prerelease Features	userDefined	
Automatic Update Mode	autoInstallAtMaintenanceTime	
Business Ready Updates Only	userDefined	
Drivers Excluded	Disabled	
Quality Updates Deferral (days)	0	
Feature Updates Deferral (days)	0	
Quality Updates Paused	Enabled	
Feature Updates Paused	Disabled	

WIN - Update ring Broad

Created: 5 Nov 2025 · 09:00 Last Modified: 20 Aug 2026 · 10:00
Assigned to: Group: All Corporate Devices

Quality updates seven days after release with a five day deadline.

SETTING	VALUE	DESCRIPTION
Delivery Optimization Mode	userDefined	
Prerelease Features	userDefined	
Automatic Update Mode	autoInstallAtMaintenanceTime	
Business Ready Updates Only	userDefined	
Drivers Excluded	Disabled	
Quality Updates Deferral (days)	7	
Feature Updates Deferral (days)	0	
Quality Updates Paused	Disabled	
Feature Updates Paused	Disabled	

IDENTITY AND ACCESS

Conditional Access Policies

CA - Require MFA all users

Created: 28 Oct 2025 · 09:00 Last Modified: 14 Aug 2026 · 10:00
Assigned to: Defined by policy conditions

State: Enabled

SETTING	VALUE	DESCRIPTION
Client Apps	all	
Include Applications	All resources	
Include Users	All users	
Exclude Groups	Break Glass Accounts	
Grant Operator	OR	
Grant Controls	mfa	

CA - Require compliant device

Created: 28 Oct 2025 · 09:00 Last Modified: 14 Aug 2026 · 10:00
Assigned to: Defined by policy conditions

State: Enabled

SETTING	VALUE	DESCRIPTION
Client Apps	all	
Include Applications	All resources	
Include Groups	All Corporate Users	
Exclude Groups	Break Glass Accounts	
Include Platforms	windows, macOS, iOS, android	
Grant Operator	OR	
Grant Controls	compliantDevice	

CA - Phishing-resistant MFA for admins

Created: 28 Oct 2025 · 09:00 Last Modified: 14 Aug 2026 · 10:00
Assigned to: Defined by policy conditions

State: Report-only

SETTING	VALUE	DESCRIPTION
Client Apps	all	
Include Applications	All resources	
Include Groups	IT Administrators	
Exclude Groups	Break Glass Accounts	

CA - Phishing-resistant MFA for admins (continued)

SETTING	VALUE	DESCRIPTION
Authentication Strength ID	00000000-0000-0000-0000-000000000004	
Grant Controls Authentication Strength Created Date Time	2021-12-01T00:00:00Z	
Grant Controls Authentication Strength Modified Date Time	2021-12-01T00:00:00Z	
Authentication Strength	Phishing-resistant MFA	
Authentication Strength Description	Phishing-resistant, Passwordless methods for the strongest authentication, such as a FIDO2 security key	
Authentication Strength Policy Type	builtIn	
Authentication Strength Requirements	mfa	
Authentication Strength Combinations	windowsHelloForBusiness, fido2, x509CertificateMultiFactor	
Grant Operator	OR	

CA - Block legacy authentication

Created: 28 Oct 2025 · 09:00 Last Modified: 14 Aug 2026 · 10:00
Assigned to: Defined by policy conditions

State: Enabled

SETTING	VALUE	DESCRIPTION
Client Apps	exchangeActiveSync, other	
Include Applications	All resources	
Include Users	All users	
Exclude Groups	Break Glass Accounts	
Grant Operator	OR	
Grant Controls	block	