Intune Documentation

SAMPLE REPORT, FICTIONAL TENANT

Technical Evidence Report: Intune Configuration

# Def Stan 05-138

Issue 4


Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

## Contoso Ltd

Report date **2026-10-08**

Classification **Internal**




**Controls with supporting technical evidence**

Supporting evidence only, not a compliance score

### AT A GLANCE

| | |
|---|---|
| Supporting or partial evidence | 7 |
| No recognized evidence | 1 |

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.4. Organizational aspects of each control are listed separately for review.

### DOCUMENT CONTROL

| | | | |
|---|---|---|---|
| Framework<br>**UK MOD Def Stan 05-138 Issue 4** | | Tenant<br>**Contoso Ltd** | Prepared for<br>**Information Security** |
| Prepared by<br>**Endpoint Engineering** | Report ID<br>**IDOC-DEF-20261008-CTSO** | Revision<br>**1.0** | Ruleset version<br>**2026.10.4** |
| Classification<br>**Internal** | Report date<br>**2026-10-08** | | |

01 EXECUTIVE SUMMARY

# Summary


**87%**

CONTROLS WITH TECHNICAL EVIDENCE

**7 of 8 assessable controls have supporting technical evidence in the Intune configuration.**

24 of 33 technical safeguards are set up and switched on in Intune.

0 of 8 selected controls with configuration evidence (7 partial)
8 in scope; 0 outside scope; 0 not assessed; 0 mixed policy evidence. Entries are selected mappings, not full framework coverage.




| WITH TECHNICAL EVIDENCE | SAFEGUARDS IN PLACE | NO RECOGNIZED EVIDENCE | MIXED POLICY EVIDENCE |
|---|---|---|---|
| 7 | 24 | 1 | 0 |
| 0 configuration, 7 supporting or partial | of 33 mapped, set up and switched on | controls without recognized evidence | controls with mixed policy evidence |

## Status distribution

8 controls



**7** Supporting or partial evidence, 88%  **1** No recognized evidence, 13%

## Coverage by family

controls with technical evidence

| | |
|---|---|
| Accounts, identities and access (22xx) | **1** of 1 |
| Hardening and system protection (24xx) | **3** of 4 |
| Protecting stored and transmitted data (23xx) | **3** of 3 |

**Assigned deviating configurations: 2.**
At least one assigned policy explicitly contradicts the target configuration.

**Configured settings without assignment: 1.**
The detected target configuration is not effective until it is assigned.

## Key findings

ordered by severity, then control

Assigned deviation 2418

**Diagnostic data minimized (Windows)**
Assigned deviating configuration affects 2418.

Assigned deviation 2426 See page 5

**Office macro runtime scanning for all documents**
Assigned deviating configuration affects 2426.

Not assigned 2202 +1 **System Integrity Protection: Configured setting without assignment affects 2202, 2401.**

**SCOPE NOTE**

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification or an IT Grundschutz check and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

Note: Device-management evidence for selected Objective B controls of Def Stan 05-138 Issue 4, referenced by control identifier with original summaries and the Cyber Risk Profile levels at which each applies. Cyber Essentials certification (control 0001) is required at every level and cannot be evidenced from device configuration.

02 RESULTS

# Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

| CONTROL | STATUS | CAPABILITIES | EVIDENCE | PAGE |
|---|---|---|---|---|
| **Accounts, identities and access (22xx)** | | | | 1 of 1 with evidence |
| 2202 Trusted managed devices | Supporting or partial evidence | 4 of 7 | 6 evidence items | n/a |
| **Hardening and system protection (24xx)** | | | | 3 of 4 with evidence |
| 2401 Platform integrity protections | No recognized evidence | 0 of 3 | 1 evidence item | n/a |
| 2405 Operating system update enforcement | Supporting or partial evidence | 5 of 5 | 6 evidence items | n/a |
| 2418 Managed hardening baselines | Supporting or partial evidence | 9 of 13 | 11 evidence items | n/a |
| 2426 Real-time anti-malware protection | Supporting or partial evidence | 1 of 2 | E-007 E-008 +2 | 5 |
| **Protecting stored and transmitted data (23xx)** | | | | 3 of 3 with evidence |
| 2309 Data on mobile devices | Supporting or partial evidence | 2 of 2 | 2 evidence items | n/a |
| 2317 Full disk encryption on endpoints | Supporting or partial evidence | 3 of 3 | E-001 E-002 +4 | 4 |
| 2322 Mobile device management | Supporting or partial evidence | 6 of 7 | 7 evidence items | n/a |

**7** Supporting or partial evidence **1** No recognized evidence

Sample report: detail pages are included for selected controls only (2317, 2426). A full report includes a detail page for every control.

### HOW TO READ THIS REPORT

| | |
|---|---|
| Configuration evidence | Technical configuration evidence detected |
| Supporting or partial evidence | Technical configuration evidence partially detected |
| No recognized evidence | No supported technical configuration evidence detected |
| Mixed policy evidence | Mixed policy evidence |
| Not assessed | Not assessed |
| Outside selected scope | Outside selected scope |

1. Status is shown by marker shape and label, never by colour alone.
2. A control rolls up from its capabilities. A capability rolls up from its checks.
3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.
4. Evidence references point to rows of the evidence register in Appendix A.

ABOUT THE METHOD

## Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

03 CONTROL DETAIL

2317

Supporting or partial evidence | Level 1 to Level 3

# Full disk encryption on endpoints

6 match, 0 missing, 0 different

**3 of 3 capabilities**

6 evidence references

## Disk encryption (BitLocker) Windows

Setting configured and assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Require Device Encryption<br>device_vendor_msft_bitlocker_requiredeviceencryption<br>WIN - Baseline - BitLocker | Enabled<br>"device_vendor_msft_bitlocker_requiredeviceencryption_1" | **Enabled**<br>"device_vendor_msft_bitlocker_requiredeviceencryption_1" | Matches expected value |
| BitLocker Enabled<br>bitLockerEnabled<br>WIN - Compliance - Baseline | true | **true** | Matches expected value |

POLICY **WIN - Baseline - BitLocker** Assigned: Group: All Corporate Devices, Excluded: Group: Kiosk Devices

POLICY **WIN - Compliance - Baseline** Assigned: Group: All Corporate Devices

EVIDENCE E-001 E-002

*Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.*

## Disk encryption (FileVault) macOS

Setting configured and assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Enable<br>com.apple.mcx.filevault2_enable<br>MAC - FileVault enforcement | On<br>"com.apple.mcx.filevault2_enable_0" | **On**<br>"com.apple.mcx.filevault2_enable_0" | Matches expected value |
| Force Enable In Setup Assistant<br>com.apple.mcx.filevault2_forceenableinsetupassistant<br>MAC - FileVault enforcement | True<br>"com.apple.mcx.filevault2_forceenableinsetupassistant_true" | **True**<br>"com.apple.mcx.filevault2_forceenableinsetupassistant_true" | Matches expected value |
| Storage Require Encryption<br>storageRequireEncryption<br>MAC - Compliance - Baseline | true | **true** | Matches expected value |

POLICY **MAC - FileVault enforcement** Assigned: Group: Corporate Mac Devices

POLICY **MAC - Compliance - Baseline** Assigned: Group: Corporate Mac Devices

EVIDENCE E-003 E-004 E-005

*Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.*

## Storage encryption (Android) Android

Compliance requirement assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Storage Require Encryption<br>storageRequireEncryption<br>AND - Compliance - Work profile | true | **true** | Matches expected value |

POLICY **AND - Compliance - Work profile** Assigned: Group: Corporate Mobile Devices

EVIDENCE E-006

*2317 (continued)*

*Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.*

▲ **Additional verification: not assessed by technical evidence**

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

**2426**

Supporting or partial evidence | Level 1 to Level 3

## Real-time anti-malware protection

3 match, 0 missing, 1 different

**1 of 2 capabilities**

4 evidence references

### Office macro runtime scanning for all documents Windows

▲ Deviating configuration detected

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| user_vendor_msft_policy_config_office16v2~policy~l_microsoftofficesystem~l_securitysettings_l_macroruntimescanscope_l_macroruntimescanscopeenum<br>WIN - Office - Macro security | "Enable for all documents"; requires Macro Runtime Scan Scope (User): Enabled | **"Enable for low trust documents"** | ▲ Different value |

POLICY **WIN - Office - Macro security** Assigned: Group: All Corporate Users

EVIDENCE E-007

▲ **Risk E-007: WIN - Office - Macro security sets user_vendor_msft_policy_config_office16v2~policy~l_microsoftofficesystem~l_securitysettings_l_macroruntimescanscope_l_macroruntimescanscopeenum to Enable for low trust documents (assigned). Deviating configuration detected and assigned (risk).**

### Real-time antimalware (Microsoft Defender) Windows

● Setting configured and assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Allow Realtime Monitoring<br>device_vendor_msft_policy_config_defender_allowrealtimemonitoring<br>WIN - Defender Antivirus | Allowed. Turns on and runs the real-time monitoring service.<br>"device_vendor_msft_policy_config_defender_allowrealtimemonitoring_1" | **Allowed. Turns on and runs the real-time monitoring service.**<br>"device_vendor_msft_policy_config_defender_allowrealtimemonitoring_1" | ● Matches expected value |
| Defender Require Real Time Monitoring<br>defenderRequireRealTimeMonitoring<br>WIN - Device restrictions - Corporate | true | **true** | ● Matches expected value |
| Rtp Enabled<br>rtpEnabled<br>WIN - Compliance - Baseline | true | **true** | ● Matches expected value |

POLICY **WIN - Defender Antivirus** Assigned: Group: All Corporate Devices

POLICY **WIN - Device restrictions - Corporate** Assigned: Group: All Corporate Devices

POLICY **WIN - Compliance - Baseline** Assigned: Group: All Corporate Devices

EVIDENCE E-008 E-009 E-010

*Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.*

*2426 (continued)*

> ▲ **Additional verification: not assessed by technical evidence**
>
> These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

APPENDIX A

# Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

| REF | POLICY | TYPE | SETTING | VALUE | ASSIGNMENT |
|---|---|---|---|---|---|
| **E-001** | WIN - Baseline - BitLocker<br>0c0e7050-0000-4000-8000-000000000101; configuration; version unknown; modified 2026-08-19T14:30:00Z | Settings Catalog | Require Device Encryption<br>device_vendor_msft_bitlocker_requiredeviceencryption | **Enabled**<br>device_vendor_msft_bitlocker_requiredeviceencryption_1 | Group: All Corporate Devices, Excluded: Group: Kiosk Devices |
| **E-002** | WIN - Compliance - Baseline<br>0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z | Compliance Policy | BitLocker Enabled<br>bitLockerEnabled | **true** | Group: All Corporate Devices |
| **E-003** | MAC - FileVault enforcement<br>0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z | Settings Catalog | Enable<br>com.apple.mcx.filevault2_enable | **On**<br>com.apple.mcx.filevault2_enable_0 | Group: Corporate Mac Devices |
| **E-004** | MAC - FileVault enforcement<br>0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z | Settings Catalog | Force Enable In Setup Assistant<br>com.apple.mcx.filevault2_forceenableinsetupassistant | **True**<br>com.apple.mcx.filevault2_forceenableinsetupassistant_true | Group: Corporate Mac Devices |
| **E-005** | MAC - Compliance - Baseline<br>0c0e7050-0000-4000-8000-000000000302; complianceRequirement; version 3; modified 2026-06-18T11:00:00Z | Compliance Policy | Storage Require Encryption<br>storageRequireEncryption | **true** | Group: Corporate Mac Devices |
| **E-006** | AND - Compliance - Work profile<br>0c0e7050-0000-4000-8000-000000000305; complianceRequirement; version 3; modified 2026-07-30T09:45:00Z | Compliance Policy | Storage Require Encryption<br>storageRequireEncryption | **true** | Group: Corporate Mobile Devices |
| **E-007** | WIN - Office - Macro security<br>0c0e7050-0000-4000-8000-000000000105; configuration; version unknown; modified 2026-08-27T15:20:00Z | Settings Catalog | user_vendor_msft_policy_config_office16v2~policy~l_microsoftofficesystem~l_securitysettings_l_macroruntimescanscope_l_macroruntimescanscopeenum | **Enable for low trust documents**<br>user_vendor_msft_policy_config_office16v2~policy~l_microsoftofficesystem~l_securitysettings_l_macroruntimescanscope_l_macroruntimescanscopeenum_1 | Group: All Corporate Users |
| **E-008** | WIN - Defender Antivirus<br>0c0e7050-0000-4000-8000-000000000102; configuration; version unknown; modified 2026-09-02T08:45:00Z | Settings Catalog | Allow Realtime Monitoring<br>device_vendor_msft_policy_config_defender_allowrealtimemonitoring | **Allowed. Turns on and runs the real-time monitoring service.**<br>device_vendor_msft_policy_config_defender_allowrealtimemonitoring_1 | Group: All Corporate Devices |
| **E-009** | WIN - Device restrictions - Corporate<br>0c0e7050-0000-4000-8000-000000000201; configuration; version 7; modified 2026-08-05T09:25:00Z | Windows 10 General Configuration | Defender Require Real Time Monitoring<br>defenderRequireRealTimeMonitoring | **true** | Group: All Corporate Devices |
| **E-010** | WIN - Compliance - Baseline<br>0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z | Compliance Policy | Rtp Enabled<br>rtpEnabled | **true** | Group: All Corporate Devices |

*Referenced assessment points for each item of evidence are listed in the relevant sections.*

ANNEX

# Policy device status

Device counts as summarised by Intune for the device policies cited in this report. Context only: no status in this report depends on them, and they do not show the state of an individual device. Errors include devices reported as not compliant. No status reported means the Intune summary has no row for the policy, not a count of zero.

Status summaries read on 2026-10-08T09:00:00Z. Configuration report: collected. Compliance report: collected. Profile status overview: collected.

| POLICY | SOURCE | SUCCEEDED | ERRORS | CONFLICTS | NOT APPLICABLE | PENDING |
|---|---|---|---|---|---|---|
| WIN - Baseline - BitLocker | Configuration report | **412** | **6** | **2** | **3** | **n/a** |
| WIN - Compliance - Baseline | Compliance report | **401** | **22** | **0** | **0** | **n/a** |
| MAC - FileVault enforcement | Configuration report | **58** | **3** | **0** | **0** | **n/a** |
| MAC - Compliance - Baseline | Compliance report | **57** | **4** | **0** | **0** | **n/a** |
| AND - Compliance - Work profile | Compliance report | **87** | **5** | **0** | **0** | **n/a** |
| WIN - Office - Macro security | Configuration report | **398** | **0** | **4** | **21** | **n/a** |
| WIN - Defender Antivirus | Configuration report | **418** | **1** | **0** | **4** | **n/a** |
| WIN - Device restrictions - Corporate | Profile status overview | **409** | **3** | **0** | **8** | **2** |