Intune Documentation

SAMPLE REPORT, FICTIONAL TENANT

Technical Evidence Report: Intune Configuration

# HIPAA Security Rule

## 45 CFR Part 164, Subpart C


Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

**Contoso Ltd**

Report date **2026-10-08**

Classification **Internal**




**Controls with supporting technical evidence**

Supporting evidence only, not a compliance score

### AT A GLANCE

| | |
|---|---|
| Supporting or partial evidence | 8 |
| No recognized evidence | 1 |

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.8. Organizational aspects of each control are listed separately for review.

### DOCUMENT CONTROL

| | | | |
|---|---|---|---|
| Framework<br>**HIPAA Security Rule 45 CFR Part 164, Subpart C** | | Tenant<br>**Contoso Ltd** | Prepared for<br>**Information Security** |
| Prepared by<br>**Endpoint Engineering** | Report ID<br>**IDOC-HIPAA-20261008-CTSO** | Revision<br>**1.0** | Ruleset version<br>**2026.10.8** |
| Classification<br>**Internal** | Report date<br>**2026-10-08** | | |

01 EXECUTIVE SUMMARY

# Summary

**88%**

CONTROLS WITH TECHNICAL EVIDENCE

**8 of 9 assessable controls have supporting technical evidence in the Intune configuration.**

21 of 35 technical safeguards are set up and switched on in Intune and Entra.

0 of 9 selected controls with configuration evidence (8 partial)
9 in scope; 0 outside the selected scope; 0 not assessed; 0 mixed policy evidence. Entries are selected mappings, not full framework coverage.
40 measures are outside Intune scope; each needs its own assessment.
5 measures relate to Intune or Entra settings that this report does not check yet; review them in the admin center.




| WITH TECHNICAL EVIDENCE | SAFEGUARDS IN PLACE | NO RECOGNIZED EVIDENCE | MIXED POLICY EVIDENCE |
|---|---|---|---|
| 8 | 21 | 1 | 0 |
| 0 configuration, 8 supporting or partial | of 35 mapped, set up and switched on | controls without recognized evidence | controls with mixed policy evidence |

## Status distribution

9 controls



**8** Supporting or partial evidence, 89%  **1** No recognized evidence, 11%

## Coverage by family

controls with technical evidence

| | | |
|---|---|---|
| § 164.308 | Administrative safeguards | **2** of 2 |
| § 164.310 | Physical safeguards | **2** of 2 |
| § 164.312 | Technical safeguards | **4** of 5 |

**Assigned deviating configurations: 1.**
At least one assigned policy explicitly contradicts the target configuration.

**Configured settings without assignment: 2.**
The detected target configuration is not effective until it is assigned.

## Key findings

ordered by severity, then control

Assigned deviation · 164.308(a)(5)(ii)(B)

**Office macro runtime scanning for all documents**

Assigned deviating configuration affects 164.308(a)(5)(ii)(B).

Not assigned · 164.312(c)(1)

**System Integrity Protection**

Configured setting without assignment affects 164.312(c)(1).

Not assigned · 164.310(b) **Application control in enforcement mode: Configured setting without assignment affects 164.310(b).**

**SCOPE NOTE**

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification or an IT Grundschutz check and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

9 of 54 published requirements have Intune evidence mappings. Supporting evidence only; this is not a full assessment or compliance score.

02 RESULTS

# Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

| CONTROL | STATUS | CAPABILITIES | EVIDENCE | PAGE |
|---|---|---|---|---|
| **§ 164.308 Administrative safeguards** | | | | 2 of 2 with evidence |
| 164.308(a)(5)(ii)(B) Protection from Malicious Software | Supporting or partial evidence | 5 of 6 | 9 evidence items | n/a |
| 164.308(a)(5)(ii)(D) Password Management | Supporting or partial evidence | 1 of 1 | 1 evidence item | n/a |
| **§ 164.310 Physical safeguards** | | | | 2 of 2 with evidence |
| 164.310(b) Workstation Use | Supporting or partial evidence | 1 of 4 | 2 evidence items | n/a |
| 164.310(c) Workstation Security | Supporting or partial evidence | 7 of 7 | 10 evidence items | n/a |
| **§ 164.312 Technical safeguards** | | | | 4 of 5 with evidence |
| 164.312(a)(1) Access Control | Supporting or partial evidence | 2 of 3 | 2 evidence items | n/a |
| 164.312(a)(2)(iv) Encryption and Decryption | Supporting or partial evidence | 3 of 3 | E-001 E-002 +4 | 4 |
| 164.312(b) Audit Controls | No recognized evidence | 0 of 4 | None recorded | 5 |
| 164.312(c)(1) Integrity | Supporting or partial evidence | 5 of 9 | 9 evidence items | n/a |
| 164.312(d) Person or Entity Authentication | Supporting or partial evidence | 6 of 7 | 6 evidence items | n/a |

**8** Supporting or partial evidence **1** No recognized evidence

Sample report: detail pages are included for selected controls only (164.312(a)(2)(iv), 164.312(b)). A full report includes a detail page for every control.
40 measures are outside Intune scope; each needs its own assessment.
5 measures relate to Intune or Entra settings that this report does not check yet; review them in the admin center.

## HOW TO READ THIS REPORT

| | |
|---|---|
| Configuration evidence | Technical configuration evidence detected |
| Supporting or partial evidence | Technical configuration evidence partially detected |
| No recognized evidence | No supported technical configuration evidence detected |
| Mixed policy evidence | Mixed policy evidence |
| Not assessed | Not assessed |
| Outside selected scope | Outside selected scope |

1. Status is shown by marker shape and label, never by colour alone.
2. A control rolls up from its capabilities. A capability rolls up from its checks.
3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.
4. Evidence references point to rows of the evidence register in Appendix A.

03 CONTROL DETAIL

164.312(a)(2)(iv)

Supporting or partial evidence | Addressable

# Encryption and Decryption

6 match, 0 missing, 0 different

3 of 3 capabilities

6 evidence references

## Disk encryption (BitLocker) Windows

Setting configured and assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Require Device Encryption<br>device_vendor_msft_bitlocker_requiredeviceencryption<br>WIN - Baseline - BitLocker | Enabled<br>"device_vendor_msft_bitlocker_requiredeviceencryption_1" | **Enabled**<br>"device_vendor_msft_bitlocker_requiredeviceencryption_1" | Matches expected value |
| BitLocker Enabled<br>bitLockerEnabled<br>WIN - Compliance - Baseline | true | **true** | Matches expected value |

POLICY **WIN - Baseline - BitLocker** Assigned: Group: All Corporate Devices, Excluded: Group: Kiosk Devices

POLICY **WIN - Compliance - Baseline** Assigned: Group: All Corporate Devices

EVIDENCE E-001 E-002

*Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.*

## Disk encryption (FileVault) macOS

Setting configured and assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Enable<br>com.apple.mcx.filevault2_enable<br>MAC - FileVault enforcement | On<br>"com.apple.mcx.filevault2_enable_0" | **On**<br>"com.apple.mcx.filevault2_enable_0" | Matches expected value |
| Force Enable In Setup Assistant<br>com.apple.mcx.filevault2_forceenableinsetupassistant<br>MAC - FileVault enforcement | True<br>"com.apple.mcx.filevault2_forceenableinsetupassistant_true" | **True**<br>"com.apple.mcx.filevault2_forceenableinsetupassistant_true" | Matches expected value |
| Storage Require Encryption<br>storageRequireEncryption<br>MAC - Compliance - Baseline | true | **true** | Matches expected value |

POLICY **MAC - FileVault enforcement** Assigned: Group: Corporate Mac Devices

POLICY **MAC - Compliance - Baseline** Assigned: Group: Corporate Mac Devices

EVIDENCE E-003 E-004 E-005

*Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.*

## Storage encryption (Android) Android

Compliance requirement assigned

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Storage Require Encryption<br>storageRequireEncryption<br>AND - Compliance - Work profile | true | **true** | Matches expected value |

POLICY **AND - Compliance - Work profile** Assigned: Group: Corporate Mobile Devices

EVIDENCE E-006

*164.312(a)(2)(iv) (continued)*

*Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.*

**Additional verification: not assessed by technical evidence**

Effective encryption state on each device, key management, encryption of ePHI on servers and removable media, and the documented decision for this addressable specification are unassessed.

**164.312(b)**

No recognized evidence | Required

## Audit Controls

0 match, 4 missing, 0 different

**0 of 4 capabilities**

0 evidence references

### Process creation auditing with command lines Windows

No evidence

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| Process creation auditing with command lines<br>windows-process-creation-logging | "Success" or "Success+ Failure"; alternative: "Enabled" | *Not found* | Missing |

*No supported setting was found after checking the collected policies.*

POLICY No matching policy found

EVIDENCE None recorded

### PowerShell logging for all modules Windows

No evidence

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| PowerShell logging for all modules<br>windows-powershell-module-logging | "*"; requires Turn on Module Logging: Enabled | *Not found* | Missing |

*No supported setting was found after checking the collected policies.*

POLICY No matching policy found

EVIDENCE None recorded

### PowerShell script block logging enabled Windows

No evidence

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| PowerShell script block logging enabled<br>windows-powershell-scriptblock-logging | "Enabled" | *Not found* | Missing |

*No supported setting was found after checking the collected policies.*

POLICY No matching policy found

EVIDENCE None recorded

*164.312(b) (continued)*

**PowerShell transcription enabled** Windows — No evidence

| CHECK | EXPECTED | ACTUAL | RESULT |
|---|---|---|---|
| PowerShell transcription enabled<br>windows-powershell-transcription | "Enabled" | *Not found* | Missing |

*No supported setting was found after checking the collected policies.*

| | |
|---|---|
| POLICY | No matching policy found |
| EVIDENCE | None recorded |

**Gap: Audit Controls**

No technical evidence was found. Possible implementation through these Intune settings:

- device_vendor_msft_policy_config_audit_detailedtracking_auditprocesscreation
- device_vendor_msft_policy_config_admx_auditsettings_includecmdline
- device_vendor_msft_policy_config_admx_powershellexecutionpolicy_enablemodulelogging_listbox_modulenames
- device_vendor_msft_policy_config_windowspowershell_turnonpowershellscriptblocklogging

**Additional verification: not assessed by technical evidence**

Audit logging in systems that contain or use ePHI, log collection, retention and the regular examination of recorded activity require separate assessment.

APPENDIX A

# Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

| REF | POLICY | TYPE | SETTING | VALUE | ASSIGNMENT |
|---|---|---|---|---|---|
| E-001 | WIN - Baseline - BitLocker<br>0c0e7050-0000-4000-8000-000000000101; configuration; version unknown; modified 2026-08-19T14:30:00Z | Settings Catalog | Require Device Encryption<br>device_vendor_msft_bitlocker_requireddeviceencryption | **Enabled**<br>device_vendor_msft_bitlocker_requiredeviceencryption_1 | Group: All Corporate Devices, Excluded: Group: Kiosk Devices |
| E-002 | WIN - Compliance - Baseline<br>0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z | Compliance Policy | BitLocker Enabled<br>bitLockerEnabled | **true** | Group: All Corporate Devices |
| E-003 | MAC - FileVault enforcement<br>0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z | Settings Catalog | Enable<br>com.apple.mcx.filevault2_enable | **On**<br>com.apple.mcx.filevault2_enable_0 | Group: Corporate Mac Devices |
| E-004 | MAC - FileVault enforcement<br>0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z | Settings Catalog | Force Enable In Setup Assistant<br>com.apple.mcx.filevault2_forceenableinsetupassistant | **True**<br>com.apple.mcx.filevault2_forceenableinsetupassistant_true | Group: Corporate Mac Devices |
| E-005 | MAC - Compliance - Baseline<br>0c0e7050-0000-4000-8000-000000000302; complianceRequirement; version 3; modified 2026-06-18T11:00:00Z | Compliance Policy | Storage Require Encryption<br>storageRequireEncryption | **true** | Group: Corporate Mac Devices |
| E-006 | AND - Compliance - Work profile<br>0c0e7050-0000-4000-8000-000000000305; complianceRequirement; version 3; modified 2026-07-30T09:45:00Z | Compliance Policy | Storage Require Encryption<br>storageRequireEncryption | **true** | Group: Corporate Mobile Devices |

*Referenced assessment points for each item of evidence are listed in the relevant sections.*

ANNEX

# Policy device status

Device counts as summarised by Intune for the device policies cited in this report. Context only: no status in this report depends on them, and they do not show the state of an individual device. Errors include devices reported as not compliant. No status reported means the Intune summary has no row for the policy, not a count of zero.

Status summaries read on 2026-10-08T09:00:00Z. Configuration report: collected. Compliance report: collected. Profile status overview: collected.

| POLICY | SOURCE | SUCCEEDED | ERRORS | CONFLICTS | NOT APPLICABLE | PENDING |
|---|---|---|---|---|---|---|
| WIN - Baseline - BitLocker | Configuration report | **412** | **6** | **2** | **3** | **n/a** |
| WIN - Compliance - Baseline | Compliance report | **401** | **22** | **0** | **0** | **n/a** |
| MAC - FileVault enforcement | Configuration report | **58** | **3** | **0** | **0** | **n/a** |
| MAC - Compliance - Baseline | Compliance report | **57** | **4** | **0** | **0** | **n/a** |
| AND - Compliance - Work profile | Compliance report | **87** | **5** | **0** | **0** | **n/a** |

APPENDIX B

# Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

Note: Selected standards and implementation specifications from Appendix A to 45 CFR Part 164, Subpart C (18 standards and 36 implementation specifications). These mappings provide supporting Intune configuration evidence for safeguards on managed endpoints, not a HIPAA risk analysis or a complete assessment. Administrative and physical safeguards, ePHI scope and the documented decision for each addressable specification require separate review. The proposed rule of January 2025 is not final and is not reflected.