Intune Documentation

SAMPLE REPORT, FICTIONAL TENANT

Technical Evidence Report: Intune Configuration

NIST CSF 2.0

2.0


Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

Contoso Ltd

Report date **2026-10-08**

Classification **Internal**



Controls with supporting technical evidence

Supporting evidence only, not a compliance score

AT A GLANCE

Supporting or partial evidence	6
No recognized evidence	1
Mixed policy evidence	1

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.7. Organizational aspects of each control are listed separately for review.

DOCUMENT CONTROL

Framework **NIST Cybersecurity Framework 2.0**		Tenant **Contoso Ltd**	Prepared for **Information Security**
Prepared by **Endpoint Engineering**	Report ID **IDOC-CSF-20261008-CTSO**	Revision **1.0**	Ruleset version **2026.10.7**
Classification **Internal**	Report date **2026-10-08**		

01 EXECUTIVE SUMMARY

Summary

75%

CONTROLS WITH TECHNICAL EVIDENCE

6 of 8 assessable controls have supporting technical evidence in the Intune configuration.

34 of 54 technical safeguards are set up and switched on in Intune.

0 of 8 selected controls with configuration evidence (6 partial)
8 in scope; 0 outside scope; 0 not assessed; 1 mixed policy evidence. Entries are selected mappings, not full framework coverage.

0% 50% 100%

WITH TECHNICAL EVIDENCE	SAFEGUARDS IN PLACE	NO RECOGNIZED EVIDENCE	MIXED POLICY EVIDENCE
6	34	1	1
0 configuration, 6 supporting or partial	of 54 mapped, set up and switched on	controls without recognized evidence	controls with mixed policy evidence

Status distribution

8 controls



6 Supporting or partial evidence, 75% **1** No recognized evidence, 13% **1** Mixed policy evidence, 13%

Coverage by family

controls with technical evidence

DE	Detect	**1** of 1
PR	Protect	**5** of 7

Assigned deviating configurations: 3.
At least one assigned policy explicitly contradicts the target configuration.

Configured settings without assignment: 3.
The detected target configuration is not effective until it is assigned.

Key findings

ordered by severity, then control

Assigned deviation PR.PS-01
Diagnostic data minimized (Windows)
Assigned deviating configuration affects PR.PS-01.

Assigned deviation DE.CM-09
Office macro runtime scanning for all documents
Assigned deviating configuration affects DE.CM-09.

Assigned deviation PR.PS-02 **Quality update timing within 14 days: Assigned deviating configuration affects PR.PS-02.**

Not assigned PR.IR-01 **Host firewall (Windows Firewall): Configured setting without assignment affects PR.IR-01.** See page 5

Not assigned PR.PS-01 **System Integrity Protection: Configured setting without assignment affects PR.PS-01.**

1 further finding is listed in the full report.

SCOPE NOTE

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification or an IT Grundschutz check and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

02 RESULTS

Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

CONTROL		STATUS	CAPABILITIES	EVIDENCE	PAGE
DE Detect					1 of 1 with evidence
DE.CM-09	Computing hardware and software are monitored	Supporting or partial evidence	5 of 10	9 evidence items	n/a
PR Protect					5 of 7 with evidence
PR.AA-01	Identities and credentials are managed	Supporting or partial evidence	6 of 6	6 evidence items	n/a
PR.AA-03	Users, services, and hardware are authenticated	Supporting or partial evidence	8 of 9	8 evidence items	n/a
PR.DS-01	Data-at-rest is protected	Supporting or partial evidence	3 of 3	E-001 E-002 +4	4
PR.IR-01	Networks and environments are protected	No recognized evidence	0 of 2	E-007 E-008 E-009	5
PR.PS-01	Configuration management practices are applied	Supporting or partial evidence	11 of 19	15 evidence items	n/a
PR.PS-02	Software is maintained commensurate with risk	Mixed policy evidence	5 of 6	8 evidence items	n/a
PR.PS-05	Unauthorized software is prevented	Supporting or partial evidence	1 of 4	2 evidence items	n/a

6 Supporting or partial evidence **1** No recognized evidence **1** Mixed policy evidence

Sample report: detail pages are included for selected controls only (PR.DS-01, PR.IR-01). A full report includes a detail page for every control.

HOW TO READ THIS REPORT

Configuration evidence	Technical configuration evidence detected
Supporting or partial evidence	Technical configuration evidence partially detected
No recognized evidence	No supported technical configuration evidence detected
Mixed policy evidence	Mixed policy evidence
Not assessed	Not assessed
Outside selected scope	Outside selected scope

1. Status is shown by marker shape and label, never by colour alone.
2. A control rolls up from its capabilities. A capability rolls up from its checks.
3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.
4. Evidence references point to rows of the evidence register in Appendix A.

ABOUT THE METHOD

Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

Note: Device-management evidence for a subset of Protect and Detect subcategories. Governance, process, and organizational aspects are out of scope for an Intune tenant export.

03 CONTROL DETAIL

PR.DS-01

Supporting or partial evidence

Data-at-rest is protected

6 match, 0 missing, 0 different

3 of 3 capabilities

6 evidence references

Disk encryption (BitLocker) Windows

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Require Device Encryption device_vendor_msft_bitlocker_requiredeviceencryption WIN - Baseline - BitLocker	Enabled "device_vendor_msft_bitlocker_requiredeviceencryption_1"	**Enabled** "device_vendor_msft_bitlocker_requiredeviceencryption_1"	Matches expected value
BitLocker Enabled bitLockerEnabled WIN - Compliance - Baseline	true	**true**	Matches expected value

POLICY **WIN - Baseline - BitLocker** Assigned: Group: All Corporate Devices, Excluded: Group: Kiosk Devices

POLICY **WIN - Compliance - Baseline** Assigned: Group: All Corporate Devices

EVIDENCE E-001 E-002

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Disk encryption (FileVault) macOS

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Enable com.apple.mcx.filevault2_enable MAC - FileVault enforcement	On "com.apple.mcx.filevault2_enable_0"	**On** "com.apple.mcx.filevault2_enable_0"	Matches expected value
Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant MAC - FileVault enforcement	True "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	**True** "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	Matches expected value
Storage Require Encryption storageRequireEncryption MAC - Compliance - Baseline	true	**true**	Matches expected value

POLICY **MAC - FileVault enforcement** Assigned: Group: Corporate Mac Devices

POLICY **MAC - Compliance - Baseline** Assigned: Group: Corporate Mac Devices

EVIDENCE E-003 E-004 E-005

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Storage encryption (Android) Android

Compliance requirement assigned

CHECK	EXPECTED	ACTUAL	RESULT
Storage Require Encryption storageRequireEncryption AND - Compliance - Work profile	true	**true**	Matches expected value

POLICY **AND - Compliance - Work profile** Assigned: Group: Corporate Mobile Devices

EVIDENCE E-006

PR.DS-01 (continued)

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Additional verification: not assessed by technical evidence

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

PR.IR-01

No recognized evidence

Networks and environments are protected

3 match, 1 missing, 0 different

0 of 2 capabilities

3 evidence references

Host firewall (Windows Firewall) Windows

Setting configured, but not assigned

CHECK	EXPECTED	ACTUAL	RESULT
Enable Domain Network Firewall vendor_msft_firewall_mdmstore_domainprofile_enablefirewall WIN - Defender Firewall - All profiles	True "vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true"	**True** "vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true"	Matches expected value
Enable Private Network Firewall vendor_msft_firewall_mdmstore_privateprofile_enablefirewall WIN - Defender Firewall - All profiles	True "vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true"	**True** "vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true"	Matches expected value
Enable Public Network Firewall vendor_msft_firewall_mdmstore_publicprofile_enablefirewall WIN - Defender Firewall - All profiles	True "vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true"	**True** "vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true"	Matches expected value

POLICY **WIN - Defender Firewall - All profiles** Not assigned

EVIDENCE E-007 E-008 E-009

Host firewall (macOS) macOS

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
Host firewall (macOS) macos-firewall	true true; alternative: true	*Not found*	Missing

No supported setting was found after checking the collected policies.

POLICY No matching policy found

EVIDENCE None recorded

Additional verification: not assessed by technical evidence

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

APPENDIX A

Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

REF	POLICY	TYPE	SETTING	VALUE	ASSIGNMENT
E-001	WIN - Baseline - BitLocker 0c0e7050-0000-4000-8000-000000000101; configuration; version unknown; modified 2026-08-19T14:30:00Z	Settings Catalog	Require Device Encryption device_vendor_msft_bitlocker_requireddeviceencryption	**Enabled** device_vendor_msft_bitlocker_requiredeviceencryption_1	Group: All Corporate Devices, Excluded: Group: Kiosk Devices
E-002	WIN - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z	Compliance Policy	BitLocker Enabled bitLockerEnabled	**true**	Group: All Corporate Devices
E-003	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Enable com.apple.mcx.filevault2_enable	**On** com.apple.mcx.filevault2_enable_0	Group: Corporate Mac Devices
E-004	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant	**True** com.apple.mcx.filevault2_forceenableinsetupassistant_true	Group: Corporate Mac Devices
E-005	MAC - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000302; complianceRequirement; version 3; modified 2026-06-18T11:00:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	**true**	Group: Corporate Mac Devices
E-006	AND - Compliance - Work profile 0c0e7050-0000-4000-8000-000000000305; complianceRequirement; version 3; modified 2026-07-30T09:45:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	**true**	Group: Corporate Mobile Devices
E-007	WIN - Defender Firewall - All profiles 0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z	Settings Catalog	Enable Domain Network Firewall vendor_msft_firewall_mdmstore_domainprofile_enablefirewall	**True** vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true	Not assigned
E-008	WIN - Defender Firewall - All profiles 0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z	Settings Catalog	Enable Private Network Firewall vendor_msft_firewall_mdmstore_privateprofile_enablefirewall	**True** vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true	Not assigned
E-009	WIN - Defender Firewall - All profiles 0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z	Settings Catalog	Enable Public Network Firewall vendor_msft_firewall_mdmstore_publicprofile_enablefirewall	**True** vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true	Not assigned

Referenced assessment points for each item of evidence are listed in the relevant sections.

ANNEX

Policy device status

Device counts as summarised by Intune for the device policies cited in this report. Context only: no status in this report depends on them, and they do not show the state of an individual device. Errors include devices reported as not compliant. No status reported means the Intune summary has no row for the policy, not a count of zero.

Status summaries read on 2026-10-08T09:00:00Z. Configuration report: collected. Compliance report: collected. Profile status overview: collected.

POLICY	SOURCE	SUCCEEDED	ERRORS	CONFLICTS	NOT APPLICABLE	PENDING
WIN - Baseline - BitLocker	Configuration report	**412**	**6**	**2**	**3**	**n/a**
WIN - Compliance - Baseline	Compliance report	**401**	**22**	**0**	**0**	**n/a**
MAC - FileVault enforcement	Configuration report	**58**	**3**	**0**	**0**	**n/a**
MAC - Compliance - Baseline	Compliance report	**57**	**4**	**0**	**0**	**n/a**
AND - Compliance - Work profile	Compliance report	**87**	**5**	**0**	**0**	**n/a**
WIN - Defender Firewall - All profiles	Configuration report	**415**	**2**	**1**	**5**	**n/a**