Intune Documentation

SAMPLE REPORT, FICTIONAL TENANT

Technical Evidence Report: Intune Configuration

Def Stan 05-138

Issue 4


Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

Contoso Ltd

Report date **2026-10-08**

Classification **Internal**



Controls with supporting technical evidence

Supporting evidence only, not a compliance score

AT A GLANCE

Supporting or partial evidence	7
No recognized evidence	1

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.8. Organizational aspects of each control are listed separately for review.

DOCUMENT CONTROL

Framework **UK MOD Def Stan 05-138 Issue 4**		Tenant **Contoso Ltd**	Prepared for **Information Security**
Prepared by **Endpoint Engineering**	Report ID **IDOC-DEF-20261008-CTSO**	Revision **1.0**	Ruleset version **2026.10.8**
Classification **Internal**	Report date **2026-10-08**		

01 EXECUTIVE SUMMARY

Summary

87%

CONTROLS WITH TECHNICAL EVIDENCE

7 of 8 assessable controls have supporting technical evidence in the Intune configuration.

24 of 33 technical safeguards are set up and switched on in Intune and Entra.

0 of 8 selected controls with configuration evidence (7 partial)
8 in scope; 0 outside the selected scope; 0 not assessed; 0 mixed policy evidence. Entries are selected mappings, not full framework coverage.

0% 50% 100%

WITH TECHNICAL EVIDENCE	SAFEGUARDS IN PLACE	NO RECOGNIZED EVIDENCE	MIXED POLICY EVIDENCE
7	24	1	0
0 configuration, 7 supporting or partial	of 33 mapped, set up and switched on	controls without recognized evidence	controls with mixed policy evidence

Status distribution

8 controls



7 Supporting or partial evidence, 88% 1 No recognized evidence, 13%

Coverage by family

controls with technical evidence

Accounts, identities and access (22xx)	1 of 1
Hardening and system protection (24xx)	3 of 4
Protecting stored and transmitted data (23xx)	3 of 3

Assigned deviating configurations: 2.
At least one assigned policy explicitly contradicts the target configuration.

Configured settings without assignment: 1.
The detected target configuration is not effective until it is assigned.

Key findings

ordered by severity, then control

Assigned deviation 2418

Diagnostic data minimized (Windows)
Assigned deviating configuration affects 2418.

Assigned deviation 2426 See page 5

Office macro runtime scanning for all documents
Assigned deviating configuration affects 2426.

Not assigned 2202 +1 **System Integrity Protection: Configured setting without assignment affects 2202, 2401.**

SCOPE NOTE

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

Note: Device-management evidence for selected Objective B controls of Def Stan 05-138 Issue 4, referenced by control identifier with original summaries and the Cyber Risk Profile levels at which each applies. Cyber Essentials certification (control 0001) is required at every level and cannot be evidenced from device configuration.

02 RESULTS

Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

CONTROL	STATUS	CAPABILITIES	EVIDENCE	PAGE
Accounts, identities and access (22xx)				1 of 1 with evidence
2202 Trusted managed devices	Supporting or partial evidence	4 of 7	6 evidence items	n/a
Hardening and system protection (24xx)				3 of 4 with evidence
2401 Platform integrity protections	No recognized evidence	0 of 3	1 evidence item	n/a
2405 Operating system update enforcement	Supporting or partial evidence	5 of 5	6 evidence items	n/a
2418 Managed hardening baselines	Supporting or partial evidence	9 of 13	11 evidence items	n/a
2426 Real-time anti-malware protection	Supporting or partial evidence	1 of 2	E-007 E-008 +2	5
Protecting stored and transmitted data (23xx)				3 of 3 with evidence
2309 Data on mobile devices	Supporting or partial evidence	2 of 2	2 evidence items	n/a
2317 Full disk encryption on endpoints	Supporting or partial evidence	3 of 3	E-001 E-002 +4	4
2322 Mobile device management	Supporting or partial evidence	6 of 7	7 evidence items	n/a

7 Supporting or partial evidence **1** No recognized evidence

Sample report: detail pages are included for selected controls only (2317, 2426). A full report includes a detail page for every control.

HOW TO READ THIS REPORT

Configuration evidence	Technical configuration evidence detected
Supporting or partial evidence	Technical configuration evidence partially detected
No recognized evidence	No supported technical configuration evidence detected
Mixed policy evidence	Mixed policy evidence
Not assessed	Not assessed
Outside selected scope	Outside selected scope

1. Status is shown by marker shape and label, never by colour alone.
2. A control rolls up from its capabilities. A capability rolls up from its checks.
3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.
4. Evidence references point to rows of the evidence register in Appendix A.

ABOUT THE METHOD

Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

03 CONTROL DETAIL

2317

Supporting or partial evidence | Level 1 to Level 3

Full disk encryption on endpoints

6 match, 0 missing, 0 different

3 of 3 capabilities

6 evidence references

Disk encryption (BitLocker) Windows

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Require Device Encryption device_vendor_msft_bitlocker_requiredeviceencryption WIN - Baseline - BitLocker	Enabled "device_vendor_msft_bitlocker_requiredeviceencryption_1"	**Enabled** "device_vendor_msft_bitlocker_requiredeviceencryption_1"	Matches expected value
BitLocker Enabled bitLockerEnabled WIN - Compliance - Baseline	true	**true**	Matches expected value

POLICY **WIN - Baseline - BitLocker** Assigned: Group: All Corporate Devices, Excluded: Group: Kiosk Devices

POLICY **WIN - Compliance - Baseline** Assigned: Group: All Corporate Devices

EVIDENCE E-001 E-002

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Disk encryption (FileVault) macOS

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Enable com.apple.mcx.filevault2_enable MAC - FileVault enforcement	On "com.apple.mcx.filevault2_enable_0"	**On** "com.apple.mcx.filevault2_enable_0"	Matches expected value
Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant MAC - FileVault enforcement	True "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	**True** "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	Matches expected value
Storage Require Encryption storageRequireEncryption MAC - Compliance - Baseline	true	**true**	Matches expected value

POLICY **MAC - FileVault enforcement** Assigned: Group: Corporate Mac Devices

POLICY **MAC - Compliance - Baseline** Assigned: Group: Corporate Mac Devices

EVIDENCE E-003 E-004 E-005

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Storage encryption (Android) Android

Compliance requirement assigned

CHECK	EXPECTED	ACTUAL	RESULT
Storage Require Encryption storageRequireEncryption AND - Compliance - Work profile	true	**true**	Matches expected value

POLICY **AND - Compliance - Work profile** Assigned: Group: Corporate Mobile Devices

EVIDENCE E-006

2317 (continued)

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

▲ **Additional verification: not assessed by technical evidence**

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

2426

Supporting or partial evidence | Level 1 to Level 3

Real-time anti-malware protection

3 match, 0 missing, 1 different

1 of 2 capabilities

4 evidence references

Office macro runtime scanning for all documents Windows

▲ Deviating configuration detected

CHECK	EXPECTED	ACTUAL	RESULT
user_vendor_msft_policy_config_office16v2~policy~l_microsoftofficesystem~l_securitysettings_l_macroruntimescanscope_l_macroruntimescanscopeenum WIN - Office - Macro security	"Enable for all documents"; requires Macro Runtime Scan Scope (User): Enabled	**"Enable for low trust documents"**	▲ Different value

POLICY **WIN - Office - Macro security** Assigned: Group: All Corporate Users

EVIDENCE E-007

▲ **Risk E-007: WIN - Office - Macro security sets user_vendor_msft_policy_config_office16v2~policy~l_microsoftofficesystem~l_securitysettings_l_macroruntimescanscope_l_macroruntimescanscopeenum to Enable for low trust documents (assigned). Deviating configuration detected and assigned (risk).**

Real-time antimalware (Microsoft Defender) Windows

● Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Allow Realtime Monitoring device_vendor_msft_policy_config_defender_allowrealtimemonitoring WIN - Defender Antivirus	Allowed. Turns on and runs the real-time monitoring service. "device_vendor_msft_policy_config_defender_allowrealtimemonitoring_1"	**Allowed. Turns on and runs the real-time monitoring service.** "device_vendor_msft_policy_config_defender_allowrealtimemonitoring_1"	● Matches expected value
Defender Require Real Time Monitoring defenderRequireRealTimeMonitoring WIN - Device restrictions - Corporate	true	**true**	● Matches expected value
Rtp Enabled rtpEnabled WIN - Compliance - Baseline	true	**true**	● Matches expected value

POLICY **WIN - Defender Antivirus** Assigned: Group: All Corporate Devices

POLICY **WIN - Device restrictions - Corporate** Assigned: Group: All Corporate Devices

POLICY **WIN - Compliance - Baseline** Assigned: Group: All Corporate Devices

EVIDENCE E-008 E-009 E-010

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

2426 (continued)

> ▲ **Additional verification: not assessed by technical evidence**
>
> These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

APPENDIX A

Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

REF	POLICY	TYPE	SETTING	VALUE	ASSIGNMENT
E-001	WIN - Baseline - BitLocker 0c0e7050-0000-4000-8000-000000000101; configuration; version unknown; modified 2026-08-19T14:30:00Z	Settings Catalog	Require Device Encryption device_vendor_msft_bitlocker_requiredeviceencryption	**Enabled** device_vendor_msft_bitlocker_requiredeviceencryption_1	Group: All Corporate Devices, Excluded: Group: Kiosk Devices
E-002	WIN - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z	Compliance Policy	BitLocker Enabled bitLockerEnabled	**true**	Group: All Corporate Devices
E-003	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Enable com.apple.mcx.filevault2_enable	**On** com.apple.mcx.filevault2_enable_0	Group: Corporate Mac Devices
E-004	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant	**True** com.apple.mcx.filevault2_forceenableinsetupassistant_true	Group: Corporate Mac Devices
E-005	MAC - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000302; complianceRequirement; version 3; modified 2026-06-18T11:00:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	**true**	Group: Corporate Mac Devices
E-006	AND - Compliance - Work profile 0c0e7050-0000-4000-8000-000000000305; complianceRequirement; version 3; modified 2026-07-30T09:45:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	**true**	Group: Corporate Mobile Devices
E-007	WIN - Office - Macro security 0c0e7050-0000-4000-8000-000000000105; configuration; version unknown; modified 2026-08-27T15:20:00Z	Settings Catalog	user_vendor_msft_policy_config_office16v2~policy~l_microsoftofficesystem~l_securitysettings_l_macroruntimescanscope_l_macroruntimescanscopeenum	**Enable for low trust documents** user_vendor_msft_policy_config_office16v2~policy~l_microsoftofficesystem~l_securitysettings_l_macroruntimescanscope_l_macroruntimescanscopeenum_1	Group: All Corporate Users
E-008	WIN - Defender Antivirus 0c0e7050-0000-4000-8000-000000000102; configuration; version unknown; modified 2026-09-02T08:45:00Z	Settings Catalog	Allow Realtime Monitoring device_vendor_msft_policy_config_defender_allowrealtimemonitoring	**Allowed. Turns on and runs the real-time monitoring service.** device_vendor_msft_policy_config_defender_allowrealtimemonitoring_1	Group: All Corporate Devices
E-009	WIN - Device restrictions - Corporate 0c0e7050-0000-4000-8000-000000000201; configuration; version 7; modified 2026-08-05T09:25:00Z	Windows 10 General Configuration	Defender Require Real Time Monitoring defenderRequireRealTimeMonitoring	**true**	Group: All Corporate Devices
E-010	WIN - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z	Compliance Policy	Rtp Enabled rtpEnabled	**true**	Group: All Corporate Devices

Referenced assessment points for each item of evidence are listed in the relevant sections.

ANNEX

Policy device status

Device counts as summarised by Intune for the device policies cited in this report. Context only: no status in this report depends on them, and they do not show the state of an individual device. Errors include devices reported as not compliant. No status reported means the Intune summary has no row for the policy, not a count of zero.

Status summaries read on 2026-10-08T09:00:00Z. Configuration report: collected. Compliance report: collected. Profile status overview: collected.

POLICY	SOURCE	SUCCEEDED	ERRORS	CONFLICTS	NOT APPLICABLE	PENDING
WIN - Baseline - BitLocker	Configuration report	**412**	**6**	**2**	**3**	**n/a**
WIN - Compliance - Baseline	Compliance report	**401**	**22**	**0**	**0**	**n/a**
MAC - FileVault enforcement	Configuration report	**58**	**3**	**0**	**0**	**n/a**
MAC - Compliance - Baseline	Compliance report	**57**	**4**	**0**	**0**	**n/a**
AND - Compliance - Work profile	Compliance report	**87**	**5**	**0**	**0**	**n/a**
WIN - Office - Macro security	Configuration report	**398**	**0**	**4**	**21**	**n/a**
WIN - Defender Antivirus	Configuration report	**418**	**1**	**0**	**4**	**n/a**
WIN - Device restrictions - Corporate	Profile status overview	**409**	**3**	**0**	**8**	**2**