




Technical Evidence Report: Intune Configuration

Essential Eight ML1

November 2023; target Maturity Level 1

Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

Contoso LtdReport date **2026-10-08**Classification **Internal****Controls with supporting technical evidence**

Supporting evidence only, not a compliance score

AT A GLANCE

① Supporting or partial evidence	11
○ No recognized evidence	3
▲ Mixed policy evidence	1

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.2. Organizational aspects of each control are listed separately for review.

DOCUMENT CONTROL

Framework ASD Essential Eight November 2023; target Maturity Level 1		Tenant Contoso Ltd	Prepared for Information Security
Prepared by Endpoint Engineering	Report ID IDOC-E8-20261008-CTSO	Revision 1.0	Ruleset version 2026.10.2
Classification Internal	Report date 2026-10-08		

01 EXECUTIVE SUMMARY

Summary

73%

CONTROLS WITH TECHNICAL EVIDENCE

11 of 15 assessable controls have supporting technical evidence in the Intune configuration.

9 of 15 technical safeguards are set up and switched on in Intune.

0 of 15 selected controls with configuration evidence (11 partial)
15 in scope; 0 outside scope; 0 not assessed; 1 mixed policy evidence. Entries are selected mappings, not full framework coverage.

0%

50%

100%

WITH TECHNICAL EVIDENCE

11

0 configuration, 11 supporting or partial

SAFEGUARDS IN PLACE

9

of 15 mapped, set up and switched on

NO RECOGNIZED EVIDENCE

3

controls without recognized evidence

MIXED POLICY EVIDENCE

1

controls with mixed policy evidence

Status distribution

15 controls

11 Supporting or partial evidence, 73%

3 No recognized evidence, 20%

1 Mixed policy evidence, 7%

Coverage by family

controls with technical evidence

Application control		0 of 2
Multi-factor authentication		4 of 4
Patch operating systems		0 of 1
Restrict Microsoft Office macros		3 of 4

1 more family is listed in the results overview.

Assigned deviating configurations: 2.

At least one assigned policy explicitly contradicts the target configuration.

Configured settings without assignment: 1.

The detected target configuration is not effective until it is assigned.

Key findings

ordered by severity, then control

Assigned deviation

ML1-MAC-03

Office macro runtime scanning for all documents

Assigned deviating configuration affects ML1-MAC-03.

Assigned deviation

ML1-PO-07

Quality update timing within 14 days

Assigned deviating configuration affects ML1-PO-07.

See page 5

Not assigned

ML1-AC-01

Application control in enforcement mode: Configured setting without assignment affects ML1-AC-01.

SCOPE NOTE

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification or an IT Grundschutz check and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

48 published requirement entries; showing 15 with Intune or Conditional Access policy checks. Operational-only requirements are excluded. Target level only; achieved maturity is not assessed.

02 RESULTS

Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

CONTROL		STATUS	CAPABILITIES	EVIDENCE	PAGE
Application control					0 of 2 with evidence
ML1-AC-01	Application control	☐ No recognized evidence	0 of 1	1 evidence item	n/a
ML1-AC-03	Application control	☐ No recognized evidence	0 of 1	None recorded	n/a
Multi-factor authentication					4 of 4 with evidence
ML1-MFA-01	Multi-factor authentication	☒ Supporting or partial evidence	1 of 1	1 evidence item	n/a
ML1-MFA-02	Multi-factor authentication	☒ Supporting or partial evidence	1 of 1	1 evidence item	n/a
ML1-MFA-03	Multi-factor authentication	☒ Supporting or partial evidence	1 of 1	1 evidence item	n/a
ML1-MFA-07	Multi-factor authentication	☒ Supporting or partial evidence	1 of 1	1 evidence item	n/a
Patch operating systems					0 of 1 with evidence
ML1-PO-07	Patch operating systems	☒ Mixed policy evidence	0 of 1	E-003 E-004	5
Restrict Microsoft Office macros					3 of 4 with evidence
ML1-MAC-01	Restrict Microsoft Office macros	☒ Supporting or partial evidence	1 of 2	E-001 E-002	4
ML1-MAC-02	Restrict Microsoft Office macros	☒ Supporting or partial evidence	1 of 1	3 evidence items	n/a
ML1-MAC-03	Restrict Microsoft Office macros	☐ No recognized evidence	0 of 1	1 evidence item	n/a
ML1-MAC-04	Restrict Microsoft Office macros	☒ Supporting or partial evidence	1 of 1	5 evidence items	n/a
User application hardening					4 of 4 with evidence
ML1-UAH-01	User application hardening	☒ Supporting or partial evidence	1 of 1	1 evidence item	n/a
ML1-UAH-02	User application hardening	☒ Supporting or partial evidence	1 of 1	1 evidence item	n/a
ML1-UAH-03	User application hardening	☒ Supporting or partial evidence	1 of 2	1 evidence item	n/a
ML1-UAH-04	User application hardening	☒ Supporting or partial evidence	1 of 1	2 evidence items	n/a

☒ 11 Supporting or partial evidence ☐ 3 No recognized evidence ☒ 1 Mixed policy evidence

Sample report: detail pages are included for selected controls only (ML1-MAC-01, ML1-PO-07). A full report includes a detail page for every control.

03 CONTROL DETAIL

Supporting or partial evidence

Target Maturity Level 1

ML1-MAC-01

Restrict Microsoft Office macros

2 match, 1 missing, 0 different

Microsoft Office macros are disabled for users that do not have a demonstrated business requirement.

1 of 2 capabilities

2 evidence references

Office VBA macros disabled Windows

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
user_vendor_msft_policy_config_exc el16v2~policy~l_microsoftofficeexcel~l_e xceloptions~l_security~l_trustcenter~l_ vbawarningspolicy_l_empty4 WIN - Office - Macro Security	"Disable all without notification"; requires VBA Macro Notification Settings (User): Enabled	"Disable all without notification"	Matches expected value
user_vendor_msft_policy_config_wor d16v2~policy~l_microsoftofficeword~l_w ordoptions~l_security~l_trustcenter~l_ vbawarningspolicy_l_empty19 WIN - Office - Macro security	"Disable all without notification"; requires VBA Macro Notification Settings (User): Enabled	"Disable all without notification"	Matches expected value

POLICY

WIN - Office - Macro security

Assigned: Group: All Corporate Users

EVIDENCE

E-001

E-002

Office VBA macros disabled on macOS macOS

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
Office VBA macros disabled on macOS macos-office-macos-disabled	"True"; alternative: "Disable all macros"	Not found	Missing

No supported setting was found after checking the collected policies.

POLICY

No matching policy found

EVIDENCE

None recorded

Additional verification: not assessed by technical evidence

Review business exceptions, assigned users and coverage of every Office application; only the detected settings are evidenced.

Review macOS profile coverage, business exceptions and installed Office applications.

ML1-PO-07

▲ Mixed policy evidence

Target Maturity Level 1

Patch operating systems

1 match, 0 missing, 1 different

Patches, updates or other vendor mitigations for vulnerabilities in operating systems of workstations, non-internet-facing servers and non-internet-facing network devices are applied within one month of release.

0 of 1 capabilities

2 evidence references

Quality update timing within 14 days

Windows

▲ Mixed policy evidence

CHECK	EXPECTED	ACTUAL	RESULT
Quality update timing within 14 days qualityUpdateDeadline WIN - Update ring Pilot	Automatic installation; not paused; deferral + deadline + grace at most 14 days (supporting threshold)	Quality update deferral 0d + deadline 2d + grace 1d = 3d; paused: true	▲ Different value
Quality update timing within 14 days qualityUpdateDeadline WIN - Update ring Broad	Automatic installation; not paused; deferral + deadline + grace at most 14 days (supporting threshold)	Quality update deferral 7d + deadline 5d + grace 2d = 14d; paused: false	● Matches expected value

POLICY

WIN - Update ring Pilot

Assigned: Group: Pilot Devices

POLICY

WIN - Update ring Broad

Assigned: Group: All Corporate Devices

EVIDENCE

E-003

E-004

▲ Risk E-003: WIN - Update ring Pilot sets qualityUpdateDeadline to Quality update deferral 0d + deadline 2d + grace 1d = 3d; paused: true (assigned).
Deviating configuration detected and assigned (risk).

▲ Additional verification: not assessed by technical evidence

Windows update settings support scheduling only. Release-to-install timing, vulnerability scans, servers and network devices are unassessed.

Mixed policy evidence. Review profile settings and targeting overlap; a device conflict has not been established.

HOW TO READ THIS REPORT

● Configuration evidence

Technical configuration evidence detected

⦿ Supporting or partial evidence

Technical configuration evidence partially detected

○ No recognized evidence

No supported technical configuration evidence detected

▲ Mixed policy evidence

Mixed policy evidence

▲ Not assessed

Not assessed

○ Outside selected scope

Outside selected scope

1. Status is shown by marker shape and label, never by colour alone.

2. A control rolls up from its capabilities. A capability rolls up from its checks.

3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.

4. Evidence references point to rows of the evidence register in Appendix A.

Generated with Intune Documentation (intunedocumentation.com)

Page 5 of 6

APPENDIX A

Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

REF	POLICY	TYPE	SETTING	VALUE	ASSIGNMENT
E-001	WIN - Office - Macro security 0c0e7050-0000-4000-8000-000000000105; configuration; version unknown; modified 2026-08-27T15:20:00Z	Settings Catalog	user_vendor_msft_policy_conf ig_excel16v2~policy~l_microsoft officeexcel~l_exceloptions~l_sec urity~l_trustcenter_l_vbawarnin gspolicy_l_empty4	Disable all without notification user_vendor_msft_policy_conf ig_excel16v2~policy~l_microsoft officeexcel~l_exceloptions~l_sec urity~l_trustcenter_l_vbawarnin gspolicy_l_empty4_4	Group: All Corporate Users
E-002	WIN - Office - Macro security 0c0e7050-0000-4000-8000-000000000105; configuration; version unknown; modified 2026-08-27T15:20:00Z	Settings Catalog	user_vendor_msft_policy_conf ig_word16v2~policy~l_microsoft officeword~l_wordoptions~l_sec urity~l_trustcenter_l_vbawarnin gspolicy_l_empty19	Disable all without notification user_vendor_msft_policy_conf ig_word16v2~policy~l_microsoft officeword~l_wordoptions~l_securi ty~l_trustcenter_l_vbawarnings policy_l_empty19_4	Group: All Corporate Users
E-003	WIN - Update ring Pilot 0c0e7050-0000-4000-8000-000000000401; configuration; version 9; modified 2026-10-06T07:40:00Z	Windows Update Ring	Quality update timing within 14 days qualityUpdateDeadline	Quality update deferral 0d + deadline 2d + grace 1d = 3d; paused: true	Group: Pilot Devices
E-004	WIN - Update ring Broad 0c0e7050-0000-4000-8000-000000000402; configuration; version 4; modified 2026-08-20T10:00:00Z	Windows Update Ring	Quality update timing within 14 days qualityUpdateDeadline	Quality update deferral 7d + deadline 5d + grace 2d = 14d; paused: false	Group: All Corporate Devices

Referenced assessment points for each item of evidence are listed in the relevant sections.

APPENDIX B

Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

Note: Evidence against target Maturity Level 1; no achieved maturity level is calculated. Only entries with Intune or Conditional Access policy checks are displayed. Operational-only requirements are excluded. Local ML identifiers identify rows within the published appendix and are not official ISM control IDs. Australian Signals Directorate, © Commonwealth of Australia 2026. CC BY 4.0. Requirement text reproduced from Appendices A to C; local identifiers added by IntuneDocumentation and are not official ISM identifiers. Licence: <https://creativecommons.org/licenses/by/4.0/> Configuration evidence does not prove implementation effectiveness, patch installation, backup recovery or operational processes. The model targets enterprise IT; mobile and operational technology coverage must be assessed separately.