




Technical Evidence Report: Intune Configuration

NIS2 Directive

Directive (EU) 2022/2555, Art. 21(2)

Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

Contoso LtdReport date **2026-10-08**Classification **Internal****Controls with supporting technical evidence**

Supporting evidence only, not a compliance score

AT A GLANCE

① Supporting or partial evidence	4
○ No recognized evidence	1
▲ Mixed policy evidence	1

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.2. Organizational aspects of each control are listed separately for review.

DOCUMENT CONTROL

Framework NIS2 Directive (EU) 2022/2555, Art. 21(2)		Tenant Contoso Ltd	Prepared for Information Security
Prepared by Endpoint Engineering	Report ID IDOC-NIS2-20261008-CTSO	Revision 1.0	Ruleset version 2026.10.2
Classification Internal	Report date 2026-10-08		

01 EXECUTIVE SUMMARY

Summary

66%

CONTROLS WITH TECHNICAL EVIDENCE

4 of 6 assessable controls have supporting technical evidence in the Intune configuration.

40 of 60 technical safeguards are set up and switched on in Intune.

0 of 6 selected controls with configuration evidence (4 partial)
6 in scope; 0 outside scope; 0 not assessed; 1 mixed policy evidence. Entries are selected mappings, not full framework coverage.

0%

50%

100%

WITH TECHNICAL EVIDENCE

4

0 configuration, 4 supporting or partial

SAFEGUARDS IN PLACE

40

of 60 mapped, set up and switched on

NO RECOGNIZED EVIDENCE

1

controls without recognized evidence

MIXED POLICY EVIDENCE

1

controls with mixed policy evidence

Status distribution

6 controls

4 Supporting or partial evidence, 67%

1 No recognized evidence, 17%

1 Mixed policy evidence, 17%

Coverage by family

controls with technical evidence

Art. 21(2) Cybersecurity risk-management mea...

4 of 6

Assigned deviating configurations: 2.

At least one assigned policy explicitly contradicts the target configuration.

Configured settings without assignment: 3.

The detected target configuration is not effective until it is assigned.

Key findings

ordered by severity, then control

Assigned deviation

21.2.g

Office macro runtime scanning for all documents

Assigned deviating configuration affects 21.2.g.

Assigned deviation

21.2.e

Quality update timing within 14 days

Assigned deviating configuration affects 21.2.e.

Not assigned

21.2.g

Host firewall (Windows Firewall): Configured setting without assignment affects 21.2.g.

Not assigned

21.2.g

System Integrity Protection: Configured setting without assignment affects 21.2.g.

Not assigned

21.2.g

Application control in enforcement mode: Configured setting without assignment affects 21.2.g.

SCOPE NOTE

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification or an IT Grundschutz check and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

6 of 10 published requirements have Intune evidence mappings. Supporting evidence only; this is not a full assessment or compliance score.

Note: Supporting device-management evidence for selected cybersecurity risk-management measures of Art. 21(2). Organisational measures, such as risk analysis policies, business continuity, supply chain security and effectiveness assessment, are outside the scope of an Intune tenant export.

02 RESULTS

Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

CONTROL	STATUS	CAPABILITIES	EVIDENCE	PAGE
Art. 21(2) Cybersecurity risk-management measures				4 of 6 with evidence
21.2.b Incident handling	No recognized evidence	0 of 4	None recorded	4
21.2.e Security in acquisition, development and maintenance	Mixed policy evidence	5 of 6	8 evidence items	n/a
21.2.g Basic cyber hygiene and training	Supporting or partial evidence	21 of 33	32 evidence items	n/a
21.2.h Cryptography and encryption	Supporting or partial evidence	3 of 3	E-001E-002+4	5
21.2.i Human resources security, access control and asset management	Supporting or partial evidence	9 of 11	9 evidence items	n/a
21.2.j Multi-factor authentication and secured communications	Supporting or partial evidence	2 of 3	2 evidence items	n/a

4

 Supporting or partial evidence

1

 No recognized evidence

1

 Mixed policy evidence

Sample report: detail pages are included for selected controls only (21.2.b, 21.2.h). A full report includes a detail page for every control.

HOW TO READ THIS REPORT

- Configuration evidence

Technical configuration evidence detected
- Supporting or partial evidence

Technical configuration evidence partially detected
- No recognized evidence

No supported technical configuration evidence detected
- Mixed policy evidence

Mixed policy evidence
- Not assessed

Not assessed
- Outside selected scope

Outside selected scope

1. Status is shown by marker shape and label, never by colour alone.
2. A control rolls up from its capabilities. A capability rolls up from its checks.
3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.
4. Evidence references point to rows of the evidence register in Appendix A.

ABOUT THE METHOD

Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

03 CONTROL DETAIL

21.2.b

No recognized evidence

Incident handling

0 match, 4 missing, 0 different

0 of 4 capabilities

0 evidence references

Process creation auditing with command lines Windows

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
Process creation auditing with command lines windows-process-creation-logging	"Success" or "Success+ Failure"; alternative: "Enabled"	Not found	Missing
No supported setting was found after checking the collected policies.			
POLICY	No matching policy found		
EVIDENCE	None recorded		

PowerShell logging for all modules Windows

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
PowerShell logging for all modules windows-powershell-module-logging	"*"; requires Turn on Module Logging: Enabled	Not found	Missing
No supported setting was found after checking the collected policies.			
POLICY	No matching policy found		
EVIDENCE	None recorded		

PowerShell script block logging enabled Windows

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
PowerShell script block logging enabled windows-powershell-scriptblock-logging	"Enabled"	Not found	Missing
No supported setting was found after checking the collected policies.			
POLICY	No matching policy found		
EVIDENCE	None recorded		

PowerShell transcription enabled Windows

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
PowerShell transcription enabled windows-powershell-transcription	"Enabled"	Not found	Missing
No supported setting was found after checking the collected policies.			
POLICY	No matching policy found		
EVIDENCE	None recorded		

21.2.b (continued)



Gap: Incident handling

No technical evidence was found. Possible implementation through these Intune settings:

- device_vendor_msft_policy_config_audit_detailedtracking_auditprocesscreation
- device_vendor_msft_policy_config_admx_auditsettings_includecmdline
- device_vendor_msft_policy_config_admx_powershellexecutionpolicy_enablemodulelogging_listbox_modulenames
- device_vendor_msft_policy_config_windowspowershell_turnonpowershellscriptblocklogging



Additional verification: not assessed by technical evidence

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

21.2.h

Supporting or partial evidence

Cryptography and encryption

6 match, 0 missing, 0 different

3 of 3 capabilities

6 evidence references

Disk encryption (BitLocker) Windows

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Require Device Encryption device_vendor_msft_bitlocker_requireddeviceencryption WIN - Baseline - BitLocker	Enabled "device_vendor_msft_bitlocker_requireddeviceencryption_1"	Enabled "device_vendor_msft_bitlocker_requireddeviceencryption_1"	Matches expected value
BitLocker Enabled bitLockerEnabled WIN - Compliance - Baseline	true	true	Matches expected value

POLICY

WIN - Baseline - BitLocker

Assigned: Group: All Corporate Devices, Excluded: Group: Kiosk Devices

POLICY

WIN - Compliance - Baseline

Assigned: Group: All Corporate Devices

EVIDENCE

E-001

E-002

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Disk encryption (FileVault) macOS

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Enable com.apple.mcx.filevault2_enable MAC - FileVault enforcement	On "com.apple.mcx.filevault2_enable_0"	On "com.apple.mcx.filevault2_enable_0"	Matches expected value
Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant MAC - FileVault enforcement	True "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	True "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	Matches expected value
Storage Require Encryption storageRequireEncryption MAC - Compliance - Baseline	true	true	Matches expected value

POLICY

MAC - FileVault enforcement

Assigned: Group: Corporate Mac Devices

POLICY

MAC - Compliance - Baseline

Assigned: Group: Corporate Mac Devices

21.2.h (continued)

EVIDENCE

E-003

E-004

E-005

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Storage encryption (Android) Android

Compliance requirement assigned

CHECK	EXPECTED	ACTUAL	RESULT
Storage Require Encryption storageRequireEncryption AND - Compliance - Work profile	true	true	Matches expected value

POLICY

AND - Compliance - Work profile

Assigned: Group: Corporate Mobile Devices

EVIDENCE

E-006

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

▲ Additional verification: not assessed by technical evidence

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

APPENDIX A

Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

REF	POLICY	TYPE	SETTING	VALUE	ASSIGNMENT
E-001	WIN - Baseline - BitLocker 0c0e7050-0000-4000-8000-000000000101; configuration; version unknown; modified 2026-08-19T14:30:00Z	Settings Catalog	Require Device Encryption device_vendor_msft_bitlocker_required eviceneryption	Enabled device_vendor_msft_bitlocker_ requiredeviceencryption_1	Group: All Corporate Devices, Excluded: Group: Kiosk Devices
E-002	WIN - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z	Compliance Policy	BitLocker Enabled bitLockerEnabled	true	Group: All Corporate Devices
E-003	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Enable com.apple.mcx.filevault2_enable	On com.apple.mcx.filevault2_ena ble_0	Group: Corporate Mac Devices
E-004	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenablein setupassistant	True com.apple.mcx.filevault2_forc eenableinsetupassistant_true	Group: Corporate Mac Devices
E-005	MAC - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000302; complianceRequirement; version 3; modified 2026-06-18T11:00:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	true	Group: Corporate Mac Devices
E-006	AND - Compliance - Work profile 0c0e7050-0000-4000-8000-000000000305; complianceRequirement; version 3; modified 2026-07-30T09:45:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	true	Group: Corporate Mobile Devices

Referenced assessment points for each item of evidence are listed in the relevant sections.