



Technical Evidence Report: Intune Configuration

NIST SP 800-171

Rev. 3 (May 2024)


Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

Contoso Ltd

Report date 2026-10-08

Classification Internal



Controls with supporting technical evidence
Supporting evidence only, not a compliance score

AT A GLANCE

① Supporting or partial evidence	8
○ No recognized evidence	2
▲ Mixed policy evidence	1

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.2. Organizational aspects of each control are listed separately for review.

DOCUMENT CONTROL

Framework NIST SP 800-171 Rev. 3 (May 2024)		Tenant Contoso Ltd	Prepared for Information Security
Prepared by Endpoint Engineering	Report ID IDOC-N171R3-20261008-CTS O	Revision 1.0	Ruleset version 2026.10.2
Classification Internal	Report date 2026-10-08		

01 EXECUTIVE SUMMARY

Summary

72%

CONTROLS WITH TECHNICAL EVIDENCE

8 of 11 assessable controls have supporting technical evidence in the Intune configuration.

34 of 50 technical safeguards are set up and switched on in Intune.

0 of 11 selected controls with configuration evidence (8 partial)
11 in scope; 0 outside scope; 0 not assessed; 1 mixed policy evidence. Entries are selected mappings, not full framework coverage.

0%

50%

100%

WITH TECHNICAL EVIDENCE

8

0 configuration, 8 supporting or partial

SAFEGUARDS IN PLACE

34

of 50 mapped, set up and switched on

NO RECOGNIZED EVIDENCE

2

controls without recognized evidence

MIXED POLICY EVIDENCE

1

controls with mixed policy evidence

Status distribution

11 controls

8 Supporting or partial evidence, 73%

2 No recognized evidence, 18%

1 Mixed policy evidence, 9%

Coverage by family

controls with technical evidence

03.01	Access Control	1 of 1
03.04	Configuration Management	3 of 4

3 more families are listed in the results overview.

Assigned deviating configurations: 3.

At least one assigned policy explicitly contradicts the target configuration.

Configured settings without assignment: 3.

The detected target configuration is not effective until it is assigned.

Key findings

ordered by severity, then control

Assigned deviation

03.04.01

+1

Diagnostic data minimized (Windows): Assigned deviating configuration affects 03.04.01, 03.04.06.

Assigned deviation

03.14.02

Office macro runtime scanning for all documents: Assigned deviating configuration affects 03.14.02.

Assigned deviation

03.14.01

Quality update timing within 14 days: Assigned deviating configuration affects 03.14.01.

Not assigned

03.13.01

Host firewall (Windows Firewall): Configured setting without assignment affects 03.13.01.

Not assigned

03.04.02

System Integrity Protection: Configured setting without assignment affects 03.04.02.

1 further finding is listed in the full report.

SCOPE NOTE

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification or an IT Grundschutz check and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

11 of 97 published requirements have Intune evidence mappings. Supporting evidence only; this is not a full assessment or compliance score.

02 RESULTS

Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

CONTROL	STATUS	CAPABILITIES	EVIDENCE	PAGE
03.01 Access Control				1 of 1 with evidence
03.01.18 Access Control for Mobile Devices	Supporting or partial evidence	3 of 3	6 evidence items	n/a
03.04 Configuration Management				3 of 4 with evidence
03.04.01 Baseline Configuration	Supporting or partial evidence	2 of 3	3 evidence items	n/a
03.04.02 Configuration Settings	Supporting or partial evidence	13 of 21	16 evidence items	n/a
03.04.06 Least Functionality	Supporting or partial evidence	8 of 12	10 evidence items	n/a
03.04.08 Authorized Software: Allow by Exception	No recognized evidence	0 of 2	E-001	4
03.05 Identification and Authentication				2 of 2 with evidence
03.05.01 User Identification and Authentication	Supporting or partial evidence	5 of 5	5 evidence items	n/a
03.05.03 Multi-Factor Authentication	Supporting or partial evidence	2 of 3	2 evidence items	n/a
03.13 System and Communications Protection				1 of 2 with evidence
03.13.01 Boundary Protection	No recognized evidence	0 of 2	3 evidence items	n/a
03.13.08 Transmission and Storage Confidentiality	Supporting or partial evidence	3 of 3	E-002 E-003 +4	5
03.14 System and Information Integrity				1 of 2 with evidence
03.14.01 Flaw Remediation	Mixed policy evidence	5 of 6	8 evidence items	n/a
03.14.02 Malicious Code Protection	Supporting or partial evidence	4 of 5	8 evidence items	n/a

8

 Supporting or partial evidence

2

 No recognized evidence 1

Sample report: detail pages are included for selected controls only (03.04.08, 03.13.08). A full report includes a detail page for every control.

03 CONTROL DETAIL

03.04.08

No recognized evidence

Authorized Software: Allow by Exception

1 match, 1 missing, 0 different

0 of 2 capabilities

1 evidence reference

AppLocker rule collection types and enforcement Windows

No evidence

CHECK	EXPECTED	ACTUAL	RESULT
AppLocker rule collection types and enforcement windows-applocker-rule-collections	EXE, DLL, MSI and Script rule collections in one CSP group; each with EnforcementMode Enabled and at least one rule. Approved-rule content and device execution are separate checks.	Not found	Missing

No supported setting was found after checking the collected policies.

POLICY

No matching policy found

EVIDENCE

None recorded

Application control in enforcement mode Windows

Setting configured, but not assigned

CHECK	EXPECTED	ACTUAL	RESULT
App Locker Application Control appLockerApplicationControl WIN - Application control - Enforce (staged)	"enforceComponentsAndStoreApps" or "enforceComponentsStoreAppsAndSmartlocker"	"enforceComponentsAndStoreApps"	Matches expected value

POLICY

WIN - Application control - Enforce (staged)

Not assigned

EVIDENCE

E-001

▲ Additional verification: not assessed by technical evidence

The approved software list, deny-all coverage, policy exceptions and organization-defined list review frequency require separate assessment.

03.13.08

Supporting or partial evidence

Transmission and Storage Confidentiality

6 match, 0 missing, 0 different

3 of 3 capabilities

6 evidence references

Disk encryption (BitLocker) Windows

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Require Device Encryption device_vendor_msft_bitlocker_requireddeviceencryption WIN - Baseline - BitLocker	Enabled "device_vendor_msft_bitlocker_requireddeviceencryption_1"	Enabled "device_vendor_msft_bitlocker_requireddeviceencryption_1"	Matches expected value
BitLocker Enabled bitLockerEnabled WIN - Compliance - Baseline	true	true	Matches expected value

POLICY

WIN - Baseline - BitLocker

Assigned: Group: All Corporate Devices, Excluded: Group: Kiosk Devices

POLICY

WIN - Compliance - Baseline

Assigned: Group: All Corporate Devices

EVIDENCE

E-002

E-003

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Disk encryption (FileVault) macOS

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Enable com.apple.mcx.filevault2_enable MAC - FileVault enforcement	On "com.apple.mcx.filevault2_enable_0"	On "com.apple.mcx.filevault2_enable_0"	Matches expected value
Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant MAC - FileVault enforcement	True "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	True "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	Matches expected value
Storage Require Encryption storageRequireEncryption MAC - Compliance - Baseline	true	true	Matches expected value

POLICY

MAC - FileVault enforcement

Assigned: Group: Corporate Mac Devices

POLICY

MAC - Compliance - Baseline

Assigned: Group: Corporate Mac Devices

EVIDENCE

E-004

E-005

E-006

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Storage encryption (Android) Android

Compliance requirement assigned

CHECK	EXPECTED	ACTUAL	RESULT
Storage Require Encryption storageRequireEncryption AND - Compliance - Work profile	true	true	Matches expected value

POLICY

AND - Compliance - Work profile

Assigned: Group: Corporate Mobile Devices

EVIDENCE

E-007

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

03.13.08 (continued)

▲

Additional verification: not assessed by technical evidence

Encryption during transmission, cryptographic suitability, key management and actual protection of all CUI storage are unassessed.

HOW TO READ THIS REPORT

● Configuration evidence

● Supporting or partial evidence

○ No recognized evidence

▲ Mixed policy evidence

▲ Not assessed

○ Outside selected scope

Technical configuration evidence detected

Technical configuration evidence partially detected

No supported technical configuration evidence detected

Mixed policy evidence

Not assessed

Outside selected scope

1. Status is shown by marker shape and label, never by colour alone.

2. A control rolls up from its capabilities. A capability rolls up from its checks.

3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.

4. Evidence references point to rows of the evidence register in Appendix A.

APPENDIX A

Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

REF	POLICY	TYPE	SETTING	VALUE	ASSIGNMENT
E-001	WIN - Application control - Enforce (staged) 0c0e7050-0000-4000-8000-000000000202; configuration; version 2; modified 2026-09-24T14:00:00Z	Windows 10 Endpoint Protection	App Locker Application Control appLockerApplicationControl	enforceComponentsAndStoreApps	Not assigned
E-002	WIN - Baseline - BitLocker 0c0e7050-0000-4000-8000-000000000101; configuration; version unknown; modified 2026-08-19T14:30:00Z	Settings Catalog	Require Device Encryption device_vendor_msft_bitlocker_requiredeviceencryption	Enabled device_vendor_msft_bitlocker_requiredeviceencryption_1	Group: All Corporate Devices, Excluded: Group: Kiosk Devices
E-003	WIN - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z	Compliance Policy	BitLocker Enabled bitLockerEnabled	true	Group: All Corporate Devices
E-004	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Enable com.apple.mcx.filevault2_enable	On com.apple.mcx.filevault2_enable_0	Group: Corporate Mac Devices
E-005	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant	True com.apple.mcx.filevault2_forceenableinsetupassistant_true	Group: Corporate Mac Devices
E-006	MAC - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000302; complianceRequirement; version 3; modified 2026-06-18T11:00:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	true	Group: Corporate Mac Devices
E-007	AND - Compliance - Work profile 0c0e7050-0000-4000-8000-000000000305; complianceRequirement; version 3; modified 2026-07-30T09:45:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	true	Group: Corporate Mobile Devices

Referenced assessment points for each item of evidence are listed in the relevant sections.

APPENDIX B

Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

Note: Selected technical requirements from NIST SP 800-171 Revision 3. These mappings provide supporting Intune configuration evidence, not a complete assessment. Organization-defined parameters, CUI scope and operational evidence require separate review. For CMMC Level 2 assessments, select Revision 2.