




Technical Evidence Report: Intune Configuration

NIST CSF 2.0

2.0

Evidence matrix for selected assessment points, read from the Microsoft Intune configuration

TENANT

Contoso LtdReport date **2026-10-08**Classification **Internal****Controls with supporting technical evidence**

Supporting evidence only, not a compliance score

AT A GLANCE

① Supporting or partial evidence	6
○ No recognized evidence	1
▲ Mixed policy evidence	1

Evidence is read from the Microsoft Intune configuration export on the report date and mapped using ruleset 2026.10.2. Organizational aspects of each control are listed separately for review.

DOCUMENT CONTROL

Framework NIST Cybersecurity Framework 2.0		Tenant Contoso Ltd	Prepared for Information Security
Prepared by Endpoint Engineering	Report ID IDOC-CSF-20261008-CTSO	Revision 1.0	Ruleset version 2026.10.2
Classification Internal	Report date 2026-10-08		

01 EXECUTIVE SUMMARY

Summary

75%

CONTROLS WITH TECHNICAL EVIDENCE

6 of 8 assessable controls have supporting technical evidence in the Intune configuration.

34 of 54 technical safeguards are set up and switched on in Intune.

0 of 8 selected controls with configuration evidence (6 partial)
8 in scope; 0 outside scope; 0 not assessed; 1 mixed policy evidence. Entries are selected mappings, not full framework coverage.

0%

50%

100%

WITH TECHNICAL EVIDENCE

6

0 configuration, 6 supporting or partial

SAFEGUARDS IN PLACE

34

of 54 mapped, set up and switched on

NO RECOGNIZED EVIDENCE

1

controls without recognized evidence

MIXED POLICY EVIDENCE

1

controls with mixed policy evidence

Status distribution

8 controls

6 Supporting or partial evidence, 75%

1 No recognized evidence, 13%

1 Mixed policy evidence, 13%

Coverage by family

controls with technical evidence

DE Detect

1 of 1

PR Protect

5 of 7

Assigned deviating configurations: 3.

At least one assigned policy explicitly contradicts the target configuration.

Configured settings without assignment: 3.

The detected target configuration is not effective until it is assigned.

Key findings

ordered by severity, then control

Assigned deviation

PR.PS-01

Diagnostic data minimized (Windows)

Assigned deviating configuration affects PR.PS-01.

Assigned deviation

DE.CM-09

Office macro runtime scanning for all documents

Assigned deviating configuration affects DE.CM-09.

Assigned deviation

PR.PS-02

Quality update timing within 14 days: Assigned deviating configuration affects PR.PS-02.

Not assigned

PR.IR-01

Host firewall (Windows Firewall): Configured setting without assignment affects PR.IR-01.

See page 5

Not assigned

PR.PS-01

System Integrity Protection: Configured setting without assignment affects PR.PS-01.

1 further finding is listed in the full report.

SCOPE NOTE

This report documents technical evidence from the tenant's Microsoft Intune configuration. It is not a compliance certification or an IT Grundschutz check and does not replace an audit. Missing evidence means that no supported configuration with a known assignment was detected in the evaluated dataset.

02 RESULTS

Results Overview

Each selected control, its rolled up status, how many of its capabilities are evidenced, and where the supporting evidence is recorded.

CONTROL		STATUS	CAPABILITIES	EVIDENCE	PAGE
DE Detect					1 of 1 with evidence
DE.CM-09	Computing hardware and software are monitored	Supporting or partial evidence	5 of 10	9 evidence items	n/a
PR Protect					5 of 7 with evidence
PR.AA-01	Identities and credentials are managed	Supporting or partial evidence	6 of 6	6 evidence items	n/a
PR.AA-03	Users, services, and hardware are authenticated	Supporting or partial evidence	8 of 9	8 evidence items	n/a
PR.DS-01	Data-at-rest is protected	Supporting or partial evidence	3 of 3	E-001E-002+4	4
PR.IR-01	Networks and environments are protected	No recognized evidence	0 of 2	E-007E-008E-009	5
PR.PS-01	Configuration management practices are applied	Supporting or partial evidence	11 of 19	15 evidence items	n/a
PR.PS-02	Software is maintained commensurate with risk	Mixed policy evidence	5 of 6	8 evidence items	n/a
PR.PS-05	Unauthorized software is prevented	Supporting or partial evidence	1 of 4	2 evidence items	n/a

6

 Supporting or partial evidence

1

 No recognized evidence

1

 Mixed policy evidence

Sample report: detail pages are included for selected controls only (PR.DS-01, PR.IR-01). A full report includes a detail page for every control.

HOW TO READ THIS REPORT

● Configuration evidence

● Supporting or partial evidence

○ No recognized evidence

▲ Mixed policy evidence

▲ Not assessed

○ Outside selected scope

Technical configuration evidence detected

Technical configuration evidence partially detected

No supported technical configuration evidence detected

Mixed policy evidence

Not assessed

Outside selected scope

1. Status is shown by marker shape and label, never by colour alone.

2. A control rolls up from its capabilities. A capability rolls up from its checks.

3. Only assigned policies count as evidence. Configured but unassigned settings are reported separately.

4. Evidence references point to rows of the evidence register in Appendix A.

ABOUT THE METHOD

Methodology

Evidence is determined exclusively from concrete Intune settings: An assessment point is considered technically evidenced only when a recognized setting is configured with a recognized value and the policy is assigned. Configurations that explicitly contradict the target state are reported separately. Unsupported settings or settings that cannot be mapped unambiguously remain unassessed. Organizational requirements are not part of this automated technical assessment and must be assessed separately.

Note: Device-management evidence for a subset of Protect and Detect subcategories. Governance, process, and organizational aspects are out of scope for an Intune tenant export.

03 CONTROL DETAIL

PR.DS-01

Supporting or partial evidence

Data-at-rest is protected

6 match, 0 missing, 0 different

3 of 3 capabilities

6 evidence references

Disk encryption (BitLocker) Windows

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Require Device Encryption device_vendor_msft_bitlocker_requireddeviceencryption WIN - Baseline - BitLocker	Enabled "device_vendor_msft_bitlocker_requireddeviceencryption_1"	Enabled "device_vendor_msft_bitlocker_requireddeviceencryption_1"	Matches expected value
BitLocker Enabled bitLockerEnabled WIN - Compliance - Baseline	true	true	Matches expected value

POLICY

WIN - Baseline - BitLocker

Assigned: Group: All Corporate Devices, Excluded: Group: Kiosk Devices

POLICY

WIN - Compliance - Baseline

Assigned: Group: All Corporate Devices

EVIDENCE

E-001

E-002

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Disk encryption (FileVault) macOS

Setting configured and assigned

CHECK	EXPECTED	ACTUAL	RESULT
Enable com.apple.mcx.filevault2_enable MAC - FileVault enforcement	On "com.apple.mcx.filevault2_enable_0"	On "com.apple.mcx.filevault2_enable_0"	Matches expected value
Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenableinsetupassistant MAC - FileVault enforcement	True "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	True "com.apple.mcx.filevault2_forceenableinsetupassistant_true"	Matches expected value
Storage Require Encryption storageRequireEncryption MAC - Compliance - Baseline	true	true	Matches expected value

POLICY

MAC - FileVault enforcement

Assigned: Group: Corporate Mac Devices

POLICY

MAC - Compliance - Baseline

Assigned: Group: Corporate Mac Devices

EVIDENCE

E-003

E-004

E-005

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

Storage encryption (Android) Android

Compliance requirement assigned

CHECK	EXPECTED	ACTUAL	RESULT
Storage Require Encryption storageRequireEncryption AND - Compliance - Work profile	true	true	Matches expected value

POLICY

AND - Compliance - Work profile

Assigned: Group: Corporate Mobile Devices

EVIDENCE

E-006

PR.DS-01 (continued)

Compliance requirement, not an observed device state. Marks noncompliant after 24 hours. Resource access depends on applicable Conditional Access policies; effective access is unverified.

▲ **Additional verification: not assessed by technical evidence**

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

PR.IR-01

No recognized evidence

Networks and environments are protected

3 match, 1 missing, 0 different

0 of 2 capabilities

3 evidence references

Host firewall (Windows Firewall) Windows			
Setting configured, but not assigned			
CHECK	EXPECTED	ACTUAL	RESULT
Enable Domain Network Firewall vendor_msft_firewall_mdmstore_domainprofile_enablefirewall WIN - Defender Firewall - All profiles	True "vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true"	True "vendor_msft_firewall_mdmstore_domainprofile_enablefirewall_true"	Matches expected value
Enable Private Network Firewall vendor_msft_firewall_mdmstore_privateprofile_enablefirewall WIN - Defender Firewall - All profiles	True "vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true"	True "vendor_msft_firewall_mdmstore_privateprofile_enablefirewall_true"	Matches expected value
Enable Public Network Firewall vendor_msft_firewall_mdmstore_publicprofile_enablefirewall WIN - Defender Firewall - All profiles	True "vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true"	True "vendor_msft_firewall_mdmstore_publicprofile_enablefirewall_true"	Matches expected value
POLICY	WIN - Defender Firewall - All profiles Not assigned		
EVIDENCE	E-007 E-008 E-009		

Host firewall (macOS) macOS			
No evidence			
CHECK	EXPECTED	ACTUAL	RESULT
Host firewall (macOS) macos-firewall	true true; alternative: true	Not found	Missing
No supported setting was found after checking the collected policies.			
POLICY	No matching policy found		
EVIDENCE	None recorded		

▲ **Additional verification: not assessed by technical evidence**

These settings support part of this control. Remaining technical and organizational requirements need separate assessment.

APPENDIX A

Appendix A: Evidence Register

Every configuration value cited in this report, as read from the tenant export. References are stable within a report ID.

REF	POLICY	TYPE	SETTING	VALUE	ASSIGNMENT
E-001	WIN - Baseline - BitLocker 0c0e7050-0000-4000-8000-000000000101; configuration; version unknown; modified 2026-08-19T14:30:00Z	Settings Catalog	Require Device Encryption device_vendor_msft_bitlocker_required eviceencryption	Enabled device_vendor_msft_bitlocker_ requiredeviceencryption_1	Group: All Corporate Devices, Excluded: Group: Kiosk Devices
E-002	WIN - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000301; complianceRequirement; version 4; modified 2026-08-12T10:00:00Z	Compliance Policy	BitLocker Enabled bitLockerEnabled	true	Group: All Corporate Devices
E-003	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Enable com.apple.mcx.filevault2_enable	On com.apple.mcx.filevault2_ena ble_0	Group: Corporate Mac Devices
E-004	MAC - FileVault enforcement 0c0e7050-0000-4000-8000-000000000109; configuration; version unknown; modified 2026-06-18T10:45:00Z	Settings Catalog	Force Enable In Setup Assistant com.apple.mcx.filevault2_forceenablein setupassistant	True com.apple.mcx.filevault2_forc eenableinsetupassistant_true	Group: Corporate Mac Devices
E-005	MAC - Compliance - Baseline 0c0e7050-0000-4000-8000-000000000302; complianceRequirement; version 3; modified 2026-06-18T11:00:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	true	Group: Corporate Mac Devices
E-006	AND - Compliance - Work profile 0c0e7050-0000-4000-8000-000000000305; complianceRequirement; version 3; modified 2026-07-30T09:45:00Z	Compliance Policy	Storage Require Encryption storageRequireEncryption	true	Group: Corporate Mobile Devices
E-007	WIN - Defender Firewall - All profiles 0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z	Settings Catalog	Enable Domain Network Firewall vendor_msft_firewall_mdmstore_domai nprofile_enablefirewall	True vendor_msft_firewall_mdmstore_ _domainprofile_enablefirewall_t rue	Not assigned
E-008	WIN - Defender Firewall - All profiles 0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z	Settings Catalog	Enable Private Network Firewall vendor_msft_firewall_mdmstore_private profile_enablefirewall	True vendor_msft_firewall_mdmstore_ _privateprofile_enablefirewall_tr ue	Not assigned
E-009	WIN - Defender Firewall - All profiles 0c0e7050-0000-4000-8000-000000000104; configuration; version unknown; modified 2026-09-29T11:15:00Z	Settings Catalog	Enable Public Network Firewall vendor_msft_firewall_mdmstore_publicp rofile_enablefirewall	True vendor_msft_firewall_mdmstore_ _publicprofile_enablefirewall_tr ue	Not assigned

Referenced assessment points for each item of evidence are listed in the relevant sections.