

Y-BOCS

1. 강박적인 사고들을 하는 데 얼마나 많은 시간이 소비되었습니까? 그 강박사고는 얼마나 자주 떠올랐습니까?

- ① 전혀 없음
- ② 하루에 한 시간 미만, 혹은 이따금씩 침투 (하루에 8번 이상은 생각나지 않음)
- ③ 하루에 1시간에서 3시간, 혹은 빈번하게 침투 (하루에 8번 이상 생각나지만 하루의 대부분의 시간은 그 생각으로부터 자유로움)
- ④ 하루에 3시간 이상 8시간 까지, 혹은 아주 빈번하게 침투 (하루에 8번 이상, 하루의 대부분의 시간 동안 생각남)
- ⑤ 하루에 8시간 이상, 혹은 거의 지속적으로 침투 (셀 수 없을 정도로 많이 생각나서 그런 강박사고들을 생각하지 않고서 보내는 시간이 없을 정도)

2. 이런 강박사고들이 귀하의 사회적, 직업적 활동을 얼마나 방해했습니까? (만약 귀하가 현재 직업을 가지고 있지 않다면 그 강박사고가 귀하의 일상생활을 얼마나 방해했는지 생각해 보십시오.)

- ① 전혀 없음
- ② 사회적, 직업적인 수행에서 경미한 방해, 하지만 수행이 저조해지지는 않았음
- ③ 사회적, 직업적인 수행에서 중간 정도의 분명한 방해. 하지만 여전히 감당할 만했음
- ④ 심각한 방해. 사회적, 직업적인 수행에 실질적인 손상
- ⑤ 극도의 감당할 수 없는 방해

3. 강박사고들로 인해 얼마나 고통스러웠습니까?

- ① 전혀 없음
- ② 약간, 가끔씩 그리 괴롭지 않은 고통
- ③ 중간 정도의 빈번하고, 괴로움을 주는 고통. 하지만 여전히 감당할 만했음
- ④ 심각하고, 아주 빈번하고, 많은 괴로움을 주는 고통
- ⑤ 극도의 거의 지속적이고 감당할 수 없는 고통

4. 그 강박사고들에 저항하기 위해 얼마나 많은 노력을 기울였습니까? 이런 사고들이 마음속에 떠오를 때, 얼마나 자주 이들을 떨쳐버리기 위해 노력했습니까?

- ① 나는 항상 떨쳐 버리려고 노력했다. (혹은 그 강박사고들이 아주 미미해서 그것들을 떨쳐 버리려는 노력이 별로 필요 없었다.)
- ② 나는 대부분의 시간 동안 떨쳐 버리려고 노력했다. (즉 시간의 절반 이상을 떨쳐버리려고 노력했다.)
- ③ 나는 떨쳐버리려고 약간의 노력을 했다.
- ④ 나는 강박사고들을 통제하려고 하지 않고, 그 사고들이 마음속에 떠오르도록 내버려 두었다. 그러기는 싫었지만 어쩔 수 없었다.
- ⑤ 나는 완전히, 기꺼이 모든 강박사고들이 일어나도록 내버려 두었다.

5. 강박사고들을 얼마나 통제할 수 있었습니까? 강박적 사고들을 떠올리지 않도록 하는 것이 얼마나 성공적이었습니까? (만약 귀하가 떨쳐버리려고 노력하지 않았다 할지라도 이 문제에 답하기 위해서 당신이 혼하지 않지만, 그 강박사고들을 중지하려고 노력했던 경우를 생각해 보십시오.)

- ① 완전히 통제
- ② 나는 약간 노력을 기울이고 집중하면 강박사고들을 중지하거나 생각하지 않을 수 있었다.
- ③ 나는 때때로 강박사고들을 중지하거나 생각하지 않을 수 있었다.
- ④ 나는 강박사고들을 거의 중지시킬 수 없었고, 이 생각에서 주의를 돌리는 것은 많이 힘들었다.
- ⑤ 나는 그 강박사고들을 일시적으로 무시하는 것조차 힘들었다.

1. 강박적인 행동들을 하는데 얼마나 많은 시간이 소비되었습니까? 그 강박행동들을 얼마나 자주 합니까? (만약 귀하의 의식행동들이 일상생활들과 관련이 있다면, 이런 의식행동들 때문에 일상 행동들을 완수하는데 얼마나 많은 시간이 지체되었는지를 생각해 주십시오.)
- ① 전혀 없음.
 - ② 강박행동들을 하는데 하루에 한 시간 미만, 혹은 이따금씩 그런 행동들을 행함 (하루에 8번 이상은 아님).
 - ③ 하루에 1시간에서 3시간 보냄, 혹은 빈번하게 행함 (하루에 8번 이상, 하지만 하루의 대부분의 시간은 그 행동으로부터 자유로움).
 - ④ 하루에 3시간 이상 8시간까지 보냄, 혹은 아주 빈번하게 행함 (하루에 8번 이상, 하루의 대부분의 시간 동안 행함.).
 - ⑤ 하루에 8시간 이상, 혹은 거의 지속적으로 행함 (쉴 수 없을 정도로 많이 해서 그런 강박행동들을 하지 않고서 보내는 시간이 없을 정도).
2. 이런 강박행동들이 귀하의 사회적, 직업적 활동을 얼마나 방해했습니까? (만약 귀하가 현재 직업을 가지고 있지 않다면 그 강박사고가 귀하의 일상생활을 얼마나 방해했는지 생각해 보십시오.)
- ① 전혀 없음.
 - ② 사회적, 직업적인 수행에서 경미한 방해, 하지만 수행이 저조해지지는 않았음.
 - ③ 사회적, 직업적인 수행에서 중간 정도의 분명한 방해, 하지만 여전히 감당할 만했음.
 - ④ 심각한 방해, 사회적, 직업적인 수행에 실질적인 손상.
 - ⑤ 극도의 감당할 수 없는 방해.
3. 귀하의 강박행동들을 하지 못하게 된다면 어떻게 느껴질까요? 귀하는 얼마나 불안할 것 같습니까?
- ① 전혀 불안하지 않음.
 - ② 강박행동을 하지 못하게 된다면 단지 약간만 불안.
 - ③ 강박행동을 하지 못하게 된다면 불안이 증가하겠지만, 여전히 감당 할 만했음.
 - ④ 강박행동이 방해 받으면 불안이 아주 현저하게 증가되어 괴로움.
 - ⑤ 강박행동들을 감소시키려는 목적의 어떤 개입에도 극도의 감당할 수 없는 불안
4. 그 강박행동들에 저항하기 위해 얼마나 많은 노력을 기울였습니까? 이런 행동들을 하지 않으려고 얼마나 자주 노력했습니까?
- ① 나는 항상 떨쳐 버리려고 노력했다 (혹은 그 강박행동들이 아주 미미해서 그것들을 떨쳐 버리려는 노력이 별로 필요 없었다.).
 - ② 나는 대부분의 시간 동안 떨쳐 버리려고 노력했다 (즉 시간의 절반이상을 떨쳐버리려고 노력했다.).
 - ③ 나는 떨쳐버리려고 약간의 노력을 했다.
 - ④ 나는 강박행동들을 통제하려고 하지 않고 그 행동들을 하도록 내버려 두었다. 그러기는 싫었지만 어쩔 수 없었다.
 - ⑤ 나는 완전히, 기꺼이 모든 강박행동들을 하도록 내버려 두었다.
5. 강박행동들을 얼마나 통제할 수 있었습니까? 그 의식행위들을 하지 않는 것이 얼마나 성공적이었습니까?
- ① 나는 완전히 통제했다.
 - ② 나는 약간의 노력과 의지력을 기울여 강박행동들이나 의식행동들을 대개 중지 할 수 있었다.
 - ③ 나는 때때로 강박행동들을 중지할 수 있었지만, 그렇게 하기에는 아주 힘이 들었다.
 - ④ 나는 강박행동들을 단지 지연시킬 수만 있었고, 결국에는 그 행동을 다 했어야 했다.
 - ⑤ 나는 강박행동들을 일시적으로라도 늦출 수조차 없었다.

DY-BOCS 상 강박 증상 유형

Checklist of Aggressive Obsessions and Related Compulsions (past week)

Checklist check once (✓) for any symptoms present during the past week.

Here the emphasis is on aggressive thoughts and images. Care may be needed to distinguish between contamination and somatic obsessions. The term "harm" was used in the self-report. It is inherently ambiguous and some subjects may have checked some of the harm items when the symptoms are best understood in another context, i.e., contamination or somatic worries. Check only if clear that obsessions or compulsions are present and have aggressive content.

Aggressive Obsessions

- _____ Might harm self (aggressive content)
- _____ Might be harmed (aggressive content)
- _____ Might harm loved ones unintentionally
(close family members)
- _____ Might harm others unintentionally
- _____ Might harm loved ones intentionally
(close family members)
- _____ Might harm others intentionally

- _____ Might be responsible for something else terrible
happening
- _____ Violent or horrific images
- _____ Might blurt out obscenities or insults
- _____ Might do something embarrassing
- _____ Might be responsible for something terrible
- _____ Might act on other unwanted aggressive impulses
- _____ Might say harmful things (aggressive content)

Related compulsions

- _____ Checking that no harm to self has
occurred

- _____ Checking that no harm to others
has occurred

- _____ Checking compulsions to prevent harm

- _____ Repeating to prevent harm
- _____ Mental rituals to prevent harm

- _____ Checking that nothing terrible has
happened

Avoidance – aggressive obsessions

- _____ Intentional avoidance of people, places or things because of any of the above
obsessions or compulsions concerning aggressive obsessions

Other obsessions or compulsions in this category (describe): _____

Symptoms in this category were present during the past week? Yes No

If yes, complete the next page. If no, skip to next section.

Sexual and Religious Obsessions and Related Compulsions Severity Ratings (past week)

Checklist check once (✓) for any symptoms present during the past week.

Here the emphasis is on obsessions and compulsions based on sexual and religious concerns. Moral concerns that are not explicitly religious in character belong in this category as well. There may be some inherent overlap with the aggressive domain. However, check items in this category if the primary issue concerns sexual, moral or religious matters.

Obsessions with sexual content

- _____ Forbidden or improper sexual thoughts
- _____ Content involves children or incest
- _____ Content involves homosexuality
- _____ Content involves violent sexual acts

Related compulsions

- _____ Checking compulsions related to sexual obsessions
- _____ Repeating compulsions related to sexual obsessions
- _____ Mental rituals related to sexual obsessions

Avoidance because of sexual obsessions

- _____ Intentional avoidance of people, places or things because of any of the above obsessions or compulsions concerning sex

*Obsessions with religious content**

- _____ Content involves sacrilege or blasphemy
- _____ Excessive concern with what is morally right or wrong
- _____ Fear saying certain things

Related compulsions

- _____ Checking or other compulsions related to religious obsessions
- _____ Repeating compulsions related to religious obsessions
- _____ Mental rituals related to religious obsessions

- _____ Need to tell, ask or confess things

Avoidance - religious

- _____ Intentional avoidance of people, places or things because of any of the above obsessions or compulsions concerning religious topics

Other obsessions or compulsions in this category (describe): _____

Symptoms in this category were present during the past week? Yes No
If yes, complete the next page. If no, skip to next section.

Checklist of Symmetry, Ordering, Counting, and Arranging Obsessions and Compulsions (past week)

Checklist check once (✓) for any symptoms present during the past week.

This dimension is usually fairly distinctive when present. However, overlaps can occur with other dimensions, particularly when there are concerns about harm or illness. Check these items only if in your best judgement the symptoms are best accounted for under this category. Similarly, if you are uncertain about which category best covers the symptoms in question, please indicate your doubts with annotations and rate the symptoms accordingly in more than one dimension.

Obsessions

- ☐ Content involves needing things to be perfect or exact or "just right"
- ☐ Content involves needing things to be symmetrical or correctly aligned

☐ Fear not saying "just the right thing"

Compulsions

- ☐ Checking for own mistakes
- ☐ Ordering and arranging compulsions
- ☐ Compulsions involving touching, tapping or rubbing

☐ Compulsions involving evening-up, or aligning

- ☐ Re-reading or re-writing compulsions
- ☐ Repeating routine activities
- ☐ Counting compulsions
- ☐ Other *mental* rituals

Avoidance

- ☐ Intentional avoidance of places or things because of these obsessions or compulsions

Other symptoms in this category (describe): _____

Symptoms in this category were present during the past week? Yes No

If yes, complete the next page. If no, skip to next section.

Checklist of Contamination Obsessions and Cleaning Compulsions

Checklist check once (✓) for any symptoms present during the past week.

Again, this category is usually quite distinctive when present and in some individuals it is the only dimension present. Care may be needed to distinguish between aggressive and somatic obsessions. Check only if clear obsessions or compulsions that include contamination content are present.

Obsessions

- ☐ Content involves dirt and germs
- ☐ Concerns or disgust with bodily waste or secretions
- ☐ Content involves environmental household contaminants
- ☐ Content involves insects or animals
- ☐ Bothered by sticky substances
- ☐ Content involves worry about becoming ill because of contamination

Compulsions

- ☐ Compulsive or ritualized hand washing
- ☐ Repeated cleaning of household items or other inanimate objects
- ☐ Ritualized showering, bathing, or toilet routines
- ☐ Measures taken to prevent contact with household contaminants
- ☐ Mental rituals associated with contamination

Avoidance

- ☐ Intentional avoidance of places or things because of these obsessions or compulsions

Other symptoms in this category (describe): _____

Symptoms in this category were present during the past week? Yes No

If yes, complete the next page. If no, skip to next section.

Checklist of Collecting and Hoarding Obsessions and Compulsions

Checklist check once (✓) for any symptoms present during the past week.

This is a distinctive category that at times overlaps with concerns about doing harm. Check only if clear obsessions or compulsions that include collecting and hoarding are present.

Obsessions

- ☐ Content involves needing to save things
- ☐ Content involves distress over discarding things
- ☐ Unable to decide to throw things away
- ☐ Obsessions about losing things

Compulsions

- ☐ Hoarding
- ☐ Mental rituals that relate to hoarding

Avoidance

- ☐ Intentional avoidance of places or things because of these obsessions or compulsions

Other symptoms in this category (describe): _____

Symptoms in this category were present during the past week? Yes No

If yes, complete the next page. If no, skip to next section.

Somatic Obsessions and Compulsions Symptoms

Checklist check once (✓) for any other symptoms present during the past week.

Do not include symptoms related to body dysmorphic disorder or hypochondriasis. In hypochondriasis subjects believe that they have a serious illness or they are preoccupied with the idea that they do have a serious illness.

Somatic obsessions

_____ Content involves illness or disease

Related compulsions

_____ Checking or other compulsions
related to somatic obsessions

_____ Mental rituals other than checking related to
somatic obsessions

Avoidance – somatic obsessions

_____ Intentional avoidance of people, places or things because of any of the above
obsessions or compulsions concerning illness or disease

Other symptoms in this category (describe): _____

Symptoms in this category were present during the past week? Yes No

If yes, complete the next page. If no, skip to next section.

Miscellaneous Symptoms

Checklist check once (✓) for any other symptoms present during the past week.

Miscellaneous Obsessions

- _____ Superstitious fears
- _____ Luck or unlucky numbers
- _____ Colors with special significance
- _____ Intrusive nonsense sounds, words or music
- _____ Intrusive (nonviolent) images

_____ Need to know or remember certain things

Compulsions

- _____ Superstitious behavior
- _____ Related compulsions
- _____ Related compulsions
- _____ Related compulsions
- _____ Related compulsions
- _____ Excessive list making

_____ Compulsions re: knowing, remembering

_____ Obsessive slowness

Avoidance associated with Miscellaneous Obsessions and Compulsions

_____ Intentional avoidance of places or things because of these obsessions or compulsions

Other symptoms in this category (describe): _____

Symptoms in this category were present during the past week? Yes No

If yes, complete the next page. If no, skip to next section.

인터뷰 skill

- 시작하기 전에 인터뷰의 목적에 대해 설명
- 현재 혹은 지난 일주일 동안의 상태
- 전반적인 질문으로 시작해서 좀더 자세하게...
- 모든 항목에 대해 질문을 하고 짐작해서 판단하지 않는다

Hamilton Depression Rating Scale (HAM-D)

1. 우울한 기분 (Depressed mood)

- “지난 한주간 기분은 어떠셨나요?
- 기분이 가라앉은 것 같은지, 우울하셨는지, 슬펐는지 ... 그렇다면 얼마나 자주 그랬는지...

0	없다
1	질문을 할 때만 나타난다
2	자연스럽게 말로 표현된다
3	비언어적으로도 나타난다 - 얼굴표정, 몸짓, 목소리, 울 것 같은 표정
4	실제적으로 자연스럽게 말로 표현하고 비언어적인 대화안에서 나타난다

2. 죄책감 (Feeling of guilt)

- “뭔가 잘못된 것 같은 느낌을 갖고 있는지?”
- “당신이 한 일에 대해서 죄책감을 느꼈는지?”
- 죄책감이 지나치고 부적절한지, 비현실적인지 평가

0	없다
1	자책감, 본인이 사람들을 배반했다 라고 느낌
2	지난 과거의 잘못 혹은 죄 받을 정도에 대해 죄책감을 느끼거나 심사숙고한다
3	현재 아픈 것은 하나의 체벌이다
4	죄에 대한 망상, 비난이 들려오거나 비난의소리 그리고/또는 표현하는 공격적이고 시각적인 망상

3. 자살 사고 (Suicide)

- “지난 한주간 사는 게 가치가 없다고 생각한 적은 있나요?”
- “자신을 다치게 하거나 스스로 죽는 것에 대해서 생각적 적은 있습니까?”

0	없음
1	살아가는 것이 가치가 없음을 느낀다 - 직접적인 질문에만 대답
2	자신이 죽기를 바라거나 혹은 자살이 가능한지를 생각한다
3	자살에 대한 생각 혹은 몸짓, 다른 사람들과 자살에 대해 이야기함
4	자살 시도

4. 초기 불면증 (Insomnia_initial)

- “늦게 잠이 드나요?”, “잠드는데 얼마나 오래 걸리나요?”
- 심각도와 빈도 모두 고려

0	잠자는 데 어려움이 없다
1	경우에 따라서 잠들이가 힘들다 - 30 분 이하
2	밤마다 잠들이가 힘들다 - 30 분 이상

5. 중기 불면증 (Insomnia_middle)

- “자다가 중간에 깬 적이 있나요?”
- “잠자리 밖으로 나오나요?”

0	어려움 없음
1	밤동안에 불안하고 혼란스럽다 - 소변을 보기 위해 깨고 나서 다시 쉽게 잠이 들지 않는다
2	밤새 깨어있다 - 자다가 깨서 잠자리 밖으로 나온다면 2점 (용변을 보기 위해 깬 것은 제외함) - 깬 채로 잠자리에서 책을 보거나 담배를 핀다면 2점

6. 후기 불면증 (Insomnia_delayed)

- ❖ “아침에 몇시에 일어나나요?”
- ❖ “일찍 일어난다면 알람 시계로 인한 것인지, 저절로 깨는 것인지?”
- ❖ “평소에는 몇시에 일어나십니까?”

0	어려움 없음
1	이른 아침에 깨지만 바로 다시 잠이 든다
2	평상시보다 1-3 시간 일찍 일어나고 다시 잠들기가 불가능하다

7. 일과 활동 (Work and interest)

- ❖ 통상적 상황에서 평가가 힘들 수도 있으며 보호자의 정보가 필요할 수도 있다
- ❖ 흥미의 상실, 일의 효율 저하, 일을 하기 위해 평소보다 더 많은 노력이 필요 등을 평가
- ❖ 피로 (**fatigability**), 기력 상실 (**loss of energy**)은 평가하지 않음 (13번 항목)

0	어려움 없음
1	무능력하다 라는 생각과 느낌
2	활동에 대한 흥미 상실, 일상적인 활동을 하기 위해 스스로 압박을 해야한다고 느낌, 일에 대한 만족을 덜 느낌
3	활동하는 시간이나 효율이 저하, 입원한 경우에는 하루에 적어도 3시간도 자발적으로 활동하지 않는 경우 3점
4	현재의 질병때문에 일을 멈춤, 면도나 목욕 등도 하지 않음

8. 지체 (Retardation)

- ❖ 생각과 속도의 느림, 집중력 손상, 활동성 줄어듦
- ❖ 환자에게 물어보는 항목은 아님

0	정상적인 속도와 생각
1	인터뷰할 때 약간의 지연, 약간의 침체적인 감성, 약간의 고정된 표현
2	인터뷰에서 분명한 지연, 단조로운 목소리, 대답의 지연, 앉아서 움직이지 않는 경향
3	인터뷰의 어려움, 극도의 지연
4	완전한 망연자실, 인터뷰는 불가능하고 증상은 평가할 수 없다

9. 초조 (Agitation)

❖ 환자에게 물어보는 항목은 아님

0	없음
1	안절부절못하다
2	손과 머리카락을 가지고 계속 움직임
3	인터뷰 동안 의자에 앉아 있지 못함
4	옷을 찢고 머리카락을 뜯는 행동, 혼란스러워보임

10. 정신적 불안 (Anxiety_psychological)

- ❖ 긴장, 편안해지는 것이 어려움, 사소한 문제들에 대한 걱정, 불안, 공포에 대한 느낌 등
- ❖ “지난 한주간 긴장되거나 신경질적이었나요?”
- ❖ “중요하지 않은 사소한 일들에 지나친 걱정을 하나요?”

0	어려움 없음
1	주관적인 긴장과 민감함 - 직접적인 질문에 대해서만 느낌을 표현
2	사소한 일들에 대한 걱정 - 자발적으로 느낌을 표현
3	말을 할 때나 얼굴에 분명하게 나타나는 불안
4	언어적, 비언어적으로 불안이 표현, 공황 발작

11. 신체적 불안 (Anxiety_somatic)

- ❖ 불안에 동반되는 것이 잘 알려진 자율신경계 항진증상
- ❖ 약물에 의한 것은 평가하지 않음
- ❖ 소화기계: 입마름, 소화불량, 설사, 복통
- ❖ 심혈관계: 심계항진, 두통
- ❖ 호흡기계: 과호흡, 한숨
- ❖ 기타: 식은땀, **frequent urination**

0	없음
1	경도 ❖직접적인 질문에 대해서만 대답하는 사소한 증상
2	중등도 ❖자발적으로 표현, 심한 정도는 아님
3	고도 ❖일상적 기능에 어느정도 지장을 받음
4	최고도

12. 위장관계 증상 (Somatic symptoms_GI)

- ❖ 식욕 상실, 변비, 복부의 무거운 느낌
- ❖ 이외의 복통이나 소화 불량 등의 증상은 **11**번 항목에서 평가

0	없음
1	가끔씩 생기는 식욕 저하 - 타인의 권유 없이도 먹을 수 있음
2	타인의 권유 없이는 식사하기 어려움, 변비약이나 소화제를 요구하거나 필요한 상황

13. 전반적 신체증상 (Somatic symptoms_general)

- ❖ 피로감, 기력 상실 (**loss of energy**), 팔다리에 무거운 느낌
- ❖ “항상 피곤함을 느끼나요?”
- ❖ “요통, 두통이나 근육통을 경험했었나요?”

0	없음
1	손발, 등 혹은 머리의 무거움, 요통, 두통, 근육통, 기력 상실, 피로감
2	명백한 증상이 있으면 2점

14. 성적 증상 (Loss of libido)

- ❖ 발병 후 생긴 병적인 변화만을 평가
- ❖ 미혼자, 노인 등 평가가 어려운 경우에는 '0' 으로 평가
- ❖ "성욕에 대한 변화가 있었나요?"

0	없음
1	경도
2	최고도

15. 건강염려증 (Hypochondriasis)

- ❖ “지난 한주간 당신의 신체적 건강에 대해서 얼마나 많이 생각을 하셨나요?”
- ❖ “신체적으로 느껴지는 것에 대해서 걱정을 많이 하시나요?”

0	없음
1	신체 기능에 대한 약간의 집착
2	건강에 대한 과도한 열중
3	빈번한 불평, 도움을 요청
4	망상, 환각

16. 체중 감소 (Weight loss)

- A. when rating by history
- B. when actual weight changes are measured

0	체중이 전혀 줄지 않음
1	현재 질병으로 인하여 체중이 줄어 들 수 있음
2	분명히 체중이 줄어 들음 (환자 보고에 따라)

0	일주일 에 0.5kg 이하 감소
1	일주일 에 0.5kg 이상 감소
2	일주일 에 1.0kg 이상 감소

17. 병식 (Insight)

❖ 관찰과 인터뷰 전체 동안의 환자 보고에 의하여 평가

0	우울해지고 아픈 것에 대해 인지하고 있음
1	병에 대해 인지하나 음식, 날씨, 과도한 일, 바이러스, 과도한 일 등의 원인으로 돌림
2	아픈 것에 대해 부인 -망상 (건강염려, 죄책망상)이 있으면 2점

18. 일중 변동 (Diurnal variation)

- A. 증상이 아침 혹은 저녁 언제 더 심한가

0	아무런 변화 없음
1	오전이 심함
2	오후가 심함

- B. 얼마나 심한가

0	없음
1	경도
2	심함

19. 이인증/비현실감 (Depersonalization or derealization)

- ❖ 질문의 의미를 잘 못 알아듣는 경우는 대개 **absent**한 것이며 경험하는 경우는 곧 알아듣는다

0	없음
1	경도
2	중등도
3	고도
4	무능력해짐

20. 편집 증상 (Paranoid symptoms)

- ❖ “다른 사람들이 당신에 대한 이야기를 한다고 생각됩니까?”
- ❖ ‘그렇다’ 라고 하면 구체적으로 질문

0	없음
1	의심적이거나 사소한 의심들
2	다른 사람들이 자신을 해할 것이라는 생각
3	다른 사람들이 자신을 해한다는 생각 혹은 그렇게 하려고 시도한다는 망상
4	박해하는 내용에 대한 망상

Hamilton Anxiety Rating Scale (HAM-A)

Instructions

- 각 항목마다 증상의 예가 제시됨
- 특정한 anchor point는 없음
- 5-point scale
 - 0 (없음), 1 (경미), 2 (중등도), 3 (심함), 4 (무능력해짐)
- 세가지 평가 기준
 - 빈도 (Frequency)
 - 얼마나 자주 증상을 느끼는가
 - 심각도 (Distress)
 - 증상으로 인해 얼마나 힘든가
 - 기능 저하 (Functional impairment)
 - 증상으로 인해 얼마나 생활에 지장을 받는가

빈도	심각도	점수
없음	없음	0
<50% of time	Little or none	1 (경미)
<50% of time	Mild-moderate	>=2 (중등도)
>50% of time	Mild	>=2 (중등도)
<50% of time	Severe	>=3 (심함)
>50% of time	Moderate-severe	>=3 (심함)
>50% of time	Clear behavioral impact	4 (무능력해짐)

Items

- 1. 불안한 기분 (Anxious mood)
 - 걱정, 상황이 극단적으로 나빠질 것 같은 예감
 - 두려운 일이 생길 것 같은 예감
 - 안정되지 못함
- 2. 긴장 (Tension)
 - 긴장감, 피곤, 깜짝 놀람
 - 쉽게 눈물이 나려함
 - 떨고 있음, 안절부절못함

Items

- 3. 공포 (Fears)
 - 어둠, 낯선 사람, 동물, 군중 등
- 4. 불면 (Insomnia)
 - 잠들기 어렵다
 - 잠을 설쳤다
 - 잠이 만족스럽지 못하고 깰때 피곤하다
 - 악몽, 야경

Items

- 5. 지적 증상 (Intellectual)
 - 집중 곤란, 기억력 저하
- 6. 우울한 기분 (Depressed mood)
 - 흥미 소실, 취미에 대해 즐거움이 없음
 - 우울
 - 잠에서 일찍 깬
- 7. 신체적 호소 근육 (somatic_muscular)
 - 근육통, 경직, 경련,
 - 이를 간다

Items

- 8. 신체적 호소_감각 (Somatic_sensory)
 - 이명, 시각 장애
 - 싸늘하거나 화끈 달아오름, 무력감
- 9. 심혈관계 증상
 - 빈맥, 심계항진, 흉통
 - 졸도감
- 10. 호흡기계 증상
 - 가슴이 조이거나 압박감, 질식감
 - 호흡곤란, 한숨

Items

- 11. 위장관계 증상
 - 삼키기 어렵다, 가스가 찼다, 복통, 복부팽만감
 - 오심, 구토, 배가 부글부글하다
 - 변비, 체중감소
- 12. 비뇨기계 증상
 - 빈뇨, 요실금
 - 무월경, 월경통
 - 성욕소실, 불감증

Items

- 13. 자율신경계 증상
 - 입이 마른다, 식은땀, 창백, 현기증
 - 긴장성 두통, 머리털이 쭈뼛 선다
- 14. 면담 중 행동
 - 안달, 발을 구른다, 손을 떼다, 긴장된 얼굴
 - 한숨, 창백한 얼굴, 침 삼키기, 트림