CORROTECH ITK LTD.

Hong Kong

TITANIUM & SPECIAL ALLOY PIPING COMPONENTS

"For Refinery, Petrochemical & Chemical"

"Industrial Projects"

"Advanced Piping Solutions"

www.pipefittings-hg.com

ABOUT CORROTECH ITK LTD.

CorroTech ITK Ltd. is a Hong Kong-based supplier specializing in critical piping components for demanding industrial applications.

CONTACT INFORMATION

Headquarters: THE CAPITAL, 61–65 Chatham Road South, Tsim Sha Tsui, Hong Kong
Email: itk.ltd.com@gmail.com
WhatsApp: +852 5344 5428
Website: https://pipefittings-hg.com/

OUR CORE COMPETENCIES

- ✓ Direct partnerships with certified Chinese manufacturers
- ✓ Specialization in titanium, duplex, and super alloy materials
- ✓ Full documentation package (MTC 3.1, EN 10204, ASME, GOST)
- ✓ Third-party inspection available (SGS, BV, TUV)
- ✓ Flexible payment structures via Hong Kong entities
- ✓ Logistics: CIF/FOB/DDP worldwide

INDUSTRIES WE SERVE

- Oil & Gas Refineries
- Petrochemical Plants
- Chemical Processing
- Offshore & Marine
- Power Generation
- Desalination Plants

TITANIUM PIPING COMPONENTS

MATERIAL GRADES AVAILABLE:

- Gr. 2 | Commercially pure, excellent corrosion resistance
- Gr. 5 | High strength, offshore & marine applications
- Gr. 7 | Enhanced corrosion resistance (Pd added)
- Gr. 12 | High temperature, reducing acid environments

KEY ADVANTAGES:

- ✓ Excellent corrosion resistance in chloride environments
- ✓ High strength-to-weight ratio
- ✓ Suitable for temperatures up to 400°C
- ✓ Long service life in aggressive media

PRODUCT TYPE	SPECIFICATIONS	SIZES
Elbows (90°/45°)	ASME B16.9	1/2" – 24"
Tees (Equal/Reducing)	ASME B16.9	1/2" – 24"
Reducers	ASME B16.9	1/2" – 24"
Caps	ASME B16.9	1/2" – 24"

Grade 2 | Grade 5 (Ti-6Al-4V) | Grade 7 | Grade 12

STAINLESS STEEL PIPING COMPONENTS

304/304L | 316/316L | 321 | 347 | 904L

MATERIAL GRADES:

- 304/304L — General purpose, food & beverage
- 316/316L — Enhanced corrosion resistance, marine
- 321 — High temperature applications
- 347 — Stabilized for welding applications
- 904L — Super austenitic, high corrosion resistance

PRODUCT TYPE	SPECIFICATIONS	SIZES
Elbows (90°/45°)	ASME B16.9	1/2" – 48"
Tees (Equal/Reducing)	ASME B16.9	1/2" – 48"
Reducers	ASME B16.9	1/2" – 48"
Caps	ASME B16.9	1/2" – 48"
Flanges	ASME B16.5	1/2" – 48"
Pipe Nipples	ASME B36.19	1/2" – 12"

Corrosion Resistant • High Strength • Global Compliance

DUPLEX & SUPER DUPLEX STAINLESS STEEL

S31803/S32205 | S32750 | S32760

GRADE	PREN*	APPLICATION
2205	34-38	Offshore, chemical processing
2507	40-44	Seawater, high chloride env.
Zeron 100	40-44	Oil & gas, marine

*PREN = Pitting Resistance Equivalent Number

KEY ADVANTAGES:

- ✓ 2x strength of austenitic stainless steel
- ✓ Excellent stress corrosion cracking resistance
- ✓ Cost-effective alternative to 6% MO alloys

DUPLEX • SUPER DUPLEX • HIGH-PERFORMANCE

Corrosion Resistant • Chloride Tolerant • Weld-Friendly

FLANGES — ALL TYPES & MATERIALS

TYPES AVAILABLE:

- Weld Neck (WN)
- Slip On (SO)
- Blind (BL)
- Reducing
- Socket Weld (SW)
- Lap Joint (LJ)
- Threaded (TH)
- Expanding

STANDARDS:

- ASME B16.5 (NPS 1/2" – 24")
- ASME B16.47 Series A & B (NPS 26" – 60")
- EN 1092-1 (PN6 – PN100)
- GOST 12820-80 (DN15 – DN1200)

PRESSURE CLASSES:

150 | 300 | 600 | 900 | 1500 | 2500 | PN10 | PN16 | PN25 | PN40

MATERIALS:

Carbon Steel | Stainless Steel | Titanium | Duplex | Alloy Steel

ELBOWS & TEES — SEAMLESS & WELDED

ELBOWS:

Type: 90° Long Radius | 90° Short Radius
45° Long Radius | 180° Returns

SIZES & SCHEDULE:

Sizes: 1/2" – 48" (DN15 – DN1200)
Schedule: SCH10S – SCH160, XXS

PRODUCT TYPE	TYPE VARIANTS	STANDARDS
Elbows (90°/45°)	90° LR | 90° SR | 45° LR | 180° Returns	ASME B16.9
Tees (Equal/Reducing)	Equal | Reducing | Barred | Lateral	ASME B16.9
Elbows (Seamless)	All types available in seamless form	ASTM A234 WPB / A403 WP316
Tees (Welded)	All types available in welded construction	ASTM A234 WPB / A403 WP316

MATERIALS:

Titanium Gr.2/5 | SS 304/316 | Duplex 2205/2507 | Carbon Steel | Alloy Steel

CERTIFICATIONS & DOCUMENTATION

MANUFACTURER CERTIFICATIONS:

- ✓ ISO 9001:2015 — Quality Management System
- ✓ ISO 14001:2015 — Environmental Management
- ✓ OHSAS 18001 / ISO 45001 — Occupational Health & Safety

PRODUCT CERTIFICATIONS:

- ✓ ASME B16.9 / B16.5 / B16.47
- ✓ EN 10204 3.1 / 3.2 — Material Test Certificates
- ✓ PED 2014/68/EU — Pressure Equipment Directive
- ✓ AD 2000 HP0 — German Pressure Vessel Code
- ✓ GOST-R — Russian National Standard

THIRD-PARTY INSPECTION:

- ✓ SGS — Available on request
- ✓ Bureau Veritas (BV)
- ✓ TUV Rheinland
- ✓ Lloyd's Register
- ✓ DNV GL

DOCUMENTATION PACKAGE (included with every shipment):

- Material Test Certificate (MTC) EN 10204 3.1
- Certificate of Origin
- Packing List
- Commercial Invoice
- Quality Inspection Report
- Dimensional Report

QUALITY CONTROL PROCESS

1. RAW MATERIAL INSPECTION

- "Chemical composition analysis (Spectrometer"
- "Mechanical properties testing"

2. IN-PROCESS INSPECTION

- "Dimensional checks at each production stage"
- "Visual inspection (VT)"
- "Dye penetrant testing (PT)"

QC STAGE PROGRESSION

"Raw Material Inspection → In-Process Inspection → Final Inspection"

"Raw Material Inspection → In-Process Inspection → Final Inspection"

3. FINAL INSPECTION & 4. DOCUMENTATION & TRACEABILITY

- "Hydrostatic pressure testing"
- "Radiographic testing (RT) — on request"
- "Ultrasonic testing (UT) — on request"
- "Final dimensional verification"

- "Heat number tracking"
- "Full MTC with chemical & mechanical properties"
- "Third-party inspection reports (if required)"

LOGISTICS & PACKAGING

PACKING STANDARDS:

- ✓ Wooden crates for flanges and large fittings
- ✓ Bundle packing for elbows and tees (steel straps)
- ✓ Plastic caps on all threaded/beveled ends
- ✓ Weather-resistant wrapping for sea freight
- ✓ Custom labeling per customer requirements

SHIPPING TERMS:

- **FOB** — Chinese Port (Shanghai, Ningbo, Qingdao)
- **CIF** — **Destination Port** (worldwide)
- **DDP** — Delivered to Customer Facility (on request)

LEAD TIME

Product Type	Standard Items	Custom Items
Stainless Steel	7-14 days	21-30 days
Titanium	14-21 days	30-45 days
Duplex/Super Duplex	21-30 days	45-60 days
Large Diameter (>24")	30-45 days	60-90 days

PAYMENT TERMS:

- **T/T** (30% deposit, 70% before shipment)
- **L/C** at sight (for orders **>$100,000**)
- Flexible structures via Hong Kong entities

REFERENCE PROJECTS

INDUSTRIES SERVED:

- Oil & Gas Refineries (Middle East, Southeast Asia)
- Petrochemical Plants (India, Malaysia, Vietnam)
- Chemical Processing Facilities
- Offshore Platforms
- Desalination Plants
- Power Generation Facilities

TYPICAL APPLICATIONS:

- Seawater cooling systems (Titanium Gr.2)
- Chlorine processing (Titanium Gr.7)
- High-pressure steam lines (Alloy steel)
- Acid resistance pipelines (Duplex 2205/2507)
- Cryogenic applications (SS 304L/316L)

PROJECT HIGHLIGHTS

Offshore & Marine

"Seawater piping for FPSO modules"

"Titanium Gr.2 | ASME B16.9"

Chemical & Petrochemical

"Chlorine-handling manifolds in India"

"Titanium Gr.7 | EN 1092-1"

Power & Desalination

"High-purity condensate lines for MED plants"

"Duplex 2205 | ASTM A815 SR"

GLOBAL PROJECT FOOTPRINT: Middle East • India • Malaysia • Vietnam • Southeast Asia

Proven performance across 6 continents and 30+ countries

CONTACT US

CORROTECH ITK LTD.
Hong Kong

CONTACT INFORMATION
Address: THE CAPITAL, 61–65 Chatham Road South, Tsim Sha Tsui, Hong Kong
Email: itk.ltd.com@gmail.com
WhatsApp: +852 5344 5428
Website: https://pipefittings-hg.com/

BUSINESS HOURS
"Monday – Friday: 9:00 – 18:00 (HKT)"
"Weekend: By appointment"

REQUEST FOR QUOTATION:
- Product type and quantity
- Material grade
- Size and schedule/thickness
- Applicable standard (ASME/EN/GOST)
- Delivery destination
- Required delivery date

We guarantee response within 24 hours!
Advanced Piping Solutions