CORROTECH ITK LTD.

Hong Kong



WELDOLETS & BRANCH CONNECTIONS

Forged Steel Fittings for Pipe Branching

For Oil & Gas
Petrochemical
Power & Industrial Projects

www.pipefittings-hq.com

ABOUT CORROTECH ITK LTD.

CorroTech ITK Ltd. Hong Kong

CONTACT INFORMATION

Address: THE CAPITAL, 61-65 Chatham Road South, Tsim Sha Tsui, Hong Kong

Email: itk.ltd.com@gmail.com

WhatsApp: +852 5344 5428

Website: https://pipefittings-hg.com/

OUR EXPERTISE IN BRANCH CONNECTIONS

- ✓ Direct partnerships with certified manufacturers (ISO 9001, ASME, PED)
- ✓ Full range: Weldolets, Sockolets, Threadolets, Elbolets, Latrolets, Nipolets
- ✓ Materials: Carbon Steel, Stainless Steel, Alloy Steel, Duplex, Titanium, Nickel Alloys
- ✓ Standards: MSS SP-97, ASME B16.11, ASME B16.9, PED, GOST
- ✓ Full documentation: MTC 3.1, EN 10204, pressure vessel certificates
- ✓ Third-party inspection available (SGS, BV, TUV, Lloyd's)
- ✓ Global logistics: CIF/FOB/DDP worldwide

ITK

ISO ASME PED MSS EN 10204 SGS

Certified. Traceable. Globally Delivered.

PRODUCT RANGE: BRANCH CONNECTIONS

CorroTech ITK Ltd. Hong Kong

WELDOLETS



Butt-weld branch connections

Most common for high-pressure/temperature services; Sizes: 1/2" to 60+ run pipe

SOCKOLETS

Socket-weld branch connections

Ideal for small bore piping; Sizes: 1/2" to 4" branch

LATROLETS

Lateral branch connection

45-degree branch option

THREDOLETS

Threaded branch connections

NPT threads for easy installation; Sizes: 1/2" to 4" branch

ELBOLETS

Branch connection on elbow

Saves space, reduces welds

NIPOLETS

Combination of nipple and outlet

Integrated branch and pipe section

Six precision-engineered solutions for every branching requirement — certified, traceable, field-proven.

WELDOLETS & SOCKOLETS SPECIFICATIONS

CorroTech ITK Ltd. Hong Kong

WELDOLET DETAILS

- End Connection: Bevaled for butt welding
- Run Pipe Sizes: 1/2" to 60+ inch
- Branch Sizes: 1/2" to 24" inch
- Pressure Classes: 3000, 6000, 9000 lbs
- Standards: MSS SP-97, ASME B16.11
- Material: CS, SS, Alloy, Duplex

SOCKOLET DETAILS



- End Connection: Socket weld (SW)
- Run Pipe Sizes: 1/2" to 24" inch
- Branch Sizes: 1/2" to 4" inch
- Pressure Classes: 3000, 6000 lbs
- Standards: MSS SP-97, ASME B16.11
- Ideal for: Small bore high-pressure lines

Precision-spec'd for integrity, compatibility, and field reliability — fully traceable to material lot and certification.

THREDOLETS & SPECIALTY CONNECTIONS

CorroTech ITK Ltd. Hong Kong



THREDOLET DETAILS

- **End Connection**: Threaded (NPT)
- **Run Pipe Sizes**: 1/2" to 24" inch
- **Branch Sizes**: 1/2" to 4" inch
- **Pressure Classes**: 3000, 6000 lbs
- **Standards**: MSS SP-97, ASME B16.11
- **Ideal for**: Instrumentation, low pressure

ELBOLET & LATROLET

- **Elbolet**: Welded to elbow center
- **Latrolet**: 45-degree lateral branch
- Saves space in tight piping layouts
- Reduces number of weld joints

NIPOLET

- Integrated nipple and outlet
- Reduces fabrication time
- Available in butt-weld or threaded ends

Threaded, lateral, and integrated solutions — engineered for space efficiency, weld reduction, and rapid field assembly.

MATERIALS & GRADES

CorroTech ITK Ltd. Hong Kong

CARBON STEEL

- ASTM A105 (Standard forging)
- ASTM A350 LF2 (Low temperature)
- ASTM A694 F52/F60 (High yield)

STAINLESS STEEL

- ASTM A182 F304/304L
- ASTM A182 F316/316L
- ASTM A182 F321 / F347
- ASTM A182 F310 / F317L



ALLOY STEEL

- ASTM A182 F11 (1-1/4 Cr 1/2 Mo)
- ASTM A182 F22 (2-1/4 Cr 1 Mo)
- ASTM A182 F91 (9 Cr 1 Mo)



DUPLEX & SUPER DUPLEX

- F51 (2205)
- F53 (2507)
- F55 (Super Duplex)

SPECIAL ALLOYS

- Titanium Gr.2, Gr.5, Gr.7
- Inconel 625, 825
- Hastelloy C-276, C-22
- Monel 400, K-500

APPLICATIONS BY INDUSTRY: OIL & GAS REFINING

CorroTech ITK Ltd. Hong Kong

CRUDE DISTILLATION UNITS

- High-temperature branches
- Carbon steel and alloy materials

HYDROCRACKER / HYDROTREATER

- High-pressure H_2 service
- Stainless steel and alloy materials

FCCU (FLUID CATALYTIC CRACKING UNIT)

- Catalyst lines
- Flue gas branches
- High temperature resistance

PIPELINE MANIFOLDS

- Branch connections for metering
- Pipeline transmission and distribution

STORAGE TERMINALS

- Tank farm piping
- Loading and unloading lines

Industry-specific branch solutions — engineered for extreme service conditions, certified for refinery safety and integrity.

APPLICATIONS BY INDUSTRY: PETROCHEMICAL & POWER

CorroTech ITK Ltd. Hong Kong

PETROCHEMICAL & CHEMICAL

- Ethylene crackers
- High temperature thermal cycling
- Ammonia and methanol plants
- High pressure synthesis gas
- Chemical processing units
- Corrosive media handling



POWER GENERATION

- Thermal power plants
- HP/LP feedwater heaters
- Steam lines and extraction points
- Combined cycle power plants
- HRSG piping systems

"NUCLEAR POWER"

- Component cooling water
- Essential service water
- Special grade materials required

Cross-industry branch solutions — certified for extreme thermal, pressure, and corrosion challenges across petrochemical, thermal, and nuclear infrastructure.

STANDARDS & COMPLIANCE

CorroTech ITK Ltd. Hong Kong

CORE FORGED BRANCH STANDARDS

- MSS SP-97
- Integrally reinforced forged branch outlet fittings

ASME PIPE FITTINGS STANDARDS

- ASME B16.11
- Forged fittings, socket-welding and threaded
- ASME B16.9
- Factory-made wreught butt-welding fittings
- ASME Section II
- Material specifications



PIPELINE & INDUSTRY CODES

- ASME B31.1 / B31.3
- Power piping / Process piping
- API 6A / 6D
- Oil and gas industry equipment

GLOBAL REGULATORY STANDARDS

- EN 10253-4
- Weldless steel butt-welding fittings
- PED 2014/68/EU
- Pressure Equipment Directive

SPECIAL SERVICE REQUIREMENTS

- GOST 17375 / 17376
- Russian standards for fittings
- NACE MR0175 / ISO 15156
- Materials for sour service

QUALITY CONTROL PROCESS

CorroTech ITK Ltd. Hong Kong



RAW MATERIAL INSPECTION

- Chemical composition analysis (Spectrometer)
- Mechanical properties testing
- Positive Material Identification (PMI)



IN-PROCESS INSPECTION

- Dimensional checks at each production stage
- Visual inspection (VT)
- Dye penetrant testing (PT)
- Forging ratio verification
- Heat treatment monitoring



FINAL INSPECTION

- Final dimensional verification
- Surface finish inspection
- Marking and identification check
- Packaging inspection

Incoming → In-process → Outgoing

End-to-end traceable quality assurance — from raw melt to certified shipment, compliant with ISO 9001, ASME QA-1 and PED Annex I.

TESTING & INSPECTION PROCEDURES

CorroTech ITK Ltd. Hong Kong

NON-DESTRUCTIVE TESTING (NDT)

- **Visual inspection (VT)** of all surfaces
- **Dye penetrant testing (PT)** for surface defects
- **Magnetic particle testing (MT)** for ferrous materials
- **Radiographic testing (RT)** on request for critical welds
- **Ultrasonic testing (UT)** for wall thickness verification

MECHANICAL TESTING

- **Tensile strength testing**
- **Impact testing (Charpy V-Notch)** for low temp service
- **Hardness testing (HB/HRC)**

PRESSURE TESTING

- **Hydrostatic pressure test (1.5x** design pressure) on request
- **Air under water test** for small fittings

Comprehensive, standards-aligned verification — every test method applied per ASME B16.11, PED Annex I, and client-specified acceptance criteria.

CERTIFICATIONS & DOCUMENTATION

CorroTech ITK Ltd. Hong Kong

MANUFACTURER CERTIFICATIONS

- ISO 9001:2015 — Quality Management
- ISO 14001:2015 — Environmental Management
- PED 2014/68/EU — Pressure Equipment Directive
- ASME Section II materials compliance
- NACE MR0175 / ISO 15156 — Sour service materials
- GOST-R / EAC Certification (for CIS markets)

PRODUCT CERTIFICATIONS

- PED 2014/68/EU — Category I to IV (as applicable)
- ASME Section VIII Div.1 / Div.2 (on request)
- MSS SP-97 compliance certificate
- API 6A / 6D compliance (for oil & gas applications)
- CRN registration (Canada), DOSH (Malaysia) — on request

THIRD-PARTY INSPECTION

- SGS — Available on request
- Bureau Veritas (BV)
- TUV Rheinland / TUV SUD
- Lloyd's Register
- DNV GL
- Client-appointed inspector welcome

Certified at every level — manufacturer systems, product conformity, and independent verification — fully traceable to audit reports

DOCUMENTATION PACKAGE

CorroTech ITK Ltd. Hong Kong

CORE CERTIFICATION DOCUMENTS

- Material Test Certificate (MTC) EN 10204 3.1
- Certificate of Conformity / Compliance

TEST & INSPECTION REPORTS

- Hydrostatic Test Report
- Dimensional Inspection Report
- NDT Reports (RT/PT/MT as applicable)
- Quality Inspection Report



MANUFACTURING RECORDS

- Welding Procedure & Welder Qualification Records
- Heat Treatment Records (if applicable)

LOGISTICS & SUPPORT DOCUMENTS

- Packing List & Commercial Invoice
- Certificate of Origin
- Installation Guidelines (summary)
- Calculation Summary Report (on request)

Complete, auditable documentation — delivered with every shipment, fully traceable to material lot, heat number, and inspection batch.

ENGINEERING SUPPORT & WORKFLOW

CorroTech ITK Ltd. Hong Kong

1. DATA COLLECTION

- Piping isometric or general arrangement
- Process data: pressure, temperature, media composition
- Branch location, orientation, space constraints
- Applicable standards, certification requirements
- Required movement compensation (thermal growth)

2. PRELIMINARY SELECTION

- Branch connection type recommendation
- Material selection per media & conditions
- Preliminary sizing (run pipe, branch size, schedule)
- Configuration options (standard, reducing, lateral)
- Pressure rating verification per ASME B31.3

3. DETAILED ENGINEERING

- Reinforcement area calculation (if required)
- Stress analysis for critical applications
- Fatigue life estimation for cyclic service

4. DOCUMENTATION & APPROVAL

- Data sheet & technical specification
- General arrangement drawing (PDF/DWG)
- Calculation report (reinforcement, pressure rating)
- Material specification & inspection test plan
- Commercial offer with lead time

REFERENCE PROJECTS

CorroTech ITK Ltd. Hong Kong

INDUSTRIES SERVED

- Oil & Gas Refineries (Middle East, Southeast Asia)
- Petrochemical Plants (India, Malaysia, Vietnam)
- Chemical Processing Facilities
- Offshore Platforms
- Desalination Plants
- Power Generation Facilities

TYPICAL APPLICATIONS

- Seawater cooling systems
- Chlorine processing (Titanium Gr.7)
- High-pressure steam lines (Alloy steel)
- Acid resistance pipelines (Duplex 2205/2507)
- Cryogenic applications (SS 304L/316L)

PROJECT SPECIFICATIONS

- Weldolet 3000 lbs, CS A105, 24" x 6"
- Sockolet 6000 lbs, SS 316, 8" x 2"
- Threadolet 3000 lbs, A105, 12" x 1/2" NPT

WHY CHOOSE CORROTECH

CorroTech ITK Ltd. Hong Kong

DIRECT MANUFACTURER ACCESS

- No middlemen — competitive pricing, faster lead times
- Full size range: From 1/2" to 60+" run pipe sizes — all in stock

ENGINEERING EXPERTISE

- ASME/MSS compliance, stress analysis support

MATERIAL FLEXIBILITY

- CS, SS, Duplex, Titanium, Alloy Steel — all available

FULL DOCUMENTATION

- MTC 3.1, ASME, PED, GOST — ready for customs & audits

QUALITY ASSURANCE

- Dimensional inspection, NDT, third-party available

CONTACT & REQUEST FOR QUOTATION

CORROTECH ITK LTD. Hong Kong

CONTACT INFORMATION

Address: THE CAPITAL, 61-65 Chatham Road South, Tsim Sha Tsui, Hong Kong

Email: itk.ltd.com@gmail.com

WhatsApp: +852 5344 5428

Website: https://pipefittings-hg.com/

Business Hours: Monday – Friday: 9:00 – 18:00 (HKT) ; Weekend: By appointment

REQUEST FOR QUOTATION

- Type of branch connection (Weldolet / Sockolet / Threadolet / Elbolet / Nipolet)
- Run pipe size and schedule
- Branch size and schedule
- Material grade and standard
- Pressure class (3000 / 6000 / 9000)
- Applicable standards (MSS SP-97 / ASME B16.11 / PED)
- Delivery destination and required date

WE GUARANTEE

- Technical proposal within 48 hours
- Commercial offer within 24 hours after specs approvel
- Full documentation package with every shipment

Direct, responsive, fully documented — your inquiry receives immediate engineering attention

CORROTECH ITK LTD.

Hong Kong

Advanced Piping Solutions

www.pipefittings-hg.com

© CORROTECH ITK LTD. | Hong Kong